

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2011²

Nature	Nature code ³	Private industry ⁴	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Total		918,140	—	190	19,840	86,630	199,410	205,290	228,340	135,710	27,560	15,170	
Traumatic injuries and disorders	1	880,580	—	190	19,320	84,320	192,780	196,790	217,340	129,650	26,660	13,530	
Traumatic injuries and disorders, unspecified	10	30,580	—	—	540	2,090	6,150	6,730	7,990	5,020	1,000	1,070	
Traumatic injuries to bones, nerves, spinal cord	11	79,930	—	—	1,000	5,780	15,990	14,220	19,530	17,260	5,170	970	
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1,780	—	—	60	150	470	260	410	180	100	150	
Fractures	111	75,660	—	—	920	5,400	15,100	13,380	18,500	16,580	4,970	800	
Traumatic injuries to spinal cord	112	270	—	—	—	70	30	20	60	60	20	—	
Traumatic injuries to spinal cord, unspecified	1120	150	—	—	—	—	20	—	20	40	—	—	
Traumatic injuries to spinal cord, n.e.c.	1129	110	—	—	—	—	—	20	40	20	—	—	
Traumatic injuries to nerves, except the spinal cord ..	113	1,870	—	—	20	80	340	500	460	430	30	—	
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	130	—	—	—	—	20	70	30	—	—	—	
Pinched nerve	1131	1,660	—	—	20	60	330	410	400	420	30	—	
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	80	—	—	—	20	—	20	30	—	—	—	
Multiple traumatic injuries to bones, nerves, spinal cord	118	210	—	—	—	—	30	50	80	—	40	—	
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	140	—	—	—	80	—	—	30	—	—	—	
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	374,310	—	130	5,900	30,870	80,260	90,810	98,640	54,430	8,090	5,180	
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	4,510	—	—	40	370	790	820	1,510	730	150	100	
Dislocations	121	8,720	—	—	180	750	2,140	2,130	1,930	1,360	160	80	
Dislocations, unspecified	1210	1,380	—	—	30	100	240	620	200	130	20	30	
Herniated discs	1211	2,690	—	—	—	60	680	770	790	330	30	—	
Dislocation of joints	1212	4,450	—	—	130	590	1,180	700	870	840	100	40	
Dislocations, n.e.c.	1219	200	—	—	—	—	30	40	70	40	—	—	
Cartilage fractures and tears	122	4,740	—	—	30	110	510	1,050	1,620	1,290	130	—	
Cartilage fractures and tears, unspecified	1220	460	—	—	—	—	20	190	190	40	—	—	
Meniscus tears	1221	3,890	—	—	30	110	470	810	1,360	990	110	—	
Cartilage fractures and tears, n.e.c.	1229	400	—	—	—	—	—	50	70	260	—	—	
Sprains, strains, tears	123	343,240	—	130	5,590	28,740	74,960	83,160	89,630	48,730	7,360	4,930	
Sprains, strains, tears, unspecified	1230	22,780	—	—	380	1,430	5,240	5,060	5,950	4,090	490	140	
Major tears to muscles, tendons, ligaments	1231	17,330	—	—	90	410	1,610	4,180	5,790	4,370	480	390	
Sprains	1232	85,310	—	—	2,070	8,420	19,340	19,800	21,280	10,890	2,350	1,160	
Strains	1233	210,800	—	120	2,990	18,080	47,510	52,730	54,060	28,210	3,920	3,170	
Multiple sprains, strains, tears	1238	7,010	—	—	60	390	1,260	1,390	2,550	1,170	120	70	
Hernias due to traumatic incidents	124	11,260	—	—	60	780	1,530	3,180	3,260	2,130	270	50	
Whiplash	125	1,030	—	—	—	40	160	260	500	50	—	—	
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	540	—	—	—	40	130	90	140	120	—	—	
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	280	—	—	—	40	40	120	40	40	—	—	
Open wounds	13	94,130	—	30	5,290	14,400	23,290	19,080	18,270	9,870	1,800	2,100	
Open wounds, unspecified	130	1,130	—	—	20	100	280	220	390	90	20	—	
Amputations, avulsions, enucleations	131	7,950	—	—	240	1,030	1,580	1,920	1,950	1,140	30	60	
Amputations, avulsions, enucleations, unspecified	1310	210	—	—	—	20	40	30	100	30	—	—	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Amputations	1311	5,110	—	—	110	640	1,200	1,410	1,130	560	20	30
Avulsions, enucleations	1312	2,570	—	—	120	370	320	480	690	540	—	30
Amputations, avulsions, enucleations, n.e.c.	1319	60	—	—	—	—	—	—	20	—	—	—
Cuts, lacerations	132	70,910	—	—	4,460	10,970	17,690	13,920	12,790	7,520	1,620	1,930
Puncture wounds, except gunshot wounds	133	13,750	—	—	570	2,250	3,640	2,910	3,060	1,070	130	100
Gunshot wounds	134	90	—	—	—	—	30	40	—	—	—	—
Multiple types of open wounds	138	150	—	—	—	—	40	30	30	30	—	—
Open wounds, n.e.c.	139	150	—	—	—	20	30	50	40	—	—	—
Surface wounds and bruises	14	86,030	—	—	2,060	8,610	19,930	16,760	19,680	13,430	4,390	1,160
Surface wounds and bruises, unspecified	140	470	—	—	20	40	100	90	110	70	—	30
Abrasions, scratches	141	6,480	—	—	140	790	1,550	1,320	1,510	870	230	60
Blisters	142	100	—	—	—	—	20	30	30	—	—	—
Bruises, contusions	143	77,010	—	—	1,860	7,630	17,870	14,820	17,570	12,100	4,110	1,040
Multiple surface wounds and bruises	148	1,490	—	—	30	120	180	450	340	320	40	20
Surface wounds and bruises, n.e.c.	149	470	—	—	—	30	210	60	120	50	—	—
Burns and corrosions	15	19,900	—	—	950	4,190	4,210	4,570	3,850	1,390	430	320
Burns and corrosions, unspecified	150	440	—	—	20	100	100	70	80	60	—	—
Chemical burns and corrosions	151	3,260	—	—	80	450	600	960	720	310	90	60
Chemical burns and corrosions, unspecified	1510	2,770	—	—	70	350	540	780	620	260	80	50
First degree chemical burns and corrosions	1511	50	—	—	—	20	—	30	—	—	—	—
Second degree chemical burns and corrosions	1512	220	—	—	—	70	30	30	60	30	—	—
Third or fourth degree chemical burns and corrosions	1513	20	—	—	—	—	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	1519	190	—	—	—	—	20	110	40	—	—	—
Heat (thermal) burns	152	13,660	—	—	740	3,030	2,890	2,950	2,600	900	310	240
Heat (thermal) burns, unspecified	1520	9,850	—	—	560	2,190	2,320	2,210	1,510	610	290	150
First degree heat (thermal) burns	1521	570	—	—	—	90	150	90	190	40	—	—
Second degree heat (thermal) burns	1522	2,140	—	—	140	510	300	530	480	150	20	—
Third or fourth degree heat (thermal) burns	1523	350	—	—	20	60	40	30	110	—	—	70
Heat (thermal) burns, n.e.c.	1529	750	—	—	—	180	80	90	310	70	—	—
Electrical burns	153	1,020	—	—	—	110	250	340	230	70	—	—
Electrical burns, unspecified	1530	730	—	—	—	80	230	250	120	40	—	—
First degree electrical burns	1531	60	—	—	—	—	—	50	—	—	—	—
Second degree electrical burns	1532	60	—	—	—	—	—	—	40	—	—	—
Third or fourth degree electrical burns	1533	100	—	—	—	—	—	20	70	—	—	—
Electrical burns, n.e.c.	1539	70	—	—	—	—	—	—	—	20	—	—
Other burns	159	1,520	—	—	110	500	370	240	210	50	20	—
Other burns, unspecified	1590	240	—	—	—	20	70	40	80	—	20	—
Other burns, first degree	1591	860	—	—	80	220	240	170	110	30	—	—
Other burns, second degree	1592	360	—	—	—	240	40	20	—	20	—	—
Other burns, n.e.c.	1599	50	—	—	—	—	—	—	—	—	—	—
Intracranial injuries	16	7,930	—	—	210	1,050	2,080	1,760	1,600	880	300	50
Intracranial injuries, unspecified	160	640	—	—	—	60	140	150	130	110	50	—
Cerebral and other intracranial hemorrhages	161	40	—	—	—	—	—	20	—	—	—	—
Concussions	162	7,190	—	—	200	960	1,930	1,590	1,450	760	250	50
Multiple types of intracranial injuries	168	50	—	—	—	20	20	—	—	—	—	—
Skull fracture and intracranial injury	1681	50	—	—	—	20	20	—	—	—	—	—
Effects of environmental conditions	17	3,580	—	—	150	510	880	790	730	340	50	120
Effects of reduced temperature	171	190	—	—	—	50	20	60	50	—	—	—
Frostbite	1711	180	—	—	—	40	20	50	50	—	—	—

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Effects of heat and light	172	3,250	—	—	150	460	790	700	660	320	50	120	
Effects of heat and light, unspecified	1720	170	—	—	—	—	40	20	50	30	—	—	
Heat stroke	1721	310	—	—	—	20	60	80	30	—	—	—	
Heat syncope	1722	150	—	—	—	—	30	20	50	20	—	—	
Heat fatigue	1723	330	—	—	90	20	50	50	100	20	—	—	
Heat exhaustion, prostration	1725	1,840	—	—	30	360	490	470	290	190	—	20	
Multiple effects of heat and light	1728	20	—	—	—	—	—	—	—	—	—	—	
Effects of heat and light, n.e.c.	1729	440	—	—	—	30	130	70	140	40	—	—	
Effects of air or water pressure	173	130	—	—	—	—	60	30	20	—	—	—	
Effects of air or water pressure, unspecified	1730	60	—	—	—	—	30	—	—	—	—	—	
Aero-otitis media	1731	30	—	—	—	—	—	20	20	—	—	—	
Effects of air or water pressure, n.e.c.	1739	40	—	—	—	—	30	—	—	—	—	—	
Multiple traumatic injuries and disorders	18	30,400	—	—	630	2,100	6,030	6,070	7,310	6,270	1,600	380	
Multiple traumatic injuries and disorders, unspecified	180	2,130	—	—	—	230	320	290	580	420	210	80	
Cuts and abrasions or bruises	181	5,490	—	—	300	390	1,150	1,240	910	1,130	290	70	
Sprains and other injuries	182	12,510	—	—	230	700	2,570	2,470	3,120	2,700	590	130	
Sprains and other injuries, unspecified	1820	660	—	—	—	—	40	140	120	340	—	—	
Sprains and bruises	1821	9,480	—	—	180	630	2,130	1,800	2,340	1,900	400	100	
Sprains and cuts	1822	870	—	—	—	20	170	170	150	260	100	—	
Sprains and other injuries, n.e.c.	1829	1,510	—	—	40	30	240	360	520	210	80	30	
Fractures and other injuries	183	6,500	—	—	70	550	1,110	1,390	1,680	1,310	340	40	
Fractures and other injuries, unspecified	1830	530	—	—	—	—	90	200	80	90	50	—	
Fractures (except skull fractures) and concussions	1831	320	—	—	—	—	40	30	100	110	—	—	
Fractures (except rib, trunk fractures) and internal	1832	70	—	—	—	—	20	—	—	20	—	—	
Fractures and burns	1833	180	—	—	30	—	—	—	—	—	—	—	
Fractures and dislocations	1834	860	—	—	—	20	70	180	160	390	40	—	
Fractures and other injuries, n.e.c.	1839	4,540	—	—	40	490	780	970	1,310	690	240	30	
Burns and other injuries, except fractures	184	190	—	—	—	—	50	50	20	30	—	—	
Burns and other injuries, except fractures,	1840	60	—	—	—	—	—	20	—	—	—	—	
Burns and other injuries, n.e.c.	1849	130	—	—	—	—	40	30	20	—	—	—	
Intracranial injuries and injuries to internal organs	185	60	—	—	—	—	—	—	—	50	—	—	
Multiple traumatic injuries and disorders, n.e.c.	189	3,510	—	—	30	220	820	620	990	630	170	40	
Other traumatic injuries and disorders	19	153,800	—	—	2,580	14,720	33,960	36,000	39,740	20,760	3,820	2,180	
Other traumatic injuries and disorders, unspecified ...	190	540	—	—	—	60	100	250	70	40	—	—	
Asphyxiations, strangulations, suffocations	191	140	—	—	—	—	70	—	20	—	—	—	
Electrocutions, electric shocks	193	1,290	—	—	30	170	280	220	440	80	—	60	
Internal injuries to organs and blood vessels of the	194	190	—	—	—	100	30	30	—	—	—	—	
trunk	194	190	—	—	—	100	30	30	—	—	—	—	
Dermatitis and reactions affecting the skin—acute	195	3,000	—	—	130	400	820	620	680	300	—	30	
Dermatitis and reactions affecting the skin—acute,	1950	1,570	—	—	30	190	500	290	310	210	—	30	
unspecified	1950	1,570	—	—	30	190	500	290	310	210	—	30	
Allergic dermatitis—acute	1951	770	—	—	70	110	150	140	260	40	—	—	
Irritant dermatitis—acute	1952	450	—	—	—	70	80	170	90	30	—	—	
Hives, urticaria—acute	1953	70	—	—	—	—	20	—	—	—	—	—	
Dermatitis and reactions affecting the skin—acute,	1959	140	—	—	—	20	80	—	—	—	—	—	
n.e.c.	1959	140	—	—	—	20	80	—	—	—	—	—	
Other poisoning, toxic, noxious, or allergenic effects	196	7,470	—	—	110	910	1,500	2,230	1,720	830	80	80	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	2,470	—	—	50	540	480	670	420	220	50	50
Poisoning, including poisoning-related asphyxia ...	1961	1,290	—	—	—	90	370	370	380	80	—	—
Anaphylactic shock, anaphylaxis	1962	50	—	—	—	—	—	20	20	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,580	—	—	—	100	370	330	400	330	20	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	190	—	—	—	—	—	110	50	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	250	—	—	—	—	50	110	60	20	—	—
Other or unspecified allergic reactions	1966	740	—	—	40	80	90	200	250	70	—	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	170	—	—	—	—	50	60	40	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	530	—	—	—	—	50	350	40	80	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	190	—	—	—	70	30	—	70	—	—	—
Nonspecified injuries and disorders	197	140,540	—	—	2,320	13,040	31,030	32,530	36,610	19,440	3,670	1,880
Crushing injuries	1971	10,280	—	—	420	1,280	2,510	2,190	2,690	930	190	60
Soreness, pain, hurt—nonspecified injury	1972	109,920	—	—	1,510	9,910	23,910	25,910	27,920	15,980	3,130	1,620
Swelling, inflammation, irritation—nonspecified injury	1973	15,160	—	—	320	1,510	3,680	3,260	4,290	1,730	210	150
Numbness—nonspecified injury	1974	890	—	—	—	40	240	190	240	150	—	20
Multiple nonspecified injuries and disorders	1978	2,010	—	—	—	90	310	350	780	390	60	—
Nonspecified injuries and disorders, n.e.c.	1979	2,270	—	—	50	200	380	630	680	260	60	30
Other traumatic injuries and disorders, n.e.c.	199	640	—	—	—	40	120	110	190	50	20	120
Traumatic shock	1991	20	—	—	—	—	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	620	—	—	—	40	120	110	170	50	20	120
Diseases and disorders of body systems	2	23,850	—	—	230	1,290	3,900	5,300	8,040	4,110	610	380
Systemic diseases and disorders, unspecified	20	80	—	—	—	—	—	20	—	—	—	—
Nervous system and sense organs diseases	22	10,690	—	—	60	480	1,810	2,260	4,110	1,610	210	140
Inflammatory diseases of the central nervous system	221	20	—	—	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	222	20	—	—	—	—	—	—	—	—	—	—
Other disorders of the central nervous system	223	160	—	—	—	—	30	30	80	—	—	—
Seizure disorder, epilepsy	2231	70	—	—	—	—	—	20	20	—	—	—
Migraine	2232	90	—	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	224	8,890	—	—	—	190	1,270	1,920	3,740	1,470	180	120
Disorders of the peripheral nervous system, unspecified	2240	120	—	—	—	—	—	30	70	—	—	—
Carpal tunnel syndrome	2241	8,620	—	—	—	180	1,260	1,860	3,590	1,430	180	110
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	30	—	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	100	—	—	—	—	—	20	50	20	—	—
Disorders of the eye, adnexa, vision	225	1,450	—	—	50	260	460	280	270	90	—	20
Disorders of the eye, adnexa, vision, unspecified ..	2250	120	—	—	—	—	30	60	—	—	—	—
Conjunctivitis—non-viral	2251	610	—	—	30	190	180	70	90	40	—	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	140	—	—	—	30	60	20	30	—	—	—
Blindness, low vision	2254	60	—	—	—	—	20	—	—	—	—	—

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Disorders of the eye, adnexa, vision, n.e.c.	2259	490	—	—	—	—	180	130	140	30	—	—	
Disorders of the ear, mastoid process, hearing	226	150	—	—	—	20	60	20	—	30	—	—	
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	—	—	—	—	—	—	—	—	—	—	
Deafness, hearing loss and impairment	2261	100	—	—	—	—	50	20	—	30	—	—	
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	20	—	—	—	—	—	—	—	—	—	—	
Circulatory system diseases	23	340	—	—	—	20	—	40	150	100	30	—	
Circulatory system diseases, unspecified	230	70	—	—	—	—	—	—	50	—	—	—	
Ischemic heart disease, including heart attack	233	160	—	—	—	—	—	—	70	70	—	—	
Myocardial infarction (heart attack)	2331	150	—	—	—	—	—	—	70	60	—	—	
Cerebrovascular disease	236	30	—	—	—	—	—	—	—	20	—	—	
Stroke	2361	20	—	—	—	—	—	—	—	—	—	—	
Diseases of arteries, arterioles, capillaries	237	20	—	—	—	—	—	—	—	—	—	—	
Diseases of the veins, lymphatics	238	50	—	—	—	—	—	—	—	—	—	—	
Diseases of the veins, lymphatics, unspecified	2380	20	—	—	—	—	—	—	—	—	—	—	
Respiratory system diseases	24	520	—	—	—	20	130	80	90	110	70	—	
Respiratory system diseases, unspecified	240	120	—	—	—	—	40	20	30	30	—	—	
Acute respiratory infections (including common cold)	241	140	—	—	—	—	40	—	—	—	—	—	
Pneumonia, influenza	243	90	—	—	—	—	—	40	—	—	—	—	
Pneumonia	2431	20	—	—	—	—	—	—	—	—	—	—	
Influenza—common	2432	50	—	—	—	—	—	30	—	—	—	—	
Chronic obstructive pulmonary disease and allied conditions	244	100	—	—	—	—	20	—	40	20	—	—	
Asthma, except intrinsic	2443	70	—	—	—	—	—	—	30	20	—	—	
Pneumoconioses	245	30	—	—	—	—	—	—	—	30	—	—	
Other respiratory system diseases	249	30	—	—	—	—	—	—	—	—	—	—	
Digestive system diseases and disorders	25	1,400	—	—	—	240	140	270	330	330	80	—	
Diseases of esophagus, stomach, and duodenum	252	30	—	—	—	30	—	—	—	—	—	—	
Hernia—nontraumatic	253	1,360	—	—	—	210	130	270	330	320	80	—	
Musculoskeletal system and connective tissue diseases and disorders	27	8,970	—	—	90	450	1,320	2,130	2,940	1,670	190	180	
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	170	—	—	—	—	20	20	70	40	—	—	
Arthropathies and related disorders (arthritis)	271	200	—	—	—	—	—	—	80	100	—	—	
Dorsopathies	272	590	—	—	—	40	110	50	150	200	20	—	
Sciatica	2721	210	—	—	—	30	50	20	20	70	20	—	
Lumbago	2722	90	—	—	—	—	—	—	30	20	—	—	
Disc disorders, except dislocation	2723	120	—	—	—	—	—	—	50	70	—	—	
Dorsopathies, n.e.c.	2729	160	—	—	—	—	50	20	40	30	—	—	
Soft tissue disorders, except the back	273	7,930	—	—	80	400	1,180	2,030	2,620	1,300	170	150	
Soft tissue disorder, except the back, unspecified	2730	440	—	—	—	40	70	100	160	60	—	—	
Bursitis	2731	630	—	—	—	30	110	100	220	130	—	—	
Stenosing tenosynovitis	2732	990	—	—	30	30	120	130	400	230	20	20	
Other tenosynovitis, synovitis	2733	580	—	—	—	30	100	140	170	130	—	—	
Epicondylitis	2734	1,180	—	—	—	20	70	480	420	170	—	—	
Other or unspecified tendonitis (tendinitis)	2735	3,160	—	—	30	210	570	850	930	370	130	80	
Ganglion or cystic tumor	2736	310	—	—	—	20	60	70	100	40	—	—	
Multiple soft tissue disorders	2738	80	—	—	—	—	—	20	40	—	—	—	
Soft tissue disorder, except the back, n.e.c.	2739	570	—	—	—	20	70	130	180	160	—	—	

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Age										Not reported	
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over			
Osteopathies, chondropathies, and acquired deformities	274	30	-	-	-	-	-	-	-	-	-	-	-	-
Osteopathies, chondropathies, and acquired deformities, n.e.c.	2749	20	-	-	-	-	-	-	-	-	-	-	-	-
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	50	-	-	-	-	-	-	-	20	20	-	-	-
Disorders of the skin and subcutaneous tissue	28	1,200	-	-	50	60	340	330	280	120	-	-	-	-
Disorders of the skin and subcutaneous tissue, unspecified	280	20	-	-	-	-	-	-	-	-	-	-	-	-
Infections of the skin and subcutaneous tissue	281	920	-	-	50	50	300	180	220	100	-	-	-	-
Infections of the skin and subcutaneous tissue, unspecified	2810	260	-	-	-	-	70	80	30	20	-	-	-	-
Cellulitis and abscess	2811	430	-	-	-	30	100	70	150	70	-	-	-	-
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	160	-	-	-	-	110	-	20	-	-	-	-	-
Other staphylococcus skin infection	2814	20	-	-	-	-	-	-	-	-	-	-	-	-
Infections of the skin and subcutaneous tissue, n.e.c.	2819	50	-	-	-	-	-	-	-	-	-	-	-	-
Dermatitis resulting from long-term exposures	282	20	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of sebaceous glands	283	20	-	-	-	-	-	-	-	-	-	-	-	-
Sebaceous cyst	2832	20	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases and disorders of the skin and subcutaneous tissue	289	230	-	-	-	-	30	130	40	20	-	-	-	-
Other diseases and disorders of the skin and subcutaneous tissue, unspecified	2890	20	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	180	-	-	-	-	20	120	-	-	-	-	-	-
Other systemic diseases and disorders	29	630	-	-	-	-	130	170	110	160	-	-	-	20
Other systemic diseases and disorders, unspecified	290	440	-	-	-	-	80	130	90	110	-	-	-	-
Endocrine, nutritional, metabolic, and immunity disorders	291	120	-	-	-	-	50	40	-	-	-	-	-	-
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	110	-	-	-	-	50	40	-	-	-	-	-	-
Other systemic diseases and disorders, n.e.c.	299	70	-	-	-	-	-	-	-	-	-	-	-	-
Infectious and parasitic diseases	3	1,230	-	-	-	130	340	290	260	160	30	-	-	-
Infectious and parasitic diseases, unspecified	30	30	-	-	-	-	-	-	-	-	-	-	-	-
Bacterial diseases	31	100	-	-	-	20	-	20	20	30	-	-	-	-
Other bacterial diseases	319	80	-	-	-	20	-	-	20	20	-	-	-	-
Diphtheria, whooping cough	3192	60	-	-	-	20	-	-	-	-	-	-	-	-
Viral diseases	32	230	-	-	-	-	60	60	70	20	-	-	-	-
Non-arthropod-borne viral diseases of the central nervous system	322	20	-	-	-	-	-	-	-	-	-	-	-	-
Viral diseases accompanied by exanthem (eruptive fever)	323	100	-	-	-	-	30	30	30	-	-	-	-	-
Chickenpox, varicella	3233	60	-	-	-	-	20	20	-	-	-	-	-	-
Herpes zoster, shingles	3234	30	-	-	-	-	-	-	20	-	-	-	-	-
Viral diseases of the conjunctiva	326	40	-	-	-	-	-	20	-	-	-	-	-	-
Viral conjunctivitis (ophthalmia)	3261	20	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases due to viruses	329	70	-	-	-	-	-	-	30	-	-	-	-	-

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Foot and mouth disease	3294	20	-	-	-	-	-	-	-	-	-	-	-
Other diseases due to viruses, n.e.c.	3299	60	-	-	-	-	-	-	-	20	-	-	-
Other arthropod-borne diseases	33	20	-	-	-	-	-	-	-	-	-	-	-
Mycoses (fungal infections)	34	20	-	-	-	-	-	-	-	-	-	-	-
Infectious diseases peculiar to the intestines	36	110	-	-	-	20	-	40	-	-	-	-	-
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	364	80	-	-	-	20	-	30	-	-	-	-	-
Infectious diseases peculiar to the intestines, n.e.c. ...	369	20	-	-	-	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases	39	700	-	-	-	80	240	150	140	70	-	-	-
Pediculosis and phthirus infestation (lice)	391	20	-	-	-	-	-	-	-	-	-	-	-
Scabies and other acariases	392	650	-	-	-	70	230	140	140	60	-	-	-
Other infestations (including maggots, leeches, jigger disease)	393	20	-	-	-	-	-	-	-	-	-	-	-
Symptoms, signs, and ill-defined conditions	5	5,070	-	-	180	460	1,210	1,260	950	800	160	40	
Symptoms, signs, and ill-defined conditions, unspecified	50	130	-	-	-	-	-	30	20	70	-	-	-
Symptoms	51	4,880	-	-	180	460	1,200	1,230	920	690	160	40	
Symptoms, unspecified	510	50	-	-	-	-	20	-	-	-	-	-	-
General symptoms	511	2,730	-	-	100	260	810	480	520	390	130	30	
General symptoms, unspecified	5110	30	-	-	-	-	-	-	-	-	-	-	-
Loss of consciousness—not heat related	5111	1,370	-	-	70	60	540	220	210	190	70	-	-
Convulsions, seizures	5112	180	-	-	-	30	40	60	20	-	-	-	-
Dizziness—general	5114	490	-	-	20	40	100	90	160	40	30	-	-
Inflammation, swelling—general	5115	290	-	-	-	20	70	40	70	70	20	-	-
Numbness—general	5116	80	-	-	-	-	-	30	20	-	-	-	-
Multiple general symptoms	5118	220	-	-	-	90	20	30	20	50	-	-	-
General symptoms, n.e.c.	5119	60	-	-	-	-	20	-	-	-	-	-	-
Symptoms involving nervous and musculoskeletal systems	512	60	-	-	-	-	40	-	-	-	-	-	-
Symptoms involving nervous and musculoskeletal systems, unspecified	5120	40	-	-	-	-	-	-	-	-	-	-	-
Symptoms involving skin and other integumentary tissue	513	30	-	-	-	-	-	-	-	-	-	-	-
Symptoms involving head and neck	514	540	-	-	50	50	190	100	120	30	-	-	-
Symptoms involving head and neck, unspecified ..	5140	20	-	-	-	-	-	-	-	-	-	-	-
Headache, except migraine	5141	480	-	-	40	40	180	100	90	20	-	-	-
Symptoms involving head and neck, n.e.c.	5149	40	-	-	-	-	-	-	20	-	-	-	-
Symptoms involving cardiovascular system	515	20	-	-	-	-	-	-	-	-	-	-	-
Symptoms involving cardiovascular system, unspecified	5150	20	-	-	-	-	-	-	-	-	-	-	-
Symptoms involving respiratory system and chest	516	1,100	-	-	-	130	100	540	180	120	20	-	-
Symptoms involving respiratory system and chest, unspecified	5160	570	-	-	-	80	40	320	70	50	-	-	-
Chest pain	5164	260	-	-	-	20	20	150	40	20	-	-	-
Multiple symptoms involving respiratory system and chest	5168	30	-	-	-	-	-	20	-	-	-	-	-
Symptoms involving respiratory system and chest, n.e.c.	5169	240	-	-	-	30	30	40	60	50	20	-	-
Symptoms involving digestive and urinary system	517	160	-	-	-	-	30	20	-	100	-	-	-

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Nausea and vomiting—general	5171	120	—	—	—	—	—	20	—	90	—	—
Abdominal pain, unspecified	5174	40	—	—	—	—	20	—	—	—	—	—
Multiple symptoms	518	180	—	—	—	20	—	60	60	30	—	—
Abnormal findings	52	20	—	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	40	—	—	—	—	—	—	—	30	—	—
Other diseases, conditions, and disorders	6	3,090	—	—	80	170	560	720	1,160	310	30	70
Damage to prosthetic and orthopedic devices	61	20	—	—	—	—	—	—	—	—	—	—
Mental disorders and syndromes	62	3,030	—	—	80	170	540	710	1,120	300	30	70
Mental disorders and syndromes, unspecified	620	150	—	—	—	30	20	20	60	20	—	—
Anxiety, stress	621	2,790	—	—	80	140	510	680	1,040	250	20	70
Anxiety, stress, unspecified	6210	1,400	—	—	30	40	210	440	440	170	20	60
Post-traumatic stress disorder	6211	750	—	—	50	30	80	120	420	60	—	—
Anxiety or panic disorder	6213	120	—	—	—	—	50	30	30	—	—	—
Anxiety, stress, n.e.c.	6219	510	—	—	—	70	170	90	150	20	—	—
Depression or depressive episode	622	70	—	—	—	—	—	—	—	—	—	—
Mental disorders and syndromes, n.e.c.	629	20	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders, n.e.c.	69	40	—	—	—	—	—	—	20	—	—	—

See footnotes at end of table.

TABLE R45. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and age of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Exposures to disease—no illness incurred	7	310	—	—	—	30	90	120	50	—	—	—
Multiple diseases, conditions, and disorders	8	830	—	—	—	60	140	80	80	430	30	—
Nonclassifiable	9999	3,170	—	—	30	170	380	720	460	240	40	1,130

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/if_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.