

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2011²

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Total		918,140	380,740	71,740	119,830	11,920	2,810	4,340	510	670	325,590
Traumatic injuries and disorders	1	880,580	366,090	68,850	114,660	11,330	2,670	4,180	500	650	311,650
Traumatic injuries and disorders, unspecified	10	30,580	13,450	2,790	4,620	240	70	110	–	–	9,290
Traumatic injuries to bones, nerves, spinal cord	11	79,930	38,590	3,890	9,610	1,080	110	360	30	30	26,240
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1,780	430	120	220	30	–	–	–	–	980
Fractures	111	75,660	36,920	3,630	9,150	1,020	110	350	30	30	24,440
Traumatic injuries to spinal cord	112	270	100	–	–	–	–	–	–	–	160
Traumatic injuries to spinal cord, unspecified	1120	150	20	–	–	–	–	–	–	–	130
Traumatic injuries to spinal cord, n.e.c.	1129	110	80	–	–	–	–	–	–	–	30
Traumatic injuries to nerves, except the spinal cord ..	113	1,870	990	110	200	20	–	–	–	–	540
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	130	70	–	20	–	–	–	–	–	40
Pinched nerve	1131	1,660	900	110	160	20	–	–	–	–	460
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	80	20	–	20	–	–	–	–	–	40
Multiple traumatic injuries to bones, nerves, spinal cord	118	210	80	20	–	–	–	–	–	–	100
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	140	90	–	30	–	–	–	–	–	20
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	374,310	151,660	28,440	42,950	4,160	1,050	1,680	150	270	143,950
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	4,510	1,890	660	930	30	–	–	–	–	970
Dislocations	121	8,720	3,880	670	1,010	30	20	20	–	–	3,080
Dislocations, unspecified	1210	1,380	500	340	140	–	–	–	–	–	390
Herniated discs	1211	2,690	1,230	90	260	–	–	–	–	–	1,070
Dislocation of joints	1212	4,450	2,060	240	600	–	–	20	–	–	1,520
Dislocations, n.e.c.	1219	200	90	–	–	–	–	–	–	–	90
Cartilage fractures and tears	122	4,740	2,810	180	370	20	–	–	–	–	1,360
Cartilage fractures and tears, unspecified	1220	460	290	–	–	–	–	–	–	–	150
Meniscus tears	1221	3,890	2,210	170	320	20	–	–	–	–	1,150
Cartilage fractures and tears, n.e.c.	1229	400	310	–	40	–	–	–	–	–	60
Sprains, strains, tears	123	343,240	136,530	26,200	38,830	3,940	1,000	1,560	140	260	134,780
Sprains, strains, tears, unspecified	1230	22,780	7,980	900	1,500	190	40	50	–	–	12,110
Major tears to muscles, tendons, ligaments	1231	17,330	9,570	1,170	1,020	80	20	40	–	–	5,430
Sprains	1232	85,310	34,120	7,240	11,260	810	280	300	40	70	31,200
Strains	1233	210,800	82,920	16,430	24,380	2,770	650	1,140	90	160	82,260
Multiple sprains, strains, tears	1238	7,010	1,950	460	670	90	20	40	–	–	3,770
Hernias due to traumatic incidents	124	11,260	5,830	400	1,720	130	20	80	–	20	3,060
Whiplash	125	1,030	310	220	40	–	–	–	–	–	440
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	540	220	80	30	–	–	–	–	–	200
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	280	190	20	–	–	–	–	–	–	50

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵								Multi-race	Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race			
Open wounds	13	94,130	41,570	6,750	17,500	1,240	290	360	—	70	26,340	
Open wounds, unspecified	130	1,130	280	40	360	20	—	—	—	—	420	
Amputations, avulsions, enucleations	131	7,950	3,290	780	1,880	80	30	20	—	—	1,880	
Amputations, avulsions, enucleations, unspecified	1310	210	90	—	80	—	—	—	—	—	30	
Amputations	1311	5,110	2,120	430	1,040	50	20	—	—	—	1,430	
Avulsions, enucleations	1312	2,570	1,050	330	750	20	—	—	—	—	410	
Amputations, avulsions, enucleations, n.e.c.	1319	60	30	—	—	—	—	—	—	—	—	
Cuts, lacerations	132	70,910	31,240	4,990	12,700	1,060	190	220	—	60	20,440	
Puncture wounds, except gunshot wounds	133	13,750	6,590	910	2,530	90	70	110	—	—	3,440	
Gunshot wounds	134	90	30	—	—	—	—	—	—	—	40	
Multiple types of open wounds	138	150	70	—	—	—	—	—	—	—	40	
Open wounds, n.e.c.	139	150	60	—	20	—	—	—	—	—	60	
Surface wounds and bruises	14	86,030	31,560	8,400	10,780	1,120	160	310	60	90	33,550	
Surface wounds and bruises, unspecified	140	470	170	—	120	30	—	—	—	—	130	
Abrasions, scratches	141	6,480	2,940	540	890	100	—	—	—	40	1,950	
Blisters	142	100	50	—	20	—	—	—	—	—	30	
Bruises, contusions	143	77,010	27,460	7,720	9,490	960	150	290	60	50	30,830	
Multiple surface wounds and bruises	148	1,490	830	30	130	20	—	—	—	—	470	
Surface wounds and bruises, n.e.c.	149	470	110	90	130	—	—	—	—	—	140	
Burns and corrosions	15	19,900	8,610	1,450	3,260	390	40	60	20	30	6,040	
Burns and corrosions, unspecified	150	440	150	20	80	—	—	—	—	—	180	
Chemical burns and corrosions	151	3,260	1,450	270	520	40	—	—	—	—	970	
Chemical burns and corrosions, unspecified	1510	2,770	1,200	240	410	30	—	—	—	—	880	
First degree chemical burns and corrosions	1511	50	30	—	—	—	—	—	—	—	20	
Second degree chemical burns and corrosions	1512	220	100	—	70	—	—	—	—	—	50	
Third or fourth degree chemical burns and corrosions	1513	20	—	—	—	—	—	—	—	—	—	
Chemical burns and corrosions, n.e.c.	1519	190	110	20	40	—	—	—	—	—	20	
Heat (thermal) burns	152	13,660	5,530	1,020	2,460	350	40	50	20	30	4,180	
Heat (thermal) burns, unspecified	1520	9,850	3,660	720	1,910	220	40	40	—	20	3,230	
First degree heat (thermal) burns	1521	570	300	30	110	20	—	—	—	—	100	
Second degree heat (thermal) burns	1522	2,140	880	230	300	30	—	—	—	—	680	
Third or fourth degree heat (thermal) burns	1523	350	140	—	70	70	—	—	—	—	80	
Heat (thermal) burns, n.e.c.	1529	750	550	30	70	—	—	—	—	—	90	
Electrical burns	153	1,020	650	60	150	—	—	—	—	—	140	
Electrical burns, unspecified	1530	730	460	20	130	—	—	—	—	—	100	
First degree electrical burns	1531	60	—	—	—	—	—	—	—	—	—	
Second degree electrical burns	1532	60	50	—	—	—	—	—	—	—	—	
Third or fourth degree electrical burns	1533	100	100	—	—	—	—	—	—	—	—	
Electrical burns, n.e.c.	1539	70	40	—	—	—	—	—	—	—	20	
Other burns	159	1,520	830	80	50	—	—	—	—	—	560	
Other burns, unspecified	1590	240	150	20	—	—	—	—	—	—	50	
Other burns, first degree	1591	860	580	50	—	—	—	—	—	—	220	
Other burns, second degree	1592	360	60	—	20	—	—	—	—	—	270	
Other burns, n.e.c.	1599	50	20	—	—	—	—	—	—	—	20	
Intracranial injuries	16	7,930	3,820	300	570	70	—	30	—	—	3,120	

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Intracranial injuries, unspecified	160	640	350	30	70	—	—	—	—	—	—	190
Cerebral and other intracranial hemorrhages	161	40	20	—	—	—	—	—	—	—	—	20
Concussions	162	7,190	3,410	270	500	70	—	—	30	—	—	2,890
Multiple types of intracranial injuries	168	50	30	—	—	—	—	—	—	—	—	20
Skull fracture and intracranial injury	1681	50	30	—	—	—	—	—	—	—	—	20
Effects of environmental conditions	17	3,580	1,760	280	430	—	—	—	—	—	—	1,060
Effects of reduced temperature	171	190	80	50	—	—	—	—	—	—	—	60
Frostbite	1711	180	70	40	—	—	—	—	—	—	—	60
Effects of heat and light	172	3,250	1,630	240	420	—	—	—	—	—	—	930
Effects of heat and light, unspecified	1720	170	90	—	—	—	—	—	—	—	—	50
Heat stroke	1721	310	70	50	50	—	—	—	—	—	—	130
Heat syncope	1722	150	70	—	30	—	—	—	—	—	—	40
Heat fatigue	1723	330	200	—	60	—	—	—	—	—	—	60
Heat exhaustion, prostration	1725	1,840	1,000	130	240	—	—	—	—	—	—	460
Multiple effects of heat and light	1728	20	—	—	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	1729	440	210	—	30	—	—	—	—	—	—	180
Effects of air or water pressure	173	130	50	—	—	—	—	—	—	—	—	80
Effects of air or water pressure, unspecified	1730	60	30	—	—	—	—	—	—	—	—	20
Aero-otitis media	1731	30	—	—	—	—	—	—	—	—	—	30
Effects of air or water pressure, n.e.c.	1739	40	—	—	—	—	—	—	—	—	—	30
Multiple traumatic injuries and disorders	18	30,400	13,610	2,490	3,590	430	90	400	—	—	30	9,750
Multiple traumatic injuries and disorders, unspecified	180	2,130	910	290	280	—	—	—	—	—	—	640
Cuts and abrasions or bruises	181	5,490	2,280	250	630	50	20	310	—	—	20	1,930
Sprains and other injuries	182	12,510	4,970	1,240	1,450	240	40	40	—	—	—	4,520
Sprains and other injuries, unspecified	1820	660	200	20	30	—	—	—	—	—	—	400
Sprains and bruises	1821	9,480	3,620	1,040	1,200	160	20	30	—	—	—	3,400
Sprains and cuts	1822	870	420	80	80	70	—	—	—	—	—	220
Sprains and other injuries, n.e.c.	1829	1,510	720	110	150	—	—	—	—	—	—	500
Fractures and other injuries	183	6,500	3,510	460	870	60	—	40	—	—	—	1,550
Fractures and other injuries, unspecified	1830	530	290	40	110	—	—	—	—	—	—	50
Fractures (except skull fractures) and concussions	1831	320	160	—	—	—	—	—	—	—	—	100
Fractures (except rib, trunk fractures) and internal injuries	1832	70	30	—	—	—	—	—	—	—	—	30
Fractures and burns	1833	180	130	—	—	—	—	—	—	—	—	30
Fractures and dislocations	1834	860	590	40	120	—	—	—	—	—	—	100
Fractures and other injuries, n.e.c.	1839	4,540	2,310	370	560	40	—	20	—	—	—	1,230
Burns and other injuries, except fractures	184	190	80	20	30	—	—	—	—	—	—	60
Burns and other injuries, except fractures, unspecified	1840	60	30	—	—	—	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	130	50	20	20	—	—	—	—	—	—	40
Intracranial injuries and injuries to internal organs	185	60	50	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	3,510	1,810	230	320	70	—	—	—	—	—	1,050
Other traumatic injuries and disorders	19	153,800	61,460	14,060	21,350	2,600	850	850	220	120	—	52,300
Other traumatic injuries and disorders, unspecified ...	190	540	170	30	—	—	—	—	—	—	—	330
Asphyxiations, strangulations, suffocations	191	140	30	—	80	—	—	—	—	—	—	30
Electrocutions, electric shocks	193	1,290	790	100	70	—	—	—	—	—	—	330

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Internal injuries to organs and blood vessels of the trunk	194	190	40	—	—	—	—	—	—	—	—	120
Dermatitis and reactions affecting the skin—acute	195	3,000	1,070	270	340	130	20	—	—	—	—	1,160
Dermatitis and reactions affecting the skin—acute, unspecified	1950	1,570	590	150	200	110	—	—	—	—	—	490
Allergic dermatitis—acute	1951	770	280	60	90	—	—	—	—	—	—	330
Irritant dermatitis—acute	1952	450	80	40	40	—	—	—	—	—	—	270
Hives, urticaria—acute	1953	70	40	—	—	—	—	—	—	—	—	20
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	140	80	—	—	—	—	—	—	—	—	50
Other poisoning, toxic, noxious, or allergenic effects	196	7,470	3,120	870	750	50	—	110	—	—	—	2,550
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	2,470	970	220	320	20	—	—	—	—	—	920
Poisoning, including poisoning-related asphyxia ...	1961	1,290	580	40	130	—	—	—	—	—	—	530
Anaphylactic shock, anaphylaxis	1962	50	20	—	—	—	—	—	—	—	—	20
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,580	870	140	80	—	—	80	—	—	—	400
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	190	80	—	—	—	—	—	—	—	—	100
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	250	70	40	30	—	—	—	—	—	—	100
Other or unspecified allergic reactions	1966	740	300	70	140	—	—	—	—	—	—	220
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	170	70	—	—	—	—	—	—	—	—	90
Multiple poisoning, toxic, noxious, or allergenic effects	1968	530	100	340	20	—	—	—	—	—	—	70
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	190	60	20	—	—	—	—	—	—	—	100
Nonspecified injuries and disorders	197	140,540	55,900	12,690	20,090	2,390	800	730	210	120	120	47,600
Crushing injuries	1971	10,280	4,630	480	1,780	180	20	30	70	20	20	3,060
Soreness, pain, hurt—nonspecified injury	1972	109,920	42,760	10,500	15,380	1,980	440	640	120	70	70	38,020
Swelling, inflammation, irritation—nonspecified injury	1973	15,160	6,470	1,370	2,210	170	40	50	—	20	20	4,820
Numbness—nonspecified injury	1974	890	410	30	120	20	—	—	—	—	—	310
Multiple nonspecified injuries and disorders	1978	2,010	890	180	250	40	—	—	—	—	—	640
Nonspecified injuries and disorders, n.e.c.	1979	2,270	740	140	340	—	—	—	—	—	—	750
Other traumatic injuries and disorders, n.e.c.	199	640	350	90	—	—	—	—	—	—	—	180
Traumatic shock	1991	20	20	—	—	—	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	620	330	90	—	—	—	—	—	—	—	180
Diseases and disorders of body systems	2	23,850	10,280	1,760	3,310	400	100	70	—	—	—	7,930
Systemic diseases and disorders, unspecified	20	80	20	—	—	—	—	—	—	—	—	60
Nervous system and sense organs diseases	22	10,690	4,930	900	1,210	120	—	40	—	—	—	3,470
Inflammatory diseases of the central nervous system	221	20	—	—	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	222	20	—	—	—	—	—	—	—	—	—	—
Other disorders of the central nervous system	223	160	100	—	—	—	—	—	—	—	—	40

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Seizure disorder, epilepsy	2231	70	30	—	—	—	—	—	—	—	—	20
Migraine	2232	90	70	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	224	8,890	4,300	820	770	90	—	—	30	—	—	2,860
Disorders of the peripheral nervous system, unspecified	2240	120	50	20	30	—	—	—	—	—	—	20
Carpal tunnel syndrome	2241	8,620	4,200	800	740	80	—	—	30	—	—	2,770
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	30	—	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	100	40	—	—	—	—	—	—	—	—	40
Disorders of the eye, adnexa, vision	225	1,450	480	70	420	—	—	—	—	—	—	460
Disorders of the eye, adnexa, vision, unspecified ..	2250	120	70	—	—	—	—	—	—	—	—	40
Conjunctivitis—non-viral	2251	610	280	30	120	—	—	—	—	—	—	180
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	140	40	—	30	—	—	—	—	—	—	60
Blindness, low vision	2254	60	—	—	30	—	—	—	—	—	—	30
Disorders of the eye, adnexa, vision, n.e.c.	2259	490	90	30	230	—	—	—	—	—	—	140
Disorders of the ear, mastoid process, hearing	226	150	30	—	—	—	—	—	—	—	—	100
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	—	—	—	—	—	—	—	—	—	20
Deafness, hearing loss and impairment	2261	100	20	—	—	—	—	—	—	—	—	70
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	20	—	—	—	—	—	—	—	—	—	—
Circulatory system diseases	23	340	180	20	20	—	—	—	—	—	—	110
Circulatory system diseases, unspecified	230	70	—	—	—	—	—	—	—	—	—	50
Ischemic heart disease, including heart attack	233	160	110	—	—	—	—	—	—	—	—	20
Myocardial infarction (heart attack)	2331	150	110	—	—	—	—	—	—	—	—	20
Cerebrovascular disease	236	30	20	—	—	—	—	—	—	—	—	—
Stroke	2361	20	—	—	—	—	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries	237	20	—	—	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics	238	50	20	—	—	—	—	—	—	—	—	20
Diseases of the veins, lymphatics, unspecified	2380	20	—	—	—	—	—	—	—	—	—	—
Respiratory system diseases	24	520	200	50	30	—	—	—	—	—	—	220
Respiratory system diseases, unspecified	240	120	80	—	—	—	—	—	—	—	—	30
Acute respiratory infections (including common cold) ..	241	140	40	—	—	—	—	—	—	—	—	90
Pneumonia, influenza	243	90	—	20	—	—	—	—	—	—	—	50
Pneumonia	2431	20	—	—	—	—	—	—	—	—	—	—
Influenza—common	2432	50	—	—	—	—	—	—	—	—	—	30
Chronic obstructive pulmonary disease and allied conditions	244	100	30	—	—	—	—	—	—	—	—	40
Asthma, except intrinsic	2443	70	—	—	—	—	—	—	—	—	—	30
Pneumoconioses	245	30	20	—	—	—	—	—	—	—	—	—
Other respiratory system diseases	249	30	—	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	1,400	530	40	470	30	—	—	—	—	—	340
Diseases of esophagus, stomach, and duodenum	252	30	20	—	—	—	—	—	—	—	—	—
Hernia—nontraumatic	253	1,360	500	40	450	30	—	—	—	—	—	330

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Musculoskeletal system and connective tissue diseases and disorders	27	8,970	3,760	640	1,180	200	80	—	—	—	3,080
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	170	20	—	20	—	—	—	—	—	120
Arthropathies and related disorders (arthritis)	271	200	60	—	—	—	—	—	—	—	120
Dorsopathies	272	590	270	50	70	—	—	—	—	—	200
Sciatica	2721	210	90	—	40	—	—	—	—	—	70
Lumbago	2722	90	50	—	—	—	—	—	—	—	40
Disc disorders, except dislocation	2723	120	90	—	—	—	—	—	—	—	20
Dorsopathies, n.e.c.	2729	160	50	20	20	—	—	—	—	—	70
Soft tissue disorders, except the back	273	7,930	3,380	560	1,090	190	80	—	—	—	2,610
Soft tissue disorder, except the back, unspecified	2730	440	100	—	90	—	—	—	—	—	230
Bursitis	2731	630	330	60	80	—	—	—	—	—	160
Stenosing tenosynovitis	2732	990	330	180	130	60	—	—	—	—	280
Other tenosynovitis, synovitis	2733	580	230	20	170	—	—	—	—	—	140
Epicondylitis	2734	1,180	470	60	200	—	—	—	—	—	450
Other or unspecified tendonitis (tendinitis)	2735	3,160	1,440	150	310	90	60	—	—	—	1,090
Ganglion or cystic tumor	2736	310	110	50	60	—	—	—	—	—	100
Multiple soft tissue disorders	2738	80	20	—	—	—	—	—	—	—	40
Soft tissue disorder, except the back, n.e.c.	2739	570	350	30	60	—	—	—	—	—	120
Osteopathies, chondropathies, and acquired deformities	274	30	—	—	—	—	—	—	—	—	—
Osteopathies, chondropathies, and acquired deformities, n.e.c.	2749	20	—	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	50	—	20	—	—	—	—	—	—	20
Disorders of the skin and subcutaneous tissue	28	1,200	560	80	280	—	—	—	—	—	270
Disorders of the skin and subcutaneous tissue, unspecified	280	20	—	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	920	500	70	140	—	—	—	—	—	210
Infections of the skin and subcutaneous tissue, unspecified	2810	260	110	20	30	—	—	—	—	—	100
Cellulitis and abscess	2811	430	210	40	90	—	—	—	—	—	80
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	160	130	—	—	—	—	—	—	—	—
Other staphylococcus skin infection	2814	20	20	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	50	30	—	—	—	—	—	—	—	—
Dermatitis resulting from long-term exposures	282	20	—	—	—	—	—	—	—	—	—
Diseases of sebaceous glands	283	20	—	—	—	—	—	—	—	—	—
Sebaceous cyst	2832	20	—	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	230	40	—	130	—	—	—	—	—	60
Other diseases and disorders of the skin and subcutaneous tissue, unspecified	2890	20	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	180	—	—	130	—	—	—	—	—	40
Other systemic diseases and disorders	29	630	90	40	100	30	—	—	—	—	370
Other systemic diseases and disorders, unspecified	290	440	30	—	80	30	—	—	—	—	290
Endocrine, nutritional, metabolic, and immunity disorders	291	120	50	30	20	—	—	—	—	—	20
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	110	50	30	—	—	—	—	—	—	20
Other systemic diseases and disorders, n.e.c.	299	70	—	—	—	—	—	—	—	—	60
Infectious and parasitic diseases	3	1,230	440	210	130	—	—	—	—	—	410
Infectious and parasitic diseases, unspecified	30	30	20	—	—	—	—	—	—	—	—
Bacterial diseases	31	100	50	—	—	—	—	—	—	—	40
Other bacterial diseases	319	80	40	—	—	—	—	—	—	—	40
Diphtheria, whooping cough	3192	60	30	—	—	—	—	—	—	—	20
Viral diseases	32	230	130	30	20	—	—	—	—	—	40
Non-arthropod-borne viral diseases of the central nervous system	322	20	—	—	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	323	100	40	20	—	—	—	—	—	—	30
Chickenpox, varicella	3233	60	20	—	—	—	—	—	—	—	20
Herpes zoster, shingles	3234	30	20	—	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	326	40	20	—	—	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	3261	20	—	—	—	—	—	—	—	—	—
Other diseases due to viruses	329	70	60	—	—	—	—	—	—	—	—
Foot and mouth disease	3294	20	20	—	—	—	—	—	—	—	—
Other diseases due to viruses, n.e.c.	3299	60	50	—	—	—	—	—	—	—	—
Other arthropod-borne diseases	33	20	—	—	—	—	—	—	—	—	—
Mycoses (fungal infections)	34	20	—	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	110	40	—	—	—	—	—	—	—	60
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	364	80	20	—	—	—	—	—	—	—	50
Infectious diseases peculiar to the intestines, n.e.c. ..	369	20	20	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	39	700	190	150	110	—	—	—	—	—	230
Pediculosis and phthirus infestation (lice)	391	20	—	—	—	—	—	—	—	—	—
Scabies and other acariases	392	650	170	130	100	—	—	—	—	—	220
Other infestations (including maggots, leeches, jigger disease)	393	20	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	5,070	1,930	460	790	70	20	30	—	—	1,770
Symptoms, signs, and ill-defined conditions, unspecified	50	130	40	—	—	—	—	—	—	—	80
Symptoms	51	4,880	1,870	460	780	70	20	30	—	—	1,650
Symptoms, unspecified	510	50	—	—	—	—	—	—	—	—	40
General symptoms	511	2,730	880	220	690	40	—	30	—	—	860
General symptoms, unspecified	5110	30	—	—	—	—	—	—	—	—	20

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Loss of consciousness—not heat related	5111	1,370	410	120	400	20	—	30	—	—	370
Convulsions, seizures	5112	180	100	30	20	—	—	—	—	—	30
Dizziness—general	5114	490	110	50	150	—	—	—	—	—	170
Inflammation, swelling—general	5115	290	100	—	40	—	—	—	—	—	150
Numbness—general	5116	80	50	—	—	—	—	—	—	—	30
Multiple general symptoms	5118	220	90	—	50	—	—	—	—	—	60
General symptoms, n.e.c.	5119	60	—	—	—	—	—	—	—	—	40
Symptoms involving nervous and musculoskeletal systems	512	60	—	—	—	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, unspecified	5120	40	—	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	30	20	—	—	—	—	—	—	—	—
Symptoms involving head and neck	514	540	260	120	—	—	—	—	—	—	150
Symptoms involving head and neck, unspecified ..	5140	20	—	—	—	—	—	—	—	—	—
Headache, except migraine	5141	480	220	120	—	—	—	—	—	—	140
Symptoms involving head and neck, n.e.c.	5149	40	30	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	20	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, unspecified	5150	20	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	1,100	580	60	50	—	—	—	—	—	380
Symptoms involving respiratory system and chest, unspecified	5160	570	350	—	—	—	—	—	—	—	190
Chest pain	5164	260	150	30	—	—	—	—	—	—	70
Multiple symptoms involving respiratory system and chest	5168	30	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	240	80	30	—	—	—	—	—	—	110
Symptoms involving digestive and urinary system	517	160	—	—	—	—	—	—	—	—	140
Nausea and vomiting—general	5171	120	—	—	—	—	—	—	—	—	100
Abdominal pain, unspecified	5174	40	—	—	—	—	—	—	—	—	40
Multiple symptoms	518	180	80	20	20	—	—	—	—	—	50
Abnormal findings	52	20	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	40	—	—	—	—	—	—	—	—	20
Other diseases, conditions, and disorders	6	3,090	760	220	530	60	—	—	—	—	1,510
Damage to prosthetic and orthopedic devices	61	20	—	—	—	—	—	—	—	—	—
Mental disorders and syndromes	62	3,030	730	220	520	60	—	—	—	—	1,490
Mental disorders and syndromes, unspecified	620	150	40	—	40	—	—	—	—	—	70
Anxiety, stress	621	2,790	680	210	490	60	—	—	—	—	1,340
Anxiety, stress, unspecified	6210	1,400	280	130	260	50	—	—	—	—	680
Post-traumatic stress disorder	6211	750	270	40	30	—	—	—	—	—	410
Anxiety or panic disorder	6213	120	50	—	—	—	—	—	—	—	40
Anxiety, stress, n.e.c.	6219	510	80	30	180	—	—	—	—	—	220
Depression or depressive episode	622	70	—	—	—	—	—	—	—	—	60
Mental disorders and syndromes, n.e.c.	629	20	—	—	—	—	—	—	—	—	20

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Other diseases, conditions, and disorders, n.e.c.	69	40	20	—	—	—	—	—	—	—	—
Exposures to disease—no illness incurred	7	310	150	—	—	—	—	—	—	—	130
Multiple diseases, conditions, and disorders	8	830	570	80	—	—	—	—	—	—	170
Nonclassifiable	9999	3,170	510	150	400	40	—	40	—	—	2,030

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.