

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2011²

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		918,140	566,720	347,610	3,810	90,580	165,280	320,950	326,230	15,100
Traumatic injuries and disorders	1	880,580	549,460	327,960	3,160	87,970	160,320	309,350	309,430	13,510
Traumatic injuries and disorders, unspecified	10	30,580	18,120	12,120	340	3,190	5,980	10,500	9,690	1,220
Traumatic injuries to bones, nerves, spinal cord	11	79,930	52,130	27,510	290	8,650	14,420	24,320	31,400	1,130
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1,780	990	790	-	200	220	560	650	150
Fractures	111	75,660	49,710	25,660	290	8,210	13,740	22,900	29,840	960
Traumatic injuries to spinal cord	112	270	200	70	-	-	90	110	60	-
Traumatic injuries to spinal cord, unspecified	1120	150	100	50	-	-	80	60	-	-
Traumatic injuries to spinal cord, n.e.c.	1129	110	90	20	-	-	-	50	50	-
Traumatic injuries to nerves, except the spinal cord ..	113	1,870	1,040	830	-	180	350	660	670	-
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	130	50	80	-	-	50	20	40	-
Pinched nerve	1131	1,660	930	730	-	160	290	600	610	-
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	80	60	20	-	-	-	30	-	-
Multiple traumatic injuries to bones, nerves, spinal cord	118	210	80	120	-	20	-	60	110	-
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	140	110	40	-	30	-	30	80	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	374,310	227,480	145,090	1,740	30,490	62,920	134,540	140,310	6,040
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	4,510	2,900	1,610	-	400	730	1,520	1,780	80
Dislocations	121	8,720	6,240	2,450	30	790	1,280	3,340	3,220	90
Dislocations, unspecified	1210	1,380	1,050	290	30	100	180	530	500	60
Herniated discs	1211	2,690	1,970	720	-	140	260	1,030	1,240	-
Dislocation of joints	1212	4,450	3,080	1,370	-	520	780	1,740	1,400	-
Dislocations, n.e.c.	1219	200	140	60	-	30	60	40	80	-
Cartilage fractures and tears	122	4,740	2,950	1,800	-	270	290	1,430	2,720	40
Cartilage fractures and tears, unspecified	1220	460	240	220	-	-	-	300	140	-
Meniscus tears	1221	3,890	2,610	1,280	-	260	270	1,110	2,210	40
Cartilage fractures and tears, n.e.c.	1229	400	100	300	-	-	-	20	370	-
Sprains, strains, tears	123	343,240	203,760	137,800	1,680	28,210	58,320	123,560	127,400	5,740
Sprains, strains, tears, unspecified	1230	22,780	13,380	7,940	1,460	1,360	3,050	7,760	8,680	1,940
Major tears to muscles, tendons, ligaments	1231	17,330	12,040	5,190	100	740	2,240	4,540	9,620	190
Sprains	1232	85,310	50,020	35,270	-	8,280	14,350	31,650	30,060	980
Strains	1233	210,800	124,680	86,020	100	17,050	37,790	77,760	75,630	2,560
Multiple sprains, strains, tears	1238	7,010	3,630	3,380	-	780	900	1,850	3,400	80
Hernias due to traumatic incidents	124	11,260	10,730	490	30	750	1,640	4,120	4,660	80
Whiplash	125	1,030	390	640	-	40	480	200	300	-
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	540	300	230	-	40	120	220	150	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	280	210	70	-	-	60	140	70	-
Open wounds	13	94,130	73,050	21,040	40	13,780	20,990	34,300	24,320	730
Open wounds, unspecified	130	1,130	1,030	90	-	280	220	290	330	-
Amputations, avulsions, enucleations	131	7,950	6,530	1,410	20	1,290	1,340	2,760	2,520	40

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Amputations, avulsions, enucleations, unspecified	1310	210	170	40	—	20	30	50	110	—
Amputations	1311	5,110	4,490	600	20	670	1,000	1,940	1,460	40
Avulsions, enucleations	1312	2,570	1,800	770	—	600	290	740	940	—
Amputations, avulsions, enucleations, n.e.c.	1319	60	60	—	—	—	20	20	20	—
Cuts, lacerations	132	70,910	55,350	15,550	—	10,020	16,210	25,910	18,180	590
Puncture wounds, except gunshot wounds	133	13,750	9,840	3,900	—	2,150	3,130	5,230	3,160	80
Gunshot wounds	134	90	70	—	—	30	—	20	30	—
Multiple types of open wounds	138	150	120	30	—	—	60	40	50	—
Open wounds, n.e.c.	139	150	100	50	—	—	20	70	50	—
Surface wounds and bruises	14	86,030	46,910	38,660	470	8,620	15,440	30,860	29,640	1,480
Surface wounds and bruises, unspecified	140	470	300	170	—	80	60	140	170	20
Abrasions, scratches	141	6,480	4,430	2,050	—	750	1,180	2,160	2,370	30
Blisters	142	100	90	—	—	40	—	—	40	—
Bruises, contusions	143	77,010	41,100	35,440	470	7,520	13,860	27,870	26,370	1,390
Multiple surface wounds and bruises	148	1,490	770	710	—	110	270	500	570	30
Surface wounds and bruises, n.e.c.	149	470	210	270	—	120	50	180	120	—
Burns and corrosions	15	19,900	14,130	5,760	20	2,870	4,310	7,410	5,060	250
Burns and corrosions, unspecified	150	440	280	150	20	20	50	180	180	20
Chemical burns and corrosions	151	3,260	2,500	770	—	310	860	1,230	830	40
Chemical burns and corrosions, unspecified	1510	2,770	2,090	680	—	280	720	1,050	670	40
First degree chemical burns and corrosions	1511	50	30	20	—	—	—	30	—	—
Second degree chemical burns and corrosions	1512	220	200	30	—	20	100	80	30	—
Third or fourth degree chemical burns and corrosions	1513	20	—	—	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	1519	190	170	30	—	—	—	60	110	—
Heat (thermal) burns	152	13,660	9,110	4,550	—	2,080	2,880	5,080	3,440	190
Heat (thermal) burns, unspecified	1520	9,850	6,560	3,290	—	1,150	2,150	3,960	2,430	150
First degree heat (thermal) burns	1521	570	350	220	—	70	60	200	230	—
Second degree heat (thermal) burns	1522	2,140	1,450	680	—	340	410	750	630	20
Third or fourth degree heat (thermal) burns	1523	350	240	110	—	—	170	90	70	—
Heat (thermal) burns, n.e.c.	1529	750	500	250	—	500	90	80	80	—
Electrical burns	153	1,020	920	90	—	120	200	350	350	—
Electrical burns, unspecified	1530	730	680	40	—	120	140	280	190	—
First degree electrical burns	1531	60	—	50	—	—	—	20	40	—
Second degree electrical burns	1532	60	60	—	—	—	30	20	—	—
Third or fourth degree electrical burns	1533	100	100	—	—	—	—	—	90	—
Electrical burns, n.e.c.	1539	70	60	—	—	—	30	20	20	—
Other burns	159	1,520	1,320	190	—	340	330	570	270	—
Other burns, unspecified	1590	240	200	40	—	40	30	60	90	—
Other burns, first degree	1591	860	720	140	—	240	240	250	130	—
Other burns, second degree	1592	360	350	—	—	50	30	240	30	—
Other burns, n.e.c.	1599	50	40	—	—	—	20	—	—	—
Intracranial injuries	16	7,930	4,470	3,430	30	670	1,740	3,080	2,260	180
Intracranial injuries, unspecified	160	640	310	330	—	50	100	250	230	—
Cerebral and other intracranial hemorrhages	161	40	30	—	—	—	—	—	20	—
Concussions	162	7,190	4,080	3,070	30	600	1,620	2,810	1,980	180
Multiple types of intracranial injuries	168	50	40	—	—	—	—	—	20	—
Skull fracture and intracranial injury	1681	50	40	—	—	—	—	—	20	—
Effects of environmental conditions	17	3,580	3,050	510	20	800	730	1,170	830	40

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Effects of reduced temperature	171	190	180	—	—	110	20	30	40	—
Frostbite	1711	180	180	—	—	100	—	30	40	—
Effects of heat and light	172	3,250	2,810	420	20	700	700	1,080	730	40
Effects of heat and light, unspecified	1720	170	150	20	—	30	40	40	70	—
Heat stroke	1721	310	250	50	—	60	60	160	20	—
Heat syncope	1722	150	100	50	—	20	50	40	40	—
Heat fatigue	1723	330	300	30	—	150	30	40	110	—
Heat exhaustion, prostration	1725	1,840	1,610	210	20	330	490	640	360	30
Multiple effects of heat and light	1728	20	—	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	1729	440	390	50	—	120	30	160	120	—
Effects of air or water pressure	173	130	40	90	—	—	—	60	60	—
Effects of air or water pressure, unspecified	1730	60	30	20	—	—	—	20	30	—
Aero-otitis media	1731	30	—	30	—	—	—	—	30	—
Effects of air or water pressure, n.e.c.	1739	40	—	30	—	—	—	30	—	—
Multiple traumatic injuries and disorders	18	30,400	17,520	12,880	—	3,670	4,810	10,390	11,260	270
Multiple traumatic injuries and disorders, unspecified	180	2,130	1,200	930	—	150	230	760	930	60
Cuts and abrasions or bruises	181	5,490	3,110	2,380	—	1,090	820	1,470	2,080	20
Sprains and other injuries	182	12,510	6,630	5,890	—	1,050	2,020	4,920	4,390	130
Sprains and other injuries, unspecified	1820	660	520	130	—	80	30	80	460	—
Sprains and bruises	1821	9,480	4,680	4,800	—	730	1,670	3,890	3,100	100
Sprains and cuts	1822	870	630	240	—	80	110	360	320	—
Sprains and other injuries, n.e.c.	1829	1,510	790	720	—	170	210	600	500	20
Fractures and other injuries	183	6,500	4,610	1,880	—	920	1,150	1,780	2,590	50
Fractures and other injuries, unspecified	1830	530	410	120	—	40	80	220	180	—
Fractures (except skull fractures) and concussions	1831	320	130	190	—	30	90	50	150	—
Fractures (except rib, trunk fractures) and internal injuries	1832	70	60	—	—	—	—	20	30	—
Fractures and burns	1833	180	170	—	—	—	160	—	20	—
Fractures and dislocations	1834	860	310	560	—	30	110	190	530	—
Fractures and other injuries, n.e.c.	1839	4,540	3,540	1,000	—	810	720	1,300	1,690	30
Burns and other injuries, except fractures	184	190	140	50	—	20	30	100	40	—
Burns and other injuries, except fractures, unspecified	1840	60	40	—	—	—	—	30	—	—
Burns and other injuries, n.e.c.	1849	130	90	40	—	—	20	70	40	—
Intracranial injuries and injuries to internal organs	185	60	50	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	3,510	1,770	1,740	—	430	560	1,340	1,180	—
Other traumatic injuries and disorders	19	153,800	92,620	60,970	210	15,230	28,980	52,770	54,650	2,170
Other traumatic injuries and disorders, unspecified	190	540	240	300	—	30	80	320	110	—
Asphyxiations, strangulations, suffocations	191	140	70	60	—	30	60	—	40	—
Electrocutions, electric shocks	193	1,290	1,030	250	—	140	240	370	480	50
Internal injuries to organs and blood vessels of the trunk	194	190	170	20	—	90	30	30	40	—
Dermatitis and reactions affecting the skin—acute	195	3,000	1,850	1,140	—	590	610	1,070	690	40
Dermatitis and reactions affecting the skin—acute, unspecified	1950	1,570	920	640	—	150	300	710	370	30
Allergic dermatitis—acute	1951	770	510	260	—	220	140	190	210	—
Irritant dermatitis—acute	1952	450	270	180	—	160	130	110	40	—
Hives, urticaria—acute	1953	70	20	50	—	—	30	20	—	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	140	120	—	—	50	20	20	50	—
Other poisoning, toxic, noxious, or allergenic effects	196	7,470	3,660	3,810	—	970	1,830	2,150	2,420	100
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	2,470	1,700	770	—	490	550	740	640	50
Poisoning, including poisoning-related asphyxia ...	1961	1,290	550	740	—	170	200	290	640	—
Anaphylactic shock, anaphylaxis	1962	50	—	40	—	—	—	20	20	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,580	580	1,000	—	120	400	530	500	30
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	190	120	70	—	—	—	20	150	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	250	130	120	—	20	30	80	130	—
Other or unspecified allergic reactions	1966	740	310	430	—	130	160	250	200	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	170	50	130	—	—	50	80	30	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	530	140	400	—	30	350	50	100	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	190	70	120	—	—	70	80	30	—
Nonspecified injuries and disorders	197	140,540	85,190	55,160	180	13,360	26,020	48,710	50,560	1,880
Crushing injuries	1971	10,280	8,530	1,700	50	1,890	2,320	3,030	2,930	100
Soreness, pain, hurt—nonspecified injury	1972	109,920	63,190	46,650	80	9,390	19,910	38,490	40,580	1,540
Swelling, inflammation, irritation—nonspecified injury	1973	15,160	10,100	5,010	50	1,450	3,050	5,230	5,230	200
Numbness—nonspecified injury	1974	890	570	320	—	50	170	310	350	—
Multiple nonspecified injuries and disorders	1978	2,010	1,210	800	—	180	250	640	940	—
Nonspecified injuries and disorders, n.e.c.	1979	2,270	1,590	680	—	400	320	1,000	530	30
Other traumatic injuries and disorders, n.e.c.	199	640	400	230	—	20	110	100	310	100
Traumatic shock	1991	20	—	20	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	620	400	210	—	20	110	100	290	100
Diseases and disorders of body systems	2	23,850	11,240	12,600	20	1,190	3,150	6,670	12,580	260
Systemic diseases and disorders, unspecified	20	80	20	60	—	—	—	20	20	—
Nervous system and sense organs diseases	22	10,690	3,920	6,770	—	380	1,350	2,430	6,440	90
Inflammatory diseases of the central nervous system	221	20	—	—	—	—	—	—	—	—
Degenerative diseases of the central nervous system	222	20	—	—	—	—	—	—	—	—
Other disorders of the central nervous system	223	160	60	110	—	—	—	90	40	—
Seizure disorder, epilepsy	2231	70	30	30	—	—	—	20	30	—
Migraine	2232	90	—	70	—	—	—	70	—	—
Disorders of the peripheral nervous system	224	8,890	2,790	6,100	—	150	890	1,930	5,840	70
Disorders of the peripheral nervous system, unspecified	2240	120	50	70	—	—	—	40	80	—
Carpal tunnel syndrome	2241	8,620	2,650	5,970	—	150	890	1,870	5,650	60
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	30	20	—	—	—	—	—	20	—
Disorders of the peripheral nervous system, n.e.c.	2249	100	60	40	—	—	—	—	80	—
Disorders of the eye, adnexa, vision	225	1,450	950	500	—	190	420	380	450	—
Disorders of the eye, adnexa, vision, unspecified ..	2250	120	80	40	—	20	20	20	60	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Conjunctivitis—non-viral	2251	610	340	270	—	70	250	160	130	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	140	140	—	—	30	30	20	60	—
Blindness, low vision	2254	60	50	—	—	—	—	30	20	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	490	330	160	—	60	110	140	170	—
Disorders of the ear, mastoid process, hearing	226	150	100	40	—	20	—	20	90	—
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	—	—	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	100	80	20	—	—	—	—	80	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	20	—	—	—	—	—	—	—	—
Circulatory system diseases	23	340	250	90	—	40	70	100	140	—
Circulatory system diseases, unspecified	230	70	60	—	—	—	40	—	—	—
Ischemic heart disease, including heart attack	233	160	100	60	—	—	—	70	70	—
Myocardial infarction (heart attack)	2331	150	90	50	—	—	—	60	70	—
Cerebrovascular disease	236	30	20	—	—	—	—	—	20	—
Stroke	2361	20	—	—	—	—	—	—	20	—
Diseases of arteries, arterioles, capillaries	237	20	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics	238	50	40	—	—	—	—	—	20	—
Diseases of the veins, lymphatics, unspecified	2380	20	20	—	—	—	—	—	—	—
Respiratory system diseases	24	520	310	210	—	40	80	120	270	20
Respiratory system diseases, unspecified	240	120	60	60	—	—	30	30	40	—
Acute respiratory infections (including common cold)	241	140	110	30	—	20	—	—	110	—
Pneumonia, influenza	243	90	40	50	—	—	—	30	30	—
Pneumonia	2431	20	—	—	—	—	—	—	—	—
Influenza—common	2432	50	—	40	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	100	40	60	—	—	—	30	50	—
Asthma, except intrinsic	2443	70	20	50	—	—	—	30	30	—
Pneumoconioses	245	30	30	—	—	—	—	—	20	—
Other respiratory system diseases	249	30	20	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	1,400	1,330	70	—	40	260	470	610	20
Diseases of esophagus, stomach, and duodenum	252	30	30	—	—	—	—	20	—	—
Hernia—nontraumatic	253	1,360	1,300	60	—	30	260	440	610	20
Musculoskeletal system and connective tissue diseases and disorders	27	8,970	4,210	4,750	—	400	1,200	2,850	4,410	110
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	170	100	70	—	—	—	30	120	—
Arthropathies and related disorders (arthritis)	271	200	140	50	—	—	—	40	150	—
Dorsopathies	272	590	320	270	—	50	80	230	220	—
Sciatica	2721	210	110	100	—	30	40	90	50	—
Lumbago	2722	90	30	50	—	—	—	40	40	—
Disc disorders, except dislocation	2723	120	100	20	—	—	—	70	50	—
Dorsopathies, n.e.c.	2729	160	70	90	—	20	40	30	80	—
Soft tissue disorders, except the back	273	7,930	3,620	4,310	—	340	1,100	2,530	3,850	110
Soft tissue disorder, except the back, unspecified	2730	440	130	300	—	20	120	130	160	—
Bursitis	2731	630	490	140	—	40	60	160	320	60
Stenosing tenosynovitis	2732	990	360	630	—	40	120	320	510	—
Other tenosynovitis, synovitis	2733	580	310	260	—	—	40	210	310	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Epicondylitis	2734	1,180	590	590	—	30	200	420	530	—
Other or unspecified tendonitis (tendinitis)	2735	3,160	1,250	1,900	—	180	350	1,040	1,540	40
Ganglion or cystic tumor	2736	310	110	200	—	20	50	100	130	—
Multiple soft tissue disorders	2738	80	30	60	—	—	—	30	40	—
Soft tissue disorder, except the back, n.e.c.	2739	570	340	230	—	—	140	120	310	—
Osteopathies, chondropathies, and acquired deformities	274	30	20	—	—	—	—	—	30	—
Osteopathies, chondropathies, and acquired deformities, n.e.c.	2749	20	20	—	—	—	—	—	20	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	50	20	30	—	—	—	—	40	—
Disorders of the skin and subcutaneous tissue	28	1,200	890	310	—	200	150	580	270	—
Disorders of the skin and subcutaneous tissue, unspecified	280	20	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	920	700	220	—	190	120	380	220	—
Infections of the skin and subcutaneous tissue, unspecified	2810	260	200	50	—	110	30	70	50	—
Cellulitis and abscess	2811	430	350	80	—	70	50	170	150	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	160	120	50	—	—	—	120	20	—
Other staphylococcus skin infection	2814	20	20	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	50	—	30	—	—	20	20	—	—
Dermatitis resulting from long-term exposures	282	20	20	—	—	—	—	—	—	—
Diseases of sebaceous glands	283	20	—	—	—	—	—	—	—	—
Sebaceous cyst	2832	20	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	230	170	60	—	—	20	170	20	—
Other diseases and disorders of the skin and subcutaneous tissue, unspecified	2890	20	20	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	180	130	50	—	—	—	150	—	—
Other systemic diseases and disorders	29	630	300	330	—	90	30	90	420	—
Other systemic diseases and disorders, unspecified	290	440	150	290	—	20	—	80	330	—
Endocrine, nutritional, metabolic, and immunity disorders	291	120	100	20	—	70	20	—	30	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	110	100	—	—	70	20	—	20	—
Other systemic diseases and disorders, n.e.c.	299	70	50	20	—	—	—	—	60	—
Infectious and parasitic diseases	3	1,230	260	970	—	130	140	620	340	—
Infectious and parasitic diseases, unspecified	30	30	—	20	—	—	—	20	—	—
Bacterial diseases	31	100	20	80	—	—	—	60	30	—
Other bacterial diseases	319	80	20	70	—	—	—	40	30	—
Diphtheria, whooping cough	3192	60	—	40	—	—	—	30	20	—
Viral diseases	32	230	40	200	—	20	30	140	40	—
Non-arthropod-borne viral diseases of the central nervous system	322	20	—	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Viral diseases accompanied by exanthem (eruptive fever)	323	100	—	80	—	—	—	50	20	—
Chickenpox, varicella	3233	60	—	50	—	—	—	30	—	—
Herpes zoster, shingles	3234	30	—	30	—	—	—	20	—	—
Viral diseases of the conjunctiva	326	40	—	30	—	—	—	20	—	—
Viral conjunctivitis (ophthalmia)	3261	20	—	20	—	—	—	—	—	—
Other diseases due to viruses	329	70	—	60	—	—	—	60	—	—
Foot and mouth disease	3294	20	—	20	—	—	—	—	—	—
Other diseases due to viruses, n.e.c.	3299	60	—	40	—	—	—	50	—	—
Other arthropod-borne diseases	33	20	—	—	—	—	—	—	—	—
Mycoses (fungal infections)	34	20	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	110	20	90	—	—	—	20	70	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	364	80	20	60	—	—	—	—	50	—
Infectious diseases peculiar to the intestines, n.e.c. ..	369	20	—	20	—	—	—	—	—	—
Other infectious and parasitic diseases	39	700	140	560	—	60	90	370	180	—
Pediculosis and phthirus infestation (lice)	391	20	—	20	—	—	—	—	—	—
Scabies and other acariases	392	650	140	510	—	60	90	350	150	—
Other infestations (including maggots, leeches, jigger disease)	393	20	—	20	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	5,070	2,360	2,710	—	980	740	1,620	1,650	80
Symptoms, signs, and ill-defined conditions, unspecified	50	130	30	100	—	—	—	—	100	—
Symptoms	51	4,880	2,300	2,580	—	970	730	1,580	1,510	80
Symptoms, unspecified	510	50	20	30	—	—	—	30	—	—
General symptoms	511	2,730	1,140	1,590	—	650	440	770	850	30
General symptoms, unspecified	5110	30	20	—	—	—	—	—	20	—
Loss of consciousness—not heat related	5111	1,370	400	970	—	480	190	320	380	—
Convulsions, seizures	5112	180	100	80	—	30	40	100	—	—
Dizziness—general	5114	490	280	210	—	50	170	100	160	—
Inflammation, swelling—general	5115	290	140	150	—	—	20	110	160	—
Numbness—general	5116	80	40	40	—	—	—	20	50	—
Multiple general symptoms	5118	220	120	100	—	50	—	100	60	—
General symptoms, n.e.c.	5119	60	30	30	—	—	—	20	20	—
Symptoms involving nervous and musculoskeletal systems	512	60	50	—	—	—	—	40	—	—
Symptoms involving nervous and musculoskeletal systems, unspecified	5120	40	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	30	—	20	—	—	—	—	20	—
Symptoms involving head and neck	514	540	280	260	—	130	130	190	100	—
Symptoms involving head and neck, unspecified ..	5140	20	—	—	—	—	—	—	—	—
Headache, except migraine	5141	480	250	220	—	120	110	170	80	—
Symptoms involving head and neck, n.e.c.	5149	40	20	20	—	—	—	—	20	—
Symptoms involving cardiovascular system	515	20	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, unspecified	5150	20	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	1,100	640	460	—	120	120	450	400	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Symptoms involving respiratory system and chest, unspecified	5160	570	430	130	—	80	30	200	260	—
Chest pain	5164	260	100	170	—	—	40	180	30	—
Multiple symptoms involving respiratory system and chest	5168	30	—	—	—	—	—	—	20	—
Symptoms involving respiratory system and chest, n.e.c.	5169	240	100	140	—	30	50	70	80	—
Symptoms involving digestive and urinary system	517	160	90	70	—	50	30	20	30	—
Nausea and vomiting—general	5171	120	60	50	—	40	—	—	—	—
Abdominal pain, unspecified	5174	40	20	20	—	—	—	—	—	—
Multiple symptoms	518	180	60	120	—	20	—	60	80	—
Abnormal findings	52	20	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	40	20	20	—	—	—	—	20	—
Other diseases, conditions, and disorders	6	3,090	1,060	2,020	—	80	340	1,480	1,120	70
Damage to prosthetic and orthopedic devices	61	20	—	—	—	—	—	—	—	—
Mental disorders and syndromes	62	3,030	1,050	1,970	—	70	340	1,460	1,090	60
Mental disorders and syndromes, unspecified	620	150	100	50	—	—	20	50	60	—
Anxiety, stress	621	2,790	930	1,850	—	60	310	1,360	1,010	50
Anxiety, stress, unspecified	6210	1,400	340	1,050	—	40	120	570	630	50
Post-traumatic stress disorder	6211	750	380	370	—	—	70	490	180	—
Anxiety or panic disorder	6213	120	40	90	—	—	—	40	60	—
Anxiety, stress, n.e.c.	6219	510	180	330	—	—	110	260	130	—
Depression or depressive episode	622	70	—	60	—	—	—	40	20	—
Mental disorders and syndromes, n.e.c.	629	20	—	20	—	—	—	20	—	—
Other diseases, conditions, and disorders, n.e.c.	69	40	—	30	—	—	—	—	20	—
Exposures to disease—no illness incurred	7	310	70	240	—	20	130	70	80	—
Multiple diseases, conditions, and disorders	8	830	660	180	—	60	130	140	490	—
Nonclassifiable	9999	3,170	1,610	930	620	150	320	1,010	540	1,140

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.