

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2011²

Part of body	Part of body code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		918,140	566,720	347,610	3,810	90,580	165,280	320,950	326,230	15,100
Head	1	61,200	39,940	20,970	290	6,220	12,650	23,300	17,940	1,080
Head, unspecified	10	13,560	7,760	5,740	60	1,370	2,470	5,090	4,510	120
Cranial region, including skull	11	10,910	6,290	4,550	60	900	2,150	4,390	3,230	240
Cranial region, unspecified	110	540	260	250	30	40	70	190	210	30
Brain	111	8,160	4,560	3,570	30	680	1,770	3,190	2,320	190
Scalp	112	1,360	880	490	-	110	220	510	500	20
Skull	113	700	540	160	-	40	70	420	170	-
Multiple cranial region locations	118	70	30	40	-	30	-	20	-	-
Cranial region, n.e.c.	119	80	40	40	-	-	-	50	-	-
Ear(s)	12	890	440	440	-	70	200	370	230	20
Face	13	34,540	24,680	9,700	160	3,790	7,650	12,870	9,590	650
Face, unspecified	130	3,020	1,840	1,180	-	190	750	1,210	790	70
Forehead	131	2,870	1,780	1,070	20	290	850	1,020	670	40
Eye(s)	132	20,780	15,990	4,680	110	2,310	4,720	7,550	5,840	370
Nose, nasal cavity	133	2,050	1,050	980	-	100	420	730	690	120
Nose, except internal location of diseases or disorders	1330	2,030	1,040	980	-	100	420	730	680	120
Cheek(s)	134	520	380	130	-	40	40	300	110	-
Jaw, chin	135	630	450	180	-	40	130	230	220	-
Mouth	136	2,510	1,850	660	-	520	350	970	650	20
Mouth, unspecified	1360	150	100	50	-	-	50	30	50	-
Lip(s)	1361	810	600	210	-	320	80	210	200	-
Tongue	1362	40	30	-	-	-	-	-	-	-
Tooth (teeth)	1363	1,190	910	280	-	130	190	570	290	-
Multiple mouth locations	1368	300	190	110	-	60	-	120	100	-
Multiple face locations	138	1,910	1,190	720	-	300	350	740	520	-
Face, n.e.c.	139	260	150	110	-	-	30	120	110	-
Multiple head locations	18	980	590	390	-	70	120	460	300	20
Head, n.e.c.	19	310	170	140	-	20	70	110	80	40
Neck, including throat	2	12,350	6,650	5,590	120	770	2,840	4,200	4,380	180
Neck, except internal location of diseases or disorders ...	20	12,310	6,630	5,560	110	760	2,830	4,170	4,370	170
Internal neck location, unspecified	21	20	-	-	-	-	-	-	-	-
Trunk	3	238,280	151,570	85,890	820	19,980	43,620	87,970	82,700	4,000
Trunk, unspecified	30	1,000	650	320	30	140	220	330	270	30
Chest, including ribs, internal organs	31	13,970	9,940	3,940	80	1,510	2,260	4,900	5,110	180
Chest, except internal location of diseases or disorders	310	13,190	9,560	3,550	80	1,470	2,160	4,540	4,840	170
Internal chest location, unspecified	311	220	60	150	-	-	-	170	30	-
Heart	313	180	110	60	-	-	-	70	80	-
Bronchus	314	30	20	-	-	-	-	20	20	-
Lung(s), pleura	315	350	190	170	-	20	70	120	140	-
Back, including spine, spinal cord	32	183,100	111,540	70,960	600	14,980	34,540	68,660	61,710	3,200
Back, including spine, spinal cord, unspecified	320	72,510	45,700	26,780	30	6,160	14,660	28,490	22,120	1,080
Thoracic region	321	7,680	4,270	3,370	40	620	1,530	2,690	2,660	190
Lumbar region	322	93,440	56,730	36,200	510	7,340	16,190	34,560	33,510	1,840

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Sacral region	323	780	380	410	—	60	160	250	300	—
Coccygeal region	324	1,790	520	1,270	—	100	310	510	840	30
Multiple back regions	328	6,260	3,560	2,700	—	680	1,440	2,010	2,090	40
Back, including spine, spinal cord, n.e.c.	329	640	380	230	—	40	250	140	200	—
Abdomen	33	20,060	16,750	3,250	50	1,500	3,060	7,440	7,730	330
Abdomen, except internal location of diseases or disorders	330	18,410	15,300	3,050	50	1,410	2,770	6,960	7,000	270
Internal abdominal location, unspecified	331	880	800	70	—	30	150	230	460	—
Stomach organ	332	220	150	60	—	40	60	30	30	50
Spleen	333	50	50	—	—	—	—	—	50	—
Urinary organs	334	30	30	—	—	—	—	—	—	—
Urinary organs, unspecified	3340	20	20	—	—	—	—	—	—	—
Intestines, peritoneum	335	380	340	40	—	—	50	170	140	—
Intestines, peritoneum, unspecified	3350	330	290	40	—	—	50	160	110	—
Peritoneum	3351	30	30	—	—	—	—	—	30	—
Multiple internal abdominal locations	338	20	20	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	339	60	60	—	—	—	—	20	30	—
Pelvic region	34	15,490	10,110	5,320	50	1,310	2,720	5,010	6,280	160
Pelvic region, unspecified	340	130	50	50	30	—	—	50	40	30
Hip(s)	341	7,320	3,920	3,400	—	580	1,380	2,060	3,220	80
Pelvis	342	750	310	450	—	30	100	260	370	—
Buttock(s)	343	870	330	540	—	90	120	330	330	—
Groin	344	5,830	5,110	720	—	590	970	2,170	2,090	20
External reproductive tract structures	345	310	270	—	20	—	70	90	120	20
External reproductive tract structures, unspecified ..	3450	40	20	—	20	—	—	—	—	20
Scrotum	3451	160	160	—	—	—	40	30	90	—
Penis	3452	90	90	—	—	—	20	—	30	—
Internal reproductive tract structures	346	40	20	—	—	—	—	—	—	—
Testis (testes)	3462	20	20	—	—	—	—	—	—	—
Multiple pelvic region locations	348	210	80	120	—	—	50	30	100	—
Pelvic region, n.e.c.	349	30	—	20	—	—	—	—	—	—
Multiple trunk locations	38	4,450	2,420	2,020	—	520	760	1,520	1,540	100
Trunk, n.e.c.	39	220	150	70	—	—	60	100	50	—
Upper extremities	4	288,790	182,930	104,890	970	30,200	52,930	95,890	106,020	3,750
Upper extremities, unspecified	40	600	340	250	—	30	80	160	310	20
Shoulder(s), including clavicle(s), scapula(e)	41	68,890	43,190	25,330	360	4,760	9,980	22,790	30,550	810
Arm(s)	42	44,760	27,460	17,130	180	4,040	7,250	15,340	17,560	570
Arm(s), unspecified	420	14,460	8,110	6,340	—	1,470	2,360	4,950	5,520	140
Upper arm(s)	421	5,380	3,450	1,870	60	280	650	1,630	2,730	100
Elbow(s)	422	14,670	9,110	5,500	60	1,180	2,290	5,030	5,980	200
Forearm(s)	423	7,790	5,360	2,380	50	890	1,560	2,790	2,430	120
Multiple arm locations	428	1,970	1,120	850	—	160	320	770	720	—
Multiple arm locations, unspecified	4280	340	190	160	—	30	80	120	110	—
Elbow(s) and arm(s)	4281	690	370	320	—	50	90	240	310	—
Multiple arm locations, n.e.c.	4289	940	560	380	—	80	150	410	300	—
Arm(s), n.e.c.	429	490	310	180	—	60	50	170	190	20
Wrist(s)	43	39,340	17,630	21,630	80	2,660	7,280	12,520	16,460	420
Hand(s)	44	119,850	87,360	32,160	330	17,650	25,860	40,020	34,760	1,560

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Hand(s), unspecified	440	29,190	20,590	8,590	—	4,220	6,120	10,100	8,300	450
Hand(s), except finger(s)	441	7,560	5,650	1,820	90	890	1,310	2,400	2,840	130
Finger(s), fingernail(s)	442	78,950	58,090	20,620	240	12,070	17,690	25,820	22,450	920
Finger(s), fingernail(s), unspecified	4420	52,730	38,300	14,220	200	8,130	11,150	17,310	15,490	650
Fingernail(s), nailbed(s)	4421	2,800	1,960	830	—	360	710	960	740	30
Fingertip(s)	4422	6,790	5,300	1,470	20	1,190	1,730	2,160	1,620	90
Finger(s), fingernail(s), n.e.c.	4429	16,630	12,530	4,100	—	2,400	4,090	5,390	4,600	160
Hand(s) and finger(s)	448	2,590	1,900	690	—	270	480	1,020	760	60
Hand(s), n.e.c.	449	1,550	1,120	430	—	190	260	670	430	—
Multiple upper extremities locations	48	15,110	6,800	8,290	—	1,040	2,450	4,940	6,320	360
Multiple upper extremities locations, unspecified	480	280	120	160	—	—	70	100	110	—
Hand(s) and arms(s)	481	1,880	1,150	730	—	180	410	670	620	—
Hand(s) and arm(s), unspecified	4810	930	590	350	—	140	260	220	310	—
Hand(s) and elbow(s)	4811	220	130	90	—	—	50	50	110	—
Hand(s) and arm(s), n.e.c.	4819	730	440	290	—	30	100	400	200	—
Hand(s) and wrist(s)	482	2,960	1,380	1,580	—	210	560	1,050	1,100	30
Wrist(s) and arm(s)	483	2,070	800	1,270	—	250	380	580	600	260
Wrist(s) and arm(s), unspecified	4830	970	340	640	—	100	140	240	250	250
Wrist(s) and elbow(s)	4831	390	170	220	—	20	80	150	130	—
Wrist(s) and arm(s), n.e.c.	4839	710	290	420	—	140	150	190	220	—
Shoulder(s) and arm(s)	484	4,300	1,880	2,420	—	170	540	1,440	2,110	40
Multiple upper extremities locations, n.e.c.	489	3,610	1,470	2,140	—	210	500	1,100	1,780	30
Upper extremities, n.e.c.	49	250	150	100	—	20	40	130	60	—
Lower extremities	5	205,760	129,260	75,620	880	22,170	34,430	70,950	74,760	3,450
Lower extremities, unspecified	50	290	210	70	20	20	80	90	80	30
Leg(s)	51	109,260	69,760	38,930	570	11,540	15,980	36,700	43,350	1,700
Leg(s), unspecified	510	13,510	9,730	3,770	—	2,140	2,290	4,500	4,460	120
Thigh(s)	511	4,400	3,280	1,090	30	690	910	1,260	1,470	60
Knee(s)	512	79,020	48,380	30,210	430	7,390	10,570	26,980	32,880	1,200
Lower leg(s)	513	8,860	6,290	2,470	100	1,080	1,540	2,910	3,040	290
Multiple leg locations	518	3,000	1,740	1,260	—	200	620	780	1,380	20
Multiple leg locations, unspecified	5180	370	180	190	—	60	80	70	170	—
Knee(s) and leg(s)	5181	1,580	760	820	—	110	350	550	560	—
Multiple leg locations, n.e.c.	5189	1,050	800	250	—	30	190	160	660	—
Leg(s), n.e.c.	519	470	350	130	—	40	50	260	120	—
Ankle(s)	52	46,610	27,520	18,910	190	5,240	8,710	17,110	14,700	860
Foot (feet)	53	42,480	28,060	14,310	110	4,680	8,280	14,530	14,210	780
Foot (feet), unspecified	530	26,100	16,670	9,350	80	2,780	4,870	9,200	8,910	330
Sole(s)	531	3,540	2,720	810	—	280	790	1,120	1,330	—
Sole(s), unspecified	5310	510	450	60	—	50	160	130	160	—
Ball(s) of the foot	5311	150	150	—	—	—	140	—	—	—
Arch(es), instep(s)	5312	410	120	290	—	20	60	40	290	—
Heel(s)	5313	2,390	1,940	440	—	210	430	900	840	—
Multiple sole locations	5318	30	—	20	—	—	—	—	—	—
Sole(s), n.e.c.	5319	40	40	—	—	—	—	30	—	—
Toes(s), toenail(s)	532	10,750	7,400	3,340	20	1,380	2,260	3,480	3,220	420
Multiple foot (feet) locations	538	580	440	140	—	60	70	250	200	—
Foot (feet), n.e.c.	539	1,510	830	680	—	180	290	480	560	—

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Multiple lower extremities locations	58	7,050	3,680	3,360	—	680	1,360	2,520	2,410	80
Multiple lower extremities locations, unspecified	580	230	180	50	—	20	20	30	150	—
Foot (feet) and leg(s)	581	980	540	440	—	110	200	380	300	—
Foot(feet) and leg(s), unspecified	5810	370	210	160	—	70	70	100	120	—
Foot(feet) and knee(s)	5811	330	130	200	—	20	90	100	120	—
Foot(feet) and leg(s), n.e.c.	5819	280	190	80	—	—	30	180	50	—
Foot (feet) and ankle(s)	582	2,290	1,310	980	—	240	460	750	790	50
Ankle(s) and leg(s)	583	2,400	1,130	1,270	—	190	390	980	840	—
Ankle(s) and leg(s), unspecified	5830	550	260	290	—	20	100	230	200	—
Ankle(s) and knee(s)	5831	1,370	540	830	—	110	140	630	480	—
Ankle(s) and leg(s), n.e.c.	5839	470	320	150	—	50	150	110	150	—
Multiple lower extremities locations, n.e.c.	589	1,150	530	620	—	130	300	380	330	—
Lower extremities, n.e.c.	59	60	30	30	—	—	20	20	20	—
Body systems	6	17,710	9,320	8,360	40	2,480	3,340	5,800	5,780	310
Multiple body parts	8	87,620	43,750	43,770	100	8,290	14,600	30,390	33,320	1,010
Multiple body parts, unspecified	80	7,620	3,960	3,580	70	470	1,540	2,530	2,790	280
Head and neck	81	2,340	1,570	770	—	70	520	1,050	680	20
Head, neck, and trunk	82	770	470	300	—	30	110	230	390	20
Head and trunk	83	1,830	1,020	800	—	500	270	480	570	—
Neck and back	84	8,400	4,620	3,790	—	600	1,690	3,430	2,610	70
Shoulder(s) and back	85	3,600	2,040	1,560	—	220	710	1,250	1,370	40
Hip(s) and leg(s)	86	1,300	680	630	—	70	300	460	460	20
Upper and lower limb(s)	87	7,190	2,810	4,380	—	560	830	2,490	3,270	30
Other multiple body parts	89	54,560	26,580	27,960	20	5,760	8,640	18,460	21,190	510
Whole body	891	1,010	610	390	—	60	150	340	450	—
Multiple body parts, n.e.c.	899	53,550	25,970	27,560	20	5,700	8,490	18,120	20,730	510

See footnotes at end of table.

TABLE R52. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness, gender, and length of service with employer, private industry, 2011² — Continued

Part of body	Part of body code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Nonclassifiable	9999	6,410	3,290	2,530	600	480	860	2,440	1,320	1,320

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.