

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011²

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		918,140	128,070	13.9	99,350	10.8	163,110	17.8
Traumatic injuries and disorders	1	880,580	123,390	14.0	96,370	10.9	157,310	17.9
Traumatic injuries and disorders, unspecified	10	30,580	3,890	12.7	3,600	11.8	5,510	18.0
Traumatic injuries to bones, nerves, spinal cord	11	79,930	4,880	6.1	4,710	5.9	7,740	9.7
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1,780	120	6.7	140	7.9	340	19.1
Fractures	111	75,660	4,570	6.0	4,440	5.9	7,130	9.4
Traumatic injuries to spinal cord	112	270	20	7.4	—	—	90	33.3
Traumatic injuries to spinal cord, unspecified	1120	150	—	—	—	—	70	46.7
Traumatic injuries to spinal cord, n.e.c.	1129	110	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord ..	113	1,870	100	5.3	110	5.9	150	8.0
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	130	—	—	—	—	—	—
Pinched nerve	1131	1,660	100	6.0	110	6.6	140	8.4
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	80	—	—	—	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	118	210	—	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	140	80	57.1	—	—	20	14.3
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	374,310	39,020	10.4	36,020	9.6	66,660	17.8
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	4,510	520	11.5	290	6.4	520	11.5
Dislocations	121	8,720	290	3.3	460	5.3	640	7.3
Dislocations, unspecified	1210	1,380	60	4.3	60	4.3	90	6.5
Herniated discs	1211	2,690	30	1.1	110	4.1	150	5.6
Dislocation of joints	1212	4,450	190	4.3	280	6.3	390	8.8
Dislocations, n.e.c.	1219	200	—	—	—	—	—	—
Cartilage fractures and tears	122	4,740	90	1.9	80	1.7	210	4.4
Cartilage fractures and tears, unspecified	1220	460	—	—	—	—	90	19.6
Meniscus tears	1221	3,890	90	2.3	50	1.3	110	2.8
Cartilage fractures and tears, n.e.c.	1229	400	—	—	30	7.5	—	—
Sprains, strains, tears	123	343,240	37,480	10.9	34,770	10.1	64,220	18.7
Sprains, strains, tears, unspecified	1230	22,780	2,660	11.7	1,780	7.8	3,700	16.2
Major tears to muscles, tendons, ligaments	1231	17,330	480	2.8	300	1.7	900	5.2
Sprains	1232	85,310	10,740	12.6	9,670	11.3	16,250	19.0
Strains	1233	210,800	22,880	10.9	22,290	10.6	41,990	19.9
Multiple sprains, strains, tears	1238	7,010	720	10.3	740	10.6	1,390	19.8
Hernias due to traumatic incidents	124	11,260	200	1.8	300	2.7	760	6.7
Whiplash	125	1,030	350	34.0	80	7.8	180	17.5
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	540	40	7.4	30	5.6	100	18.5
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	280	40	14.3	—	—	20	7.1
Open wounds	13	94,130	22,600	24.0	13,540	14.4	18,620	19.8
Open wounds, unspecified	130	1,130	260	23.0	110	9.7	330	29.2
Amputations, avulsions, enucleations	131	7,950	500	6.3	720	9.1	1,180	14.8
Amputations, avulsions, enucleations, unspecified	1310	210	—	—	—	—	50	23.8

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	108,840	11.9	102,880	11.2	60,210	6.6	255,680	27.8	8
Traumatic injuries and disorders	105,320	12.0	98,270	11.2	57,000	6.5	242,920	27.6	8
Traumatic injuries and disorders, unspecified	3,340	10.9	2,960	9.7	1,910	6.2	9,380	30.7	9
Traumatic injuries to bones, nerves, spinal cord	8,240	10.3	9,610	12.0	6,240	7.8	38,510	48.2	28
Traumatic injuries to bones, nerves, spinal cord, unspecified	320	18.0	220	12.4	80	4.5	560	31.5	10
Fractures	7,530	10.0	8,880	11.7	6,060	8.0	37,060	49.0	30
Traumatic injuries to spinal cord	—	—	—	—	20	7.4	140	51.9	32
Traumatic injuries to spinal cord, unspecified	—	—	—	—	—	—	80	53.3	51
Traumatic injuries to spinal cord, n.e.c.	—	—	—	—	20	18.2	50	45.5	25
Traumatic injuries to nerves, except the spinal cord ..	370	19.8	410	21.9	70	3.7	670	35.8	17
Traumatic injuries to nerves, except the spinal cord, unspecified	—	—	—	—	—	—	100	76.9	50
Pinched nerve	350	21.1	370	22.3	60	3.6	530	31.9	16
Traumatic injuries to nerves, except the spinal cord, n.e.c.	20	25.0	20	25.0	—	—	30	37.5	18
Multiple traumatic injuries to bones, nerves, spinal cord	—	—	90	42.9	—	—	90	42.9	19
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	1
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	47,240	12.6	45,800	12.2	26,890	7.2	112,690	30.1	10
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	300	6.7	460	10.2	420	9.3	2,000	44.3	27
Dislocations	730	8.4	850	9.7	610	7.0	5,150	59.1	51
Dislocations, unspecified	110	8.0	60	4.3	120	8.7	900	65.2	53
Herniated discs	140	5.2	250	9.3	190	7.1	1,810	67.3	70
Dislocation of joints	460	10.3	540	12.1	290	6.5	2,310	51.9	34
Dislocations, n.e.c.	20	10.0	—	—	20	10.0	120	60.0	73
Cartilage fractures and tears	450	9.5	950	20.0	460	9.7	2,500	52.7	33
Cartilage fractures and tears, unspecified	110	23.9	—	—	60	13.0	190	41.3	21
Meniscus tears	340	8.7	930	23.9	370	9.5	2,000	51.4	33
Cartilage fractures and tears, n.e.c.	—	—	—	—	30	7.5	310	77.5	120
Sprains, strains, tears	44,470	13.0	41,070	12.0	23,370	6.8	97,850	28.5	9
Sprains, strains, tears, unspecified	2,390	10.5	2,520	11.1	1,490	6.5	8,250	36.2	14
Major tears to muscles, tendons, ligaments	1,340	7.7	1,990	11.5	1,290	7.4	11,030	63.6	55
Sprains	11,720	13.7	9,910	11.6	5,600	6.6	21,420	25.1	7
Strains	28,310	13.4	25,830	12.3	14,580	6.9	54,920	26.1	8
Multiple sprains, strains, tears	700	10.0	810	11.6	410	5.8	2,240	32.0	10
Hernias due to traumatic incidents	1,120	9.9	2,200	19.5	1,920	17.1	4,750	42.2	28
Whiplash	80	7.8	160	15.5	20	1.9	150	14.6	3
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	50	9.3	80	14.8	—	—	220	40.7	19
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	30	10.7	20	7.1	80	28.6	60	21.4	30
Open wounds	10,650	11.3	9,610	10.2	5,620	6.0	13,480	14.3	4
Open wounds, unspecified	150	13.3	80	7.1	50	4.4	140	12.4	5
Amputations, avulsions, enucleations	710	8.9	1,010	12.7	1,150	14.5	2,680	33.7	18
Amputations, avulsions, enucleations, unspecified	20	9.5	30	14.3	—	—	100	47.6	18

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Amputations	1311	5,110	160	3.1	180	3.5	510	10.0
Avulsions, enucleations	1312	2,570	330	12.8	540	21.0	610	23.7
Amputations, avulsions, enucleations, n.e.c.	1319	60	—	—	—	—	—	—
Cuts, lacerations	132	70,910	17,620	24.8	10,700	15.1	14,210	20.0
Puncture wounds, except gunshot wounds	133	13,750	4,120	30.0	1,980	14.4	2,850	20.7
Gunshot wounds	134	90	20	22.2	—	—	—	—
Multiple types of open wounds	138	150	40	26.7	20	13.3	20	13.3
Open wounds, n.e.c.	139	150	60	40.0	20	13.3	20	13.3
Surface wounds and bruises	14	86,030	17,570	20.4	13,600	15.8	18,990	22.1
Surface wounds and bruises, unspecified	140	470	50	10.6	100	21.3	90	19.1
Abrasions, scratches	141	6,480	2,120	32.7	1,240	19.1	1,070	16.5
Blisters	142	100	—	—	40	40.0	20	20.0
Bruises, contusions	143	77,010	14,710	19.1	11,920	15.5	17,450	22.7
Multiple surface wounds and bruises	148	1,490	460	30.9	210	14.1	300	20.1
Surface wounds and bruises, n.e.c.	149	470	210	44.7	80	17.0	50	10.6
Burns and corrosions	15	19,900	4,260	21.4	2,540	12.8	4,110	20.7
Burns and corrosions, unspecified	150	440	70	15.9	40	9.1	70	15.9
Chemical burns and corrosions	151	3,260	810	24.8	460	14.1	700	21.5
Chemical burns and corrosions, unspecified	1510	2,770	700	25.3	390	14.1	610	22.0
First degree chemical burns and corrosions	1511	50	20	40.0	—	—	—	—
Second degree chemical burns and corrosions	1512	220	50	22.7	50	22.7	50	22.7
Third or fourth degree chemical burns and corrosions	1513	20	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	1519	190	40	21.1	—	—	40	21.1
Heat (thermal) burns	152	13,660	2,780	20.4	1,570	11.5	2,840	20.8
Heat (thermal) burns, unspecified	1520	9,850	2,200	22.3	1,110	11.3	2,120	21.5
First degree heat (thermal) burns	1521	570	190	33.3	130	22.8	40	7.0
Second degree heat (thermal) burns	1522	2,140	300	14.0	230	10.7	470	22.0
Third or fourth degree heat (thermal) burns	1523	350	30	8.6	70	20.0	30	8.6
Heat (thermal) burns, n.e.c.	1529	750	60	8.0	30	4.0	180	24.0
Electrical burns	153	1,020	60	5.9	120	11.8	110	10.8
Electrical burns, unspecified	1530	730	60	8.2	80	11.0	100	13.7
First degree electrical burns	1531	60	—	—	40	66.7	—	—
Second degree electrical burns	1532	60	—	—	—	—	—	—
Third or fourth degree electrical burns	1533	100	—	—	—	—	—	—
Electrical burns, n.e.c.	1539	70	—	—	—	—	—	—
Other burns	159	1,520	540	35.5	350	23.0	390	25.7
Other burns, unspecified	1590	240	80	33.3	40	16.7	20	8.3
Other burns, first degree	1591	860	410	47.7	270	31.4	110	12.8
Other burns, second degree	1592	360	30	8.3	30	8.3	250	69.4
Other burns, n.e.c.	1599	50	—	—	—	—	—	—
Intracranial injuries	16	7,930	1,500	18.9	1,080	13.6	1,800	22.7
Intracranial injuries, unspecified	160	640	150	23.4	90	14.1	70	10.9
Cerebral and other intracranial hemorrhages	161	40	—	—	—	—	—	—
Concussions	162	7,190	1,350	18.8	970	13.5	1,720	23.9
Multiple types of intracranial injuries	168	50	—	—	—	—	—	—
Skull fracture and intracranial injury	1681	50	—	—	—	—	—	—
Effects of environmental conditions	17	3,580	980	27.4	810	22.6	1,000	27.9
Effects of reduced temperature	171	190	30	15.8	—	—	40	21.1
Frostbite	1711	180	30	16.7	—	—	40	22.2

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Amputations	530	10.4	670	13.1	1,000	19.6	2,060	40.3	25
Avulsions, enucleations	160	6.2	310	12.1	140	5.4	480	18.7	4
Amputations, avulsions, enucleations, n.e.c.	—	—	—	—	—	—	40	66.7	34
Cuts, lacerations	8,500	12.0	7,070	10.0	3,540	5.0	9,280	13.1	3
Puncture wounds, except gunshot wounds	1,250	9.1	1,390	10.1	840	6.1	1,310	9.5	3
Gunshot wounds	—	—	—	—	—	—	40	44.4	26
Multiple types of open wounds	—	—	20	13.3	40	26.7	30	20.0	12
Open wounds, n.e.c.	20	13.3	30	20.0	—	—	—	—	2
Surface wounds and bruises	9,950	11.6	9,120	10.6	3,910	4.5	12,890	15.0	4
Surface wounds and bruises, unspecified	40	8.5	40	8.5	20	4.3	120	25.5	5
Abrasions, scratches	810	12.5	520	8.0	280	4.3	440	6.8	2
Blisters	—	—	—	—	—	—	—	—	2
Bruises, contusions	8,970	11.6	8,430	10.9	3,550	4.6	11,970	15.5	4
Multiple surface wounds and bruises	80	5.4	90	6.0	30	2.0	310	20.8	3
Surface wounds and bruises, n.e.c.	50	10.6	20	4.3	—	—	40	8.5	2
Burns and corrosions	3,270	16.4	2,480	12.5	1,090	5.5	2,150	10.8	5
Burns and corrosions, unspecified	50	11.4	90	20.5	20	4.5	100	22.7	10
Chemical burns and corrosions	490	15.0	340	10.4	130	4.0	330	10.1	3
Chemical burns and corrosions, unspecified	390	14.1	300	10.8	110	4.0	270	9.7	3
First degree chemical burns and corrosions	—	—	—	—	—	—	—	—	10
Second degree chemical burns and corrosions	40	18.2	20	9.1	—	—	20	9.1	3
Third or fourth degree chemical burns and corrosions	—	—	—	—	—	—	20	100.0	102
Chemical burns and corrosions, n.e.c.	50	26.3	20	10.5	—	—	20	10.5	7
Heat (thermal) burns	2,520	18.4	1,780	13.0	810	5.9	1,360	10.0	5
Heat (thermal) burns, unspecified	1,750	17.8	1,320	13.4	590	6.0	760	7.7	5
First degree heat (thermal) burns	70	12.3	100	17.5	20	3.5	—	—	2
Second degree heat (thermal) burns	350	16.4	260	12.1	180	8.4	350	16.4	7
Third or fourth degree heat (thermal) burns	40	11.4	30	8.6	—	—	160	45.7	20
Heat (thermal) burns, n.e.c.	320	42.7	70	9.3	—	—	80	10.7	7
Electrical burns	150	14.7	170	16.7	110	10.8	290	28.4	13
Electrical burns, unspecified	30	4.1	150	20.5	100	13.7	230	31.5	20
First degree electrical burns	—	—	—	—	—	—	—	—	2
Second degree electrical burns	20	33.3	—	—	—	—	—	—	16
Third or fourth degree electrical burns	—	—	—	—	—	—	30	30.0	6
Electrical burns, n.e.c.	30	42.9	—	—	—	—	20	28.6	9
Other burns	60	3.9	90	5.9	20	1.3	60	3.9	2
Other burns, unspecified	20	8.3	30	12.5	—	—	30	12.5	2
Other burns, first degree	30	3.5	20	2.3	—	—	—	—	2
Other burns, second degree	—	—	30	8.3	—	—	—	—	3
Other burns, n.e.c.	—	—	—	—	—	—	—	—	11
Intracranial injuries	740	9.3	630	7.9	320	4.0	1,870	23.6	5
Intracranial injuries, unspecified	30	4.7	50	7.8	40	6.2	200	31.2	7
Cerebral and other intracranial hemorrhages	—	—	—	—	—	—	20	50.0	18
Concussions	710	9.9	560	7.8	270	3.8	1,590	22.1	4
Multiple types of intracranial injuries	—	—	—	—	—	—	50	100.0	63
Skull fracture and intracranial injury	—	—	—	—	—	—	50	100.0	64
Effects of environmental conditions	340	9.5	220	6.1	40	1.1	180	5.0	2
Effects of reduced temperature	20	10.5	30	15.8	—	—	60	31.6	8
Frostbite	20	11.1	20	11.1	—	—	60	33.3	8

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Effects of heat and light	172	3,250	950	29.2	800	24.6	920	28.3
Effects of heat and light, unspecified	1720	170	50	29.4	40	23.5	50	29.4
Heat stroke	1721	310	30	9.7	140	45.2	80	25.8
Heat syncope	1722	150	50	33.3	30	20.0	30	20.0
Heat fatigue	1723	330	50	15.2	110	33.3	30	9.1
Heat exhaustion, prostration	1725	1,840	620	33.7	340	18.5	610	33.2
Multiple effects of heat and light	1728	20	—	—	—	—	—	—
Effects of heat and light, n.e.c.	1729	440	140	31.8	130	29.5	120	27.3
Effects of air or water pressure	173	130	—	—	—	—	30	23.1
Effects of air or water pressure, unspecified	1730	60	—	—	—	—	—	—
Aero-otitis media	1731	30	—	—	—	—	—	—
Effects of air or water pressure, n.e.c.	1739	40	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	30,400	3,540	11.6	3,300	10.9	4,800	15.8
Multiple traumatic injuries and disorders, unspecified	180	2,130	300	14.1	170	8.0	400	18.8
Cuts and abrasions or bruises	181	5,490	1,230	22.4	970	17.7	910	16.6
Sprains and other injuries	182	12,510	1,330	10.6	1,640	13.1	1,940	15.5
Sprains and other injuries, unspecified	1820	660	30	4.5	40	6.1	110	16.7
Sprains and bruises	1821	9,480	1,010	10.7	1,310	13.8	1,530	16.1
Sprains and cuts	1822	870	90	10.3	30	3.4	100	11.5
Sprains and other injuries, n.e.c.	1829	1,510	190	12.6	250	16.6	200	13.2
Fractures and other injuries	183	6,500	260	4.0	240	3.7	750	11.5
Fractures and other injuries, unspecified	1830	530	—	—	20	3.8	50	9.4
Fractures (except skull fractures) and concussions	1831	320	20	6.2	—	—	30	9.4
Fractures (except rib, trunk fractures) and internal								
injuries	1832	70	—	—	—	—	—	—
Fractures and burns	1833	180	—	—	—	—	—	—
Fractures and dislocations	1834	860	20	2.3	—	—	40	4.7
Fractures and other injuries, n.e.c.	1839	4,540	210	4.6	200	4.4	630	13.9
Burns and other injuries, except fractures	184	190	40	21.1	30	15.8	—	—
Burns and other injuries, except fractures,								
unspecified	1840	60	30	50.0	—	—	—	—
Burns and other injuries, n.e.c.	1849	130	—	—	20	15.4	—	—
Intracranial injuries and injuries to internal organs	185	60	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	3,510	380	10.8	260	7.4	790	22.5
Other traumatic injuries and disorders	19	153,800	25,140	16.3	17,170	11.2	28,100	18.3
Other traumatic injuries and disorders, unspecified ...	190	540	150	27.8	40	7.4	30	5.6
Asphyxiations, strangulations, suffocations	191	140	80	57.1	—	—	20	14.3
Electrocutions, electric shocks	193	1,290	290	22.5	270	20.9	220	17.1
Internal injuries to organs and blood vessels of the								
trunk	194	190	—	—	—	—	40	21.1
Dermatitis and reactions affecting the skin—acute	195	3,000	780	26.0	530	17.7	850	28.3
Dermatitis and reactions affecting the skin—acute,								
unspecified	1950	1,570	320	20.4	270	17.2	550	35.0
Allergic dermatitis—acute	1951	770	210	27.3	210	27.3	120	15.6
Irritant dermatitis—acute	1952	450	160	35.6	40	8.9	100	22.2
Hives, urticaria—acute	1953	70	20	28.6	—	—	20	28.6
Dermatitis and reactions affecting the skin—acute,								
n.e.c.	1959	140	50	35.7	—	—	60	42.9
Other poisoning, toxic, noxious, or allergenic effects	196	7,470	2,120	28.4	930	12.4	1,940	26.0

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Effects of heat and light	280	8.6	180	5.5	—	—	110	3.4	2
Effects of heat and light, unspecified	20	11.8	—	—	—	—	—	—	2
Heat stroke	—	—	—	—	—	—	40	12.9	2
Heat syncope	30	20.0	—	—	—	—	—	—	2
Heat fatigue	—	—	110	33.3	—	—	—	—	3
Heat exhaustion, prostration	160	8.7	50	2.7	—	—	50	2.7	2
Multiple effects of heat and light	—	—	—	—	—	—	—	—	6
Effects of heat and light, n.e.c.	30	6.8	—	—	—	—	—	—	2
Effects of air or water pressure	40	30.8	—	—	—	—	20	15.4	7
Effects of air or water pressure, unspecified	20	33.3	—	—	—	—	—	—	7
Aero-otitis media	20	66.7	—	—	—	—	—	—	10
Effects of air or water pressure, n.e.c.	—	—	—	—	—	—	—	—	21
Multiple traumatic injuries and disorders	3,710	12.2	3,450	11.3	2,170	7.1	9,420	31.0	10
Multiple traumatic injuries and disorders, unspecified	270	12.7	150	7.0	170	8.0	680	31.9	10
Cuts and abrasions or bruises	660	12.0	470	8.6	160	2.9	1,090	19.9	4
Sprains and other injuries	1,820	14.5	1,660	13.3	830	6.6	3,300	26.4	8
Sprains and other injuries, unspecified	310	47.0	—	—	—	—	150	22.7	7
Sprains and bruises	1,120	11.8	1,390	14.7	660	7.0	2,450	25.8	9
Sprains and cuts	160	18.4	80	9.2	90	10.3	310	35.6	15
Sprains and other injuries, n.e.c.	220	14.6	180	11.9	70	4.6	390	25.8	6
Fractures and other injuries	640	9.8	730	11.2	800	12.3	3,080	47.4	29
Fractures and other injuries, unspecified	80	15.1	40	7.5	80	15.1	260	49.1	30
Fractures (except skull fractures) and concussions	—	—	—	—	20	6.2	220	68.8	69
Fractures (except rib, trunk fractures) and internal injuries	—	—	—	—	—	—	60	85.7	80
Fractures and burns	—	—	—	—	—	—	170	94.4	61
Fractures and dislocations	60	7.0	30	3.5	270	31.4	430	50.0	32
Fractures and other injuries, n.e.c.	480	10.6	650	14.3	430	9.5	1,940	42.7	23
Burns and other injuries, except fractures	40	21.1	—	—	—	—	70	36.8	10
Burns and other injuries, except fractures, unspecified	—	—	—	—	—	—	20	33.3	2
Burns and other injuries, n.e.c.	30	23.1	—	—	—	—	50	38.5	10
Intracranial injuries and injuries to internal organs	—	—	—	—	—	—	—	—	180
Multiple traumatic injuries and disorders, n.e.c.	290	8.3	440	12.5	220	6.3	1,140	32.5	12
Other traumatic injuries and disorders, unspecified	17,840	11.6	14,390	9.4	8,800	5.7	42,350	27.5	7
Asphyxiations, strangulations, suffocations	210	38.9	20	3.7	—	—	70	13.0	7
Electrocutions, electric shocks	—	—	—	—	—	—	—	—	1
Internal injuries to organs and blood vessels of the trunk	90	7.0	100	7.8	70	5.4	240	18.6	4
trunk	50	26.3	—	—	—	—	80	42.1	13
Dermatitis and reactions affecting the skin—acute	390	13.0	220	7.3	100	3.3	130	4.3	3
Dermatitis and reactions affecting the skin—acute, unspecified	190	12.1	150	9.6	40	2.5	40	2.5	3
Allergic dermatitis—acute	80	10.4	40	5.2	50	6.5	50	6.5	2
Irritant dermatitis—acute	100	22.2	30	6.7	—	—	20	4.4	4
Hives, urticaria—acute	—	—	—	—	—	—	20	28.6	3
Dermatitis and reactions affecting the skin—acute, n.e.c.	20	14.3	—	—	—	—	—	—	5
Other poisoning, toxic, noxious, or allergenic effects	1,050	14.1	540	7.2	380	5.1	510	6.8	3

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	2,470	990	40.1	340	13.8	520	21.1
Poisoning, including poisoning-related asphyxia ...	1961	1,290	160	12.4	90	7.0	400	31.0
Anaphylactic shock, anaphylaxis	1962	50	20	40.0	—	—	20	40.0
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,580	300	19.0	190	12.0	680	43.0
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	190	70	36.8	20	10.5	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	250	110	44.0	40	16.0	40	16.0
Other or unspecified allergic reactions	1966	740	330	44.6	130	17.6	150	20.3
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	170	70	41.2	50	29.4	50	29.4
Multiple poisoning, toxic, noxious, or allergenic effects	1968	530	20	3.8	50	9.4	20	3.8
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	190	40	21.1	20	10.5	70	36.8
Nonspecified injuries and disorders	197	140,540	21,600	15.4	15,320	10.9	24,950	17.8
Crushing injuries	1971	10,280	1,060	10.3	1,410	13.7	1,460	14.2
Soreness, pain, hurt—nonspecified injury	1972	109,920	15,070	13.7	10,920	9.9	20,130	18.3
Swelling, inflammation, irritation—nonspecified injury	1973	15,160	4,720	31.1	2,690	17.7	2,560	16.9
Numbness—nonspecified injury	1974	890	80	9.0	30	3.4	130	14.6
Multiple nonspecified injuries and disorders	1978	2,010	300	14.9	180	9.0	350	17.4
Nonspecified injuries and disorders, n.e.c.	1979	2,270	370	16.3	90	4.0	310	13.7
Other traumatic injuries and disorders, n.e.c.	199	640	110	17.2	60	9.4	40	6.2
Traumatic shock	1991	20	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	620	100	16.1	60	9.7	40	6.5
Diseases and disorders of body systems	2	23,850	1,950	8.2	1,650	6.9	2,740	11.5
Systemic diseases and disorders, unspecified	20	80	—	—	—	—	20	25.0
Nervous system and sense organs diseases	22	10,690	950	8.9	800	7.5	1,080	10.1
Inflammatory diseases of the central nervous system	221	20	—	—	—	—	—	—
Degenerative diseases of the central nervous system	222	20	—	—	—	—	—	—
Other disorders of the central nervous system	223	160	90	56.2	—	—	—	—
Seizure disorder, epilepsy	2231	70	20	28.6	—	—	—	—
Migraine	2232	90	70	77.8	—	—	—	—
Disorders of the peripheral nervous system	224	8,890	310	3.5	560	6.3	650	7.3
Disorders of the peripheral nervous system, unspecified	2240	120	—	—	—	—	—	—
Carpal tunnel syndrome	2241	8,620	300	3.5	560	6.5	640	7.4
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	30	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	100	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	1,450	530	36.6	210	14.5	400	27.6
Disorders of the eye, adnexa, vision, unspecified ..	2250	120	—	—	20	16.7	80	66.7
Conjunctivitis—non-viral	2251	610	290	47.5	90	14.8	160	26.2
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	140	60	42.9	50	35.7	20	14.3
Blindness, low vision	2254	60	20	33.3	—	—	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Poisoning, toxic, noxious, or allergenic effect, unspecified	200	8.1	210	8.5	70	2.8	140	5.7	2
Poisoning, including poisoning-related asphyxia ...	290	22.5	40	3.1	250	19.4	60	4.7	5
Anaphylactic shock, anaphylaxis	—	—	—	—	—	—	—	—	3
Other respiratory system symptoms—toxic, noxious, or allergenic effect	100	6.3	90	5.7	30	1.9	180	11.4	3
Coughing and throat irritation— toxic, noxious, or allergenic effect	—	—	50	26.3	—	—	40	21.1	4
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	30	12.0	—	—	—	—	30	12.0	2
Other or unspecified allergic reactions	50	6.8	30	4.1	20	2.7	30	4.1	2
Nausea, vomiting— toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—	2
Multiple poisoning, toxic, noxious, or allergenic effects	340	64.2	70	13.2	—	—	20	3.8	6
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	—	—	40	21.1	—	—	—	—	5
Nonspecified injuries and disorders	16,010	11.4	13,440	9.6	8,220	5.8	40,990	29.2	7
Crushing injuries	1,060	10.3	1,340	13.0	900	8.8	3,050	29.7	11
Soreness, pain, hurt—nonspecified injury	12,920	11.8	10,730	9.8	6,630	6.0	33,510	30.5	9
Swelling, inflammation, irritation—nonspecified injury	1,580	10.4	1,030	6.8	460	3.0	2,110	13.9	3
Numbness—nonspecified injury	140	15.7	80	9.0	90	10.1	350	39.3	18
Multiple nonspecified injuries and disorders	170	8.5	120	6.0	90	4.5	790	39.3	10
Nonspecified injuries and disorders, n.e.c.	140	6.2	140	6.2	60	2.6	1,160	51.1	35
Other traumatic injuries and disorders, n.e.c.	40	6.2	60	9.4	20	3.1	320	50.0	28
Traumatic shock	—	—	—	—	—	—	—	—	1
Traumatic injuries and disorders, n.e.c.	30	4.8	60	9.7	20	3.2	320	51.6	37
Diseases and disorders of body systems	2,260	9.5	3,500	14.7	2,270	9.5	9,480	39.7	20
Systemic diseases and disorders, unspecified	—	—	—	—	—	—	40	50.0	35
Nervous system and sense organs diseases	810	7.6	1,320	12.3	1,210	11.3	4,530	42.4	24
Inflammatory diseases of the central nervous system	—	—	—	—	—	—	—	—	5
Degenerative diseases of the central nervous system	—	—	—	—	—	—	—	—	59
Other disorders of the central nervous system	—	—	—	—	—	—	30	18.8	1
Seizure disorder, epilepsy	—	—	—	—	—	—	—	—	5
Migraine	—	—	—	—	—	—	—	—	1
Disorders of the peripheral nervous system	650	7.3	1,180	13.3	1,140	12.8	4,410	49.6	30
Disorders of the peripheral nervous system, unspecified	—	—	—	—	—	—	80	66.7	39
Carpal tunnel syndrome	620	7.2	1,150	13.3	1,110	12.9	4,240	49.2	30
Inflammatory and toxic neuropathy, toxic polyneuropathy	—	—	—	—	—	—	20	66.7	53
Disorders of the peripheral nervous system, n.e.c.	—	—	20	20.0	20	20.0	50	50.0	42
Disorders of the eye, adnexa, vision	80	5.5	110	7.6	60	4.1	60	4.1	2
Disorders of the eye, adnexa, vision, unspecified ..	—	—	—	—	—	—	—	—	4
Conjunctivitis—non-viral	—	—	20	3.3	40	6.6	—	—	2
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	—	—	—	—	—	—	—	—	2
Blindness, low vision	—	—	—	—	—	—	20	33.3	19

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Disorders of the eye, adnexa, vision, n.e.c.	2259	490	150	30.6	40	8.2	130	26.5
Disorders of the ear, mastoid process, hearing	226	150	20	13.3	—	—	—	—
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	100	—	—	—	—	—	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	20	—	—	—	—	—	—
Circulatory system diseases	23	340	30	8.8	30	8.8	90	26.5
Circulatory system diseases, unspecified	230	70	—	—	—	—	50	71.4
Ischemic heart disease, including heart attack	233	160	20	12.5	—	—	20	12.5
Myocardial infarction (heart attack)	2331	150	—	—	—	—	—	—
Cerebrovascular disease	236	30	—	—	—	—	—	—
Stroke	2361	20	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries	237	20	—	—	—	—	—	—
Diseases of the veins, lymphatics	238	50	—	—	—	—	—	—
Diseases of the veins, lymphatics, unspecified	2380	20	—	—	—	—	—	—
Respiratory system diseases	24	520	110	21.2	50	9.6	190	36.5
Respiratory system diseases, unspecified	240	120	20	16.7	—	—	60	50.0
Acute respiratory infections (including common cold)	241	140	20	14.3	—	—	70	50.0
Pneumonia, influenza	243	90	20	22.2	—	—	—	—
Pneumonia	2431	20	—	—	—	—	—	—
Influenza—common	2432	50	20	40.0	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	100	40	40.0	—	—	20	20.0
Asthma, except intrinsic	2443	70	30	42.9	—	—	—	—
Pneumoconioses	245	30	—	—	—	—	—	—
Other respiratory system diseases	249	30	—	—	—	—	—	—
Digestive system diseases and disorders	25	1,400	—	—	50	3.6	80	5.7
Diseases of esophagus, stomach, and duodenum	252	30	—	—	—	—	—	—
Hernia—nontraumatic	253	1,360	—	—	50	3.7	70	5.1
Musculoskeletal system and connective tissue diseases and disorders	27	8,970	630	7.0	580	6.5	980	10.9
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	170	—	—	—	—	20	11.8
Arthropathies and related disorders (arthritis)	271	200	—	—	—	—	—	—
Dorsopathies	272	590	30	5.1	20	3.4	70	11.9
Sciatica	2721	210	—	—	—	—	—	—
Lumbago	2722	90	—	—	—	—	—	—
Disc disorders, except dislocation	2723	120	—	—	—	—	—	—
Dorsopathies, n.e.c.	2729	160	20	12.5	—	—	40	25.0
Soft tissue disorders, except the back	273	7,930	580	7.3	540	6.8	890	11.2
Soft tissue disorder, except the back, unspecified	2730	440	30	6.8	60	13.6	40	9.1
Bursitis	2731	630	30	4.8	30	4.8	110	17.5
Stenosing tenosynovitis	2732	990	80	8.1	130	13.1	100	10.1
Other tenosynovitis, synovitis	2733	580	60	10.3	20	3.4	80	13.8
Epicondylitis	2734	1,180	70	5.9	50	4.2	100	8.5
Other or unspecified tendonitis (tendinitis)	2735	3,160	270	8.5	170	5.4	360	11.4
Ganglion or cystic tumor	2736	310	20	6.5	20	6.5	30	9.7
Multiple soft tissue disorders	2738	80	—	—	—	—	20	25.0
Soft tissue disorder, except the back, n.e.c.	2739	570	—	—	60	10.5	40	7.0

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Disorders of the eye, adnexa, vision, n.e.c.	60	12.2	70	14.3	—	—	30	6.1	3
Disorders of the ear, mastoid process, hearing	70	46.7	20	13.3	—	—	20	13.3	8
Disorders of the ear, mastoid process, hearing, unspecified	—	—	—	—	—	—	—	—	3
Deafness, hearing loss and impairment	50	50.0	—	—	—	—	—	—	8
Disorders of the ear, mastoid process, and hearing, n.e.c.	—	—	—	—	—	—	—	—	6
Circulatory system diseases	30	8.8	20	5.9	30	8.8	120	35.3	8
Circulatory system diseases, unspecified	—	—	—	—	—	—	—	—	3
Ischemic heart disease, including heart attack	—	—	—	—	—	—	80	50.0	50
Myocardial infarction (heart attack)	—	—	—	—	—	—	80	53.3	59
Cerebrovascular disease	—	—	—	—	—	—	—	—	12
Stroke	—	—	—	—	—	—	—	—	22
Diseases of arteries, arterioles, capillaries	—	—	—	—	—	—	—	—	5
Diseases of the veins, lymphatics	—	—	—	—	—	—	—	—	10
Diseases of the veins, lymphatics, unspecified	—	—	—	—	—	—	—	—	16
Respiratory system diseases	70	13.5	40	7.7	—	—	50	9.6	3
Respiratory system diseases, unspecified	20	16.7	—	—	—	—	—	—	5
Acute respiratory infections (including common cold)	—	—	20	14.3	—	—	—	—	3
Pneumonia, influenza	20	22.2	—	—	—	—	—	—	4
Pneumonia	—	—	—	—	—	—	—	—	3
Influenza—common	—	—	—	—	—	—	—	—	2
Chronic obstructive pulmonary disease and allied conditions	20	20.0	—	—	—	—	—	—	3
Asthma, except intrinsic	—	—	—	—	—	—	—	—	3
Pneumoconioses	—	—	—	—	—	—	20	66.7	157
Other respiratory system diseases	—	—	—	—	—	—	—	—	3
Digestive system diseases and disorders	200	14.3	370	26.4	260	18.6	430	30.7	20
Diseases of esophagus, stomach, and duodenum	20	66.7	—	—	—	—	—	—	6
Hernia—nontraumatic	180	13.2	370	27.2	260	19.1	420	30.9	21
Musculoskeletal system and connective tissue diseases and disorders	880	9.8	1,510	16.8	650	7.2	3,740	41.7	20
Musculoskeletal system and connective tissue diseases and disorders, unspecified	—	—	20	11.8	20	11.8	100	58.8	41
Arthropathies and related disorders (arthritis)	—	—	30	15.0	—	—	100	50.0	28
Dorsopathies	110	18.6	80	13.6	20	3.4	270	45.8	19
Sciatica	40	19.0	60	28.6	—	—	80	38.1	19
Lumbago	30	33.3	—	—	—	—	40	44.4	25
Disc disorders, except dislocation	—	—	—	—	—	—	110	91.7	157
Dorsopathies, n.e.c.	30	18.8	20	12.5	—	—	40	25.0	9
Soft tissue disorders, except the back	720	9.1	1,370	17.3	610	7.7	3,240	40.9	19
Soft tissue disorder, except the back, unspecified	20	4.5	30	6.8	20	4.5	220	50.0	37
Bursitis	100	15.9	80	12.7	20	3.2	260	41.3	14
Stenosing tenosynovitis	90	9.1	140	14.1	110	11.1	330	33.3	18
Other tenosynovitis, synovitis	20	3.4	50	8.6	40	6.9	300	51.7	40
Epicondylitis	90	7.6	200	16.9	110	9.3	560	47.5	29
Other or unspecified tendonitis (tendinitis)	300	9.5	750	23.7	230	7.3	1,080	34.2	15
Ganglion or cystic tumor	30	9.7	80	25.8	50	16.1	80	25.8	15
Multiple soft tissue disorders	20	25.0	—	—	—	—	40	50.0	12
Soft tissue disorder, except the back, n.e.c.	40	7.0	30	5.3	20	3.5	380	66.7	87

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Osteopathies, chondropathies, and acquired deformities	274	30	—	—	—	—	—	—
Osteopathies, chondropathies, and acquired deformities, n.e.c.	2749	20	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	50	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	1,200	130	10.8	130	10.8	230	19.2
Disorders of the skin and subcutaneous tissue, unspecified	280	20	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	920	110	12.0	100	10.9	190	20.7
Infections of the skin and subcutaneous tissue, unspecified	2810	260	30	11.5	40	15.4	50	19.2
Cellulitis and abscess	2811	430	70	16.3	50	11.6	100	23.3
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	160	—	—	—	—	20	12.5
Other staphylococcus skin infection	2814	20	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	50	—	—	—	—	—	—
Dermatitis resulting from long-term exposures	282	20	—	—	—	—	—	—
Diseases of sebaceous glands	283	20	—	—	—	—	—	—
Sebaceous cyst	2832	20	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	230	20	8.7	30	13.0	20	8.7
Other diseases and disorders of the skin and subcutaneous tissue, unspecified	2890	20	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	180	—	—	30	16.7	20	11.1
Other systemic diseases and disorders	29	630	80	12.7	20	3.2	70	11.1
Other systemic diseases and disorders, unspecified	290	440	—	—	—	—	20	4.5
Endocrine, nutritional, metabolic, and immunity disorders	291	120	60	50.0	—	—	50	41.7
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	110	60	54.5	—	—	40	36.4
Other systemic diseases and disorders, n.e.c.	299	70	—	—	—	—	—	—
Infectious and parasitic diseases	3	1,230	290	23.6	250	20.3	310	25.2
Infectious and parasitic diseases, unspecified	30	30	—	—	—	—	—	—
Bacterial diseases	31	100	—	—	—	—	50	50.0
Other bacterial diseases	319	80	—	—	—	—	50	62.5
Diphtheria, whooping cough	3192	60	—	—	—	—	40	66.7
Viral diseases	32	230	20	8.7	30	13.0	60	26.1
Non-arthropod-borne viral diseases of the central nervous system	322	20	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	323	100	—	—	—	—	—	—
Chickenpox, varicella	3233	60	—	—	—	—	—	—
Herpes zoster, shingles	3234	30	—	—	—	—	—	—
Viral diseases of the conjunctiva	326	40	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	3261	20	—	—	—	—	—	—
Other diseases due to viruses	329	70	—	—	20	28.6	40	57.1

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Osteopathies, chondropathies, and acquired deformities	—	—	—	—	—	—	—	—	19
Osteopathies, chondropathies, and acquired deformities, n.e.c.	—	—	—	—	—	—	—	—	19
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	—	—	—	—	—	—	20	40.0	50
Disorders of the skin and subcutaneous tissue	240	20.0	190	15.8	60	5.0	220	18.3	6
Disorders of the skin and subcutaneous tissue, unspecified	—	—	—	—	—	—	—	—	4
Infections of the skin and subcutaneous tissue	220	23.9	180	19.6	50	5.4	80	8.7	6
Infections of the skin and subcutaneous tissue, unspecified	40	15.4	80	30.8	20	7.7	—	—	6
Cellulitis and abscess	60	14.0	70	16.3	20	4.7	60	14.0	5
Methicillin-resistant staphylococcus aureus (MRSA) infection	100	62.5	20	12.5	—	—	—	—	6
Other staphylococcus skin infection	—	—	—	—	—	—	—	—	5
Infections of the skin and subcutaneous tissue, n.e.c.	20	40.0	—	—	—	—	—	—	8
Dermatitis resulting from long-term exposures	—	—	—	—	—	—	—	—	180
Diseases of sebaceous glands	—	—	—	—	—	—	—	—	27
Sebaceous cyst	—	—	—	—	—	—	—	—	27
Other diseases and disorders of the skin and subcutaneous tissue	20	8.7	—	—	—	—	130	56.5	110
Other diseases and disorders of the skin and subcutaneous tissue, unspecified	—	—	—	—	—	—	—	—	7
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	—	—	120	66.7	180
Other systemic diseases and disorders	30	4.8	40	6.3	50	7.9	360	57.1	48
Other systemic diseases and disorders, unspecified	20	4.5	30	6.8	50	11.4	300	68.2	58
Endocrine, nutritional, metabolic, and immunity disorders	—	—	—	—	—	—	—	—	1
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	—	—	—	—	—	—	—	—	1
Other systemic diseases and disorders, n.e.c.	—	—	—	—	—	—	60	85.7	60
Infectious and parasitic diseases	230	18.7	100	8.1	30	2.4	30	2.4	3
Infectious and parasitic diseases, unspecified	—	—	—	—	—	—	—	—	4
Bacterial diseases	20	20.0	20	20.0	—	—	—	—	5
Other bacterial diseases	—	—	—	—	—	—	—	—	5
Diphtheria, whooping cough	—	—	—	—	—	—	—	—	3
Viral diseases	60	26.1	50	21.7	—	—	—	—	5
Non-arthropod-borne viral diseases of the central nervous system	—	—	—	—	—	—	—	—	10
Viral diseases accompanied by exanthem (eruptive fever)	40	40.0	40	40.0	—	—	—	—	9
Chickenpox, varicella	20	33.3	30	50.0	—	—	—	—	10
Herpes zoster, shingles	—	—	—	—	—	—	—	—	11
Viral diseases of the conjunctiva	—	—	—	—	—	—	—	—	4
Viral conjunctivitis (ophthalmia)	—	—	—	—	—	—	—	—	7
Other diseases due to viruses	—	—	—	—	—	—	—	—	3

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Foot and mouth disease	3294	20	—	—	—	—	—	—
Other diseases due to viruses, n.e.c.	3299	60	—	—	20	33.3	20	33.3
Other arthropod-borne diseases	33	20	—	—	—	—	—	—
Mycoses (fungal infections)	34	20	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	110	40	36.4	—	—	30	27.3
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	364	80	30	37.5	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c.	369	20	—	—	—	—	—	—
Other infectious and parasitic diseases	39	700	230	32.9	190	27.1	130	18.6
Pediculosis and phthirus infestation (lice)	391	20	—	—	—	—	—	—
Scabies and other acariases	392	650	210	32.3	180	27.7	120	18.5
Other infestations (including maggots, leeches, jigger disease)	393	20	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	5,070	1,490	29.4	640	12.6	1,440	28.4
Symptoms, signs, and ill-defined conditions, unspecified	50	130	—	—	—	—	—	—
Symptoms	51	4,880	1,470	30.1	630	12.9	1,430	29.3
Symptoms, unspecified	510	50	—	—	—	—	—	—
General symptoms	511	2,730	970	35.5	320	11.7	590	21.6
General symptoms, unspecified	5110	30	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	1,370	640	46.7	130	9.5	270	19.7
Convulsions, seizures	5112	180	50	27.8	40	22.2	30	16.7
Dizziness—general	5114	490	140	28.6	80	16.3	120	24.5
Inflammation, swelling—general	5115	290	40	13.8	20	6.9	40	13.8
Numbness—general	5116	80	—	—	—	—	—	—
Multiple general symptoms	5118	220	50	22.7	20	9.1	100	45.5
General symptoms, n.e.c.	5119	60	20	33.3	—	—	20	33.3
Symptoms involving nervous and musculoskeletal systems	512	60	—	—	—	—	40	66.7
Symptoms involving nervous and musculoskeletal systems, unspecified	5120	40	—	—	—	—	40	100.0
Symptoms involving skin and other integumentary tissue	513	30	—	—	—	—	—	—
Symptoms involving head and neck	514	540	240	44.4	30	5.6	140	25.9
Symptoms involving head and neck, unspecified ..	5140	20	—	—	—	—	—	—
Headache, except migraine	5141	480	230	47.9	30	6.2	120	25.0
Symptoms involving head and neck, n.e.c.	5149	40	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	20	—	—	—	—	—	—
Symptoms involving cardiovascular system, unspecified	5150	20	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	1,100	170	15.5	230	20.9	480	43.6
Symptoms involving respiratory system and chest, unspecified	5160	570	60	10.5	170	29.8	260	45.6
Chest pain	5164	260	30	11.5	20	7.7	150	57.7
Multiple symptoms involving respiratory system and chest	5168	30	—	—	20	66.7	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	240	70	29.2	30	12.5	70	29.2
Symptoms involving digestive and urinary system	517	160	20	12.5	—	—	70	43.8

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Foot and mouth disease	—	—	—	—	—	—	—	—	5
Other diseases due to viruses, n.e.c.	—	—	—	—	—	—	—	—	2
Other arthropod-borne diseases	—	—	—	—	—	—	—	—	9
Mycoses (fungal infections)	—	—	—	—	—	—	—	—	3
Infectious diseases peculiar to the intestines	30	27.3	—	—	—	—	—	—	5
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	30	37.5	—	—	—	—	—	—	5
Infectious diseases peculiar to the intestines, n.e.c. ..	—	—	—	—	—	—	—	—	5
Other infectious and parasitic diseases	100	14.3	20	2.9	—	—	—	—	2
Pediculosis and phthirus infestation (lice)	—	—	—	—	—	—	—	—	3
Scabies and other acariases	100	15.4	20	3.1	—	—	—	—	2
Other infestations (including maggots, leeches, jigger disease)	—	—	—	—	—	—	—	—	2
Symptoms, signs, and ill-defined conditions	390	7.7	310	6.1	190	3.7	610	12.0	3
Symptoms, signs, and ill-defined conditions, unspecified	90	69.2	—	—	—	—	20	15.4	6
Symptoms	300	6.1	280	5.7	180	3.7	580	11.9	3
Symptoms, unspecified	—	—	—	—	—	—	—	—	7
General symptoms	170	6.2	140	5.1	120	4.4	430	15.8	3
General symptoms, unspecified	—	—	—	—	—	—	—	—	3
Loss of consciousness—not heat related	70	5.1	50	3.6	40	2.9	180	13.1	2
Convulsions, seizures	—	—	—	—	—	—	40	22.2	2
Dizziness—general	60	12.2	30	6.1	—	—	60	12.2	3
Inflammation, swelling—general	—	—	40	13.8	40	13.8	100	34.5	15
Numbness—general	—	—	—	—	—	—	40	50.0	23
Multiple general symptoms	—	—	—	—	20	9.1	—	—	3
General symptoms, n.e.c.	—	—	—	—	—	—	—	—	2
Symptoms involving nervous and musculoskeletal systems	—	—	—	—	—	—	—	—	3
Symptoms involving nervous and musculoskeletal systems, unspecified	—	—	—	—	—	—	—	—	3
Symptoms involving skin and other integumentary tissue	—	—	—	—	—	—	—	—	4
Symptoms involving head and neck	30	5.6	40	7.4	—	—	50	9.3	2
Symptoms involving head and neck, unspecified ..	—	—	—	—	—	—	—	—	3
Headache, except migraine	—	—	40	8.3	—	—	50	10.4	2
Symptoms involving head and neck, n.e.c.	20	50.0	—	—	—	—	—	—	7
Symptoms involving cardiovascular system	—	—	—	—	—	—	—	—	9
Symptoms involving cardiovascular system, unspecified	—	—	—	—	—	—	—	—	1
Symptoms involving respiratory system and chest	60	5.5	50	4.5	50	4.5	70	6.4	4
Symptoms involving respiratory system and chest, unspecified	—	—	—	—	20	3.5	30	5.3	3
Chest pain	30	11.5	20	7.7	—	—	20	7.7	5
Multiple symptoms involving respiratory system and chest	—	—	—	—	—	—	—	—	2
Symptoms involving respiratory system and chest, n.e.c.	20	8.3	—	—	30	12.5	20	8.3	3
Symptoms involving digestive and urinary system	—	—	—	—	—	—	—	—	3

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Nausea and vomiting—general	5171	120	20	16.7	—	—	50	41.7
Abdominal pain, unspecified	5174	40	—	—	—	—	20	50.0
Multiple symptoms	518	180	40	22.2	20	11.1	90	50.0
Abnormal findings	52	20	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	40	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	3,090	250	8.1	70	2.3	360	11.7
Damage to prosthetic and orthopedic devices	61	20	—	—	—	—	—	—
Mental disorders and syndromes	62	3,030	250	8.3	70	2.3	340	11.2
Mental disorders and syndromes, unspecified	620	150	20	13.3	—	—	20	13.3
Anxiety, stress	621	2,790	230	8.2	50	1.8	290	10.4
Anxiety, stress, unspecified	6210	1,400	60	4.3	30	2.1	100	7.1
Post-traumatic stress disorder	6211	750	—	—	—	—	40	5.3
Anxiety or panic disorder	6213	120	30	25.0	—	—	—	—
Anxiety, stress, n.e.c.	6219	510	130	25.5	—	—	140	27.5
Depression or depressive episode	622	70	—	—	—	—	40	57.1
Mental disorders and syndromes, n.e.c.	629	20	—	—	—	—	—	—
Other diseases, conditions, and disorders, n.e.c.	69	40	—	—	—	—	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Nausea and vomiting—general	—	—	—	—	—	—	—	—	3
Abdominal pain, unspecified	—	—	—	—	—	—	—	—	4
Multiple symptoms	—	—	20	11.1	—	—	—	—	3
Abnormal findings	—	—	—	—	—	—	—	—	7
Symptoms, signs, and ill-defined conditions, n.e.c.	—	—	—	—	—	—	—	—	22
Other diseases, conditions, and disorders	240	7.8	350	11.3	150	4.9	1,670	54.0	32
Damage to prosthetic and orthopedic devices	—	—	—	—	—	—	—	—	31
Mental disorders and syndromes	240	7.9	350	11.6	140	4.6	1,630	53.8	32
Mental disorders and syndromes, unspecified	—	—	—	—	—	—	80	53.3	37
Anxiety, stress	230	8.2	340	12.2	130	4.7	1,510	54.1	32
Anxiety, stress, unspecified	110	7.9	180	12.9	60	4.3	860	61.4	42
Post-traumatic stress disorder	40	5.3	140	18.7	30	4.0	470	62.7	88
Anxiety or panic disorder	—	—	—	—	—	—	40	33.3	9
Anxiety, stress, n.e.c.	60	11.8	20	3.9	20	3.9	140	27.5	5
Depression or depressive episode	—	—	—	—	—	—	20	28.6	4
Mental disorders and syndromes, n.e.c.	—	—	—	—	—	—	20	100.0	60
Other diseases, conditions, and disorders, n.e.c.	—	—	—	—	—	—	20	50.0	14

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Nature code ³	Private industry ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Exposures to disease—no illness incurred	7	310	30	9.7	120	38.7	70	22.6
Multiple diseases, conditions, and disorders	8	830	60	7.2	20	2.4	60	7.2
Nonclassifiable	9999	3,170	620	19.6	230	7.3	820	25.9

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, private industry, 2011² — Continued

Nature	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Exposures to disease—no illness incurred	30	9.7	50	16.1	—	—	—	—	3
Multiple diseases, conditions, and disorders	—	—	50	6.0	370	44.6	260	31.3	28
Nonclassifiable	360	11.4	250	7.9	200	6.3	690	21.8	5

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.