

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2012²

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		918,720	568,560	346,950	3,200	97,750	174,210	305,320	328,870	12,560
Traumatic injuries and disorders	1	882,800	551,410	328,500	2,900	95,260	168,460	294,930	313,690	10,460
Traumatic injuries and disorders, unspecified	10	14,610	7,610	6,720	280	1,600	2,510	4,980	5,070	450
Traumatic injuries to bones, nerves, spinal cord	11	75,790	49,550	25,950	300	8,970	15,070	21,220	29,680	850
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	510	360	150	-	-	250	130	130	-
Fractures	111	73,810	48,220	25,290	300	8,780	14,630	20,710	28,850	840
Traumatic injuries to spinal cord	112	80	50	30	-	-	-	20	50	-
Traumatic injuries to spinal cord, n.e.c.	1129	70	40	30	-	-	-	-	40	-
Traumatic injuries to nerves, except the spinal cord ..	113	1,220	790	430	-	160	150	300	600	-
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	110	80	30	-	-	-	50	50	-
Pinched nerve	1131	1,010	640	370	-	130	140	200	530	-
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	90	60	20	-	20	-	40	20	-
Multiple traumatic injuries to bones, nerves, spinal cord	118	80	50	30	-	-	-	30	20	-
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	90	70	20	-	-	20	30	40	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	371,530	230,890	139,060	1,580	32,860	67,240	124,790	141,860	4,780
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	1,800	1,300	500	-	150	280	380	990	-
Dislocations	121	8,140	5,410	2,700	40	730	1,370	2,820	3,160	70
Dislocations, unspecified	1210	940	590	320	40	50	210	350	300	40
Herniated discs	1211	2,900	1,880	1,020	-	190	430	1,020	1,250	-
Dislocation of joints	1212	4,140	2,840	1,300	-	460	700	1,390	1,560	30
Dislocations, n.e.c.	1219	160	100	50	-	30	20	50	50	-
Cartilage fractures and tears	122	3,930	2,610	1,320	-	160	420	1,050	2,280	20
Cartilage fractures and tears, unspecified	1220	180	100	80	-	30	-	20	120	-
Meniscus tears	1221	3,540	2,360	1,190	-	110	410	990	2,030	20
Cartilage fractures and tears, n.e.c.	1229	200	150	50	-	-	-	40	140	-
Sprains, strains, tears	123	342,920	208,240	133,160	1,520	30,900	63,170	115,450	128,860	4,540
Sprains, strains, tears, unspecified	1230	23,610	13,760	8,510	1,340	1,620	3,800	6,660	10,020	1,510
Major tears to muscles, tendons, ligaments	1231	18,990	14,200	4,690	100	1,010	2,400	5,570	9,790	220
Sprains	1232	82,890	50,680	32,190	-	9,170	16,780	27,680	28,320	930
Strains	1233	211,290	126,220	84,990	70	18,780	38,800	73,610	78,330	1,770
Multiple sprains, strains, tears	1238	6,150	3,370	2,780	-	330	1,390	1,930	2,400	100
Hernias due to traumatic incidents	124	12,720	12,240	460	20	540	1,780	4,630	5,640	130
Whiplash	125	860	470	390	-	70	140	280	360	-
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	700	230	470	-	-	50	140	500	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	460	400	60	-	300	30	50	70	-
Open wounds	13	95,070	72,660	22,350	60	14,840	20,280	33,160	26,140	650
Open wounds, unspecified	130	870	780	90	-	50	160	330	320	-
Amputations, avulsions, enucleations	131	7,180	5,860	1,310	20	840	1,280	2,580	2,450	30
Amputations, avulsions, enucleations, unspecified	1310	300	230	60	-	30	40	80	150	-

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Amputations	1311	5,120	4,210	890	20	660	880	1,860	1,700	20
Avulsions, enucleations	1312	1,590	1,280	310	-	140	330	570	540	-
Amputations, avulsions, enucleations, n.e.c.	1319	170	130	40	-	-	30	70	70	-
Cuts, lacerations	132	73,150	57,560	15,580	20	11,870	15,930	24,820	20,000	530
Puncture wounds, except gunshot wounds	133	13,510	8,230	5,250	30	2,010	2,860	5,320	3,240	90
Gunshot wounds	134	50	40	-	-	-	-	30	20	-
Multiple types of open wounds	138	180	130	60	-	50	20	50	60	-
Open wounds, n.e.c.	139	120	60	60	-	-	20	30	60	-
Surface wounds and bruises	14	85,530	46,400	38,720	410	10,430	18,670	26,980	28,320	1,140
Surface wounds and bruises, unspecified	140	380	250	130	-	40	130	90	110	-
Abrasions, scratches	141	8,080	5,900	2,180	-	1,180	1,720	2,600	2,470	110
Blisters	142	350	140	220	-	30	160	60	100	-
Bruises, contusions	143	75,070	39,080	35,580	410	9,020	16,360	23,580	25,100	1,010
Multiple surface wounds and bruises	148	1,180	810	370	-	90	220	520	360	-
Surface wounds and bruises, n.e.c.	149	470	230	240	-	70	80	130	190	-
Burns and corrosions	15	19,830	13,520	6,190	120	2,790	4,540	7,560	4,700	240
Burns and corrosions, unspecified	150	670	410	240	20	110	190	250	100	20
Chemical burns and corrosions	151	3,320	2,420	900	-	540	550	1,180	1,040	20
Chemical burns and corrosions, unspecified	1510	2,880	2,050	820	-	470	470	1,030	900	20
First degree chemical burns and corrosions	1511	110	90	20	-	-	20	30	40	-
Second degree chemical burns and corrosions	1512	160	160	-	-	-	30	50	70	-
Chemical burns and corrosions, n.e.c.	1519	160	110	40	-	30	30	70	30	-
Heat (thermal) burns	152	13,780	8,820	4,880	80	1,900	3,300	5,300	3,110	170
Heat (thermal) burns, unspecified	1520	9,580	6,270	3,290	-	1,410	2,260	3,680	2,180	50
First degree heat (thermal) burns	1521	800	400	400	-	70	270	250	150	-
Second degree heat (thermal) burns	1522	2,580	1,590	920	60	350	490	1,120	540	70
Third or fourth degree heat (thermal) burns	1523	400	310	90	-	20	120	120	140	-
Heat (thermal) burns, n.e.c.	1529	430	240	180	-	40	160	130	100	-
Electrical burns	153	740	680	50	20	20	140	270	300	20
Electrical burns, unspecified	1530	540	480	40	20	20	90	230	190	20
First degree electrical burns	1531	30	30	-	-	-	-	-	-	-
Second degree electrical burns	1532	30	20	-	-	-	-	20	-	-
Third or fourth degree electrical burns	1533	50	50	-	-	-	-	-	40	-
Electrical burns, n.e.c.	1539	100	100	-	-	-	-	-	40	-
Other burns	159	1,310	1,190	120	-	210	360	570	160	-
Other burns, unspecified	1590	250	180	70	-	20	120	90	30	-
Other burns, first degree	1591	970	930	30	-	160	240	440	120	-
Other burns, second degree	1592	50	50	-	-	-	-	40	-	-
Other burns, n.e.c.	1599	30	30	-	-	20	-	-	-	-
Intracranial injuries	16	9,430	5,010	4,390	30	1,310	1,850	3,470	2,740	60
Intracranial injuries, unspecified	160	770	360	410	-	80	100	280	310	-
Cerebral and other intracranial hemorrhages	161	170	150	20	-	-	20	120	30	-
Concussions	162	8,430	4,460	3,940	30	1,230	1,710	3,060	2,380	50
Multiple types of intracranial injuries	168	20	-	-	-	-	-	-	-	-
Intracranial injuries, n.e.c.	169	40	30	-	-	-	30	-	-	-
Effects of environmental conditions	17	3,550	2,950	580	20	610	800	1,350	730	70
Effects of reduced temperature	171	190	180	20	-	-	30	100	50	-
Frostbite	1711	180	170	20	-	-	30	90	50	-
Effects of heat and light	172	3,240	2,750	470	20	600	760	1,230	590	60

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Effects of heat and light, unspecified	1720	120	110	—	—	20	20	50	30	—
Heat stroke	1721	350	290	60	—	50	150	90	50	—
Heat syncope	1722	210	110	100	—	20	20	120	40	—
Heat fatigue	1723	150	120	30	—	40	60	40	—	—
Heat exhaustion, prostration	1725	1,840	1,640	180	20	370	360	670	400	30
Multiple effects of heat and light	1728	30	30	—	—	—	—	—	—	—
Effects of heat and light, n.e.c.	1729	510	420	90	—	80	130	230	60	—
Effects of air or water pressure	173	100	20	80	—	—	—	20	80	—
Aero-otitis media	1731	40	—	30	—	—	—	—	30	—
Effects of air or water pressure, n.e.c.	1739	50	—	50	—	—	—	—	50	—
Effects of environmental conditions, n.e.c.	179	20	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	28,180	16,270	11,890	—	2,910	4,910	9,060	11,090	200
Multiple traumatic injuries and disorders, unspecified	180	1,210	820	390	—	90	190	270	650	—
Cuts and abrasions or bruises	181	4,490	3,010	1,480	—	670	850	1,560	1,340	70
Sprains and other injuries	182	12,210	5,430	6,780	—	1,230	2,310	4,440	4,140	90
Sprains and other injuries, unspecified	1820	470	200	260	—	20	90	150	210	—
Sprains and bruises	1821	9,690	4,190	5,500	—	1,120	1,880	3,440	3,180	70
Sprains and cuts	1822	780	470	320	—	30	110	390	260	—
Sprains and other injuries, n.e.c.	1829	1,260	570	690	—	70	230	460	480	20
Fractures and other injuries	183	6,180	4,400	1,760	—	490	950	1,730	2,970	30
Fractures and other injuries, unspecified	1830	1,050	730	310	—	50	210	370	400	—
Fractures (except skull fractures) and concussions	1831	290	220	70	—	20	60	20	180	—
Fractures (except rib, trunk fractures) and internal injuries	1832	70	50	20	—	—	—	40	20	—
Fractures and burns	1833	30	20	—	—	—	—	—	—	—
Fractures and dislocations	1834	220	110	100	—	20	50	60	100	—
Fractures and other injuries, n.e.c.	1839	4,530	3,270	1,250	—	380	630	1,240	2,260	20
Burns and other injuries, except fractures	184	160	100	50	—	30	20	70	40	—
Burns and other injuries, n.e.c.	1849	120	70	50	—	—	20	60	40	—
Multiple traumatic injuries and disorders, n.e.c.	189	3,930	2,510	1,430	—	390	590	1,010	1,930	—
Other traumatic injuries and disorders	19	179,280	106,550	72,650	80	18,940	32,600	62,370	63,340	2,030
Other traumatic injuries and disorders, unspecified ...	190	190	120	70	—	—	30	60	90	—
Asphyxiations, strangulations, suffocations	191	680	80	600	—	20	—	620	30	—
Electrocutions, electric shocks	193	980	740	240	—	150	170	350	300	—
Internal injuries to organs and blood vessels of the trunk	194	120	100	—	—	20	60	20	—	—
Dermatitis and reactions affecting the skin—acute	195	2,150	1,070	1,080	—	380	410	790	550	20
Dermatitis and reactions affecting the skin—acute, unspecified	1950	980	510	480	—	170	140	360	310	—
Allergic dermatitis—acute	1951	660	380	290	—	130	140	260	120	—
Irritant dermatitis—acute	1952	300	130	170	—	50	100	90	60	—
Hives, urticaria—acute	1953	110	—	100	—	—	—	60	40	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	90	50	40	—	20	20	20	20	—
Other poisoning, toxic, noxious, or allergenic effects	196	6,460	3,570	2,890	—	780	1,050	2,350	2,170	110
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	2,040	1,240	800	—	310	420	600	720	—
Poisoning, including poisoning-related asphyxia ...	1961	710	510	190	—	20	90	340	260	—
Anaphylactic shock, anaphylaxis	1962	20	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,190	450	740	—	70	220	340	550	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	150	40	110	—	20	20	90	30	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	560	210	360	—	80	40	290	100	—
Other or unspecified allergic reactions	1966	1,060	710	350	—	100	140	490	310	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	200	140	60	—	40	40	90	30	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	210	50	170	—	90	20	50	50	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	330	230	100	—	50	70	50	130	30
Nonspecified injuries and disorders	197	167,780	100,310	67,400	70	17,520	30,690	57,990	59,690	1,890
Crushing injuries	1971	9,210	7,550	1,630	30	1,570	2,020	2,840	2,690	90
Soreness, pain, hurt—nonspecified injury	1972	135,140	77,210	57,900	30	13,260	24,000	47,130	49,180	1,560
Swelling, inflammation, irritation—nonspecified injury	1973	17,840	12,290	5,540	—	2,400	3,490	6,140	5,600	220
Numbness—nonspecified injury	1974	880	560	310	—	50	100	170	550	—
Multiple nonspecified injuries and disorders	1978	2,490	1,150	1,340	—	120	470	920	960	—
Nonspecified injuries and disorders, n.e.c.	1979	2,230	1,540	680	—	120	610	780	710	—
Other traumatic injuries and disorders, n.e.c.	199	920	550	360	—	70	160	180	500	—
Traumatic shock	1991	50	—	50	—	—	—	—	40	—
Traumatic injuries and disorders, n.e.c.	1999	870	550	310	—	70	150	180	460	—
Diseases and disorders of body systems	2	21,480	10,350	11,120	—	990	3,040	6,170	10,810	460
Systemic diseases and disorders, unspecified	20	30	20	—	—	—	—	—	—	—
Nervous system and sense organs diseases	22	9,980	3,950	6,030	—	330	960	2,710	5,850	130
Degenerative diseases of the central nervous system	222	90	80	—	—	—	—	30	50	—
Other disorders of the central nervous system	223	190	90	100	—	20	40	60	70	—
Seizure disorder, epilepsy	2231	130	70	60	—	—	30	30	60	—
Migraine	2232	40	—	40	—	—	—	30	—	—
Disorders of the peripheral nervous system	224	8,510	2,850	5,650	—	200	620	2,190	5,410	90
Disorders of the peripheral nervous system, unspecified	2240	110	30	80	—	—	—	20	50	—
Carpal tunnel syndrome	2241	7,590	2,700	4,890	—	160	530	2,020	4,820	60
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	20	—	—	—	—	—	—	20	—
Disorders of the peripheral nervous system, n.e.c.	2249	790	120	670	—	—	90	140	520	30
Disorders of the eye, adnexa, vision	225	990	740	250	—	90	250	380	230	30
Disorders of the eye, adnexa, vision, unspecified ..	2250	110	100	—	—	20	40	30	20	—
Conjunctivitis—non-viral	2251	570	420	160	—	20	140	240	150	20
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	40	20	20	—	—	20	—	—	—
Blindness, low vision	2254	30	20	20	—	—	20	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	210	180	30	—	40	30	90	40	—
Disorders of the ear, mastoid process, hearing	226	190	180	20	—	20	40	40	90	—
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Deafness, hearing loss and impairment	2261	110	100	—	—	20	40	20	40	—
Tinnitus	2262	50	50	—	—	—	—	—	40	—
Circulatory system diseases	23	520	380	140	—	20	80	170	250	—
Hypertensive disease	232	20	—	—	—	—	—	—	20	—
Ischemic heart disease, including heart attack	233	270	230	40	—	—	60	80	120	—
Ischemic heart disease, unspecified	2330	30	20	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	240	200	40	—	—	60	70	90	—
Other forms of heart disease	235	20	20	—	—	—	—	20	—	—
Cerebrovascular disease	236	120	70	50	—	—	—	50	60	—
Stroke	2361	90	60	30	—	—	—	40	50	—
Transient ischemia attacks	2362	20	—	20	—	—	—	—	—	—
Diseases of arteries, arterioles, capillaries	237	30	30	—	—	—	—	—	20	—
Aneurysm—nontraumatic	2372	30	20	—	—	—	—	—	20	—
Diseases of the veins, lymphatics	238	20	—	20	—	—	—	—	—	—
Respiratory system diseases	24	880	620	260	—	30	440	180	220	20
Respiratory system diseases, unspecified	240	90	80	—	—	—	—	40	40	—
Acute respiratory infections (including common cold)	241	60	20	40	—	—	—	20	30	—
Other diseases of upper respiratory tract	242	40	20	20	—	—	—	30	—	—
Chronic conditions of upper respiratory tract	2422	20	—	—	—	—	—	20	—	—
Pneumonia, influenza	243	470	390	70	—	—	380	20	60	—
Pneumonia	2431	20	20	—	—	—	—	—	—	—
Influenza—common	2432	370	310	60	—	—	310	—	50	—
Influenza—novel	2433	80	70	—	—	—	70	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	170	60	100	—	20	30	50	60	—
Asthma, except intrinsic	2443	100	30	70	—	20	—	40	30	—
Chronic obstructive pulmonary diseases and allied conditions, n.e.c.	2449	40	—	30	—	—	—	—	20	—
Pneumoconioses	245	30	30	—	—	—	—	—	—	—
Coal workers pneumoconiosis	2451	20	20	—	—	—	—	—	—	—
Other respiratory system diseases	249	30	20	—	—	—	—	—	20	—
Digestive system diseases and disorders	25	670	570	100	—	30	120	240	270	—
Hernia—nontraumatic	253	650	560	90	—	30	120	230	260	—
Genitourinary system diseases and disorders	26	30	—	30	—	—	—	—	—	—
Genitourinary system diseases and disorders, n.e.c.	269	20	—	20	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	7,760	3,630	4,120	—	350	1,160	2,320	3,630	290
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	190	140	40	—	—	20	50	100	—
Arthropathies and related disorders (arthritis)	271	140	110	30	—	—	—	40	80	—
Dorsopathies	272	550	310	240	—	70	60	200	210	—
Sciatica	2721	260	170	90	—	—	50	80	110	—
Lumbago	2722	60	20	50	—	40	—	—	—	—
Disc disorders, except dislocation	2723	60	20	40	—	—	—	20	30	—
Dorsopathies, n.e.c.	2729	170	110	60	—	—	—	80	70	—
Soft tissue disorders, except the back	273	6,770	3,020	3,750	—	270	1,070	1,970	3,190	270
Soft tissue disorder, except the back, unspecified	2730	300	90	210	—	20	90	70	120	—
Bursitis	2731	550	400	150	—	—	120	170	250	—
Stenosing tenosynovitis	2732	980	360	620	—	30	110	230	600	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Other tenosynovitis, synovitis	2733	410	140	270	—	40	80	80	200	—
Epicondylitis	2734	1,130	630	500	—	30	160	410	530	—
Other or unspecified tendonitis (tendinitis)	2735	2,600	1,010	1,580	—	130	420	760	1,030	250
Ganglion or cystic tumor	2736	320	90	230	—	—	60	100	160	—
Multiple soft tissue disorders	2738	110	60	50	—	—	—	20	90	—
Soft tissue disorder, except the back, n.e.c.	2739	370	240	130	—	—	20	130	210	—
Osteopathies, chondropathies, and acquired deformities	274	90	30	60	—	—	—	60	30	—
Osteopathies, chondropathies, and acquired deformities, unspecified	2740	80	30	—	—	—	—	—	30	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	20	20	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	1,500	1,080	420	—	220	270	490	500	20
Disorders of the skin and subcutaneous tissue, unspecified	280	20	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	1,350	1,020	330	—	210	260	430	430	20
Infections of the skin and subcutaneous tissue, unspecified	2810	270	180	90	—	50	30	90	100	—
Cellulitis and abscess	2811	680	500	170	—	40	190	160	260	20
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	110	60	40	—	—	30	30	50	—
Other staphylococcus skin infection	2814	260	250	—	—	110	—	130	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	40	30	—	—	—	—	20	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	120	30	80	—	—	—	60	50	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	80	30	50	—	—	—	30	40	—
Other systemic diseases and disorders	29	100	90	—	—	—	—	20	70	—
Endocrine, nutritional, metabolic, and immunity disorders	291	100	90	—	—	—	—	20	70	—
Diseases and disorders of other endocrine glands	2912	60	—	—	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	30	20	—	—	—	—	—	—	—
Infectious and parasitic diseases	3	1,740	370	1,370	—	180	460	580	500	20
Infectious and parasitic diseases, unspecified	30	170	—	170	—	—	170	—	—	—
Bacterial diseases	31	270	110	160	—	20	—	120	120	—
Bacterial diseases, unspecified	310	80	80	—	—	—	—	—	80	—
Tuberculosis	311	30	—	20	—	—	—	20	—	—
Other bacterial diseases	319	150	20	140	—	20	—	100	30	—
Diphtheria, whooping cough	3192	90	—	80	—	—	—	60	20	—
Streptococcal sore throat and scarlatina	3193	20	—	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c.	3199	40	—	30	—	—	—	—	—	—
Viral diseases	32	300	100	200	—	20	60	140	60	—
Viral diseases, unspecified	320	50	—	50	—	—	—	40	—	—
Viral diseases accompanied by exanthem (eruptive fever)	323	120	30	90	—	—	40	50	20	—
Chickenpox, varicella	3233	90	20	70	—	—	40	20	—	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Herpes zoster, shingles	3234	20	—	20	—	—	—	20	—	—
Viral diseases of the conjunctiva	326	20	—	20	—	—	—	—	—	—
Viral conjunctivitis (ophthalmia)	3261	20	—	20	—	—	—	—	—	—
Other diseases due to viruses	329	80	50	30	—	20	—	30	—	—
Foot and mouth disease	3294	20	—	—	—	—	—	—	—	—
Other diseases due to viruses, n.e.c.	3299	60	50	—	—	—	—	—	—	—
Mycoses (fungal infections)	34	30	—	20	—	—	20	—	—	—
Dermatophytosis (including athletes foot, tinea)	341	20	—	20	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	270	100	170	—	—	20	120	110	—
Infectious diseases peculiar to the intestines, unspecified	360	60	30	30	—	—	—	20	30	—
Typhoid and paratyphoid fevers	362	60	50	—	—	—	—	—	50	—
Infectious diseases peculiar to the intestines, n.e.c. ..	369	120	20	110	—	—	—	90	—	—
Other infectious and parasitic diseases	39	700	50	640	—	130	170	200	200	—
Other infectious and parasitic diseases, unspecified	390	20	—	20	—	—	—	—	—	—
Pediculosis and phthirus infestation (lice)	391	30	—	30	—	—	20	—	—	—
Scabies and other acariases	392	640	50	590	—	110	150	190	200	—
Neoplasms, tumors, and cancers	4	40	20	—	—	—	—	—	30	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	20	20	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	5,400	2,870	2,530	—	490	1,290	1,690	1,920	20
Symptoms, signs, and ill-defined conditions, unspecified	50	90	30	70	—	—	—	20	60	—
Symptoms	51	5,180	2,760	2,420	—	460	1,260	1,610	1,840	20
Symptoms, unspecified	510	60	40	20	—	—	—	—	50	—
General symptoms	511	3,410	1,950	1,470	—	290	770	1,110	1,230	—
General symptoms, unspecified	5110	30	30	—	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	1,650	1,020	630	—	160	510	420	560	—
Convulsions, seizures	5112	500	340	160	—	30	90	120	270	—
Malaise and fatigue	5113	30	30	—	—	—	—	20	—	—
Dizziness—general	5114	540	210	330	—	40	60	230	200	—
Inflammation, swelling—general	5115	100	50	50	—	—	30	30	30	—
Numbness—general	5116	80	60	—	—	20	—	40	—	—
Multiple general symptoms	5118	380	180	200	—	40	30	200	110	—
General symptoms, n.e.c.	5119	100	50	60	—	—	30	30	30	—
Symptoms involving nervous and musculoskeletal systems	512	80	40	40	—	—	40	30	—	—
Earache	5122	30	30	—	—	—	—	30	—	—
Symptoms involving skin and other integumentary tissue	513	30	—	20	—	—	—	—	—	—
Symptoms involving head and neck	514	600	150	440	—	20	320	80	170	—
Headache, except migraine	5141	550	140	410	—	20	320	70	140	—
Symptoms involving head and neck, n.e.c.	5149	40	20	20	—	—	—	—	30	—
Symptoms involving cardiovascular system	515	140	120	20	—	—	—	—	130	—
Unspecified tachycardia (rapid heartbeat)	5151	120	120	—	—	—	—	—	120	—
Symptoms involving respiratory system and chest	516	610	290	330	—	90	100	250	170	—

See footnotes at end of table.

TABLE R47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, private industry, 2012² — Continued

Nature	Nature code ³	Private industry ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Symptoms involving respiratory system and chest, unspecified	5160	250	110	140	—	40	60	90	50	—
Chest pain	5164	150	90	60	—	30	20	50	40	—
Multiple symptoms involving respiratory system and chest	5168	20	—	—	—	—	—	—	20	—
Symptoms involving respiratory system and chest, n.e.c.	5169	180	80	110	—	20	20	100	50	—
Symptoms involving digestive and urinary system	517	140	90	50	—	30	—	50	40	—
Nausea and vomiting—general	5171	40	20	—	—	—	—	20	—	—
Abdominal pain, unspecified	5174	90	60	30	—	30	—	20	30	—
Multiple symptoms	518	100	60	40	—	20	—	50	20	—
Abnormal findings	52	80	60	20	—	20	—	40	—	—
Other abnormal findings	529	70	60	—	—	20	—	40	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	40	30	20	—	—	—	20	—	—
Other diseases, conditions, and disorders	6	2,830	1,210	1,600	20	240	410	1,110	970	100
Damage to prosthetic and orthopedic devices	61	50	30	—	—	—	—	—	40	—
Damage to orthopedic devices	612	40	30	—	—	—	—	—	30	—
Damage to pins, rods, plates, and screws	6122	40	—	—	—	—	—	—	—	—
Mental disorders and syndromes	62	2,780	1,170	1,590	20	230	410	1,110	930	100
Mental disorders and syndromes, unspecified	620	150	30	120	—	—	60	60	20	—
Anxiety, stress	621	2,610	1,140	1,460	—	230	350	1,040	900	100
Anxiety, stress, unspecified	6210	1,630	700	920	—	180	170	670	540	70
Post-traumatic stress disorder	6211	560	290	270	—	—	130	230	200	—
Adjustment disorder	6212	20	—	—	—	—	—	—	—	—
Anxiety or panic disorder	6213	130	40	90	—	30	—	30	30	20
Anxiety, stress, n.e.c.	6219	270	110	170	—	—	40	100	130	—
Exposures to disease—no illness incurred	7	280	100	180	—	—	50	150	70	—
Multiple diseases, conditions, and disorders	8	510	320	200	—	130	100	110	160	—
Nonclassifiable	9999	3,640	1,920	1,450	280	450	410	570	710	1,500

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.