

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2012²

Part of body	Part of body code ³	Private industry ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Total		918,720	60,370	165,610	158,030	162,010	154,820	141,930	75,940
Head	1	66,880	4,660	12,580	11,050	11,940	11,310	9,750	5,590
Head, unspecified	10	14,870	1,180	2,460	2,420	2,350	2,450	2,770	1,230
Cranial region, including skull	11	13,980	1,090	3,160	2,210	2,290	2,340	1,770	1,120
Cranial region, unspecified	110	380	20	70	50	90	60	50	30
Brain	111	9,940	860	2,540	1,470	1,510	1,550	1,180	840
Scalp	112	2,980	140	400	600	550	660	460	160
Skull	113	410	40	60	60	90	-	60	90
Multiple cranial region locations	118	160	-	90	-	40	-	-	-
Cranial region, n.e.c.	119	120	20	-	-	-	50	20	-
Ear(s)	12	1,090	40	470	100	180	70	160	80
Face	13	35,980	2,250	6,240	6,180	6,990	6,330	4,880	3,110
Face, unspecified	130	3,580	170	590	680	620	800	450	260
Forehead	131	2,530	220	430	290	600	370	310	310
Eye(s)	132	21,370	1,050	3,700	3,940	4,040	3,530	3,050	2,050
Nose, nasal cavity	133	2,320	150	410	350	680	340	260	130
Nose, except internal location of diseases or disorders	1330	2,310	150	410	350	680	340	260	130
Cheek(s)	134	410	-	50	80	70	90	70	30
Jaw, chin	135	1,120	70	90	200	160	280	240	80
Mouth	136	2,370	400	500	400	300	380	270	110
Mouth, unspecified	1360	200	-	70	30	-	40	20	-
Lip(s)	1361	500	-	80	50	120	70	120	40
Tongue	1362	20	-	-	-	-	-	-	-
Tooth (teeth)	1363	1,140	50	330	300	120	190	90	60
Multiple mouth locations	1368	460	320	20	-	-	60	30	-
Mouth, n.e.c.	1369	50	-	-	-	40	-	-	-
Multiple face locations	138	1,930	120	440	200	410	430	210	120
Face, n.e.c.	139	360	50	30	30	100	110	20	-
Multiple head locations	18	780	80	220	110	100	90	130	60
Head, n.e.c.	19	180	-	40	30	20	30	40	-
Neck, including throat	2	12,380	680	2,010	1,940	2,280	2,280	2,190	1,010
Neck, except internal location of diseases or disorders	20	12,280	670	1,990	1,940	2,250	2,230	2,190	1,010
Internal neck location, unspecified	21	90	-	-	-	20	-	-	-
Trunk	3	235,260	14,960	45,250	42,010	40,080	37,580	36,000	19,380
Trunk, unspecified	30	1,530	40	630	170	260	100	200	120
Chest, including ribs, internal organs	31	14,470	680	2,680	2,570	2,960	2,650	1,810	1,120
Chest, except internal location of diseases or disorders	310	13,500	660	2,520	2,350	2,740	2,520	1,690	1,030
Internal chest location, unspecified	311	100	-	-	-	20	30	-	-
Heart	313	420	20	70	180	80	-	40	20
Lung(s), pleura	315	440	-	80	40	110	90	50	70
Back, including spine, spinal cord	32	178,190	11,950	34,570	31,840	29,830	28,330	27,060	14,610
Back, including spine, spinal cord, unspecified	320	71,730	5,050	12,380	13,870	12,370	10,940	11,330	5,790
Thoracic region	321	7,830	510	1,420	1,260	1,270	1,340	1,380	670
Lumbar region	322	91,300	5,810	19,300	15,440	14,950	15,050	13,090	7,680

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Sacral region	323	440	—	120	60	60	40	130	20
Coccygeal region	324	1,390	130	450	190	180	150	190	100
Multiple back regions	328	5,220	440	880	950	910	800	890	350
Back, including spine, spinal cord, n.e.c.	329	280	—	30	70	90	20	50	—
Abdomen	33	20,510	1,210	3,600	3,470	3,500	3,660	3,580	1,470
Abdomen, except internal location of diseases or disorders	330	19,560	1,140	3,420	3,340	3,340	3,470	3,460	1,400
Internal abdominal location, unspecified	331	440	50	50	50	130	60	70	30
Stomach organ	332	70	—	—	—	—	—	—	—
Intestines, peritoneum	335	300	—	120	70	—	30	40	40
Intestines, peritoneum, unspecified	3350	120	—	20	40	—	—	30	—
Peritoneum	3351	50	—	—	20	—	—	—	—
Large intestine, colon, rectum	3353	40	—	—	—	—	—	—	—
Intestines, peritoneum, n.e.c.	3359	70	—	—	—	—	—	—	—
Pelvic region	34	16,060	900	2,810	2,860	2,730	2,210	2,920	1,620
Pelvic region, unspecified	340	120	20	—	20	—	—	40	20
Hip(s)	341	7,210	470	880	1,090	1,360	1,010	1,420	990
Pelvis	342	790	20	140	240	130	110	110	40
Buttock(s)	343	1,340	100	360	130	210	120	350	70
Groin	344	6,040	260	1,300	1,290	890	840	970	490
External reproductive tract structures ..	345	210	—	60	60	40	—	20	—
External reproductive tract structures, unspecified	3450	20	—	—	—	—	—	—	—
Scrotum	3451	160	—	60	40	40	—	—	—
Internal reproductive tract structures ...	346	60	—	20	—	—	40	—	—
Testis (testes)	3462	40	—	—	—	—	—	—	—
Uterus	3464	20	—	—	—	—	—	—	—
Multiple pelvic region locations	348	230	20	20	30	90	50	—	—
Pelvic region, n.e.c.	349	50	—	20	—	—	20	—	—
Multiple trunk locations	38	4,350	160	910	1,060	780	600	400	430
Trunk, n.e.c.	39	150	—	50	30	20	30	20	—
Upper extremities	4	289,940	19,350	50,730	49,630	51,090	50,690	44,380	24,070
Upper extremities, unspecified	40	460	—	70	110	50	110	90	30
Shoulder(s), including clavicle(s), scapula(e)	41	69,020	5,530	11,810	11,470	11,240	12,250	10,690	6,030
Arm(s)	42	42,200	2,850	7,750	6,900	7,800	7,380	6,040	3,470
Arm(s), unspecified	420	13,740	1,030	2,730	2,310	2,390	2,280	1,870	1,120
Upper arm(s)	421	5,620	320	830	1,160	1,210	1,080	710	310
Elbow(s)	422	13,170	860	2,410	2,030	2,390	2,100	2,000	1,380
Forearm(s)	423	7,060	480	1,330	940	1,270	1,490	1,070	480
Multiple arm locations	428	1,910	140	370	350	410	300	220	120
Multiple arm locations, unspecified ..	4280	250	60	20	30	20	40	60	20
Elbow(s) and arm(s)	4281	790	20	240	80	180	120	90	70
Multiple arm locations, n.e.c.	4289	870	60	110	240	220	140	70	30
Arm(s), n.e.c.	429	700	20	80	110	140	130	170	60
Wrist(s)	43	38,600	2,840	5,920	6,820	6,710	7,150	6,110	3,040
Hand(s)	44	123,560	7,300	22,050	21,230	22,280	20,960	19,290	10,450
Hand(s), unspecified	440	29,250	2,110	4,990	5,250	5,170	4,500	4,410	2,820

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Hand(s), except finger(s)	441	5,940	380	930	720	970	1,330	1,120	510
Finger(s), fingernail(s)	442	81,890	4,500	15,090	14,400	14,990	13,430	12,680	6,800
Finger(s), fingernail(s), unspecified ..	4420	58,660	3,480	9,620	10,400	11,190	9,900	8,920	5,140
Fingernail(s), nailbed(s)	4421	1,590	50	430	320	200	260	240	100
Fingertip(s)	4422	7,390	230	1,960	1,400	1,240	890	1,090	580
Finger(s), fingernail(s), n.e.c.	4429	14,240	730	3,080	2,280	2,360	2,380	2,440	980
Hand(s) and finger(s)	448	3,660	190	630	470	420	870	880	210
Hand(s), n.e.c.	449	2,810	120	410	390	740	830	200	120
Multiple upper extremities locations	48	15,970	820	3,120	3,080	2,970	2,820	2,130	1,020
Multiple upper extremities locations, unspecified	480	600	20	180	140	120	70	60	20
Hand(s) and arms(s)	481	1,640	80	290	180	240	530	210	110
Hand(s) and arm(s), unspecified	4810	700	30	130	50	120	140	160	60
Hand(s) and elbow(s)	4811	110	—	40	30	20	—	—	—
Hand(s) and arm(s), n.e.c.	4819	840	40	120	110	90	380	50	50
Hand(s) and wrist(s)	482	3,130	190	720	620	540	430	480	150
Wrist(s) and arm(s)	483	2,070	60	620	280	420	250	370	70
Wrist(s) and arm(s), unspecified	4830	1,030	20	430	80	220	70	200	—
Wrist(s) and elbow(s)	4831	460	20	80	80	120	70	70	20
Wrist(s) and arm(s), n.e.c.	4839	580	20	120	120	80	100	100	40
Shoulder(s) and arm(s)	484	5,180	290	870	1,290	1,020	830	560	320
Multiple upper extremities locations, n.e.c.	489	3,360	180	450	580	630	720	460	350
Upper extremities, n.e.c.	49	130	—	—	—	30	—	30	30
Lower extremities	5	204,220	12,680	35,900	35,460	36,540	34,160	32,210	17,280
Lower extremities, unspecified	50	470	—	60	—	130	70	130	60
Leg(s)	51	107,900	7,040	20,020	18,070	18,620	18,230	16,920	8,980
Leg(s), unspecified	510	12,070	770	2,400	1,790	2,380	1,600	2,360	760
Thigh(s)	511	4,930	240	940	740	1,230	750	670	370
Knee(s)	512	78,360	5,340	14,370	13,470	12,580	13,920	11,840	6,830
Lower leg(s)	513	8,760	540	1,540	1,570	1,580	1,430	1,320	790
Multiple leg locations	518	2,940	120	510	400	690	380	630	210
Multiple leg locations, unspecified ...	5180	430	—	70	80	190	40	20	20
Knee(s) and leg(s)	5181	1,830	110	260	270	280	290	520	100
Multiple leg locations, n.e.c.	5189	670	—	170	50	210	50	90	90
Leg(s), n.e.c.	519	840	30	270	110	160	160	90	30
Ankle(s)	52	44,860	2,890	7,160	7,830	8,480	7,580	7,250	3,680
Foot (feet)	53	42,920	2,380	6,780	8,040	8,100	6,920	6,870	3,820
Foot (feet), unspecified	530	27,950	1,750	4,270	5,040	5,890	4,250	4,420	2,340
Sole(s)	531	2,420	70	440	490	270	280	420	460
Sole(s), unspecified	5310	260	—	110	70	20	40	20	—
Ball(s) of the foot	5311	20	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	130	20	30	40	—	—	—	20
Heel(s)	5313	1,950	50	240	370	230	220	390	440
Sole(s), n.e.c.	5319	60	—	50	—	—	—	—	—
Toes(s), toenail(s)	532	9,870	470	1,510	2,080	1,510	1,700	1,730	880
Multiple foot (feet) locations	538	550	—	60	160	120	100	80	20
Foot (feet), n.e.c.	539	2,120	80	510	280	330	590	220	130
Multiple lower extremities locations	58	8,050	360	1,870	1,500	1,210	1,360	1,040	720

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Multiple lower extremities locations, unspecified	580	270	—	—	40	30	40	100	50
Foot (feet) and leg(s)	581	1,240	50	110	270	140	440	130	100
Foot(feet) and leg(s), unspecified	5810	220	—	40	30	80	20	20	20
Foot(feet) and knee(s)	5811	670	30	50	40	40	390	70	60
Foot(feet) and leg(s), n.e.c.	5819	350	—	30	200	20	30	40	30
Foot (feet) and ankle(s)	582	2,690	160	590	540	480	440	270	210
Ankle(s) and leg(s)	583	2,620	110	670	450	440	350	380	220
Ankle(s) and leg(s), unspecified	5830	320	—	20	50	100	40	60	50
Ankle(s) and knee(s)	5831	1,840	80	610	310	240	240	230	130
Ankle(s) and leg(s), n.e.c.	5839	450	20	40	90	100	70	90	40
Multiple lower extremities locations, n.e.c.	589	1,240	40	490	200	110	90	160	140
Lower extremities, n.e.c.	59	20	—	—	—	—	—	—	—
Body systems	6	17,770	900	3,690	2,850	3,290	2,990	3,020	1,020
Multiple body parts	8	83,900	6,630	13,930	13,710	15,520	14,270	13,160	6,690
Multiple body parts, unspecified	80	7,410	700	1,290	1,230	1,160	1,260	1,150	610
Head and neck	81	2,360	120	540	250	570	290	470	130
Head, neck, and trunk	82	740	80	120	60	280	60	100	30
Head and trunk	83	980	60	100	130	380	160	60	70
Neck and back	84	6,930	480	1,220	1,100	1,370	1,040	990	730
Shoulder(s) and back	85	3,890	250	500	670	610	820	630	430
Hip(s) and leg(s)	86	1,440	160	360	230	230	180	150	140
Upper and lower limb(s)	87	6,430	370	1,260	1,120	1,210	970	960	530
Other multiple body parts	89	53,720	4,410	8,550	8,920	9,690	9,480	8,650	4,020
Whole body	891	810	50	110	280	130	90	150	—
Multiple body parts, n.e.c.	899	52,910	4,360	8,440	8,640	9,570	9,390	8,500	4,010

See footnotes at end of table.

TABLE R86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, private industry, 2012² — Continued

Part of body	Part of body code ³	Private industry ⁴	Day of week						
			Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
Nonclassifiable	9999	8,360	520	1,520	1,380	1,300	1,530	1,220	900

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.