

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2013

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		917,090	—	120	21,860	87,470	199,570	194,900	218,950	147,190	32,020	15,010
Head	1	69,680	—	—	2,680	9,160	16,160	13,860	14,600	9,740	2,810	670
Head, unspecified	10	15,080	—	—	920	1,790	3,170	2,790	2,770	2,440	1,060	140
Cranial region, including skull	11	15,000	—	—	560	2,130	3,210	2,630	3,690	2,160	510	100
Cranial region, unspecified	110	250	—	—	—	50	50	50	40	50	—	—
Brain	111	11,880	—	—	520	1,730	2,740	2,040	2,760	1,610	390	90
Scalp	112	2,120	—	—	40	170	330	420	780	300	70	—
Skull	113	540	—	—	—	140	30	90	70	150	50	—
Multiple cranial region locations	118	100	—	—	—	—	40	30	—	20	—	—
Cranial region, n.e.c.	119	110	—	—	—	30	20	—	30	20	—	—
Ear(s)	12	1,330	—	—	—	390	260	260	210	170	20	—
Face	13	37,230	—	—	1,160	4,660	9,390	7,980	7,750	4,750	1,160	380
Face, unspecified	130	3,720	—	—	120	340	710	1,150	750	430	190	30
Forehead	131	2,790	—	—	60	230	370	420	980	490	180	60
Eye(s)	132	22,120	—	—	780	2,690	6,510	4,650	4,120	2,710	420	250
Nose, nasal cavity	133	2,190	—	—	—	260	620	270	380	540	80	20
Nose, except internal location of diseases or disorders	1330	2,180	—	—	—	260	620	270	380	540	80	20
Cheek(s)	134	570	—	—	20	220	130	50	60	40	50	—
Jaw, chin	135	1,130	—	—	130	320	130	120	310	70	50	—
Mouth	136	2,560	—	—	40	400	380	990	490	190	60	20
Mouth, unspecified	1360	410	—	—	—	70	50	180	70	40	—	—
Lip(s)	1361	720	—	—	—	140	130	290	80	40	—	—
Tongue	1362	20	—	—	—	—	—	—	—	—	—	—
Tooth (teeth)	1363	1,280	—	—	30	150	170	460	320	100	40	—
Multiple mouth locations	1368	110	—	—	—	30	20	40	—	—	—	—
Multiple face locations	138	1,900	—	—	—	160	500	280	580	240	120	—
Face, n.e.c.	139	250	—	—	—	50	30	50	70	40	—	—
Multiple head locations	18	830	—	—	30	180	100	150	160	140	40	—
Head, n.e.c.	19	210	—	—	—	—	30	40	30	70	—	—
Neck, including throat	2	13,430	—	—	90	910	3,120	2,870	3,810	1,580	930	120
Neck, except internal location of diseases or disorders ...	20	13,400	—	—	90	910	3,120	2,850	3,810	1,570	930	120
Larynx	23	20	—	—	—	—	—	—	—	—	—	—
Trunk	3	226,640	—	—	3,490	19,100	51,310	51,780	53,550	36,260	7,570	3,570
Trunk, unspecified	30	840	—	—	20	30	160	170	200	200	30	20
Chest, including ribs, internal organs	31	13,830	—	—	170	920	2,460	2,550	3,620	2,840	1,010	270
Chest, except internal location of diseases or disorders	310	13,000	—	—	170	870	2,310	2,380	3,380	2,700	1,000	200
Internal chest location, unspecified	311	100	—	—	—	—	—	—	80	—	—	—
Heart	313	210	—	—	—	—	20	40	60	80	—	—
Bronchus	314	70	—	—	—	—	—	—	—	—	—	50
Lung(s), pleura	315	440	—	—	—	50	120	110	80	50	—	20
Back, including spine, spinal cord	32	170,450	—	—	2,680	15,400	40,580	41,290	39,890	23,810	4,090	2,700
Back, including spine, spinal cord, unspecified	320	69,680	—	—	1,440	6,430	16,700	16,510	15,220	10,270	1,760	1,380
Thoracic region	321	8,360	—	—	130	1,050	2,060	2,220	1,850	880	120	50
Lumbar region	322	85,100	—	—	1,020	7,240	20,410	20,660	20,800	11,660	2,110	1,190
Sacral region	323	230	—	—	—	—	50	50	70	30	—	—

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Coccygeal region	324	1,410	—	—	20	100	240	450	350	230	—	—
Multiple back regions	328	5,420	—	—	60	550	1,100	1,380	1,490	670	80	90
Back, including spine, spinal cord, n.e.c.	329	250	—	—	—	—	20	20	110	70	—	—
Abdomen	33	20,820	—	—	350	1,470	4,430	3,670	5,120	4,930	610	240
Abdomen, except internal location of diseases or disorders	330	19,970	—	—	330	1,440	4,370	3,490	4,950	4,760	390	230
Internal abdominal location, unspecified	331	410	—	—	—	—	20	150	90	120	20	—
Stomach organ	332	50	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	380	—	—	—	20	20	20	70	50	200	—
Intestines, peritoneum, unspecified	3350	360	—	—	—	20	—	20	60	50	200	—
Pelvic region	34	16,920	—	—	200	1,080	2,900	3,060	3,780	3,940	1,670	300
Pelvic region, unspecified	340	210	—	—	—	—	30	60	80	30	—	—
Hip(s)	341	8,070	—	—	30	300	1,310	980	1,980	1,940	1,390	140
Pelvis	342	1,150	—	—	—	340	120	180	150	190	70	—
Buttock(s)	343	1,100	—	—	20	30	200	430	230	150	20	—
Groin	344	5,910	—	—	50	350	1,140	1,270	1,240	1,570	150	150
External reproductive tract structures	345	190	—	—	—	50	60	30	20	—	—	—
External reproductive tract structures, unspecified ..	3450	20	—	—	—	—	—	—	—	—	—	—
Scrotum	3451	90	—	—	—	40	30	—	—	—	—	—
Penis	3452	20	—	—	—	—	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	3459	40	—	—	—	—	30	—	—	—	—	—
Internal reproductive tract structures	346	20	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	170	—	—	—	—	20	50	40	20	30	—
Pelvic region, n.e.c.	349	110	—	—	—	—	—	40	40	—	—	—
Multiple trunk locations	38	3,580	—	—	80	180	770	980	860	520	160	30
Trunk, n.e.c.	39	200	—	—	—	20	—	60	90	20	—	—
Upper extremities	4	286,320	—	20	8,460	30,300	61,980	60,150	67,860	45,200	8,400	3,950
Upper extremities, unspecified	40	440	—	—	—	20	80	120	130	50	—	20
Shoulder(s), including clavicle(s), scapula(e)	41	68,500	—	—	800	4,500	11,600	14,740	19,060	13,880	2,840	1,080
Arm(s)	42	43,580	—	—	810	3,150	7,970	10,450	11,390	7,120	1,990	690
Arm(s), unspecified	420	14,880	—	—	330	1,460	2,760	3,230	3,810	2,590	540	160
Upper arm(s)	421	5,050	—	—	30	210	640	1,030	1,510	1,240	270	110
Elbow(s)	422	14,220	—	—	280	880	2,310	4,020	3,980	1,910	610	230
Forearm(s)	423	7,300	—	—	160	470	1,840	1,650	1,510	1,040	520	100
Multiple arm locations	428	1,550	—	—	—	60	260	410	470	300	40	—
Multiple arm locations, unspecified	4280	250	—	—	—	—	120	60	50	20	—	—
Elbow(s) and arm(s)	4281	680	—	—	—	20	80	230	210	110	20	—
Multiple arm locations, n.e.c.	4289	620	—	—	—	30	60	120	210	170	—	—
Arm(s), n.e.c.	429	590	—	—	—	70	150	110	120	40	—	80
Wrist(s)	43	37,500	—	—	700	3,280	8,280	7,450	9,330	7,010	1,080	350
Hand(s)	44	121,500	—	—	5,850	18,420	31,130	24,260	24,030	14,120	2,050	1,620
Hand(s), unspecified	440	32,400	—	—	1,830	4,410	8,350	6,750	6,000	3,930	560	570
Hand(s), except finger(s)	441	4,380	—	—	200	940	1,260	590	870	420	40	70
Finger(s), fingernail(s)	442	80,110	—	—	3,610	12,350	20,640	15,810	16,150	9,260	1,360	930
Finger(s), fingernail(s), unspecified	4420	60,310	—	—	2,710	9,590	16,320	11,350	11,590	7,000	1,040	720
Fingernail(s), nailbed(s)	4421	870	—	—	50	160	150	190	230	70	—	—
Fingertip(s)	4422	7,640	—	—	190	1,020	1,760	1,860	1,730	870	140	70
Finger(s), fingernail(s), n.e.c.	4429	11,290	—	—	660	1,580	2,410	2,410	2,600	1,320	170	140
Hand(s) and finger(s)	448	2,810	—	—	100	450	530	870	510	300	40	20

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Hand(s), n.e.c.	449	1,780	—	—	110	280	350	240	500	220	40	40
Multiple upper extremities locations	48	14,680	—	—	290	920	2,850	3,120	3,870	2,990	440	190
Multiple upper extremities locations, unspecified	480	340	—	—	—	—	40	60	120	110	—	—
Hand(s) and arms(s)	481	1,670	—	—	50	270	320	190	570	240	20	30
Hand(s) and arm(s), unspecified	4810	850	—	—	40	190	160	90	250	110	—	—
Hand(s) and elbow(s)	4811	190	—	—	—	—	40	20	90	20	—	—
Hand(s) and arm(s), n.e.c.	4819	630	—	—	—	70	110	80	230	110	—	—
Hand(s) and wrist(s)	482	3,210	—	—	100	190	760	740	640	620	120	40
Wrist(s) and arm(s)	483	1,230	—	—	80	70	230	250	310	200	60	20
Wrist(s) and arm(s), unspecified	4830	420	—	—	40	20	60	90	110	60	30	—
Wrist(s) and elbow(s)	4831	370	—	—	—	20	50	70	110	80	20	—
Wrist(s) and arm(s), n.e.c.	4839	440	—	—	20	30	120	90	90	60	20	—
Shoulder(s) and arm(s)	484	4,870	—	—	20	170	680	1,010	1,470	1,300	180	30
Multiple upper extremities locations, n.e.c.	489	3,360	—	—	50	220	830	870	750	530	50	70
Upper extremities, n.e.c.	49	140	—	—	—	—	50	—	50	20	—	—
Lower extremities	5	202,280	—	70	5,300	19,480	43,550	41,560	48,370	33,250	7,640	3,070
Lower extremities, unspecified	50	240	—	—	—	20	40	30	60	50	40	—
Leg(s)	51	106,030	—	—	1,850	8,090	19,200	21,680	27,930	20,910	4,840	1,520
Leg(s), unspecified	510	12,450	—	—	350	740	2,320	3,120	2,800	1,970	780	360
Thigh(s)	511	4,440	—	—	50	640	820	800	920	900	260	40
Knee(s)	512	77,490	—	—	1,260	6,050	13,880	15,340	21,050	15,790	3,170	930
Lower leg(s)	513	8,840	—	—	170	450	1,700	1,940	2,460	1,490	470	150
Multiple leg locations	518	2,450	—	—	20	190	420	390	560	720	110	30
Multiple leg locations, unspecified	5180	240	—	—	—	20	110	20	30	50	—	—
Knee(s) and leg(s)	5181	1,580	—	—	—	100	270	270	390	440	100	—
Multiple leg locations, n.e.c.	5189	630	—	—	—	70	40	100	130	230	—	—
Leg(s), n.e.c.	519	370	—	—	—	20	60	80	130	40	40	—
Ankle(s)	52	45,620	—	40	1,730	5,640	12,100	9,430	9,070	5,510	1,210	900
Foot (feet)	53	43,570	—	20	1,570	4,870	10,610	9,120	9,810	5,640	1,360	590
Foot (feet), unspecified	530	27,920	—	20	1,050	3,180	6,390	6,310	6,100	3,620	880	370
Sole(s)	531	2,570	—	—	120	140	570	380	520	550	190	100
Sole(s), unspecified	5310	560	—	—	80	80	120	100	60	30	—	100
Ball(s) of the foot	5311	20	—	—	—	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	150	—	—	—	—	40	30	40	20	—	—
Heel(s)	5313	1,800	—	—	40	60	400	230	420	470	180	—
Multiple sole locations	5318	50	—	—	—	—	—	—	—	30	—	—
Toes(s), toenail(s)	532	10,620	—	—	230	1,420	3,340	1,900	2,190	1,200	250	90
Multiple foot (feet) locations	538	1,260	—	—	50	50	90	380	630	60	—	—
Foot (feet), n.e.c.	539	1,200	—	—	120	80	220	150	370	210	30	20
Multiple lower extremities locations	58	6,760	—	—	160	850	1,590	1,290	1,480	1,140	190	60
Multiple lower extremities locations, unspecified	580	170	—	—	—	—	20	60	60	20	—	—
Foot (feet) and leg(s)	581	960	—	—	30	60	220	160	280	150	40	20
Foot(feet) and leg(s), unspecified	5810	270	—	—	30	30	30	40	90	40	—	—
Foot(feet) and knee(s)	5811	350	—	—	—	—	110	60	70	90	20	—
Foot(feet) and leg(s), n.e.c.	5819	330	—	—	—	20	80	60	120	20	20	—
Foot (feet) and ankle(s)	582	2,420	—	—	90	500	630	430	400	260	90	30
Ankle(s) and leg(s)	583	2,380	—	—	30	190	580	460	580	490	40	—
Ankle(s) and leg(s), unspecified	5830	480	—	—	—	40	70	160	100	100	—	—
Ankle(s) and knee(s)	5831	1,510	—	—	20	120	440	230	320	340	30	—

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Ankle(s) and leg(s), n.e.c.	5839	390	—	—	—	20	70	60	160	60	—	—
Multiple lower extremities locations, n.e.c.	589	840	—	—	—	80	150	190	170	220	20	—
Lower extremities, n.e.c.	59	50	—	—	—	—	—	—	30	—	—	—
Body systems	6	18,570	—	—	860	1,550	4,980	3,740	4,110	2,490	320	520
Multiple body parts	8	89,870	—	—	880	6,020	16,140	18,630	25,380	17,530	3,900	1,390
Multiple body parts, unspecified	80	8,040	—	—	70	370	1,700	1,760	1,990	1,600	210	330
Head and neck	81	2,310	—	—	30	520	460	330	610	300	50	—
Head, neck, and trunk	82	520	—	—	—	30	50	50	290	40	20	20
Head and trunk	83	1,330	—	—	50	50	200	200	610	170	50	—
Neck and back	84	7,430	—	—	20	470	1,970	1,750	1,690	1,070	150	310
Shoulder(s) and back	85	3,750	—	—	50	340	810	880	960	600	50	60
Hip(s) and leg(s)	86	1,740	—	—	—	150	210	260	760	280	60	20
Upper and lower limb(s)	87	5,670	—	—	50	210	720	860	2,210	1,310	280	30
Other multiple body parts	89	59,080	—	—	590	3,880	10,040	12,510	16,260	12,160	3,030	610
Whole body	891	740	—	—	20	80	90	220	230	70	—	—
Multiple body parts, n.e.c.	899	58,340	—	—	570	3,790	9,950	12,290	16,030	12,090	3,020	600
Other body parts	9	30	—	—	—	—	—	—	20	—	—	—
Prosthetic and orthopedic devices	91	30	—	—	—	—	—	—	20	—	—	—
Nonclassifiable	9999	10,270	—	—	100	950	2,340	2,330	1,230	1,140	460	1,720

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.