

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2013

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		917,090	129,780	14.2	101,560	11.1	155,650	17.0
Head	1	69,680	19,860	28.5	12,300	17.7	13,880	19.9
Head, unspecified	10	15,080	4,030	26.7	2,600	17.2	3,140	20.8
Cranial region, including skull	11	15,000	2,570	17.1	2,550	17.0	2,600	17.3
Cranial region, unspecified	110	250	70	28.0	30	12.0	40	16.0
Brain	111	11,880	1,690	14.2	1,890	15.9	2,180	18.4
Scalp	112	2,120	690	32.5	400	18.9	280	13.2
Skull	113	540	80	14.8	170	31.5	40	7.4
Multiple cranial region locations	118	100	-	-	-	-	20	20.0
Cranial region, n.e.c.	119	110	30	27.3	40	36.4	40	36.4
Ear(s)	12	1,330	470	35.3	150	11.3	180	13.5
Face	13	37,230	12,600	33.8	6,900	18.5	7,780	20.9
Face, unspecified	130	3,720	1,130	30.4	570	15.3	770	20.7
Forehead	131	2,790	700	25.1	500	17.9	860	30.8
Eye(s)	132	22,120	8,320	37.6	4,160	18.8	4,700	21.2
Nose, nasal cavity	133	2,190	440	20.1	540	24.7	520	23.7
Nose, except internal location of diseases or disorders	1330	2,180	430	19.7	530	24.3	520	23.9
Cheek(s)	134	570	130	22.8	60	10.5	110	19.3
Jaw, chin	135	1,130	200	17.7	420	37.2	90	8.0
Mouth	136	2,560	1,070	41.8	310	12.1	370	14.5
Mouth, unspecified	1360	410	70	17.1	30	7.3	80	19.5
Lip(s)	1361	720	320	44.4	80	11.1	30	4.2
Tongue	1362	20	-	-	20	100.0	-	-
Tooth (teeth)	1363	1,280	640	50.0	150	11.7	210	16.4
Multiple mouth locations	1368	110	30	27.3	30	27.3	30	27.3
Multiple face locations	138	1,900	530	27.9	300	15.8	310	16.3
Face, n.e.c.	139	250	80	32.0	40	16.0	60	24.0
Multiple head locations	18	830	130	15.7	60	7.2	150	18.1
Head, n.e.c.	19	210	60	28.6	40	19.0	40	19.0
Neck, including throat	2	13,430	2,240	16.7	2,190	16.3	2,100	15.6
Neck, except internal location of diseases or disorders ...	20	13,400	2,230	16.6	2,190	16.3	2,100	15.7
Larynx	23	20	-	-	-	-	-	-
Trunk	3	226,640	26,170	11.5	22,740	10.0	43,500	19.2
Trunk, unspecified	30	840	170	20.2	110	13.1	180	21.4
Chest, including ribs, internal organs	31	13,830	2,040	14.8	1,540	11.1	3,320	24.0
Chest, except internal location of diseases or disorders	310	13,000	1,980	15.2	1,450	11.2	3,140	24.2
Internal chest location, unspecified	311	100	-	-	-	-	-	-
Heart	313	210	20	9.5	-	-	40	19.0
Bronchus	314	70	-	-	50	71.4	-	-
Lung(s), pleura	315	440	40	9.1	40	9.1	120	27.3
Back, including spine, spinal cord	32	170,450	20,020	11.7	18,580	10.9	34,720	20.4
Back, including spine, spinal cord, unspecified	320	69,680	7,740	11.1	7,650	11.0	14,690	21.1
Thoracic region	321	8,360	1,110	13.3	1,210	14.5	1,730	20.7
Lumbar region	322	85,100	10,090	11.9	9,030	10.6	17,140	20.1
Sacral region	323	230	30	13.0	20	8.7	20	8.7

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2013 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	109,690	12.0	99,140	10.8	58,260	6.4	263,010	28.7	8
Head	8,800	12.6	4,730	6.8	2,220	3.2	7,890	11.3	3
Head, unspecified	1,980	13.1	860	5.7	340	2.3	2,130	14.1	3
Cranial region, including skull	1,960	13.1	1,320	8.8	950	6.3	3,050	20.3	5
Cranial region, unspecified	30	12.0	20	8.0	—	—	50	20.0	4
Brain	1,610	13.6	1,060	8.9	770	6.5	2,670	22.5	6
Scalp	280	13.2	180	8.5	70	3.3	220	10.4	2
Skull	30	5.6	20	3.7	100	18.5	90	16.7	3
Multiple cranial region locations	—	—	40	40.0	—	—	—	—	7
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	2
Ear(s)	130	9.8	150	11.3	—	—	230	17.3	3
Face	4,610	12.4	2,350	6.3	820	2.2	2,180	5.9	2
Face, unspecified	470	12.6	320	8.6	150	4.0	310	8.3	3
Forehead	300	10.8	190	6.8	30	1.1	210	7.5	3
Eye(s)	2,730	12.3	1,160	5.2	320	1.4	730	3.3	2
Nose, nasal cavity	310	14.2	210	9.6	30	1.4	140	6.4	3
Nose, except internal location of diseases or disorders	310	14.2	210	9.6	30	1.4	130	6.0	3
Cheek(s)	130	22.8	50	8.8	70	12.3	30	5.3	5
Jaw, chin	60	5.3	60	5.3	30	2.7	270	23.9	2
Mouth	520	20.3	120	4.7	70	2.7	100	3.9	2
Mouth, unspecified	170	41.5	—	—	—	—	30	7.3	8
Lip(s)	280	38.9	—	—	—	—	—	—	2
Tongue	—	—	—	—	—	—	—	—	2
Tooth (teeth)	50	3.9	100	7.8	60	4.7	50	3.9	1
Multiple mouth locations	—	—	—	—	—	—	—	—	2
Multiple face locations	80	4.2	220	11.6	90	4.7	370	19.5	3
Face, n.e.c.	—	—	—	—	30	12.0	30	12.0	3
Multiple head locations	100	12.0	40	4.8	100	12.0	250	30.1	9
Head, n.e.c.	20	9.5	—	—	—	—	50	23.8	3
Neck, including throat	1,080	8.0	1,000	7.4	1,260	9.4	3,560	26.5	6
Neck, except internal location of diseases or disorders ...	1,060	7.9	1,000	7.5	1,260	9.4	3,550	26.5	6
Larynx	20	100.0	—	—	—	—	—	—	7
Trunk	31,310	13.8	26,880	11.9	14,660	6.5	61,370	27.1	8
Trunk, unspecified	110	13.1	80	9.5	40	4.8	140	16.7	5
Chest, including ribs, internal organs	1,950	14.1	1,480	10.7	1,010	7.3	2,490	18.0	6
Chest, except internal location of diseases or disorders	1,790	13.8	1,430	11.0	900	6.9	2,310	17.8	5
Internal chest location, unspecified	70	70.0	—	—	20	20.0	—	—	8
Heart	—	—	20	9.5	20	9.5	90	42.9	25
Bronchus	—	—	—	—	—	—	—	—	2
Lung(s), pleura	60	13.6	20	4.5	70	15.9	80	18.2	10
Back, including spine, spinal cord	24,860	14.6	18,340	10.8	9,790	5.7	44,140	25.9	7
Back, including spine, spinal cord, unspecified	9,870	14.2	6,850	9.8	4,250	6.1	18,630	26.7	7
Thoracic region	1,550	18.5	620	7.4	380	4.5	1,760	21.1	6
Lumbar region	12,150	14.3	10,240	12.0	4,820	5.7	21,620	25.4	7
Sacral region	20	8.7	30	13.0	—	—	90	39.1	16

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Coccygeal region	324	1,410	450	31.9	190	13.5	180	12.8
Multiple back regions	328	5,420	580	10.7	470	8.7	940	17.3
Back, including spine, spinal cord, n.e.c.	329	250	—	—	—	—	30	12.0
Abdomen	33	20,820	1,530	7.3	1,060	5.1	1,940	9.3
Abdomen, except internal location of diseases or disorders	330	19,970	1,490	7.5	1,010	5.1	1,860	9.3
Internal abdominal location, unspecified	331	410	—	—	—	—	50	12.2
Stomach organ	332	50	30	60.0	—	—	—	—
Intestines, peritoneum	335	380	—	—	40	10.5	20	5.3
Intestines, peritoneum, unspecified	3350	360	—	—	40	11.1	20	5.6
Pelvic region	34	16,920	1,970	11.6	1,080	6.4	2,650	15.7
Pelvic region, unspecified	340	210	60	28.6	30	14.3	20	9.5
Hip(s)	341	8,070	950	11.8	550	6.8	1,220	15.1
Pelvis	342	1,150	70	6.1	40	3.5	120	10.4
Buttock(s)	343	1,100	270	24.5	130	11.8	240	21.8
Groin	344	5,910	570	9.6	270	4.6	960	16.2
External reproductive tract structures	345	190	20	10.5	50	26.3	20	10.5
External reproductive tract structures, unspecified ..	3450	20	—	—	—	—	—	—
Scrotum	3451	90	—	—	40	44.4	20	22.2
Penis	3452	20	—	—	—	—	—	—
External reproductive tract structures, n.e.c.	3459	40	—	—	—	—	—	—
Internal reproductive tract structures	346	20	—	—	—	—	—	—
Multiple pelvic region locations	348	170	20	11.8	20	11.8	30	17.6
Pelvic region, n.e.c.	349	110	—	—	—	—	30	27.3
Multiple trunk locations	38	3,580	410	11.5	350	9.8	610	17.0
Trunk, n.e.c.	39	200	40	20.0	—	—	80	40.0
Upper extremities	4	286,320	39,230	13.7	29,550	10.3	45,130	15.8
Upper extremities, unspecified	40	440	50	11.4	—	—	50	11.4
Shoulder(s), including clavicle(s), scapula(e)	41	68,500	5,770	8.4	4,030	5.9	8,770	12.8
Arm(s)	42	43,580	5,340	12.3	4,590	10.5	6,940	15.9
Arm(s), unspecified	420	14,880	1,800	12.1	1,720	11.6	2,750	18.5
Upper arm(s)	421	5,050	420	8.3	230	4.6	550	10.9
Elbow(s)	422	14,220	1,850	13.0	1,270	8.9	1,990	14.0
Forearm(s)	423	7,300	1,090	14.9	1,100	15.1	1,390	19.0
Multiple arm locations	428	1,550	140	9.0	190	12.3	210	13.5
Multiple arm locations, unspecified	4280	250	20	8.0	—	—	20	8.0
Elbow(s) and arm(s)	4281	680	70	10.3	120	17.6	100	14.7
Multiple arm locations, n.e.c.	4289	620	50	8.1	50	8.1	90	14.5
Arm(s), n.e.c.	429	590	30	5.1	90	15.3	60	10.2
Wrist(s)	43	37,500	4,660	12.4	3,090	8.2	4,130	11.0
Hand(s)	44	121,500	21,970	18.1	16,500	13.6	22,750	18.7
Hand(s), unspecified	440	32,400	5,270	16.3	4,650	14.4	5,910	18.2
Hand(s), except finger(s)	441	4,380	720	16.4	650	14.8	1,080	24.7
Finger(s), fingernail(s)	442	80,110	15,450	19.3	10,790	13.5	14,620	18.2
Finger(s), fingernail(s), unspecified	4420	60,310	11,930	19.8	8,050	13.3	11,160	18.5
Fingernail(s), nailbed(s)	4421	870	190	21.8	90	10.3	250	28.7
Fingertip(s)	4422	7,640	1,350	17.7	1,290	16.9	1,360	17.8
Finger(s), fingernail(s), n.e.c.	4429	11,290	1,980	17.5	1,350	12.0	1,860	16.5
Hand(s) and finger(s)	448	2,810	220	7.8	240	8.5	840	29.9

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2013 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Coccygeal region	100	7.1	120	8.5	40	2.8	330	23.4	3
Multiple back regions	1,110	20.5	460	8.5	270	5.0	1,600	29.5	8
Back, including spine, spinal cord, n.e.c.	60	24.0	20	8.0	—	—	110	44.0	19
Abdomen	1,930	9.3	4,750	22.8	2,530	12.2	7,100	34.1	19
Abdomen, except internal location of diseases or disorders	1,850	9.3	4,440	22.2	2,470	12.4	6,840	34.3	20
Internal abdominal location, unspecified	20	4.9	70	17.1	50	12.2	210	51.2	32
Stomach organ	—	—	—	—	—	—	—	—	1
Intestines, peritoneum	50	13.2	230	60.5	—	—	40	10.5	15
Intestines, peritoneum, unspecified	40	11.1	230	63.9	—	—	30	8.3	15
Pelvic region	2,000	11.8	1,860	11.0	1,060	6.3	6,300	37.2	14
Pelvic region, unspecified	20	9.5	—	—	—	—	70	33.3	6
Hip(s)	830	10.3	740	9.2	480	5.9	3,300	40.9	15
Pelvis	30	2.6	100	8.7	20	1.7	780	67.8	60
Buttock(s)	180	16.4	110	10.0	30	2.7	130	11.8	4
Groin	810	13.7	880	14.9	520	8.8	1,910	32.3	15
External reproductive tract structures	60	31.6	—	—	—	—	20	10.5	5
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—	35
Scrotum	—	—	—	—	—	—	—	—	2
Penis	—	—	—	—	—	—	—	—	6
External reproductive tract structures, n.e.c.	30	75.0	—	—	—	—	—	—	10
Internal reproductive tract structures	—	—	—	—	—	—	—	—	13
Multiple pelvic region locations	30	17.6	—	—	—	—	60	35.3	7
Pelvic region, n.e.c.	50	45.5	—	—	—	—	20	18.2	6
Multiple trunk locations	430	12.0	370	10.3	230	6.4	1,180	33.0	10
Trunk, n.e.c.	40	20.0	—	—	—	—	20	10.0	3
Upper extremities	32,820	11.5	33,160	11.6	18,600	6.5	87,830	30.7	10
Upper extremities, unspecified	30	6.8	40	9.1	50	11.4	220	50.0	30
Shoulder(s), including clavicle(s), scapula(e)	6,350	9.3	7,460	10.9	5,180	7.6	30,930	45.2	24
Arm(s)	4,810	11.0	4,430	10.2	2,580	5.9	14,880	34.1	11
Arm(s), unspecified	1,750	11.8	1,220	8.2	760	5.1	4,870	32.7	8
Upper arm(s)	430	8.5	780	15.4	330	6.5	2,320	45.9	24
Elbow(s)	1,510	10.6	1,580	11.1	810	5.7	5,210	36.6	14
Forearm(s)	850	11.6	620	8.5	450	6.2	1,810	24.8	6
Multiple arm locations	240	15.5	140	9.0	170	11.0	460	29.7	10
Multiple arm locations, unspecified	80	32.0	30	12.0	20	8.0	70	28.0	10
Elbow(s) and arm(s)	110	16.2	60	8.8	60	8.8	150	22.1	8
Multiple arm locations, n.e.c.	50	8.1	50	8.1	90	14.5	240	38.7	24
Arm(s), n.e.c.	20	3.4	100	16.9	70	11.9	220	37.3	20
Wrist(s)	3,980	10.6	5,260	14.0	2,820	7.5	13,580	36.2	15
Hand(s)	15,900	13.1	14,280	11.8	6,870	5.7	23,210	19.1	5
Hand(s), unspecified	5,050	15.6	3,650	11.3	1,720	5.3	6,140	19.0	6
Hand(s), except finger(s)	510	11.6	460	10.5	200	4.6	760	17.4	4
Finger(s), fingernail(s)	9,800	12.2	9,450	11.8	4,650	5.8	15,350	19.2	5
Finger(s), fingernail(s), unspecified	7,340	12.2	6,950	11.5	3,440	5.7	11,440	19.0	5
Fingernail(s), nailbed(s)	110	12.6	90	10.3	40	4.6	100	11.5	4
Fingertip(s)	510	6.7	870	11.4	390	5.1	1,860	24.3	5
Finger(s), fingernail(s), n.e.c.	1,830	16.2	1,530	13.6	780	6.9	1,950	17.3	7
Hand(s) and finger(s)	360	12.8	480	17.1	120	4.3	560	19.9	7

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Hand(s), n.e.c.	449	1,780	300	16.9	180	10.1	300	16.9
Multiple upper extremities locations	48	14,680	1,430	9.7	1,320	9.0	2,470	16.8
Multiple upper extremities locations, unspecified	480	340	20	5.9	40	11.8	30	8.8
Hand(s) and arms(s)	481	1,670	220	13.2	300	18.0	170	10.2
Hand(s) and arm(s), unspecified	4810	850	140	16.5	150	17.6	80	9.4
Hand(s) and elbow(s)	4811	190	20	10.5	40	21.1	—	—
Hand(s) and arm(s), n.e.c.	4819	630	50	7.9	120	19.0	80	12.7
Hand(s) and wrist(s)	482	3,210	250	7.8	230	7.2	670	20.9
Wrist(s) and arm(s)	483	1,230	180	14.6	110	8.9	180	14.6
Wrist(s) and arm(s), unspecified	4830	420	30	7.1	40	9.5	70	16.7
Wrist(s) and elbow(s)	4831	370	60	16.2	40	10.8	30	8.1
Wrist(s) and arm(s), n.e.c.	4839	440	90	20.5	30	6.8	80	18.2
Shoulder(s) and arm(s)	484	4,870	360	7.4	390	8.0	840	17.2
Multiple upper extremities locations, n.e.c.	489	3,360	410	12.2	250	7.4	590	17.6
Upper extremities, n.e.c.	49	140	—	—	20	14.3	20	14.3
Lower extremities	5	202,280	22,790	11.3	20,310	10.0	31,510	15.6
Lower extremities, unspecified	50	240	40	16.7	20	8.3	20	8.3
Leg(s)	51	106,030	10,200	9.6	9,520	9.0	15,770	14.9
Leg(s), unspecified	510	12,450	1,660	13.3	1,200	9.6	2,440	19.6
Thigh(s)	511	4,440	710	16.0	530	11.9	790	17.8
Knee(s)	512	77,490	6,440	8.3	6,430	8.3	10,610	13.7
Lower leg(s)	513	8,840	1,120	12.7	1,070	12.1	1,460	16.5
Multiple leg locations	518	2,450	230	9.4	270	11.0	430	17.6
Multiple leg locations, unspecified	5180	240	—	—	60	25.0	60	25.0
Knee(s) and leg(s)	5181	1,580	100	6.3	180	11.4	310	19.6
Multiple leg locations, n.e.c.	5189	630	110	17.5	20	3.2	60	9.5
Leg(s), n.e.c.	519	370	40	10.8	20	5.4	40	10.8
Ankle(s)	52	45,620	5,730	12.6	4,870	10.7	7,910	17.3
Foot (feet)	53	43,570	5,970	13.7	5,350	12.3	6,660	15.3
Foot (feet), unspecified	530	27,920	4,140	14.8	3,660	13.1	4,630	16.6
Sole(s)	531	2,570	330	12.8	200	7.8	200	7.8
Sole(s), unspecified	5310	560	150	26.8	60	10.7	50	8.9
Ball(s) of the foot	5311	20	20	100.0	—	—	—	—
Arch(es), instep(s)	5312	150	—	—	20	13.3	20	13.3
Heel(s)	5313	1,800	140	7.8	110	6.1	130	7.2
Multiple sole locations	5318	50	—	—	—	—	—	—
Toes(s), toenail(s)	532	10,620	1,310	12.3	1,290	12.1	1,560	14.7
Multiple foot (feet) locations	538	1,260	90	7.1	40	3.2	110	8.7
Foot (feet), n.e.c.	539	1,200	90	7.5	160	13.3	160	13.3
Multiple lower extremities locations	58	6,760	860	12.7	560	8.3	1,140	16.9
Multiple lower extremities locations, unspecified	580	170	—	—	—	—	—	—
Foot (feet) and leg(s)	581	960	80	8.3	70	7.3	150	15.6
Foot(feet) and leg(s), unspecified	5810	270	—	—	—	—	40	14.8
Foot(feet) and knee(s)	5811	350	30	8.6	40	11.4	70	20.0
Foot(feet) and leg(s), n.e.c.	5819	330	40	12.1	—	—	50	15.2
Foot (feet) and ankle(s)	582	2,420	420	17.4	180	7.4	490	20.2
Ankle(s) and leg(s)	583	2,380	240	10.1	250	10.5	370	15.5
Ankle(s) and leg(s), unspecified	5830	480	60	12.5	60	12.5	30	6.2
Ankle(s) and knee(s)	5831	1,510	140	9.3	170	11.3	300	19.9

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2013 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Hand(s), n.e.c.	180	10.1	240	13.5	180	10.1	390	21.9	9
Multiple upper extremities locations	1,720	11.7	1,670	11.4	1,100	7.5	4,960	33.8	13
Multiple upper extremities locations, unspecified	20	5.9	30	8.8	—	—	180	52.9	41
Hand(s) and arms(s)	130	7.8	190	11.4	230	13.8	420	25.1	11
Hand(s) and arm(s), unspecified	70	8.2	80	9.4	150	17.6	180	21.2	8
Hand(s) and elbow(s)	—	—	30	15.8	20	10.5	50	26.3	11
Hand(s) and arm(s), n.e.c.	50	7.9	80	12.7	60	9.5	190	30.2	12
Hand(s) and wrist(s)	470	14.6	480	15.0	330	10.3	780	24.3	10
Wrist(s) and arm(s)	100	8.1	160	13.0	70	5.7	440	35.8	15
Wrist(s) and arm(s), unspecified	30	7.1	50	11.9	20	4.8	180	42.9	17
Wrist(s) and elbow(s)	20	5.4	70	18.9	20	5.4	130	35.1	18
Wrist(s) and arm(s), n.e.c.	50	11.4	40	9.1	20	4.5	130	29.5	8
Shoulder(s) and arm(s)	520	10.7	510	10.5	320	6.6	1,940	39.8	17
Multiple upper extremities locations, n.e.c.	490	14.6	290	8.6	140	4.2	1,200	35.7	9
Upper extremities, n.e.c.	20	14.3	20	14.3	—	—	50	35.7	12
Lower extremities	23,020	11.4	22,170	11.0	15,730	7.8	66,750	33.0	12
Lower extremities, unspecified	60	25.0	20	8.3	—	—	70	29.2	9
Leg(s)	11,870	11.2	12,110	11.4	8,230	7.8	38,320	36.1	14
Leg(s), unspecified	1,200	9.6	1,710	13.7	600	4.8	3,640	29.2	9
Thigh(s)	640	14.4	360	8.1	220	5.0	1,190	26.8	7
Knee(s)	8,830	11.4	8,770	11.3	6,540	8.4	29,860	38.5	17
Lower leg(s)	980	11.1	1,000	11.3	690	7.8	2,500	28.3	9
Multiple leg locations	180	7.3	230	9.4	100	4.1	1,010	41.2	15
Multiple leg locations, unspecified	—	—	40	16.7	—	—	50	20.8	5
Knee(s) and leg(s)	130	8.2	160	10.1	60	3.8	640	40.5	14
Multiple leg locations, n.e.c.	50	7.9	30	4.8	40	6.3	320	50.8	44
Leg(s), n.e.c.	20	5.4	40	10.8	80	21.6	120	32.4	29
Ankle(s)	5,330	11.7	4,770	10.5	3,370	7.4	13,640	29.9	10
Foot (feet)	4,850	11.1	4,490	10.3	3,620	8.3	12,650	29.0	9
Foot (feet), unspecified	3,090	11.1	2,550	9.1	1,680	6.0	8,170	29.3	7
Sole(s)	320	12.5	160	6.2	350	13.6	1,020	39.7	30
Sole(s), unspecified	160	28.6	20	3.6	—	—	120	21.4	7
Ball(s) of the foot	—	—	—	—	—	—	—	—	1
Arch(es), instep(s)	20	13.3	—	—	20	13.3	40	26.7	10
Heel(s)	130	7.2	100	5.6	320	17.8	860	47.8	30
Multiple sole locations	—	—	30	60.0	—	—	—	—	11
Toes(s), toenail(s)	1,310	12.3	1,270	12.0	1,090	10.3	2,790	26.3	10
Multiple foot (feet) locations	50	4.0	420	33.3	350	27.8	190	15.1	13
Foot (feet), n.e.c.	80	6.7	90	7.5	150	12.5	480	40.0	23
Multiple lower extremities locations	910	13.5	760	11.2	500	7.4	2,040	30.2	10
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	120	70.6	45
Foot (feet) and leg(s)	200	20.8	110	11.5	30	3.1	310	32.3	10
Foot(feet) and leg(s), unspecified	110	40.7	20	7.4	—	—	70	25.9	9
Foot(feet) and knee(s)	50	14.3	50	14.3	20	5.7	110	31.4	7
Foot(feet) and leg(s), n.e.c.	50	15.2	50	15.2	—	—	130	39.4	15
Foot (feet) and ankle(s)	220	9.1	200	8.3	320	13.2	600	24.8	8
Ankle(s) and leg(s)	370	15.5	330	13.9	70	2.9	730	30.7	10
Ankle(s) and leg(s), unspecified	60	12.5	30	6.2	20	4.2	220	45.8	20
Ankle(s) and knee(s)	220	14.6	240	15.9	40	2.6	390	25.8	10

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2013 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Ankle(s) and leg(s), n.e.c.	5839	390	40	10.3	20	5.1	40	10.3
Multiple lower extremities locations, n.e.c.	589	840	110	13.1	50	6.0	120	14.3
Lower extremities, n.e.c.	59	50	—	—	—	—	—	—
Body systems	6	18,570	4,590	24.7	3,660	19.7	2,440	13.1
Multiple body parts	8	89,870	12,500	13.9	9,650	10.7	15,170	16.9
Multiple body parts, unspecified	80	8,040	1,340	16.7	870	10.8	910	11.3
Head and neck	81	2,310	830	35.9	250	10.8	250	10.8
Head, neck, and trunk	82	520	30	5.8	40	7.7	50	9.6
Head and trunk	83	1,330	570	42.9	120	9.0	190	14.3
Neck and back	84	7,430	840	11.3	780	10.5	1,390	18.7
Shoulder(s) and back	85	3,750	350	9.3	300	8.0	820	21.9
Hip(s) and leg(s)	86	1,740	180	10.3	150	8.6	390	22.4
Upper and lower limb(s)	87	5,670	760	13.4	690	12.2	810	14.3
Other multiple body parts	89	59,080	7,610	12.9	6,440	10.9	10,380	17.6
Whole body	891	740	220	29.7	70	9.5	110	14.9
Multiple body parts, n.e.c.	899	58,340	7,390	12.7	6,370	10.9	10,270	17.6
Other body parts	9	30	—	—	—	—	—	—
Prosthetic and orthopedic devices	91	30	—	—	—	—	—	—
Nonclassifiable	9999	10,270	2,390	23.3	1,160	11.3	1,910	18.6

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2013 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Ankle(s) and leg(s), n.e.c.	90	23.1	60	15.4	—	—	130	33.3	12
Multiple lower extremities locations, n.e.c.	110	13.1	110	13.1	70	8.3	270	32.1	14
Lower extremities, n.e.c.	—	—	—	—	—	—	20	40.0	25
Body systems	1,490	8.0	1,520	8.2	740	4.0	4,130	22.2	3
Multiple body parts	9,930	11.0	8,820	9.8	4,610	5.1	29,190	32.5	9
Multiple body parts, unspecified	830	10.3	700	8.7	420	5.2	2,980	37.1	11
Head and neck	160	6.9	210	9.1	150	6.5	470	20.3	3
Head, neck, and trunk	40	7.7	40	7.7	20	3.8	290	55.8	34
Head and trunk	60	4.5	130	9.8	90	6.8	180	13.5	2
Neck and back	890	12.0	800	10.8	470	6.3	2,270	30.6	10
Shoulder(s) and back	540	14.4	310	8.3	220	5.9	1,220	32.5	9
Hip(s) and leg(s)	140	8.0	400	23.0	80	4.6	410	23.6	12
Upper and lower limb(s)	530	9.3	460	8.1	390	6.9	2,030	35.8	11
Other multiple body parts	6,750	11.4	5,780	9.8	2,770	4.7	19,350	32.8	9
Whole body	170	23.0	40	5.4	20	2.7	110	14.9	5
Multiple body parts, n.e.c.	6,590	11.3	5,740	9.8	2,750	4.7	19,240	33.0	9
Other body parts	—	—	—	—	—	—	20	66.7	35
Prosthetic and orthopedic devices	—	—	—	—	—	—	20	66.7	35
Nonclassifiable	1,240	12.1	860	8.4	430	4.2	2,280	22.2	5

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.