

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2013

Nature	Nature code ²	Private industry ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total		917,090	5,870	70,510	82,850	185,200	141,610	121,080	60,040	18,510	9,450	720	221,250
Traumatic injuries and disorders	1	881,320	5,820	68,390	81,000	181,090	137,860	118,260	58,910	17,960	9,240	720	202,070
Traumatic injuries and disorders, unspecified	10	1,030	–	230	30	160	100	30	50	–	20	–	390
Traumatic injuries to bones, nerves, spinal cord	11	86,680	880	7,530	8,160	17,670	12,970	12,180	6,230	1,960	1,060	50	17,980
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	6,210	–	210	190	920	570	750	190	40	50	–	3,260
Fractures	111	77,990	870	7,210	7,780	16,350	12,060	10,990	5,850	1,910	980	40	13,930
Traumatic injuries to spinal cord	112	210	–	–	50	60	–	40	–	–	–	–	40
Paralysis, paraplegia, quadriplegia	1121	20	–	–	–	–	–	–	–	–	–	–	–
Traumatic injuries to spinal cord, n.e.c.	1129	180	–	–	50	60	–	40	–	–	–	–	20
Traumatic injuries to nerves, except the spinal cord	113	2,060	–	110	60	320	290	360	170	–	20	–	740
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	140	–	–	–	–	70	30	–	–	–	–	40
Pinched nerve	1131	1,820	–	90	60	300	160	320	170	–	20	–	690
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	100	–	20	–	–	50	20	–	–	–	–	–
Multiple traumatic injuries to bones, nerves, spinal cord	118	110	–	–	50	–	30	20	–	–	–	–	–
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	100	–	–	30	–	20	–	–	–	–	–	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	358,410	2,000	28,420	32,560	75,280	55,660	46,630	21,930	7,870	3,610	310	84,150
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	2,650	20	290	250	380	320	230	190	20	20	–	930
Dislocations	121	8,070	100	530	900	1,760	1,180	1,300	470	150	110	–	1,580
Dislocations, unspecified	1210	790	–	30	80	60	50	160	20	30	30	–	260
Herniated discs	1211	2,630	–	150	400	610	400	210	170	30	–	–	660
Dislocation of joints	1212	4,490	30	330	400	1,040	710	910	260	90	60	–	650
Dislocations, n.e.c.	1219	160	–	–	20	50	20	30	20	–	–	–	–
Cartilage fractures and tears	122	4,970	40	330	350	940	650	620	270	120	70	–	1,580
Cartilage fractures and tears, unspecified	1220	410	–	–	–	190	30	50	–	–	–	–	110
Meniscus tears	1221	4,470	30	330	310	740	600	570	250	100	70	–	1,450
Cartilage fractures and tears, n.e.c.	1229	100	–	–	20	–	–	–	–	–	–	–	30
Sprains, strains, tears	123	327,060	1,830	26,520	30,080	68,950	51,210	42,030	20,250	7,180	3,380	290	75,340
Sprains, strains, tears, unspecified	1230	27,910	190	1,820	2,530	4,770	4,500	3,430	1,730	350	260	30	8,310
Major tears to muscles, tendons, ligaments	1231	17,960	70	1,040	1,430	3,790	3,350	2,520	1,490	390	160	20	3,720
Sprains	1232	79,670	740	6,830	7,030	17,320	11,830	10,410	5,750	1,690	1,090	40	16,950
Strains	1233	196,990	810	16,440	18,710	41,680	30,930	25,170	10,990	4,690	1,840	200	45,530
Multiple sprains, strains, tears	1238	4,540	30	390	370	1,380	610	510	290	70	40	–	830
Hernias due to traumatic incidents	124	13,500	–	640	860	2,760	1,930	2,180	680	230	30	–	4,170

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Whiplash	125	1,700	—	70	60	400	310	180	50	150	—	—	480
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	330	—	40	50	70	40	60	30	—	—	—	30
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	120	—	—	—	20	—	30	—	—	—	—	40
Open wounds	13	98,060	220	6,680	9,160	21,720	16,990	14,970	7,760	2,050	580	50	17,890
Open wounds, unspecified	130	1,720	—	50	120	180	440	510	50	—	—	—	360
Amputations, avulsions, enucleations	131	7,780	—	450	750	2,580	1,210	760	550	480	20	—	980
Amputations, avulsions, enucleations, unspecified	1310	60	—	—	—	—	—	—	—	—	—	—	—
Amputations	1311	6,160	—	280	670	1,860	1,000	640	470	460	20	—	770
Avulsions, enucleations	1312	1,440	—	160	70	680	190	110	60	20	—	—	140
Amputations, avulsions, enucleations, n.e.c.	1319	110	—	—	—	30	—	—	—	—	—	—	70
Cuts, lacerations	132	71,150	210	5,230	6,750	14,940	13,030	10,670	5,240	1,300	450	30	13,290
Puncture wounds, except gunshot wounds	133	17,100	—	930	1,520	3,950	2,280	2,950	1,910	230	100	—	3,210
Gunshot wounds	134	120	—	—	—	—	—	30	—	30	—	—	—
Multiple types of open wounds	138	80	—	—	—	30	—	20	—	—	—	—	—
Open wounds, n.e.c.	139	110	—	—	—	30	—	20	—	—	—	—	20
Surface wounds and bruises	14	82,980	920	6,370	8,130	16,540	13,930	11,830	5,950	1,560	800	90	16,860
Surface wounds and bruises, unspecified	140	300	—	—	—	50	30	30	20	—	—	—	160
Abrasions, scratches	141	8,630	70	500	1,010	1,680	1,120	1,070	690	170	40	—	2,250
Blisters	142	60	—	—	—	—	—	—	—	—	—	—	20
Bruises, contusions	143	72,710	820	5,770	7,030	14,490	12,490	10,500	5,140	1,380	750	80	14,270
Multiple surface wounds and bruises	148	740	30	60	60	210	110	120	70	—	—	—	70
Surface wounds and bruises, n.e.c.	149	540	—	30	20	120	170	90	30	—	—	—	80
Burns and corrosions	15	18,660	—	1,500	1,700	4,530	3,500	2,580	980	290	120	—	3,460
Burns and corrosions, unspecified	150	480	—	30	—	110	60	40	30	—	—	—	180
Chemical burns and corrosions	151	2,790	—	320	170	630	500	500	240	50	—	—	370
Chemical burns and corrosions, unspecified	1510	2,460	—	230	150	560	420	480	220	50	—	—	320
First degree chemical burns and corrosions	1511	70	—	—	—	—	—	—	—	—	—	—	30
Second degree chemical burns and corrosions	1512	70	—	—	—	20	—	20	—	—	—	—	—
Third or fourth degree chemical burns and corrosions	1513	100	—	80	—	—	—	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	1519	100	—	—	—	30	50	—	—	—	—	—	—
Heat (thermal) burns	152	13,780	—	1,080	1,350	3,540	2,690	1,840	520	210	100	—	2,430
Heat (thermal) burns, unspecified ..	1520	10,320	—	740	1,050	2,710	2,050	1,190	350	160	60	—	2,020
First degree heat (thermal) burns ..	1521	790	—	100	60	100	90	370	20	—	—	—	40
Second degree heat (thermal) burns	1522	2,090	—	200	170	550	500	230	90	30	20	—	300
Third or fourth degree heat (thermal) burns	1523	260	—	—	20	120	20	40	30	20	—	—	—

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Heat (thermal) burns, n.e.c.	1529	320	—	40	50	70	30	20	30	—	20	—	70
Electrical burns	153	560	—	30	50	110	80	40	60	—	—	—	180
Electrical burns, unspecified	1530	400	—	—	20	90	50	30	40	—	—	—	150
First degree electrical burns	1531	50	—	—	—	—	20	—	—	—	—	—	—
Second degree electrical burns	1532	60	—	—	—	20	—	—	—	—	—	—	—
Electrical burns, n.e.c.	1539	40	—	—	20	—	—	—	—	—	—	—	20
Other burns	159	1,050	—	30	110	130	170	170	130	—	—	—	300
Other burns, unspecified	1590	250	—	—	40	—	30	80	60	—	—	—	30
Other burns, first degree	1591	720	—	—	70	100	120	80	70	—	—	—	260
Other burns, second degree	1592	60	—	20	—	20	—	—	—	—	—	—	—
Other burns, n.e.c.	1599	30	—	—	—	—	—	—	—	—	—	—	—
Intracranial injuries	16	11,520	120	1,060	1,010	2,640	2,160	1,740	620	120	160	—	1,870
Intracranial injuries, unspecified	160	750	30	60	40	260	80	70	80	—	—	—	130
Cerebral and other intracranial hemorrhages	161	30	—	—	—	—	—	—	—	—	—	—	20
Concussions	162	10,690	90	990	960	2,370	2,060	1,670	540	110	150	—	1,730
Multiple types of intracranial injuries ..	168	40	—	—	—	—	20	—	—	—	—	—	—
Multiple intracranial injuries, unspecified	1680	20	—	—	—	—	—	—	—	—	—	—	—
Multiple intracranial injuries, n.e.c.	1689	20	—	—	—	—	—	—	—	—	—	—	—
Effects of environmental conditions	17	2,590	—	50	370	540	350	380	350	110	20	—	410
Effects of reduced temperature	171	110	—	—	—	—	—	20	30	—	—	—	30
Frostbite	1711	100	—	—	—	—	—	—	30	—	—	—	30
Effects of heat and light	172	2,360	—	30	340	500	310	360	330	110	20	—	370
Effects of heat and light, unspecified	1720	210	—	30	—	30	20	60	30	—	—	—	40
Heat stroke	1721	150	—	—	—	30	60	—	—	—	—	—	40
Heat syncope	1722	110	—	—	—	—	—	40	30	—	—	—	—
Heat fatigue	1723	250	—	—	20	40	20	—	160	—	—	—	—
Heat exhaustion, prostration	1725	1,230	—	—	260	290	160	160	80	50	—	—	230
Effects of heat and light, n.e.c.	1729	400	—	—	60	100	30	80	20	40	—	—	40
Effects of air or water pressure	173	90	—	—	—	30	30	—	—	—	—	—	—
Effects of air or water pressure, unspecified	1730	20	—	—	—	—	—	—	—	—	—	—	—
Aero-otitis media	1731	40	—	—	—	—	30	—	—	—	—	—	—
Effects of air or water pressure, n.e.c.	1739	30	—	—	—	30	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders ..	18	23,700	440	2,030	2,340	5,450	3,820	3,320	1,850	510	350	20	3,570
Multiple traumatic injuries and disorders, unspecified	180	1,270	—	40	50	330	160	100	90	—	—	—	480
Cuts and abrasions or bruises	181	4,030	40	470	300	1,100	770	430	370	80	40	—	420
Sprains and other injuries	182	10,070	310	830	1,250	2,210	1,510	1,500	800	240	170	—	1,240
Sprains and other injuries, unspecified	1820	210	—	60	20	30	20	50	20	—	—	—	20
Sprains and bruises	1821	7,810	230	660	1,090	1,490	1,300	1,270	610	190	60	—	920
Sprains and cuts	1822	720	20	60	70	100	60	90	40	30	100	—	160
Sprains and other injuries, n.e.c.	1829	1,330	70	60	60	590	130	100	130	20	—	—	150
Fractures and other injuries	183	5,300	40	460	470	1,220	970	790	300	130	110	—	810

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Fractures and other injuries, unspecified	1830	660	—	90	70	90	70	80	—	40	—	—	220
Fractures (except skull fractures) and concussions	1831	200	—	—	30	—	50	30	30	—	—	—	30
Fractures (except rib, trunk fractures) and internal injuries	1832	130	—	—	—	—	20	—	20	—	—	—	—
Fractures and burns	1833	40	—	—	—	—	—	30	—	—	—	—	—
Fractures and dislocations	1834	360	—	20	20	70	50	50	70	—	—	—	50
Fractures and other injuries, n.e.c.	1839	3,910	30	350	340	1,020	770	600	170	80	50	—	500
Burns and other injuries, except fractures	184	170	—	—	—	—	50	40	—	—	—	—	40
Burns and other injuries, except fractures, unspecified	1840	30	—	—	—	—	—	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	140	—	—	—	—	50	30	—	—	—	—	40
Intracranial injuries and injuries to internal organs	185	70	—	—	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	2,790	40	220	270	590	290	460	270	40	20	—	580
Other traumatic injuries and disorders ...	19	197,690	1,230	14,510	17,530	36,560	28,400	24,580	13,200	3,490	2,520	200	55,480
Other traumatic injuries and disorders, unspecified	190	330	—	30	20	80	30	70	20	—	—	—	80
Asphyxiations, strangulations, suffocations	191	80	—	—	20	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	193	1,530	—	60	80	710	200	190	100	20	—	—	150
Internal injuries to organs and blood vessels of the trunk	194	450	—	20	—	360	20	—	—	—	—	—	20
Dermatitis and reactions affecting the skin—acute	195	2,950	—	230	160	420	460	180	140	20	—	—	1,330
Dermatitis and reactions affecting the skin—acute, unspecified	1950	1,370	—	200	90	80	70	100	40	—	—	—	780
Allergic dermatitis—acute	1951	1,010	—	20	30	100	350	40	60	—	—	—	410
Irritant dermatitis—acute	1952	430	—	—	—	200	30	—	30	—	—	—	130
Hives, urticaria—acute	1953	50	—	—	—	—	—	30	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	80	—	—	30	20	—	—	—	—	—	—	20
Other poisoning, toxic, noxious, or allergenic effects	196	7,080	—	980	400	1,260	840	630	390	110	80	20	2,360
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	2,220	—	210	190	570	280	180	130	40	50	—	570
Poisoning, including poisoning-related asphyxia	1961	660	—	90	30	110	150	40	60	60	—	—	110
Anaphylactic shock, anaphylaxis ...	1962	50	—	—	—	30	—	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	1,700	—	120	90	350	210	160	60	—	20	—	670
Coughing and throat irritation—toxic, noxious, or allergenic effect	1964	70	—	—	—	20	—	30	—	—	—	—	—

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	540	—	230	30	60	40	30	—	—	—	—	120
Other or unspecified allergic reactions	1966	980	—	60	40	70	60	30	80	—	—	—	630
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	100	—	—	—	—	30	20	—	—	—	—	30
Multiple poisoning, toxic, noxious, or allergenic effects	1968	360	—	40	—	—	20	110	—	—	—	—	160
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	380	—	210	—	30	40	30	30	—	—	—	40
Nonspecified injuries and disorders ...	197	184,760	1,210	13,150	16,570	33,680	26,820	23,430	12,500	3,320	2,410	160	51,500
Crushing injuries	1971	9,820	—	610	1,070	1,610	1,690	1,480	1,200	190	140	—	1,840
Soreness, pain, hurt—nonspecified injury	1972	153,970	1,140	11,420	14,020	28,400	22,130	18,930	9,810	2,850	1,820	150	43,300
Swelling, inflammation, irritation—nonspecified injury	1973	17,180	40	860	1,130	3,080	2,420	2,640	1,250	240	370	—	5,130
Numbness—nonspecified injury	1974	750	—	60	60	120	100	100	20	—	—	—	280
Multiple nonspecified injuries and disorders	1978	1,890	—	90	150	290	350	170	160	20	60	—	590
Nonspecified injuries and disorders, n.e.c.	1979	1,150	—	110	140	200	140	120	60	—	—	—	360
Other traumatic injuries and disorders, n.e.c.	199	520	—	30	280	30	20	70	50	—	—	—	30
Traumatic injuries and disorders, n.e.c.	1999	510	—	30	280	20	20	70	50	—	—	—	30
Diseases and disorders of body systems	2	20,470	—	1,080	810	2,540	2,350	1,590	690	200	160	—	11,040
Systemic diseases and disorders, unspecified	20	30	—	—	—	—	—	—	—	—	—	—	30
Nervous system and sense organs diseases	22	8,360	—	450	250	700	830	440	180	70	30	—	5,400
Degenerative diseases of the central nervous system	222	20	—	—	—	—	—	—	—	—	—	—	—
Other disorders of the central nervous system	223	490	—	30	—	50	350	—	—	—	—	—	30
Seizure disorder, epilepsy	2231	440	—	20	—	40	350	—	—	—	—	—	20
Migraine	2232	50	—	—	—	—	—	—	—	—	—	—	20
Disorders of the peripheral nervous system	224	6,720	—	360	180	410	280	210	110	40	20	—	5,110
Disorders of the peripheral nervous system, unspecified	2240	200	—	—	—	—	—	—	—	—	—	—	180
Carpal tunnel syndrome	2241	6,440	—	340	170	390	270	200	100	40	20	—	4,900
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	20	—	—	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	60	—	—	—	—	—	—	—	—	—	—	30

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Hours on the job before event occurred											Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Disorders of the eye, adnexa, vision ..	225	930	—	50	50	230	140	180	70	20	—	—	190	
Disorders of the eye, adnexa, vision, unspecified	2250	170	—	—	—	70	—	—	—	—	—	—	40	
Conjunctivitis—non-viral	2251	390	—	20	20	70	50	100	40	—	—	—	70	
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	50	—	—	—	—	—	—	—	—	—	—	40	
Cataracts	2253	20	—	—	—	—	—	—	—	—	—	—	—	
Blindness, low vision	2254	30	—	—	—	—	—	—	—	—	—	—	—	
Visual disturbances	2256	20	—	—	—	—	—	—	—	—	—	—	—	
Disorders of the eye, adnexa, vision, n.e.c.	2259	240	—	—	—	80	50	50	—	—	—	—	30	
Disorders of the ear, mastoid process, hearing	226	190	—	—	—	—	40	50	—	—	—	—	60	
Deafness, hearing loss and impairment	2261	120	—	—	—	—	20	40	—	—	—	—	40	
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	50	—	—	—	—	—	—	—	—	—	—	—	
Circulatory system diseases	23	430	—	80	20	80	110	20	40	—	—	—	90	
Circulatory system diseases, unspecified	230	20	—	—	—	—	—	—	—	—	—	—	—	
Hypertensive disease	232	30	—	—	—	—	20	—	—	—	—	—	—	
Ischemic heart disease, including heart attack	233	170	—	20	—	30	70	—	30	—	—	—	—	
Myocardial infarction (heart attack)	2331	160	—	20	—	20	60	—	30	—	—	—	—	
Diseases of pulmonary circulation	234	20	—	—	—	—	—	—	—	—	—	—	—	
Pulmonary embolism	2342	20	—	—	—	—	—	—	—	—	—	—	—	
Cerebrovascular disease	236	130	—	50	—	20	20	—	—	—	—	—	20	
Stroke	2361	100	—	30	—	20	20	—	—	—	—	—	20	
Diseases of the veins, lymphatics	238	30	—	—	—	—	—	—	—	—	—	—	—	
Phlebitis, thrombosis	2383	20	—	—	—	—	—	—	—	—	—	—	—	
Respiratory system diseases	24	920	—	30	50	40	90	140	30	—	70	—	480	
Respiratory system diseases, unspecified	240	110	—	—	—	—	—	70	—	—	—	—	20	
Acute respiratory infections (including common cold)	241	330	—	—	—	—	—	40	—	—	—	—	260	
Other diseases of upper respiratory tract	242	50	—	—	—	—	—	—	—	—	—	—	20	
Allergic rhinitis	2421	20	—	—	—	—	—	—	—	—	—	—	—	
Pneumonia, influenza	243	170	—	—	—	—	40	20	—	—	—	—	80	
Pneumonia	2431	40	—	—	—	—	—	—	—	—	—	—	30	
Influenza—common	2432	80	—	—	—	—	20	20	—	—	—	—	40	
Influenza—novel	2433	50	—	—	—	—	—	—	—	—	—	—	—	
Chronic obstructive pulmonary disease and allied conditions	244	140	—	—	—	20	20	—	—	—	—	—	60	
Chronic bronchitis	2441	20	—	—	—	—	—	—	—	—	—	—	—	
Asthma, except intrinsic	2443	50	—	—	—	—	—	—	—	—	—	—	—	

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
Chronic obstructive pulmonary diseases and allied conditions, n.e.c.	2449	60	-	-	-	-	-	-	-	-	-	-	-	40
Pneumoconioses	245	40	-	-	-	-	-	-	-	-	-	-	-	40
Coal workers pneumoconiosis	2451	40	-	-	-	-	-	-	-	-	-	-	-	40
Other respiratory system diseases	249	90	-	-	-	-	-	-	-	-	-	-	-	-
Atelectasis, collapsed lung	2494	70	-	-	-	-	-	-	-	-	-	-	-	-
Digestive system diseases and disorders	25	710	-	20	20	50	60	40	40	-	-	-	-	480
Hernia—nontraumatic	253	700	-	20	20	50	60	40	40	-	-	-	-	480
Genitourinary system diseases and disorders	26	20	-	-	-	-	-	-	-	-	-	-	-	-
Musculoskeletal system and connective tissue diseases and disorders	27	8,670	-	460	420	1,340	1,150	780	300	120	40	-	-	4,060
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	140	-	-	-	-	-	-	-	-	-	-	-	120
Arthropathies and related disorders (arthritis)	271	490	-	20	-	390	-	-	-	-	-	-	-	60
Dorsopathies	272	670	-	60	40	60	290	50	30	50	-	-	-	90
Sciatica	2721	230	-	30	20	30	50	-	-	50	-	-	-	30
Lumbago	2722	100	-	-	-	20	20	30	-	-	-	-	-	20
Disc disorders, except dislocation ..	2723	30	-	-	-	-	-	-	-	-	-	-	-	-
Dorsopathies, n.e.c.	2729	290	-	-	20	-	210	-	-	-	-	-	-	40
Soft tissue disorders, except the back	273	7,240	-	380	370	880	850	710	260	70	40	-	-	3,660
Soft tissue disorder, except the back, unspecified	2730	750	-	60	-	20	180	50	-	-	-	-	-	430
Bursitis	2731	660	-	20	-	80	120	40	30	-	-	-	-	360
Stenosing tenosynovitis	2732	1,000	-	40	60	80	50	30	-	-	-	-	-	690
Other tenosynovitis, synovitis	2733	510	-	20	40	50	50	60	20	-	-	-	-	260
Epicondylitis	2734	1,310	-	70	50	160	150	280	80	-	-	-	-	520
Other or unspecified tendonitis (tendinitis)	2735	2,290	-	130	140	390	220	200	110	40	-	-	-	1,040
Ganglion or cystic tumor	2736	310	-	-	30	60	40	20	-	-	-	-	-	150
Multiple soft tissue disorders	2738	70	-	-	-	-	-	-	-	-	-	-	-	50
Soft tissue disorder, except the back, n.e.c.	2739	350	-	30	20	40	40	40	-	-	-	-	-	170
Osteopathies, chondropathies, and acquired deformities	274	20	-	-	-	-	-	-	-	-	-	-	-	20
Osteopathies, chondropathies, and acquired deformities, n.e.c.	2749	20	-	-	-	-	-	-	-	-	-	-	-	20
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	110	-	-	-	-	-	-	-	-	-	-	-	100
Disorders of the skin and subcutaneous tissue	28	1,190	-	50	40	300	110	140	40	-	-	-	-	480
Disorders of the skin and subcutaneous tissue, unspecified	280	20	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Infections of the skin and subcutaneous tissue	281	1,120	—	40	30	300	110	140	40	—	—	—	430
Infections of the skin and subcutaneous tissue, unspecified	2810	200	—	—	30	—	30	40	—	—	—	—	70
Cellulitis and abscess	2811	550	—	20	—	90	60	90	30	—	—	—	250
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	240	—	—	—	160	—	—	—	—	—	—	50
Other staphylococcus skin infection	2814	60	—	—	—	40	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, n.e.c.	2819	70	—	—	—	—	—	20	—	—	—	—	50
Other diseases and disorders of the skin and subcutaneous tissue	289	40	—	—	—	—	—	—	—	—	—	—	30
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	30	—	—	—	—	—	—	—	—	—	—	20
Other systemic diseases and disorders	29	130	—	—	—	20	—	—	60	—	—	—	20
Endocrine, nutritional, metabolic, and immunity disorders	291	120	—	—	—	—	—	—	60	—	—	—	20
Diseases and disorders of other endocrine glands	2912	20	—	—	—	—	—	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	100	—	—	—	—	—	—	60	—	—	—	20
Infectious and parasitic diseases	3	2,250	—	240	250	160	190	50	60	—	—	—	1,290
Infectious and parasitic diseases, unspecified	30	30	—	—	—	—	—	—	—	—	—	—	—
Bacterial diseases	31	230	—	20	—	30	—	—	—	—	—	—	150
Tuberculosis	311	60	—	—	—	—	—	—	—	—	—	—	60
Other bacterial diseases	319	170	—	20	—	30	—	—	—	—	—	—	80
Diphtheria, whooping cough	3192	70	—	—	—	20	—	—	—	—	—	—	30
Septicemia	3197	20	—	—	—	—	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c.	3199	70	—	—	—	—	—	—	—	—	—	—	60
Viral diseases	32	300	—	90	—	30	—	20	—	—	—	—	140
Viral diseases, unspecified	320	20	—	—	—	—	—	—	—	—	—	—	20
Viral diseases accompanied by exanthem (eruptive fever)	323	100	—	—	—	—	—	—	—	—	—	—	70
Chickenpox, varicella	3233	70	—	—	—	—	—	—	—	—	—	—	50
Herpes zoster, shingles	3234	30	—	—	—	—	—	—	—	—	—	—	20
Viral diseases of the conjunctiva	326	90	—	—	—	30	—	20	—	—	—	—	20
Viral conjunctivitis (ophthalmia)	3261	90	—	—	—	30	—	20	—	—	—	—	20
Other diseases due to viruses	329	80	—	—	—	—	—	—	—	—	—	—	20
Other arthropod-borne diseases	33	70	—	—	—	—	—	—	—	—	—	—	60
Mycoses (fungal infections)	34	80	—	—	—	—	—	—	—	—	—	—	60
Dermatophytosis (including athletes foot, tinea)	341	50	—	—	—	—	—	—	—	—	—	—	40
Coccidioidomycosis	342	20	—	—	—	—	—	—	—	—	—	—	20
Helminthiasis (worm infections)	35	20	—	—	—	—	—	—	—	—	—	—	20

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Infectious diseases peculiar to the intestines	36	170	—	40	—	20	—	—	—	—	—	—	90
Other salmonella infections	363	50	—	—	—	—	—	—	—	—	—	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	364	40	—	—	—	—	—	—	—	—	—	—	20
Infectious diseases peculiar to the intestines, n.e.c.	369	70	—	40	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	39	1,360	—	100	210	70	170	20	30	—	—	—	760
Scabies and other acariases	392	1,320	—	90	200	60	170	20	30	—	—	—	740
Symptoms, signs, and ill-defined conditions	5	4,590	—	430	410	820	660	410	140	110	30	—	1,560
Symptoms, signs, and ill-defined conditions, unspecified	50	90	—	—	—	—	—	—	—	—	—	—	50
Symptoms	51	4,350	—	410	400	810	640	390	120	40	20	—	1,500
Symptoms, unspecified	510	270	—	—	—	—	—	—	—	—	—	—	240
General symptoms	511	2,680	—	240	280	510	460	250	90	30	20	—	800
General symptoms, unspecified	5110	70	—	—	40	—	—	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	1,260	—	170	150	280	300	110	50	—	—	—	190
Convulsions, seizures	5112	110	—	20	—	20	—	—	—	—	—	—	50
Dizziness—general	5114	590	—	20	30	90	120	100	20	—	—	—	210
Inflammation, swelling—general	5115	110	—	—	—	40	20	—	—	—	—	—	20
Numbness—general	5116	80	—	—	—	—	—	—	—	—	—	—	20
Multiple general symptoms	5118	130	—	—	40	40	—	—	—	—	—	—	20
General symptoms, n.e.c.	5119	320	—	20	—	—	—	—	—	—	—	—	270
Symptoms involving nervous and musculoskeletal systems	512	70	—	—	—	—	—	—	—	—	—	—	50
Earache	5122	70	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	50	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue, n.e.c.	5139	50	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck ..	514	310	—	30	—	50	40	40	—	—	—	—	130
Headache, except migraine	5141	250	—	20	—	40	20	30	—	—	—	—	130
Multiple symptoms involving head and neck	5148	20	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	5149	30	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	40	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	20	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	580	—	50	50	200	60	70	—	—	—	—	130
Symptoms involving respiratory system and chest, unspecified	5160	250	—	30	30	50	20	50	—	—	—	—	60

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Chest pain	5164	120	—	—	—	50	20	—	—	—	—	—	30
Multiple symptoms involving respiratory system and chest	5168	80	—	—	—	70	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	120	—	—	—	20	20	—	—	—	—	—	40
Symptoms involving digestive and urinary system	517	180	—	—	20	—	20	—	—	—	—	—	130
Nausea and vomiting—general	5171	40	—	—	—	—	—	—	—	—	—	—	—
Multiple symptoms involving digestive or urinary system	5178	20	—	—	—	—	—	—	—	—	—	—	20
Symptoms involving digestive and urinary system, n.e.c.	5179	100	—	—	—	—	—	—	—	—	—	—	90
Multiple symptoms	518	160	—	20	30	30	40	—	—	—	—	—	—
Abnormal findings	52	30	—	—	—	—	—	—	—	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	58	100	—	—	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	20	—	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	4,060	—	170	140	300	390	610	150	110	20	—	2,170
Other diseases, conditions, and disorders, unspecified	60	100	—	30	—	—	—	—	—	—	—	—	60
Damage to prosthetic and orthopedic devices	61	30	—	—	—	—	—	—	—	—	—	—	—
Damage to prosthetic devices and aids	611	30	—	—	—	—	—	—	—	—	—	—	—
Mental disorders and syndromes	62	3,920	—	140	140	280	380	600	150	110	20	—	2,100
Mental disorders and syndromes, unspecified	620	150	—	—	—	—	30	—	20	—	—	—	70
Anxiety, stress	621	3,690	—	130	130	260	350	590	130	100	20	—	1,970
Anxiety, stress, unspecified	6210	2,750	—	50	60	130	250	480	110	30	—	—	1,630
Post-traumatic stress disorder	6211	550	—	70	20	70	40	90	—	60	—	—	190
Adjustment disorder	6212	40	—	—	—	—	—	—	—	—	—	—	20
Anxiety or panic disorder	6213	160	—	—	50	30	20	—	—	—	—	—	30
Anxiety, stress, n.e.c.	6219	200	—	—	—	20	30	—	—	20	—	—	100
Depression or depressive episode	622	70	—	—	—	—	—	—	—	—	—	—	60
Exposures to disease—no illness incurred	7	350	—	30	40	60	30	40	30	—	—	—	110
Multiple diseases, conditions, and disorders	8	430	—	110	100	30	30	—	—	70	—	—	60

See footnotes at end of table.

TABLE R78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, private industry, 2013 — Continued

Nature	Nature code ²	Private industry ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Nonclassifiable	9999	3,630	20	50	110	220	90	120	50	20	–	–	2,950

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.