

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2014

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		916,440	11,790	104,730	38,140	50,480	77,860
Head	1	68,940	4,130	3,990	5,080	3,110	6,520
Head, unspecified	10	16,280	–	1,290	1,780	1,240	1,300
Cranial region, including skull	11	15,450	–	950	1,870	1,040	1,300
Cranial region, unspecified	110	230	–	–	20	30	–
Brain	111	12,540	–	790	1,610	770	970
Scalp	112	2,290	–	130	170	210	290
Skull	113	320	–	20	50	30	30
Multiple cranial region locations	118	30	–	–	–	–	–
Cranial region, n.e.c.	119	40	–	–	–	–	–
Ear(s)	12	960	–	70	40	20	240
Face	13	35,140	4,100	1,610	1,300	770	3,610
Face, unspecified	130	3,400	290	200	90	140	610
Forehead	131	2,610	–	150	560	150	400
Eye(s)	132	20,910	3,550	790	370	200	1,150
Nose, nasal cavity	133	2,340	20	190	90	120	370
Nose, except internal location of diseases or disorders	1330	2,330	20	190	90	120	370
Cheek(s)	134	410	–	20	–	–	90
Jaw, chin	135	840	–	20	40	60	50
Mouth	136	2,160	–	190	80	50	440
Mouth, unspecified	1360	240	–	–	–	–	20
Lip(s)	1361	760	–	20	40	–	280
Tooth (teeth)	1363	980	–	150	30	30	90
Multiple mouth locations	1368	140	–	–	–	–	40
Mouth, n.e.c.	1369	30	–	–	–	–	–
Multiple face locations	138	2,220	210	40	30	40	480
Face, n.e.c.	139	260	–	–	–	–	20
Multiple head locations	18	850	–	60	30	30	70
Head, n.e.c.	19	270	–	20	60	20	–
Neck, including throat	2	12,410	30	1,750	290	420	600
Neck, except internal location of diseases or disorders ...	20	12,390	20	1,750	290	420	600
Trunk	3	218,560	310	46,100	10,280	7,380	18,580
Trunk, unspecified	30	1,030	–	140	70	40	40
Chest, including ribs, internal organs	31	14,430	160	1,340	620	480	1,200
Chest, except internal location of diseases or disorders	310	13,860	20	1,330	610	480	1,200
Internal chest location, unspecified	311	110	40	–	–	–	–
Heart	313	330	–	–	–	–	–
Lung(s), pleura	315	120	70	–	–	–	–
Back, including spine, spinal cord	32	162,720	20	36,420	7,480	5,460	12,420
Back, including spine, spinal cord, unspecified	320	64,680	–	13,080	3,010	2,390	5,200
Thoracic region	321	7,410	–	1,960	280	240	360
Lumbar region	322	82,730	–	20,260	3,820	2,690	6,440

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2014 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Total	158,730	38,790	93,970	141,490	135,110	65,300	43,920	116,100
Head	10,060	2,110	6,370	430	140	5,700	2,030	20,420
Head, unspecified	3,840	200	2,640	150	80	1,110	390	2,240
Cranial region, including skull	3,920	230	2,490	80	20	1,230	550	1,930
Cranial region, unspecified	80	—	30	—	—	—	—	50
Brain	3,390	120	1,930	60	—	1,130	490	1,440
Scalp	350	90	500	—	—	70	40	400
Skull	80	—	20	—	—	—	—	40
Multiple cranial region locations	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—
Ear(s)	—	—	30	70	20	110	—	340
Face	2,080	1,640	1,080	90	20	2,960	990	15,790
Face, unspecified	340	140	190	—	—	590	260	750
Forehead	350	110	280	—	—	120	30	480
Eye(s)	170	710	140	30	—	690	200	13,100
Nose, nasal cavity	400	60	140	40	—	610	180	250
Nose, except internal location of diseases or disorders	400	60	140	40	—	610	180	250
Cheek(s)	20	—	—	—	—	70	30	150
Jaw, chin	170	20	110	—	—	190	70	180
Mouth	370	290	100	—	—	330	80	300
Mouth, unspecified	—	—	—	—	—	150	20	—
Lip(s)	70	130	—	—	—	90	—	120
Tooth (teeth)	250	120	70	—	—	60	20	160
Multiple mouth locations	20	30	—	—	—	30	30	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—
Multiple face locations	210	290	80	—	—	290	100	540
Face, n.e.c.	50	20	40	—	—	70	50	40
Multiple head locations	150	40	110	40	—	230	90	90
Head, n.e.c.	60	—	20	—	—	60	—	30
Neck, including throat	950	150	3,930	1,590	1,570	1,530	1,120	1,070
Neck, except internal location of diseases or disorders ...	950	150	3,930	1,590	1,570	1,530	1,120	1,060
Trunk	26,210	3,720	20,250	35,900	34,890	27,300	20,660	18,420
Trunk, unspecified	160	20	110	120	120	160	120	150
Chest, including ribs, internal organs	3,490	240	2,940	1,160	660	1,030	610	1,380
Chest, except internal location of diseases or disorders	3,470	230	2,930	860	650	1,000	610	1,310
Internal chest location, unspecified	—	—	—	40	—	—	—	20
Heart	—	—	—	250	—	30	—	—
Lung(s), pleura	—	—	—	—	—	—	—	30
Back, including spine, spinal cord	15,990	2,190	13,800	29,770	29,450	23,110	18,060	13,180
Back, including spine, spinal cord, unspecified	7,160	780	5,810	11,650	11,550	8,310	6,340	6,080
Thoracic region	390	80	800	1,070	960	1,450	1,070	730
Lumbar region	6,820	1,270	6,400	15,760	15,660	12,030	9,570	5,740

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Sacral region	323	1,060	—	110	60	—	—
Coccygeal region	324	1,270	—	60	120	30	20
Multiple back regions	328	5,340	—	910	180	100	390
Back, including spine, spinal cord, n.e.c.	329	230	—	20	—	—	—
Abdomen	33	19,800	50	5,550	980	830	3,840
Abdomen, except internal location of diseases or disorders	330	18,960	20	5,380	970	810	3,780
Internal abdominal location, unspecified	331	370	—	130	—	—	40
Stomach organ	332	50	—	—	—	—	—
Intestines, peritoneum	335	370	—	30	—	—	30
Intestines, peritoneum, unspecified	3350	280	—	20	—	—	—
Large intestine, colon, rectum	3353	70	—	—	—	—	30
Other digestive structures	336	20	—	—	—	—	—
Internal abdominal location, n.e.c.	339	20	—	—	—	—	—
Pelvic region	34	16,060	80	2,080	1,030	390	880
Pelvic region, unspecified	340	150	—	20	—	—	—
Hip(s)	341	7,750	—	590	660	140	220
Pelvis	342	1,020	—	50	20	20	80
Buttock(s)	343	1,600	60	20	110	40	30
Groin	344	4,870	—	1,290	180	170	500
External reproductive tract structures	345	320	—	30	50	—	30
External reproductive tract structures, unspecified ..	3450	90	—	—	—	—	—
Scrotum	3451	200	—	20	—	—	—
Penis	3452	20	—	—	—	—	—
Internal reproductive tract structures	346	60	—	—	—	—	—
Ovary (ovaries)	3463	50	—	—	—	—	—
Multiple pelvic region locations	348	200	—	50	—	—	20
Pelvic region, n.e.c.	349	80	—	—	—	—	—
Multiple trunk locations	38	4,270	—	570	100	180	190
Trunk, n.e.c.	39	250	—	—	—	—	—
Upper extremities	4	288,240	2,130	33,900	11,440	31,450	32,990
Upper extremities, unspecified	40	340	—	80	—	—	30
Shoulder(s), including clavicle(s), scapula(e)	41	72,200	—	13,550	3,270	2,500	7,920
Arm(s)	42	44,290	480	5,850	1,670	2,560	4,100
Arm(s), unspecified	420	13,730	230	1,380	560	930	1,040
Upper arm(s)	421	5,650	30	1,430	270	270	700
Elbow(s)	422	14,310	—	1,960	590	600	1,230
Forearm(s)	423	8,170	190	680	190	620	940
Multiple arm locations	428	1,660	20	260	40	90	160
Multiple arm locations, unspecified	4280	280	—	40	—	—	40
Elbow(s) and arm(s)	4281	960	—	170	20	70	70
Multiple arm locations, n.e.c.	4289	410	—	50	—	20	50
Arm(s), n.e.c.	429	760	—	140	—	50	40
Wrist(s)	43	36,540	20	4,060	1,190	860	1,690
Hand(s)	44	119,810	1,480	8,540	4,850	24,860	18,230
Hand(s), unspecified	440	32,070	1,130	2,670	1,530	5,000	3,560

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2014 — Continued

Part of body	Source of injury or illness ⁴							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		All other sources ⁵
				Total	Worker motion or position	Total	Patient	
Sacral region	200	—	110	170	170	230	180	120
Coccygeal region	780	—	100	—	—	—	—	90
Multiple back regions	610	60	580	1,030	1,020	1,030	840	380
Back, including spine, spinal cord, n.e.c.	20	—	—	70	70	50	50	30
Abdomen	270	1,070	1,170	1,990	1,890	1,780	900	1,960
Abdomen, except internal location of diseases or disorders	260	1,050	1,160	1,750	1,700	1,760	890	1,710
Internal abdominal location, unspecified	—	—	—	50	40	—	—	70
Stomach organ	—	—	—	30	—	—	—	—
Intestines, peritoneum	—	—	—	150	150	—	—	140
Intestines, peritoneum, unspecified	—	—	—	150	150	—	—	100
Large intestine, colon, rectum	—	—	—	—	—	—	—	40
Other digestive structures	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	—	—	—	—	—	—	—	—
Pelvic region	5,170	180	1,270	2,380	2,290	770	590	1,490
Pelvic region, unspecified	20	—	30	20	—	—	—	20
Hip(s)	3,230	—	750	1,230	1,190	380	270	320
Pelvis	600	—	80	20	20	60	60	80
Buttock(s)	1,080	30	30	30	20	30	30	90
Groin	160	120	350	930	920	220	170	890
External reproductive tract structures	—	—	—	—	—	30	30	90
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	20
Scrotum	—	—	—	—	—	—	—	70
Penis	—	—	—	—	—	—	—	—
Internal reproductive tract structures	—	—	—	30	—	—	—	—
Ovary (ovaries)	—	—	—	—	—	—	—	—
Multiple pelvic region locations	60	—	20	40	40	—	—	—
Pelvic region, n.e.c.	—	—	—	—	—	20	20	—
Multiple trunk locations	1,020	30	920	470	460	410	370	240
Trunk, n.e.c.	110	—	50	—	—	40	20	20
Upper extremities	37,780	29,310	18,940	31,460	31,120	16,150	11,300	37,590
Upper extremities, unspecified	20	—	30	110	110	—	—	40
Shoulder(s), including clavicle(s), scapula(e)	12,540	1,700	6,000	9,480	9,350	7,180	5,230	6,130
Arm(s)	9,850	1,990	3,290	4,080	4,030	2,230	1,550	7,170
Arm(s), unspecified	2,930	530	990	1,390	1,370	790	600	2,710
Upper arm(s)	1,060	90	320	430	430	330	190	680
Elbow(s)	4,400	530	1,480	1,390	1,360	490	340	1,340
Forearm(s)	1,230	710	320	620	620	390	250	2,020
Multiple arm locations	180	80	140	180	180	90	60	270
Multiple arm locations, unspecified	30	20	20	30	30	—	—	60
Elbow(s) and arm(s)	90	50	70	100	100	40	20	130
Multiple arm locations, n.e.c.	60	—	50	50	50	30	30	70
Arm(s), n.e.c.	60	50	50	70	70	140	110	160
Wrist(s)	8,140	1,130	2,350	10,720	10,690	2,420	1,790	2,620
Hand(s)	4,470	24,070	6,440	4,080	3,960	2,630	1,700	19,520
Hand(s), unspecified	1,980	4,410	1,940	1,610	1,580	920	550	7,060

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Hand(s), except finger(s)	441	4,410	100	380	190	550	710
Finger(s), fingernail(s)	442	77,840	130	4,970	2,940	18,630	12,960
Finger(s), fingernail(s), unspecified	4420	58,270	90	4,030	2,250	12,920	9,240
Fingernail(s), nailbed(s)	4421	1,040	—	60	180	180	150
Fingertip(s)	4422	5,590	—	160	100	2,200	1,120
Finger(s), fingernail(s), n.e.c.	4429	12,940	30	710	410	3,330	2,450
Hand(s) and finger(s)	448	3,580	130	330	150	520	610
Hand(s), n.e.c.	449	1,920	—	190	40	150	390
Multiple upper extremities locations	48	14,620	130	1,810	460	660	980
Multiple upper extremities locations, unspecified	480	100	—	—	—	—	—
Hand(s) and arms(s)	481	1,520	70	110	40	100	90
Hand(s) and arm(s), unspecified	4810	720	30	30	—	50	40
Hand(s) and elbow(s)	4811	170	—	30	—	—	—
Hand(s) and arm(s), n.e.c.	4819	630	40	50	20	50	40
Hand(s) and wrist(s)	482	3,170	—	250	120	190	230
Wrist(s) and arm(s)	483	1,580	—	130	30	50	70
Wrist(s) and arm(s), unspecified	4830	520	—	80	—	—	30
Wrist(s) and elbow(s)	4831	390	—	20	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	670	—	30	—	40	30
Shoulder(s) and arm(s)	484	5,180	—	830	200	210	390
Multiple upper extremities locations, n.e.c.	489	3,070	30	480	70	120	200
Upper extremities, n.e.c.	49	440	—	—	—	—	40
Lower extremities	5	211,990	750	13,340	7,950	5,960	15,150
Lower extremities, unspecified	50	200	—	—	—	—	—
Leg(s)	51	110,930	210	6,080	3,530	2,870	5,710
Leg(s), unspecified	510	11,930	80	860	520	610	1,260
Thigh(s)	511	4,710	30	330	100	140	300
Knee(s)	512	79,850	60	3,910	2,450	1,760	2,710
Lower leg(s)	513	11,500	40	850	360	290	1,310
Multiple leg locations	518	2,230	—	80	80	50	70
Multiple leg locations, unspecified	5180	160	—	—	20	—	—
Knee(s) and leg(s)	5181	1,810	—	60	60	40	50
Multiple leg locations, n.e.c.	5189	260	—	—	—	—	—
Leg(s), n.e.c.	519	700	—	40	20	—	50
Ankle(s)	52	47,950	60	1,830	1,190	510	1,400
Foot (feet)	53	43,460	350	5,110	3,030	2,290	7,010
Foot (feet), unspecified	530	28,170	210	3,060	1,600	1,320	4,280
Sole(s)	531	2,230	—	110	20	270	380
Sole(s), unspecified	5310	370	—	—	—	20	240
Ball(s) of the foot	5311	30	—	—	—	—	—
Arch(es), instep(s)	5312	200	—	30	—	—	30
Heel(s)	5313	1,570	—	70	20	230	70
Sole(s), n.e.c.	5319	50	—	—	—	—	40
Toes(s), toenail(s)	532	10,230	50	1,690	1,230	590	1,900
Multiple foot (feet) locations	538	630	20	40	100	30	50
Foot (feet), n.e.c.	539	2,190	80	220	90	90	410

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2014 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Hand(s), except finger(s)	250	1,070	180	90	80	60	40	740
Finger(s), fingernail(s)	2,020	17,880	3,760	2,020	1,930	1,520	1,030	10,720
Finger(s), fingernail(s), unspecified	1,580	13,930	2,890	1,590	1,510	980	690	8,510
Fingernail(s), nailbed(s)	—	180	50	—	—	20	—	210
Fingertip(s)	50	1,130	350	50	50	20	—	400
Finger(s), fingernail(s), n.e.c.	390	2,640	490	370	370	490	320	1,600
Hand(s) and finger(s)	150	360	480	210	210	100	60	540
Hand(s), n.e.c.	70	350	80	150	150	40	—	460
Multiple upper extremities locations	2,560	410	810	2,920	2,910	1,620	1,000	2,100
Multiple upper extremities locations, unspecified	20	—	—	20	20	—	—	30
Hand(s) and arms(s)	180	50	20	260	260	100	30	500
Hand(s) and arm(s), unspecified	50	40	20	110	110	40	—	290
Hand(s) and elbow(s)	50	—	—	60	60	—	—	20
Hand(s) and arm(s), n.e.c.	80	—	—	90	90	50	20	190
Hand(s) and wrist(s)	460	160	250	660	660	300	240	530
Wrist(s) and arm(s)	350	30	40	350	350	330	120	170
Wrist(s) and arm(s), unspecified	120	—	20	80	80	50	20	110
Wrist(s) and elbow(s)	150	—	—	140	140	20	20	—
Wrist(s) and arm(s), n.e.c.	80	20	—	130	130	260	80	50
Shoulder(s) and arm(s)	1,100	100	300	740	730	610	420	630
Multiple upper extremities locations, n.e.c.	450	70	180	900	900	280	180	240
Upper extremities, n.e.c.	200	—	20	60	60	60	30	—
Lower extremities	51,760	2,810	23,400	61,510	61,130	5,200	3,110	19,070
Lower extremities, unspecified	50	—	30	60	50	—	—	20
Leg(s)	30,800	1,820	11,170	33,660	33,380	3,880	2,440	8,600
Leg(s), unspecified	2,170	440	2,020	1,290	1,240	330	190	1,960
Thigh(s)	1,240	500	370	990	990	190	100	500
Knee(s)	24,280	580	6,560	28,790	28,610	2,850	1,710	4,440
Lower leg(s)	2,360	270	1,660	1,750	1,720	440	360	1,460
Multiple leg locations	670	20	200	780	770	80	70	180
Multiple leg locations, unspecified	30	—	40	—	—	—	—	40
Knee(s) and leg(s)	550	20	140	700	700	60	60	100
Multiple leg locations, n.e.c.	90	—	20	70	60	—	—	30
Leg(s), n.e.c.	90	—	370	50	50	—	—	60
Ankle(s)	12,750	200	4,150	20,860	20,810	670	300	3,230
Foot (feet)	4,610	770	7,100	5,040	5,000	410	180	6,450
Foot (feet), unspecified	3,260	460	4,780	3,980	3,960	270	120	4,290
Sole(s)	170	—	290	460	460	20	—	250
Sole(s), unspecified	—	—	—	20	20	—	—	70
Ball(s) of the foot	—	—	—	—	—	—	—	—
Arch(es), instep(s)	—	—	30	70	70	—	—	—
Heel(s)	150	—	250	360	360	—	—	160
Sole(s), n.e.c.	—	—	—	—	—	—	—	—
Toes(s), toenail(s)	780	240	1,530	300	280	70	40	1,540
Multiple foot (feet) locations	100	—	190	—	—	—	—	90
Foot (feet), n.e.c.	290	60	320	290	290	30	—	290

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Multiple lower extremities locations	58	9,060	120	310	200	270	1,020
Multiple lower extremities locations, unspecified	580	140	—	—	—	20	—
Foot (feet) and leg(s)	581	1,110	70	90	20	30	30
Foot(feet) and leg(s), unspecified	5810	460	70	60	—	20	20
Foot(feet) and knee(s)	5811	460	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	190	—	20	—	—	—
Foot (feet) and ankle(s)	582	3,310	—	100	100	180	460
Ankle(s) and leg(s)	583	3,550	30	80	50	30	480
Ankle(s) and leg(s), unspecified	5830	820	30	20	20	—	390
Ankle(s) and knee(s)	5831	2,150	—	40	20	—	50
Ankle(s) and leg(s), n.e.c.	5839	580	—	20	—	—	40
Multiple lower extremities locations, n.e.c.	589	940	—	40	20	—	50
Lower extremities, n.e.c.	59	390	—	—	—	—	—
Body systems	6	17,340	3,330	50	60	470	760
Multiple body parts	8	89,490	990	5,360	2,940	1,650	3,020
Multiple body parts, unspecified	80	6,890	120	320	290	120	260
Head and neck	81	1,900	40	200	190	80	250
Head, neck, and trunk	82	680	30	30	—	—	—
Head and trunk	83	1,080	—	30	70	40	30
Neck and back	84	7,630	—	630	250	100	190
Shoulder(s) and back	85	3,490	—	530	170	90	200
Hip(s) and leg(s)	86	1,580	—	90	110	30	20
Upper and lower limb(s)	87	6,090	—	120	120	80	160
Other multiple body parts	89	60,150	760	3,410	1,730	1,090	1,900
Whole body	891	570	50	—	—	—	30
Multiple body parts, n.e.c.	899	59,580	710	3,410	1,730	1,080	1,870
Other body parts	9	20	—	—	—	—	—
Prosthetic and orthopedic devices	91	20	—	—	—	—	—
Nonclassifiable	9999	9,450	120	250	90	40	240

See footnotes at end of table.

TABLE R20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, private industry, 2014 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Multiple lower extremities locations	3,310	—	930	1,880	1,870	140	80	760
Multiple lower extremities locations, unspecified	40	—	20	60	60	—	—	—
Foot (feet) and leg(s)	310	—	190	70	70	50	30	220
Foot(feet) and leg(s), unspecified	40	—	40	20	20	30	30	160
Foot(feet) and knee(s)	220	—	100	30	30	20	—	30
Foot(feet) and leg(s), n.e.c.	40	—	50	20	20	—	—	30
Foot (feet) and ankle(s)	770	—	440	920	920	20	20	260
Ankle(s) and leg(s)	1,880	—	190	560	560	40	—	160
Ankle(s) and leg(s), unspecified	200	—	80	40	40	—	—	20
Ankle(s) and knee(s)	1,500	—	40	400	390	40	—	40
Ankle(s) and leg(s), n.e.c.	180	—	70	120	120	—	—	100
Multiple lower extremities locations, n.e.c.	310	—	80	260	260	20	20	110
Lower extremities, n.e.c.	230	—	20	20	20	110	—	—
Body systems	230	30	200	4,300	170	1,390	340	6,480
Multiple body parts	30,830	540	19,890	5,810	5,630	7,780	5,240	7,390
Multiple body parts, unspecified	1,640	50	1,630	790	760	460	260	1,090
Head and neck	190	30	330	—	—	290	140	230
Head, neck, and trunk	190	—	250	—	—	90	50	40
Head and trunk	490	—	200	—	—	60	—	30
Neck and back	740	110	3,960	500	490	700	570	310
Shoulder(s) and back	590	30	440	360	340	790	660	210
Hip(s) and leg(s)	860	—	80	200	150	100	80	60
Upper and lower limb(s)	3,940	20	640	210	190	160	80	370
Other multiple body parts	22,180	280	12,380	3,760	3,680	5,120	3,400	5,060
Whole body	100	—	180	60	60	—	—	100
Multiple body parts, n.e.c.	22,080	280	12,200	3,690	3,620	5,110	3,390	4,950
Other body parts	—	—	—	—	—	—	—	—
Prosthetic and orthopedic devices	—	—	—	—	—	—	—	—
Nonclassifiable	900	100	990	490	470	260	110	5,670

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.
² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.
³ Excludes farms with fewer than 11 employees.
⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.
⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.