

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2014

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Total		916,440	224,840	129,440	49,120	34,440	247,120	49,210	155,480	37,020
Head	1	68,940	37,680	21,490	10,000	280	13,320	2,550	10,500	110
Head, unspecified	10	16,280	8,540	4,640	3,720	80	5,250	1,180	3,970	80
Cranial region, including skull	11	15,450	7,820	3,680	3,990	100	4,960	950	3,880	–
Cranial region, unspecified	110	230	120	50	70	–	80	–	70	–
Brain	111	12,540	5,830	2,690	3,050	50	4,270	820	3,350	–
Scalp	112	2,290	1,670	800	830	30	450	70	370	–
Skull	113	320	160	110	30	–	130	60	60	–
Multiple cranial region locations	118	30	–	–	–	–	–	–	–	–
Cranial region, n.e.c.	119	40	20	–	–	–	20	–	20	–
Ear(s)	12	960	330	260	40	20	40	–	20	–
Face	13	35,140	20,610	12,660	2,120	80	2,780	360	2,380	–
Face, unspecified	130	3,400	1,070	910	110	40	440	70	370	–
Forehead	131	2,610	1,070	1,040	780	–	470	20	440	–
Eye(s)	132	20,910	13,750	7,530	590	–	210	40	160	–
Nose, nasal cavity	133	2,340	1,030	870	150	–	500	60	440	–
Nose, except internal location of diseases or disorders	1330	2,330	1,030	870	150	–	500	60	440	–
Cheek(s)	134	410	180	180	–	–	40	20	30	–
Jaw, chin	135	840	340	190	120	20	210	80	130	–
Mouth	136	2,160	1,230	1,110	80	–	460	40	420	–
Mouth, unspecified	1360	240	70	40	–	–	20	–	20	–
Lip(s)	1361	760	520	500	20	–	80	–	80	–
Tooth (teeth)	1363	980	550	470	50	–	310	30	280	–
Multiple mouth locations	1368	140	80	80	–	–	30	–	20	–
Mouth, n.e.c.	1369	30	–	–	–	–	–	–	–	–
Multiple face locations	138	2,220	1,030	750	280	–	380	30	350	–
Face, n.e.c.	139	260	100	90	–	–	60	–	60	–
Multiple head locations	18	850	250	170	70	–	230	50	170	–
Head, n.e.c.	19	270	140	80	50	–	70	–	60	–
Neck, including throat	2	12,410	1,750	1,200	420	50	1,550	460	980	90
Neck, except internal location of diseases or disorders ...	20	12,390	1,750	1,200	420	50	1,550	460	980	90
Trunk	3	218,560	8,930	5,470	2,070	700	41,940	8,880	27,120	5,070
Trunk, unspecified	30	1,030	130	40	30	–	320	60	240	20
Chest, including ribs, internal organs	31	14,430	2,320	1,350	750	130	5,490	1,740	3,630	40
Chest, except internal location of diseases or disorders	310	13,860	2,320	1,350	750	130	5,470	1,730	3,630	40
Internal chest location, unspecified	311	110	–	–	–	–	–	–	–	–
Heart	313	330	–	–	–	–	–	–	–	–
Lung(s), pleura	315	120	–	–	–	–	–	–	–	–
Back, including spine, spinal cord	32	162,720	4,090	2,610	860	250	26,210	5,330	16,160	4,030

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2014 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Total	312,200	99,990	25,120	37,150	47,320	32,930	1,320	37,750	15,980	10,270	11,210	8,730
Head	210	30	—	7,790	3,100	2,390	290	6,310	4,110	1,350	820	250
Head, unspecified	90	—	—	40	1,210	1,010	—	1,090	860	190	30	70
Cranial region, including skull	30	—	—	20	1,270	940	50	1,230	890	320	—	70
Cranial region, unspecified	20	—	—	—	—	—	—	—	—	—	—	—
Brain	20	—	—	—	1,160	860	50	1,130	800	320	—	70
Scalp	—	—	—	—	90	70	—	70	60	—	—	—
Skull	—	—	—	—	—	—	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	360	20	—	30	170	70	40	60	—
Face	80	—	—	7,360	540	400	170	3,520	2,040	760	700	100
Face, unspecified	—	—	—	890	100	60	140	710	500	70	130	40
Forehead	—	—	—	20	120	70	—	120	90	30	—	—
Eye(s)	40	—	—	6,000	80	60	20	770	410	130	210	50
Nose, nasal cavity	—	—	—	30	100	90	—	670	380	250	30	—
Nose, except internal location of diseases or disorders	—	—	—	20	100	90	—	670	380	250	30	—
Cheek(s)	—	—	—	—	—	—	—	170	50	—	100	—
Jaw, chin	—	—	—	—	80	70	—	210	130	60	—	—
Mouth	—	—	—	—	40	20	—	410	160	160	90	—
Mouth, unspecified	—	—	—	—	—	—	—	150	40	110	—	—
Lip(s)	—	—	—	—	—	—	—	150	70	—	70	—
Tooth (teeth)	—	—	—	—	30	20	—	80	40	20	20	—
Multiple mouth locations	—	—	—	—	—	—	—	30	—	20	—	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	380	30	20	—	390	250	40	100	—
Face, n.e.c.	—	—	—	20	—	—	—	80	70	—	20	—
Multiple head locations	—	—	—	20	70	40	30	240	210	20	20	—
Head, n.e.c.	—	—	—	—	—	—	—	60	40	20	—	—
Neck, including throat	4,740	1,410	260	80	3,290	2,870	—	940	490	270	160	60
Neck, except internal location of diseases or disorders ...	4,730	1,410	260	70	3,290	2,870	—	940	490	270	160	60
Trunk	148,840	64,310	2,560	940	10,630	8,080	70	6,020	2,980	2,130	820	1,200
Trunk, unspecified	370	110	—	—	70	50	—	110	60	30	20	—
Chest, including ribs, internal organs	3,580	1,260	50	350	1,700	1,370	—	910	500	250	150	90
Chest, except internal location of diseases or disorders	3,260	1,240	50	140	1,700	1,370	—	870	470	250	150	90
Internal chest location, unspecified	50	—	—	60	—	—	—	—	—	—	—	—
Heart	260	—	—	20	—	—	—	30	30	—	—	—
Lung(s), pleura	—	—	—	100	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	121,040	51,510	1,900	80	7,140	5,600	20	3,250	1,200	1,590	390	910

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Back, including spine, spinal cord, unspecified	320	64,680	1,710	1,080	380	110	11,540	2,610	7,120	1,660
Thoracic region	321	7,410	310	200	110	—	620	90	420	90
Lumbar region	322	82,730	1,810	1,170	340	100	11,580	2,180	6,850	2,120
Sacral region	323	1,060	70	70	—	—	270	40	210	20
Coccygeal region	324	1,270	—	—	—	—	1,140	240	890	—
Multiple back regions	328	5,340	170	70	20	40	1,030	170	650	130
Back, including spine, spinal cord, n.e.c.	329	230	—	—	—	—	20	—	20	—
Abdomen	33	19,800	1,040	720	170	100	630	100	320	170
Abdomen, except internal location of diseases or disorders	330	18,960	1,040	720	170	100	630	100	320	170
Internal abdominal location, unspecified	331	370	—	—	—	—	—	—	—	—
Stomach organ	332	50	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	370	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	280	—	—	—	—	—	—	—	—
Large intestine, colon, rectum	3353	70	—	—	—	—	—	—	—	—
Other digestive structures	336	20	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	339	20	—	—	—	—	—	—	—	—
Pelvic region	34	16,060	1,080	590	220	190	7,740	1,280	5,660	750
Pelvic region, unspecified	340	150	20	—	—	—	50	—	30	—
Hip(s)	341	7,750	480	290	130	50	4,620	680	3,540	370
Pelvis	342	1,020	170	110	—	20	680	80	590	—
Buttock(s)	343	1,600	100	—	60	—	1,250	90	1,150	—
Groin	344	4,870	130	100	20	—	970	390	280	280
External reproductive tract structures	345	320	140	20	—	110	90	—	20	—
External reproductive tract structures, unspecified ..	3450	90	50	—	—	50	—	—	—	—
Scrotum	3451	200	80	20	—	60	80	—	—	—
Penis	3452	20	—	—	—	—	—	—	—	—
Internal reproductive tract structures	346	60	30	30	—	—	—	—	—	—
Ovary (ovaries)	3463	50	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	200	—	—	—	—	80	20	50	—
Pelvic region, n.e.c.	349	80	—	—	—	—	—	—	—	—
Multiple trunk locations	38	4,270	260	160	30	20	1,390	320	990	70
Trunk, n.e.c.	39	250	—	—	—	—	170	50	120	—
Upper extremities	4	288,240	114,420	60,070	22,400	28,930	52,290	11,140	37,570	2,970
Upper extremities, unspecified	40	340	50	40	—	—	30	—	30	—
Shoulder(s), including clavicle(s), scapula(e)	41	72,200	3,860	2,710	780	280	18,540	3,940	12,490	1,820
Arm(s)	42	44,290	9,160	4,660	2,850	1,410	13,120	2,970	9,670	410
Arm(s), unspecified	420	13,730	2,770	1,670	390	640	4,020	1,010	2,860	150
Upper arm(s)	421	5,650	490	200	140	80	1,290	150	1,030	90
Elbow(s)	422	14,310	2,680	930	1,570	110	5,690	1,270	4,270	110
Forearm(s)	423	8,170	2,710	1,670	600	420	1,610	320	1,260	20
Multiple arm locations	428	1,660	330	100	140	90	410	190	190	30
Multiple arm locations, unspecified	4280	280	50	40	—	—	40	—	30	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2014 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Back, including spine, spinal cord, unspecified	46,200	20,700	630	50	3,610	2,980	—	1,080	300	670	70	490
Thoracic region	5,620	1,880	70	—	270	200	—	540	150	130	270	30
Lumbar region	64,660	27,260	1,170	—	2,860	2,120	—	1,430	670	680	50	380
Sacral region	630	200	—	—	50	50	—	40	—	40	—	—
Coccygeal region	70	60	—	—	50	20	—	—	—	—	—	—
Multiple back regions	3,680	1,380	—	—	300	240	—	150	70	70	—	—
Back, including spine, spinal cord, n.e.c.	180	30	—	—	—	—	—	—	—	—	—	—
Abdomen	16,140	8,830	500	290	410	400	—	1,210	1,000	90	120	80
Abdomen, except internal location of diseases or disorders	15,480	8,510	340	140	410	400	—	1,200	1,000	90	110	70
Internal abdominal location, unspecified	340	200	—	30	—	—	—	—	—	—	—	—
Stomach organ	40	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	270	110	140	100	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	200	40	140	80	—	—	—	—	—	—	—	—
Large intestine, colon, rectum	60	50	—	—	—	—	—	—	—	—	—	—
Other digestive structures	—	—	—	20	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Pelvic region	6,000	1,960	40	160	560	130	30	370	140	130	90	110
Pelvic region, unspecified	60	20	—	—	—	—	—	—	—	—	—	—
Hip(s)	1,960	390	20	—	460	100	—	180	60	90	30	—
Pelvis	110	20	—	—	50	20	—	—	—	—	—	—
Buttock(s)	120	20	—	70	20	—	—	50	—	—	40	—
Groin	3,540	1,450	20	90	—	—	—	90	50	20	—	50
External reproductive tract structures	40	20	—	—	—	—	—	30	20	—	—	—
External reproductive tract structures, unspecified ..	20	—	—	—	—	—	—	—	—	—	—	—
Scrotum	20	20	—	—	—	—	—	—	—	—	—	—
Penis	—	—	—	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures	—	—	—	—	—	—	—	—	—	—	—	—
Ovary (ovaries)	—	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	100	—	—	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	50	20	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	1,670	640	70	50	740	520	—	160	90	40	40	—
Trunk, n.e.c.	50	—	—	—	—	—	—	—	—	—	—	—
Upper extremities	92,940	26,480	20,200	9,950	5,150	3,410	250	12,090	3,500	3,620	4,880	1,150
Upper extremities, unspecified	140	—	70	80	20	20	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	45,020	15,730	3,030	60	2,450	1,680	—	1,930	770	990	150	330
Arm(s)	15,140	5,050	2,120	2,910	1,030	700	50	2,640	590	450	1,590	230
Arm(s), unspecified	3,850	1,190	760	1,360	340	210	20	1,250	230	160	860	110
Upper arm(s)	3,320	1,500	120	120	120	60	—	300	100	60	140	—
Elbow(s)	5,150	1,610	830	50	370	260	—	300	50	110	140	80
Forearm(s)	1,760	430	250	1,300	140	110	40	590	180	50	350	20
Multiple arm locations	710	200	120	50	60	50	—	100	—	—	70	—
Multiple arm locations, unspecified	110	20	30	—	20	20	—	50	—	—	50	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Elbow(s) and arm(s)	4281	960	160	40	60	60	300	170	100	20
Multiple arm locations, n.e.c.	4289	410	120	—	80	20	70	—	60	—
Arm(s), n.e.c.	429	760	180	100	—	60	100	20	70	—
Wrist(s)	43	36,540	4,590	2,500	1,130	860	11,000	2,630	7,970	280
Hand(s)	44	119,810	94,630	48,930	17,400	25,780	5,990	990	4,580	350
Hand(s), unspecified	440	32,070	19,530	9,760	4,740	4,580	2,750	360	2,290	80
Hand(s), except finger(s)	441	4,410	3,330	2,140	690	360	350	170	170	—
Finger(s), fingernail(s)	442	77,840	68,080	34,910	11,190	20,150	2,570	450	1,860	230
Finger(s), fingernail(s), unspecified	4420	58,270	50,590	27,490	7,740	14,040	2,050	410	1,460	160
Fingernail(s), nailbed(s)	4421	1,040	960	510	90	230	20	—	20	—
Fingertip(s)	4422	5,590	5,430	2,240	710	2,370	40	—	30	—
Finger(s), fingernail(s), n.e.c.	4429	12,940	11,090	4,680	2,640	3,520	460	30	350	70
Hand(s) and finger(s)	448	3,580	2,440	1,210	630	520	210	—	180	20
Hand(s), n.e.c.	449	1,920	1,250	910	150	170	100	—	80	—
Multiple upper extremities locations	48	14,620	2,100	1,210	240	580	3,370	570	2,660	110
Multiple upper extremities locations, unspecified	480	100	20	—	—	—	20	—	20	—
Hand(s) and arms(s)	481	1,520	300	150	—	110	240	30	200	—
Hand(s) and arm(s), unspecified	4810	720	180	80	—	70	80	20	60	—
Hand(s) and elbow(s)	4811	170	20	—	—	—	50	—	50	—
Hand(s) and arm(s), n.e.c.	4819	630	100	60	—	30	110	20	90	—
Hand(s) and wrist(s)	482	3,170	820	520	140	150	500	70	420	—
Wrist(s) and arm(s)	483	1,580	180	90	—	70	390	60	320	—
Wrist(s) and arm(s), unspecified	4830	520	100	40	—	40	130	—	120	—
Wrist(s) and elbow(s)	4831	390	—	—	—	—	160	40	120	—
Wrist(s) and arm(s), n.e.c.	4839	670	70	40	—	20	90	—	90	—
Shoulder(s) and arm(s)	484	5,180	430	240	30	140	1,600	290	1,210	70
Multiple upper extremities locations, n.e.c.	489	3,070	360	210	50	110	620	120	480	20
Upper extremities, n.e.c.	49	440	30	20	—	—	230	50	180	—
Lower extremities	5	211,990	53,830	36,120	12,380	3,910	93,670	15,830	47,820	26,680
Lower extremities, unspecified	50	200	40	30	—	—	110	—	90	—
Leg(s)	51	110,930	18,450	9,850	6,140	1,690	50,680	8,330	30,240	10,320
Leg(s), unspecified	510	11,930	4,470	2,900	1,050	370	4,360	1,490	2,150	620
Thigh(s)	511	4,710	1,320	1,000	200	100	1,640	290	1,110	200
Knee(s)	512	79,850	8,520	3,410	3,810	800	39,420	4,900	24,170	8,940
Lower leg(s)	513	11,500	3,680	2,260	980	360	3,960	1,320	2,160	260
Multiple leg locations	518	2,230	330	200	100	30	1,130	270	550	290
Multiple leg locations, unspecified	5180	160	80	60	—	—	50	20	30	—
Knee(s) and leg(s)	5181	1,810	180	100	60	20	970	240	450	270
Multiple leg locations, n.e.c.	5189	260	70	50	20	—	110	—	80	—
Leg(s), n.e.c.	519	700	130	90	20	20	160	50	90	—
Ankle(s)	52	47,950	6,690	3,530	2,410	670	28,660	4,410	10,950	12,350
Foot (feet)	53	43,460	26,740	21,110	3,690	1,390	8,480	2,080	3,330	2,690
Foot (feet), unspecified	530	28,170	15,550	12,020	2,180	940	6,470	1,310	2,700	2,260

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2014 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Elbow(s) and arm(s)	440	140	60	—	40	30	—	20	—	—	—	—
Multiple arm locations, n.e.c.	160	40	30	30	—	—	—	20	—	—	20	—
Arm(s), n.e.c.	340	110	40	30	—	—	—	100	20	50	30	—
Wrist(s)	18,120	2,800	9,620	320	700	430	—	1,460	550	680	210	340
Hand(s)	7,590	1,280	3,140	5,770	580	250	160	4,870	1,050	1,080	2,700	220
Hand(s), unspecified	3,290	530	1,290	3,820	360	170	120	2,130	310	370	1,440	60
Hand(s), except finger(s)	200	50	60	290	20	—	—	210	30	20	160	—
Finger(s), fingernail(s)	3,540	650	1,470	1,060	170	60	30	2,260	640	650	950	130
Finger(s), fingernail(s), unspecified	2,840	570	1,210	820	130	40	30	1,690	410	440	820	110
Fingernail(s), nailbed(s)	20	—	—	30	—	—	—	—	—	—	—	—
Fingertip(s)	70	—	30	20	—	—	—	—	—	—	—	—
Finger(s), fingernail(s), n.e.c.	610	70	210	190	20	—	—	550	220	210	120	—
Hand(s) and finger(s)	330	30	180	370	30	20	—	190	50	20	110	—
Hand(s), n.e.c.	230	20	140	230	—	—	—	80	20	20	40	20
Multiple upper extremities locations	6,820	1,600	2,190	800	340	310	20	1,160	500	410	240	20
Multiple upper extremities locations, unspecified	30	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	400	70	210	370	20	—	—	170	20	40	110	—
Hand(s) and arm(s), unspecified	160	20	90	200	—	—	—	80	—	—	60	—
Hand(s) and elbow(s)	90	20	40	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	150	40	70	170	—	—	—	100	—	40	50	—
Hand(s) and wrist(s)	1,280	80	580	260	120	110	—	190	50	90	50	—
Wrist(s) and arm(s)	650	120	290	50	—	—	—	300	210	50	40	—
Wrist(s) and arm(s), unspecified	200	60	80	20	—	—	—	80	30	—	40	—
Wrist(s) and elbow(s)	200	30	90	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	250	30	120	40	—	—	—	210	170	40	—	—
Shoulder(s) and arm(s)	2,760	890	380	—	70	60	—	300	130	150	—	—
Multiple upper extremities locations, n.e.c.	1,700	440	720	90	120	100	—	180	100	60	20	—
Upper extremities, n.e.c.	110	—	40	—	20	20	—	30	30	—	—	—
Lower extremities	47,090	2,770	390	3,310	7,580	2,130	70	5,290	1,420	1,570	2,290	1,140
Lower extremities, unspecified	40	—	—	—	—	—	—	—	—	—	—	—
Leg(s)	33,130	2,470	290	720	3,440	1,130	50	3,790	1,050	1,030	1,710	670
Leg(s), unspecified	1,300	200	20	270	800	190	—	680	110	60	500	40
Thigh(s)	1,260	220	—	60	130	50	—	270	50	40	170	20
Knee(s)	27,600	1,860	240	80	1,660	720	—	2,020	600	840	580	560
Lower leg(s)	2,230	170	—	270	480	150	40	800	280	70	440	40
Multiple leg locations	670	20	20	20	60	—	—	20	—	—	—	—
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	590	20	20	—	40	—	—	—	—	—	—	—
Multiple leg locations, n.e.c.	70	—	—	—	—	—	—	—	—	—	—	—
Leg(s), n.e.c.	60	20	—	30	310	—	—	—	—	—	—	—
Ankle(s)	9,980	140	30	220	1,400	430	—	680	110	290	270	320
Foot (feet)	3,190	150	60	1,940	2,390	480	—	580	130	180	270	140
Foot (feet), unspecified	2,390	120	40	1,410	1,900	460	—	370	90	110	170	90

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Sole(s)	531	2,230	1,010	320	630	40	770	350	130	150
Sole(s), unspecified	5310	370	330	30	300	—	20	—	—	—
Ball(s) of the foot	5311	30	—	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	200	90	90	—	—	60	—	—	50
Heel(s)	5313	1,570	540	200	280	40	680	340	110	90
Sole(s), n.e.c.	5319	50	40	—	40	—	—	—	—	—
Toes(s), toenail(s)	532	10,230	8,560	7,460	670	330	650	250	230	160
Multiple foot (feet) locations	538	630	410	360	20	—	90	30	40	—
Foot (feet), n.e.c.	539	2,190	1,210	940	180	70	500	140	230	120
Multiple lower extremities locations	58	9,060	1,910	1,600	140	150	5,500	890	3,090	1,300
Multiple lower extremities locations, unspecified	580	140	30	20	—	—	50	—	30	—
Foot (feet) and leg(s)	581	1,110	320	270	—	30	440	130	200	30
Foot(feet) and leg(s), unspecified	5810	460	120	110	—	20	70	40	20	—
Foot(feet) and knee(s)	5811	460	110	110	—	—	320	90	130	30
Foot(feet) and leg(s), n.e.c.	5819	190	80	60	—	—	60	—	50	—
Foot (feet) and ankle(s)	582	3,310	1,060	980	50	40	1,690	140	710	730
Ankle(s) and leg(s)	583	3,550	320	200	60	50	2,730	470	1,880	340
Ankle(s) and leg(s), unspecified	5830	820	130	100	30	—	540	110	420	—
Ankle(s) and knee(s)	5831	2,150	80	40	20	—	1,920	280	1,320	310
Ankle(s) and leg(s), n.e.c.	5839	580	100	60	—	30	270	90	140	20
Multiple lower extremities locations, n.e.c.	589	940	180	140	20	20	590	140	260	190
Lower extremities, n.e.c.	59	390	—	—	—	—	250	120	120	—
Body systems	6	17,340	90	50	20	—	400	60	340	—
Multiple body parts	8	89,490	7,110	4,740	1,440	540	42,430	9,910	30,210	1,940
Multiple body parts, unspecified	80	6,890	560	260	150	40	2,360	480	1,800	50
Head and neck	81	1,900	840	640	160	—	320	90	230	—
Head, neck, and trunk	82	680	50	50	—	—	210	40	170	—
Head and trunk	83	1,080	80	80	—	—	720	210	510	—
Neck and back	84	7,630	440	310	70	—	1,290	310	850	120
Shoulder(s) and back	85	3,490	220	130	—	70	880	190	590	90
Hip(s) and leg(s)	86	1,580	80	60	—	—	1,030	90	870	60
Upper and lower limb(s)	87	6,090	250	180	40	30	4,940	980	3,800	140
Other multiple body parts	89	60,150	4,590	3,040	1,000	350	30,670	7,500	21,380	1,480
Whole body	891	570	20	—	—	—	170	70	80	—
Multiple body parts, n.e.c.	899	59,580	4,570	3,040	1,000	340	30,510	7,430	21,300	1,460

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2014 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Sole(s)	370	20	20	20	50	—	—	20	—	—	—	—
Sole(s), unspecified	20	—	—	—	—	—	—	—	—	—	—	—
Ball(s) of the foot	—	—	—	—	—	—	—	—	—	—	—	—
Arch(es), instep(s)	40	—	—	—	—	—	—	—	—	—	—	—
Heel(s)	280	—	20	—	50	—	—	—	—	—	—	—
Sole(s), n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Toes(s), toenail(s)	230	—	—	300	310	—	—	120	—	50	60	50
Multiple foot (feet) locations	—	—	—	50	60	—	—	—	—	—	—	—
Foot (feet), n.e.c.	190	—	—	160	70	—	—	60	20	—	40	—
Multiple lower extremities locations	730	—	—	430	340	90	—	130	20	70	40	—
Multiple lower extremities locations, unspecified	50	—	—	—	—	—	—	—	—	—	—	—
Foot (feet) and leg(s)	40	—	—	230	40	20	—	50	—	50	—	—
Foot(feet) and leg(s), unspecified	20	—	—	210	—	—	—	30	—	30	—	—
Foot(feet) and knee(s)	—	—	—	—	—	—	—	20	—	20	—	—
Foot(feet) and leg(s), n.e.c.	20	—	—	—	20	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	250	—	—	60	210	30	—	40	—	—	—	—
Ankle(s) and leg(s)	290	—	—	100	60	30	—	30	—	20	—	—
Ankle(s) and leg(s), unspecified	80	—	—	—	30	20	—	—	—	—	—	—
Ankle(s) and knee(s)	100	—	—	—	20	—	—	30	—	20	—	—
Ankle(s) and leg(s), n.e.c.	110	—	—	90	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	100	—	—	40	30	—	—	—	—	—	—	—
Lower extremities, n.e.c.	20	—	—	—	—	—	—	110	—	—	—	—
Body systems	2,790	20	—	11,860	150	110	20	1,720	550	30	1,140	310
Multiple body parts	14,850	4,760	1,510	2,940	16,520	13,170	560	4,890	2,780	1,270	760	200
Multiple body parts, unspecified	1,530	490	520	550	1,480	1,190	30	360	150	50	130	20
Head and neck	30	—	—	140	280	250	—	280	230	50	—	—
Head, neck, and trunk	50	—	—	30	230	210	30	70	60	—	—	—
Head and trunk	—	—	—	30	180	100	—	60	30	30	—	—
Neck and back	1,930	670	100	—	3,710	3,280	—	210	100	120	—	30
Shoulder(s) and back	1,800	510	70	—	350	260	—	250	70	140	30	—
Hip(s) and leg(s)	370	80	—	—	30	—	—	60	40	—	—	—
Upper and lower limb(s)	130	20	—	160	350	170	50	190	70	60	70	—
Other multiple body parts	9,000	2,980	800	2,010	9,910	7,680	440	3,400	2,030	810	510	140
Whole body	50	—	—	90	170	160	—	60	—	—	50	—
Multiple body parts, n.e.c.	8,950	2,980	800	1,920	9,730	7,520	430	3,340	2,020	810	460	140

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Other body parts	9	20	—	—	—	—	—	—	—	—
Prosthetic and orthopedic devices	91	20	—	—	—	—	—	—	—	—
Nonclassifiable	9999	9,450	1,030	300	380	20	1,500	390	940	150

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, private industry, 2014 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Other body parts	-	-	-	-	-	-	-	-	-	-	-	-
Prosthetic and orthopedic devices	-	-	-	-	-	-	-	-	-	-	-	-
Nonclassifiable	750	210	190	270	910	770	60	500	140	20	330	4,440

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 6; Struck by object = 62; Struck against object = 63; Caught in or compressed or crushed = 64; Falls, slips, trips, Total = 4; Fall to lower level = 43; Fall on same level = 42; Slips or trips without fall = 41; Overexertion and bodily reaction, Total = 7; In lifting = 711; Repetitive motion = 72; Exposure to harmful substance or environment = 5; Transportation accidents, Total = 2; Roadway accident = 26; Fires and explosions = 3; Violence and other injuries by persons or animals, Total = 1; Intentional injury by other person = 111; Injury by person-unintentional or intent unknown = 12; Animal and other insect related = 13; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.