

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2014

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Total		916,440	358,210	72,280	124,280	13,930	3,460	4,020	970	1,020	338,280
Traumatic injuries and disorders	1	882,780	347,130	70,160	120,090	13,130	3,410	3,910	970	1,020	322,960
Traumatic injuries and disorders, unspecified	10	1,100	440	160	80	-	-	-	-	-	410
Traumatic injuries to bones, nerves, spinal cord	11	88,320	39,970	5,120	13,320	1,510	310	360	70	60	27,600
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	6,510	1,110	240	2,380	410	110	-	-	-	2,240
Fractures	111	80,160	38,000	4,790	10,800	1,080	200	340	60	50	24,840
Traumatic injuries to spinal cord	112	210	80	-	20	-	-	-	-	-	110
Traumatic injuries to spinal cord, unspecified	1120	70	20	-	-	-	-	-	-	-	50
Paralysis, paraplegia, quadriplegia	1121	40	20	-	-	-	-	-	-	-	20
Traumatic injuries to spinal cord, n.e.c.	1129	110	40	-	-	-	-	-	-	-	50
Traumatic injuries to nerves, except the spinal cord ..	113	1,080	530	90	70	-	-	-	-	-	370
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	70	40	-	-	-	-	-	-	-	30
Pinched nerve	1131	970	470	80	60	-	-	-	-	-	330
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	40	-	-	-	-	-	-	-	-	-
Multiple traumatic injuries to bones, nerves, spinal cord	118	50	20	-	-	-	-	-	-	-	30
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	310	240	-	50	-	-	-	-	-	20
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	361,860	140,310	26,280	39,880	4,600	1,540	1,390	190	310	147,360
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	2,090	1,010	90	260	40	-	-	-	-	690
Dislocations	121	9,450	4,770	560	1,000	70	30	20	-	-	2,980
Dislocations, unspecified	1210	920	290	70	110	-	-	-	-	-	420
Herniated discs	1211	2,710	1,390	120	220	20	-	-	-	-	940
Dislocation of joints	1212	5,530	2,950	330	660	40	20	-	-	-	1,510
Dislocations, n.e.c.	1219	290	130	30	-	-	-	-	-	-	120
Cartilage fractures and tears	122	5,120	2,780	190	340	-	-	20	-	-	1,750
Cartilage fractures and tears, unspecified	1220	110	50	-	-	-	-	-	-	-	50
Meniscus tears	1221	4,800	2,600	190	300	-	-	20	-	-	1,660
Cartilage fractures and tears, n.e.c.	1229	210	130	-	30	-	-	-	-	-	40
Sprains, strains, tears	123	331,180	124,510	24,700	36,610	4,430	1,490	1,230	130	310	137,780
Sprains, strains, tears, unspecified	1230	26,440	7,340	1,310	1,820	240	70	40	-	-	15,610
Major tears to muscles, tendons, ligaments	1231	21,160	12,200	1,020	1,380	140	40	40	-	-	6,340
Sprains	1232	85,120	33,950	7,040	10,360	960	290	280	70	40	32,140
Strains	1233	193,130	69,630	14,940	22,100	2,960	1,060	860	60	250	81,270
Multiple sprains, strains, tears	1238	5,320	1,380	400	950	130	30	-	-	-	2,420
Hernias due to traumatic incidents	124	12,820	6,660	630	1,600	30	-	100	-	-	3,790
Whiplash	125	650	250	80	50	-	-	-	-	-	210
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	370	200	-	20	-	-	-	-	-	120

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								Not reported	
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race		
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	190	120	30	—	—	—	—	—	—	—	30
Open wounds	13	93,290	37,750	6,200	16,620	1,890	310	630	300	180	—	29,410
Open wounds, unspecified	130	1,600	460	30	410	20	—	—	—	—	—	670
Amputations, avulsions, enucleations	131	5,750	2,610	520	1,010	90	—	30	—	—	—	1,460
Amputations, avulsions, enucleations, unspecified	1310	150	70	—	30	—	—	—	—	—	—	30
Amputations	1311	4,250	1,970	440	710	70	—	30	—	—	—	1,020
Avulsions, enucleations	1312	1,310	550	80	260	—	—	—	—	—	—	410
Amputations, avulsions, enucleations, n.e.c.	1319	30	20	—	—	—	—	—	—	—	—	—
Cuts, lacerations	132	71,100	28,630	4,290	12,990	1,550	290	550	260	40	—	22,500
Puncture wounds, except gunshot wounds	133	13,740	5,760	1,070	2,150	200	20	50	30	140	—	4,320
Gunshot wounds	134	760	150	260	50	—	—	—	—	—	—	290
Multiple types of open wounds	138	200	80	20	—	—	—	—	—	—	—	90
Open wounds, n.e.c.	139	140	50	—	—	—	—	—	—	—	—	70
Surface wounds and bruises	14	84,930	28,460	8,040	11,740	1,430	240	270	130	70	—	34,560
Surface wounds and bruises, unspecified	140	230	70	40	60	—	—	—	—	—	—	70
Abrasions, scratches	141	8,190	2,760	860	1,420	90	40	50	—	—	—	2,960
Blisters	142	220	20	110	20	20	—	—	—	—	—	50
Bruises, contusions	143	74,140	24,770	6,830	9,810	1,280	180	200	120	70	—	30,880
Multiple surface wounds and bruises	148	1,730	730	140	420	40	—	20	—	—	—	380
Surface wounds and bruises, n.e.c.	149	410	130	50	—	—	—	—	—	—	—	210
Burns and corrosions	15	18,730	6,830	1,560	2,740	400	70	50	20	—	—	7,040
Burns and corrosions, unspecified	150	520	150	60	—	—	—	—	—	—	—	280
Chemical burns and corrosions	151	3,440	1,540	200	550	50	—	—	—	—	—	1,090
Chemical burns and corrosions, unspecified	1510	3,190	1,430	190	510	40	—	—	—	—	—	1,000
First degree chemical burns and corrosions	1511	50	—	—	20	—	—	—	—	—	—	20
Second degree chemical burns and corrosions	1512	100	50	—	—	—	—	—	—	—	—	40
Third or fourth degree chemical burns and corrosions	1513	20	20	—	—	—	—	—	—	—	—	—
Chemical burns and corrosions, n.e.c.	1519	90	30	—	—	—	—	—	—	—	—	40
Heat (thermal) burns	152	12,890	4,260	1,210	1,920	340	60	30	20	—	—	5,040
Heat (thermal) burns, unspecified	1520	9,220	2,840	810	1,560	190	30	20	—	—	—	3,770
First degree heat (thermal) burns	1521	700	230	40	60	—	20	—	—	—	—	330
Second degree heat (thermal) burns	1522	2,510	980	270	250	150	—	—	20	—	—	830
Third or fourth degree heat (thermal) burns	1523	200	100	30	30	—	—	—	—	—	—	30
Heat (thermal) burns, n.e.c.	1529	260	120	60	—	—	—	—	—	—	—	70
Electrical burns	153	780	430	20	80	—	—	—	—	—	—	240
Electrical burns, unspecified	1530	620	400	—	60	—	—	—	—	—	—	150
First degree electrical burns	1531	20	—	—	—	—	—	—	—	—	—	—
Second degree electrical burns	1532	70	—	—	20	—	—	—	—	—	—	40
Third or fourth degree electrical burns	1533	60	—	—	—	—	—	—	—	—	—	50
Other burns	159	1,090	440	80	180	—	—	—	—	—	—	380
Other burns, unspecified	1590	120	70	—	—	—	—	—	—	—	—	30
Other burns, first degree	1591	850	340	20	160	—	—	—	—	—	—	330
Other burns, second degree	1592	80	20	50	—	—	—	—	—	—	—	20
Other burns, n.e.c.	1599	30	20	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Intracranial injuries	16	12,230	5,830	630	930	100	—	40	—	—	4,680
Intracranial injuries, unspecified	160	870	410	80	80	—	—	—	—	—	310
Cerebral and other intracranial hemorrhages	161	130	40	—	—	—	—	—	—	—	70
Concussions	162	11,110	5,320	530	830	100	—	40	—	—	4,270
Multiple types of intracranial injuries	168	80	40	—	—	—	—	—	—	—	40
Multiple intracranial injuries, unspecified	1680	40	30	—	—	—	—	—	—	—	—
Skull fracture and intracranial injury	1681	30	—	—	—	—	—	—	—	—	—
Intracranial injuries, n.e.c.	169	40	40	—	—	—	—	—	—	—	—
Effects of environmental conditions	17	2,430	1,180	300	170	—	—	—	—	—	760
Effects of environmental conditions, unspecified	170	30	—	—	—	—	—	—	—	—	30
Effects of reduced temperature	171	390	230	30	—	—	—	—	—	—	120
Frostbite	1711	320	170	30	—	—	—	—	—	—	120
Hypothermia	1712	40	40	—	—	—	—	—	—	—	—
Effects of reduced temperature, n.e.c.	1719	30	20	—	—	—	—	—	—	—	—
Effects of heat and light	172	1,920	920	270	170	—	—	—	—	—	550
Effects of heat and light, unspecified	1720	180	30	50	30	—	—	—	—	—	80
Heat stroke	1721	90	20	—	—	—	—	—	—	—	60
Heat syncope	1722	80	20	20	—	—	—	—	—	—	30
Heat fatigue	1723	70	60	—	—	—	—	—	—	—	—
Heat exhaustion, prostration	1725	870	330	170	60	—	—	—	—	—	290
Effects of heat and light, n.e.c.	1729	630	460	40	60	—	—	—	—	—	70
Effects of air or water pressure	173	80	30	—	—	—	—	—	—	—	50
Aero-otitis media	1731	20	—	—	—	—	—	—	—	—	20
Caisson disease, bends, divers palsy	1733	20	20	—	—	—	—	—	—	—	—
Effects of air or water pressure, n.e.c.	1739	40	—	—	—	—	—	—	—	—	30
Multiple traumatic injuries and disorders	18	26,680	10,370	2,230	4,170	460	80	140	—	80	9,160
Multiple traumatic injuries and disorders, unspecified	180	1,150	520	110	80	—	—	—	—	—	440
Cuts and abrasions or bruises	181	4,300	1,560	270	810	130	—	—	—	—	1,500
Sprains and other injuries	182	11,980	4,000	1,070	2,020	230	60	70	—	70	4,470
Sprains and other injuries, unspecified	1820	410	180	40	70	20	—	—	—	—	110
Sprains and bruises	1821	8,970	2,410	840	1,610	180	50	70	—	30	3,770
Sprains and cuts	1822	870	480	90	40	—	—	—	—	—	240
Sprains and other injuries, n.e.c.	1829	1,730	930	90	300	—	—	—	—	—	350
Fractures and other injuries	183	5,540	2,780	370	770	60	—	—	—	—	1,540
Fractures and other injuries, unspecified	1830	830	490	20	160	—	—	—	—	—	160
Fractures (except skull fractures) and concussions	1831	320	250	—	—	—	—	—	—	—	50
Fractures (except rib, trunk fractures) and internal injuries	1832	80	40	—	—	—	—	—	—	—	20
Fractures and burns	1833	30	—	—	—	—	—	—	—	—	20
Fractures and dislocations	1834	270	130	—	—	—	—	—	—	—	90
Fractures and other injuries, n.e.c.	1839	4,010	1,860	340	560	40	—	—	—	—	1,200
Burns and other injuries, except fractures	184	180	50	20	90	—	—	—	—	—	30
Burns and other injuries, n.e.c.	1849	170	40	20	90	—	—	—	—	—	20
Multiple traumatic injuries and disorders, n.e.c.	189	3,530	1,460	390	390	40	—	50	—	—	1,180
Other traumatic injuries and disorders	19	193,210	75,990	19,650	30,430	2,730	840	1,020	250	310	62,000
Other traumatic injuries and disorders, unspecified ...	190	280	60	—	50	—	—	—	—	—	160

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Asphyxiations, strangulations, suffocations	191	90	40	—	—	—	—	—	—	—	30
Electrocutions, electric shocks	193	1,080	380	150	210	—	—	—	—	—	300
Internal injuries to organs and blood vessels of the trunk	194	100	40	—	—	—	—	—	—	—	30
Dermatitis and reactions affecting the skin—acute	195	2,320	890	150	490	50	—	—	—	—	720
Dermatitis and reactions affecting the skin—acute, unspecified	1950	1,080	360	80	300	20	—	—	—	—	310
Allergic dermatitis—acute	1951	660	250	30	100	30	—	—	—	—	240
Irritant dermatitis—acute	1952	430	220	20	70	—	—	—	—	—	120
Hives, urticaria—acute	1953	60	30	20	—	—	—	—	—	—	—
Multiple types of dermatitis and skin reactions—acute	1958	60	20	—	—	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	30	—	—	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	6,880	2,450	1,310	700	100	50	20	30	30	2,210
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	3,210	1,170	630	340	60	40	—	—	—	950
Poisoning, including poisoning-related asphyxia	1961	500	150	60	40	—	—	—	—	—	240
Anaphylactic shock, anaphylaxis	1962	140	140	—	—	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	840	280	140	110	—	—	—	—	—	310
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	130	60	30	20	—	—	—	—	—	20
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	240	60	30	40	—	—	—	—	—	90
Other or unspecified allergic reactions	1966	940	370	60	120	—	—	—	—	—	370
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	150	100	—	—	—	—	—	—	—	30
Multiple poisoning, toxic, noxious, or allergenic effects	1968	300	70	—	20	—	—	—	—	—	170
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	430	30	340	—	—	—	—	—	—	30
Nonspecified injuries and disorders	197	181,840	71,850	17,880	28,920	2,580	780	950	220	290	58,390
Crushing injuries	1971	9,790	3,970	470	1,920	80	—	160	—	—	3,160
Soreness, pain, hurt—nonspecified injury	1972	150,180	59,290	16,030	23,050	2,170	660	740	200	270	47,760
Swelling, inflammation, irritation—nonspecified injury	1973	17,370	6,830	1,100	3,390	270	40	50	20	—	5,670
Numbness—nonspecified injury	1974	1,060	370	40	130	20	—	—	—	—	510
Multiple nonspecified injuries and disorders	1978	1,930	840	140	300	30	—	—	—	—	620
Nonspecified injuries and disorders, n.e.c.	1979	1,520	550	100	120	—	60	—	—	—	680
Other traumatic injuries and disorders, n.e.c.	199	620	300	140	40	—	—	—	—	—	140
Traumatic shock	1991	30	—	—	—	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	590	270	140	40	—	—	—	—	—	140
Diseases and disorders of body systems	2	19,580	8,160	1,130	2,940	550	30	80	—	—	6,700
Nervous system and sense organs diseases	22	8,660	3,900	410	990	410	—	—	—	—	2,930

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Inflammatory diseases of the central nervous system	221	40	30	—	—	—	—	—	—	—	—
Other disorders of the central nervous system	223	120	50	—	—	—	—	—	—	—	60
Seizure disorder, epilepsy	2231	50	20	—	—	—	—	—	—	—	20
Migraine	2232	70	20	—	—	—	—	—	—	—	30
Disorders of the peripheral nervous system	224	7,590	3,530	350	750	400	—	—	—	—	2,550
Disorders of the peripheral nervous system, unspecified	2240	690	300	—	120	20	—	—	—	—	250
Carpal tunnel syndrome	2241	6,800	3,190	340	600	380	—	—	—	—	2,270
Inflammatory and toxic neuropathy, toxic polyneuropathy	2242	40	20	—	20	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	60	30	—	—	—	—	—	—	—	20
Disorders of the eye, adnexa, vision	225	760	240	40	220	—	—	—	—	—	240
Disorders of the eye, adnexa, vision, unspecified ..	2250	90	30	—	30	—	—	—	—	—	20
Conjunctivitis—non-viral	2251	370	60	30	130	—	—	—	—	—	140
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	2252	50	—	—	30	—	—	—	—	—	—
Blindness, low vision	2254	20	—	—	—	—	—	—	—	—	20
Visual disturbances	2256	20	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	200	130	—	20	—	—	—	—	—	40
Disorders of the ear, mastoid process, hearing	226	140	40	—	—	—	—	—	—	—	80
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	—	—	—	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	80	30	—	—	—	—	—	—	—	40
Tinnitus	2262	30	—	—	—	—	—	—	—	—	20
Circulatory system diseases	23	570	160	—	40	—	—	—	—	—	350
Circulatory system diseases, unspecified	230	30	20	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	160	30	—	—	—	—	—	—	—	120
Ischemic heart disease, unspecified	2330	20	—	—	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	130	20	—	—	—	—	—	—	—	100
Diseases of pulmonary circulation	234	20	—	—	—	—	—	—	—	—	—
Pulmonary embolism	2342	20	—	—	—	—	—	—	—	—	—
Other forms of heart disease	235	90	—	—	—	—	—	—	—	—	—
Other forms of heart disease, n.e.c.	2359	90	—	—	—	—	—	—	—	—	—
Cerebrovascular disease	236	180	50	—	30	—	—	—	—	—	90
Cerebrovascular disease, unspecified	2360	60	—	—	—	—	—	—	—	—	—
Stroke	2361	100	40	—	30	—	—	—	—	—	20
Transient ischemia attacks	2362	20	—	—	—	—	—	—	—	—	—
Diseases of the veins, lymphatics	238	80	60	—	—	—	—	—	—	—	20
Hemorrhoids	2382	60	60	—	—	—	—	—	—	—	—
Phlebitis, thrombosis	2383	20	—	—	—	—	—	—	—	—	20
Respiratory system diseases	24	1,500	930	20	340	—	—	60	—	—	150
Respiratory system diseases, unspecified	240	80	20	—	—	—	—	—	—	—	60
Acute respiratory infections (including common cold)	241	320	290	—	—	—	—	—	—	—	—
Other diseases of upper respiratory tract	242	50	20	—	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	2420	40	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Pneumonia, influenza	243	910	570	—	280	—	—	—	—	—	40
Pneumonia, influenza, unspecified	2430	40	—	—	—	—	—	—	—	—	—
Influenza—common	2432	860	570	—	270	—	—	—	—	—	20
Chronic obstructive pulmonary disease and allied conditions	244	50	—	—	20	—	—	—	—	—	—
Asthma, except intrinsic	2443	40	—	—	20	—	—	—	—	—	—
Pneumoconioses	245	20	—	—	—	—	—	—	—	—	20
Coal workers pneumoconiosis	2451	20	—	—	—	—	—	—	—	—	20
Other respiratory system diseases	249	60	—	—	—	—	—	—	—	—	—
Other respiratory system diseases, unspecified	2490	30	—	—	—	—	—	—	—	—	—
Atelectasis, collapsed lung	2494	20	—	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	630	340	20	100	—	—	—	—	—	170
Hernia—nontraumatic	253	570	310	20	100	—	—	—	—	—	150
Digestive system diseases and disorders, n.e.c.	259	20	20	—	—	—	—	—	—	—	—
Genitourinary system diseases and disorders	26	60	50	—	—	—	—	—	—	—	—
Diseases and disorders of the genital tract	263	50	—	—	—	—	—	—	—	—	—
Spontaneous abortion, miscarriage	2632	50	—	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	7,190	2,430	590	1,290	120	—	—	—	—	2,720
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	180	60	—	—	—	—	—	—	—	120
Arthropathies and related disorders (arthritis)	271	190	50	—	80	—	—	—	—	—	40
Dorsopathies	272	550	250	30	40	20	—	—	—	—	210
Sciatica	2721	170	60	—	—	20	—	—	—	—	80
Lumbago	2722	170	90	—	—	—	—	—	—	—	70
Disc disorders, except dislocation	2723	70	40	—	—	—	—	—	—	—	20
Dorsopathies, n.e.c.	2729	140	60	—	20	—	—	—	—	—	50
Soft tissue disorders, except the back	273	6,200	2,060	530	1,170	90	—	—	—	—	2,330
Soft tissue disorder, except the back, unspecified	2730	330	100	—	110	—	—	—	—	—	100
Bursitis	2731	400	200	20	50	—	—	—	—	—	130
Stenosing tenosynovitis	2732	1,030	340	200	100	—	—	—	—	—	370
Other tenosynovitis, synovitis	2733	730	90	30	370	—	—	—	—	—	230
Epicondylitis	2734	1,060	370	50	180	—	—	—	—	—	450
Other or unspecified tendonitis (tendinitis)	2735	1,930	680	180	270	40	—	—	—	—	760
Ganglion or cystic tumor	2736	260	70	30	40	—	—	—	—	—	110
Multiple soft tissue disorders	2738	110	60	—	—	—	—	—	—	—	40
Soft tissue disorder, except the back, n.e.c.	2739	330	150	—	40	—	—	—	—	—	130
Osteopathies, chondropathies, and acquired deformities	274	40	—	—	—	—	—	—	—	—	—
Osteopathies, chondropathies, and acquired deformities, n.e.c.	2749	30	—	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	279	30	—	—	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	890	330	80	130	—	—	—	—	—	330
Infections of the skin and subcutaneous tissue	281	740	220	80	120	—	—	—	—	—	310

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Infections of the skin and subcutaneous tissue, unspecified	2810	80	20	—	20	—	—	—	—	—	20
Cellulitis and abscess	2811	480	140	30	80	—	—	—	—	—	220
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	80	20	—	—	—	—	—	—	—	30
Infections of the skin and subcutaneous tissue, n.e.c.	2819	80	20	—	—	—	—	—	—	—	30
Dermatitis resulting from long-term exposures	282	30	20	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	289	100	90	—	—	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	2899	20	—	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	29	80	20	—	30	—	—	—	—	—	30
Endocrine, nutritional, metabolic, and immunity disorders	291	60	—	—	20	—	—	—	—	—	30
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	50	—	—	20	—	—	—	—	—	20
Other systemic diseases and disorders, n.e.c.	299	20	—	—	—	—	—	—	—	—	—
Infectious and parasitic diseases	3	1,020	470	80	80	20	—	—	—	—	370
Infectious and parasitic diseases, unspecified	30	40	20	—	—	—	—	—	—	—	20
Bacterial diseases	31	120	60	—	—	—	—	—	—	—	40
Bacterial diseases, unspecified	310	20	—	—	—	—	—	—	—	—	20
Other bacterial diseases	319	80	50	—	—	—	—	—	—	—	—
Diphtheria, whooping cough	3192	60	40	—	—	—	—	—	—	—	—
Viral diseases	32	230	100	30	30	—	—	—	—	—	70
Viral diseases, unspecified	320	30	—	—	—	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	323	120	50	20	30	—	—	—	—	—	30
Chickenpox, varicella	3233	90	30	20	20	—	—	—	—	—	20
Herpes zoster, shingles	3234	20	20	—	—	—	—	—	—	—	—
Viral diseases of the conjunctiva	326	60	30	—	—	—	—	—	—	—	20
Viral conjunctivitis (ophthalmia)	3261	50	30	—	—	—	—	—	—	—	20
Other arthropod-borne diseases	33	20	—	—	—	—	—	—	—	—	—
Mycoses (fungal infections)	34	20	—	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	110	50	—	—	—	—	—	—	—	50
Infectious diseases peculiar to the intestines, n.e.c. ...	369	90	40	—	—	—	—	—	—	—	40
Other infectious and parasitic diseases	39	490	210	40	30	—	—	—	—	—	190
Pediculosis and phthirus infestation (lice)	391	20	—	—	—	—	—	—	—	—	—
Scabies and other acariases	392	470	200	40	30	—	—	—	—	—	190
Symptoms, signs, and ill-defined conditions	5	3,700	1,330	430	430	40	—	—	—	—	1,440
Symptoms, signs, and ill-defined conditions, unspecified	50	230	120	—	40	—	—	—	—	—	70
Symptoms	51	3,350	1,160	430	390	40	—	—	—	—	1,320
Symptoms, unspecified	510	30	20	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
General symptoms	511	2,280	780	250	260	20	—	—	—	—	950
General symptoms, unspecified	5110	20	—	—	—	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	1,150	360	100	140	—	—	—	—	—	550
Convulsions, seizures	5112	300	80	—	20	—	—	—	—	—	170
Malaise and fatigue	5113	20	—	—	—	—	—	—	—	—	—
Dizziness—general	5114	470	200	70	60	—	—	—	—	—	130
Inflammation, swelling—general	5115	70	30	20	—	—	—	—	—	—	—
Numbness—general	5116	80	70	—	—	—	—	—	—	—	—
Multiple general symptoms	5118	130	30	30	—	—	—	—	—	—	50
General symptoms, n.e.c.	5119	40	—	—	—	—	—	—	—	—	20
Symptoms involving nervous and musculoskeletal systems	512	40	—	—	—	—	—	—	—	—	30
Earache	5122	30	—	—	—	—	—	—	—	—	30
Symptoms involving skin and other integumentary tissue	513	50	50	—	—	—	—	—	—	—	—
Edema (including drowsy)	5131	20	20	—	—	—	—	—	—	—	—
Symptoms involving head and neck	514	250	100	30	20	—	—	—	—	—	100
Headache, except migraine	5141	180	90	20	—	—	—	—	—	—	50
Symptoms involving head and neck, n.e.c.	5149	50	—	—	—	—	—	—	—	—	40
Symptoms involving cardiovascular system	515	70	—	—	—	—	—	—	—	—	40
Unspecified tachycardia (rapid heartbeat)	5151	20	—	—	—	—	—	—	—	—	20
Symptoms involving cardiovascular system, n.e.c.	5159	20	—	—	—	—	—	—	—	—	20
Symptoms involving respiratory system and chest	516	510	140	140	50	—	—	—	—	—	160
Symptoms involving respiratory system and chest, unspecified	5160	220	50	120	—	—	—	—	—	—	40
Chest pain	5164	130	30	—	—	—	—	—	—	—	80
Multiple symptoms involving respiratory system and chest	5168	20	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	120	60	20	30	—	—	—	—	—	20
Symptoms involving digestive and urinary system	517	70	30	—	30	—	—	—	—	—	—
Nausea and vomiting—general	5171	30	30	—	—	—	—	—	—	—	—
Abdominal pain, unspecified	5174	30	—	—	30	—	—	—	—	—	—
Multiple symptoms	518	40	20	—	—	—	—	—	—	—	—
Abnormal findings	52	30	—	—	—	—	—	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	58	30	30	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions, n.e.c.	59	50	—	—	—	—	—	—	—	—	40
Other diseases, conditions, and disorders	6	3,960	670	270	420	80	—	—	—	—	2,510
Damage to prosthetic and orthopedic devices	61	60	—	—	20	—	—	—	—	—	30
Damage to prosthetic devices and aids	611	20	—	—	—	—	—	—	—	—	—
Damage to orthopedic devices	612	20	—	—	—	—	—	—	—	—	—
Damage to pins, rods, plates, and screws	6122	20	—	—	—	—	—	—	—	—	—
Mental disorders and syndromes	62	3,890	660	270	400	80	—	—	—	—	2,480
Mental disorders and syndromes, unspecified	620	80	30	—	—	—	—	—	—	—	40

See footnotes at end of table.

TABLE R46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, private industry, 2014 — Continued

Nature	Nature code ²	Private industry ³	Race or ethnic origin ⁴								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Anxiety, stress	621	3,780	620	260	400	80	—	—	—	—	2,410
Anxiety, stress, unspecified	6210	2,510	310	100	300	50	—	—	—	—	1,750
Post-traumatic stress disorder	6211	840	280	30	50	—	—	—	—	—	450
Anxiety or panic disorder	6213	150	20	30	20	—	—	—	—	—	80
Anxiety, stress, n.e.c.	6219	270	20	100	20	—	—	—	—	—	120
Depression or depressive episode	622	30	—	—	—	—	—	—	—	—	30
Exposures to disease—no illness incurred	7	320	70	30	40	—	—	—	—	—	170
Multiple diseases, conditions, and disorders	8	120	50	—	—	—	—	—	—	—	50
Nonclassifiable	9999	4,960	320	170	280	110	—	—	—	—	4,070

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Race and ethnicity data do not add to total. Some cases may be counted as both multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.