

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2014

Part of body	Part of body code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		916,440	21,520	88,460	195,090	188,490	216,280	155,410	32,250	18,810
Head	1	68,940	2,240	9,630	16,240	12,990	13,270	10,350	2,420	1,760
Head, unspecified	10	16,280	540	1,710	3,750	2,300	2,930	3,360	760	930
Cranial region, including skull	11	15,450	490	2,510	3,380	3,070	2,620	2,540	540	280
Cranial region, unspecified	110	230	—	—	50	50	40	60	20	—
Brain	111	12,540	450	2,240	2,680	2,550	2,110	1,830	430	240
Scalp	112	2,290	30	220	550	450	380	540	80	30
Skull	113	320	—	30	80	20	70	90	—	—
Multiple cranial region locations	118	30	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	119	40	—	—	—	—	—	20	—	—
Ear(s)	12	960	—	170	170	330	140	140	—	—
Face	13	35,140	1,170	5,060	8,630	7,090	7,430	4,150	1,050	540
Face, unspecified	130	3,400	90	340	720	920	660	480	150	40
Forehead	131	2,610	110	330	450	510	440	530	180	50
Eye(s)	132	20,910	670	3,340	5,390	4,220	4,480	2,160	320	320
Nose, nasal cavity	133	2,340	20	320	480	450	610	300	120	50
Nose, except internal location of diseases or disorders	1330	2,330	20	320	480	450	600	300	120	50
Cheek(s)	134	410	—	20	140	70	120	40	—	—
Jaw, chin	135	840	—	190	170	220	120	100	20	—
Mouth	136	2,160	80	310	610	360	410	250	130	20
Mouth, unspecified	1360	240	—	110	40	30	40	20	—	—
Lip(s)	1361	760	40	50	290	120	160	80	20	—
Tooth (teeth)	1363	980	40	130	240	170	180	110	90	20
Multiple mouth locations	1368	140	—	20	30	40	20	40	—	—
Mouth, n.e.c.	1369	30	—	—	—	—	—	—	—	—
Multiple face locations	138	2,220	180	160	640	300	530	250	130	20
Face, n.e.c.	139	260	—	60	40	40	60	30	—	—
Multiple head locations	18	850	30	140	230	160	100	140	40	—
Head, n.e.c.	19	270	—	30	90	50	60	20	20	—
Neck, including throat	2	12,410	160	920	2,260	2,650	3,470	2,200	610	120
Neck, except internal location of diseases or disorders ...	20	12,390	160	920	2,250	2,650	3,470	2,200	610	120
Trunk	3	218,560	3,120	18,170	49,390	50,730	51,640	35,480	6,990	3,030
Trunk, unspecified	30	1,030	—	60	230	210	190	200	110	20
Chest, including ribs, internal organs	31	14,430	240	600	2,410	3,600	3,300	3,120	960	210
Chest, except internal location of diseases or disorders	310	13,860	230	570	2,340	3,520	3,150	2,970	860	200
Internal chest location, unspecified	311	110	—	—	30	20	30	20	—	—
Heart	313	330	—	—	—	20	90	100	90	—
Lung(s), pleura	315	120	—	—	20	30	30	30	—	—
Back, including spine, spinal cord	32	162,720	2,370	14,550	39,930	39,550	37,680	23,340	3,210	2,080
Back, including spine, spinal cord, unspecified	320	64,680	830	5,810	15,240	16,110	15,180	9,480	1,110	910
Thoracic region	321	7,410	200	870	2,280	1,670	1,430	740	180	50
Lumbar region	322	82,730	1,200	7,110	20,490	19,950	19,470	11,700	1,770	1,040
Sacral region	323	1,060	—	100	250	240	200	190	60	—
Coccygeal region	324	1,270	—	100	240	310	300	260	50	—
Multiple back regions	328	5,340	100	520	1,360	1,220	1,070	960	50	60

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Back, including spine, spinal cord, n.e.c.	329	230	—	40	70	50	30	30	—	—
Abdomen	33	19,800	220	1,490	3,400	3,960	6,270	3,690	520	260
Abdomen, except internal location of diseases or disorders	330	18,960	210	1,450	3,230	3,810	6,090	3,420	500	250
Internal abdominal location, unspecified	331	370	—	20	80	90	100	70	—	—
Stomach organ	332	50	—	—	—	20	—	—	—	—
Intestines, peritoneum	335	370	—	—	80	30	70	180	—	—
Intestines, peritoneum, unspecified	3350	280	—	—	40	30	60	140	—	—
Large intestine, colon, rectum	3353	70	—	—	30	—	—	—	—	—
Other digestive structures	336	20	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	339	20	—	—	—	—	—	—	—	—
Pelvic region	34	16,060	180	1,190	2,550	2,580	3,210	3,900	2,060	380
Pelvic region, unspecified	340	150	—	—	30	30	50	30	—	—
Hip(s)	341	7,750	90	430	900	1,020	1,480	2,130	1,410	270
Pelvis	342	1,020	—	40	110	60	150	220	420	—
Buttock(s)	343	1,600	—	160	200	290	290	550	90	—
Groin	344	4,870	70	440	1,160	990	1,140	860	110	80
External reproductive tract structures	345	320	—	100	70	110	30	—	—	—
External reproductive tract structures, unspecified ..	3450	90	—	—	—	60	—	—	—	—
Scrotum	3451	200	—	90	40	50	—	—	—	—
Penis	3452	20	—	—	—	—	—	—	—	—
Internal reproductive tract structures	346	60	—	—	—	—	30	—	—	—
Ovary (ovaries)	3463	50	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	200	—	—	30	50	20	70	20	—
Pelvic region, n.e.c.	349	80	—	—	30	—	—	30	—	—
Multiple trunk locations	38	4,270	120	260	810	800	910	1,180	100	80
Trunk, n.e.c.	39	250	—	20	60	30	80	50	20	—
Upper extremities	4	288,240	9,410	30,970	59,950	56,990	67,520	49,970	9,580	3,820
Upper extremities, unspecified	40	340	—	—	140	60	60	70	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	72,200	840	4,240	11,530	13,380	20,230	17,950	3,080	960
Arm(s)	42	44,290	1,640	2,990	8,250	10,280	11,180	7,290	2,180	480
Arm(s), unspecified	420	13,730	660	940	2,950	2,500	3,120	2,350	1,050	170
Upper arm(s)	421	5,650	80	210	810	1,200	1,640	1,230	410	70
Elbow(s)	422	14,310	320	780	2,230	3,830	4,100	2,430	470	150
Forearm(s)	423	8,170	550	850	1,770	2,100	1,640	980	210	70
Multiple arm locations	428	1,660	—	140	340	470	460	200	—	30
Multiple arm locations, unspecified	4280	280	—	—	120	30	110	—	—	—
Elbow(s) and arm(s)	4281	960	—	20	170	350	250	140	—	—
Multiple arm locations, n.e.c.	4289	410	—	110	50	90	100	50	—	—
Arm(s), n.e.c.	429	760	—	70	160	180	220	100	20	—
Wrist(s)	43	36,540	780	3,500	7,810	6,670	8,810	7,070	1,370	540
Hand(s)	44	119,810	6,000	18,900	29,680	22,890	23,230	15,070	2,390	1,630
Hand(s), unspecified	440	32,070	1,970	4,240	8,530	6,030	6,150	4,050	630	480
Hand(s), except finger(s)	441	4,410	250	760	1,030	740	900	630	70	20
Finger(s), fingernail(s)	442	77,840	3,360	13,080	19,140	15,090	15,060	9,520	1,520	1,060
Finger(s), fingernail(s), unspecified	4420	58,270	2,560	9,600	14,560	11,280	11,030	7,180	1,110	930
Fingernail(s), nailbed(s)	4421	1,040	110	180	160	170	280	140	—	—
Fingertip(s)	4422	5,590	210	910	1,170	1,010	1,370	760	100	60
Finger(s), fingernail(s), n.e.c.	4429	12,940	480	2,390	3,260	2,640	2,380	1,440	290	60

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Hand(s) and finger(s)	448	3,580	310	410	470	690	860	660	140	40
Hand(s), n.e.c.	449	1,920	110	410	510	340	280	210	30	20
Multiple upper extremities locations	48	14,620	150	1,320	2,520	3,610	3,790	2,450	560	210
Multiple upper extremities locations, unspecified	480	100	-	-	20	30	30	20	-	-
Hand(s) and arms(s)	481	1,520	40	220	370	300	340	230	20	-
Hand(s) and arm(s), unspecified	4810	720	20	50	240	120	160	130	-	-
Hand(s) and elbow(s)	4811	170	-	20	-	50	50	30	-	-
Hand(s) and arm(s), n.e.c.	4819	630	20	150	120	130	120	70	-	-
Hand(s) and wrist(s)	482	3,170	60	430	630	730	660	480	150	30
Wrist(s) and arm(s)	483	1,580	-	140	330	530	260	210	30	80
Wrist(s) and arm(s), unspecified	4830	520	-	40	140	120	120	80	-	20
Wrist(s) and elbow(s)	4831	390	-	30	140	90	30	60	-	30
Wrist(s) and arm(s), n.e.c.	4839	670	-	60	50	320	110	80	-	30
Shoulder(s) and arm(s)	484	5,180	20	210	680	1,280	1,530	1,100	270	80
Multiple upper extremities locations, n.e.c.	489	3,070	30	310	490	750	990	400	90	-
Upper extremities, n.e.c.	49	440	-	-	20	100	220	80	-	-
Lower extremities	5	211,990	5,340	20,780	45,510	42,530	50,910	35,680	7,350	3,840
Lower extremities, unspecified	50	200	-	20	20	40	70	30	-	-
Leg(s)	51	110,930	2,100	8,460	21,790	21,200	29,000	22,060	4,580	1,710
Leg(s), unspecified	510	11,930	170	1,000	2,300	2,610	3,080	2,100	470	190
Thigh(s)	511	4,710	70	390	1,030	550	1,190	1,160	270	60
Knee(s)	512	79,850	1,560	5,800	15,750	15,240	21,100	15,850	3,230	1,310
Lower leg(s)	513	11,500	300	1,110	2,220	2,240	2,610	2,350	540	130
Multiple leg locations	518	2,230	-	120	430	490	620	490	50	20
Multiple leg locations, unspecified	5180	160	-	20	50	50	20	20	-	-
Knee(s) and leg(s)	5181	1,810	-	90	340	410	520	400	30	20
Multiple leg locations, n.e.c.	5189	260	-	20	40	40	80	70	20	-
Leg(s), n.e.c.	519	700	-	40	60	70	410	110	-	-
Ankle(s)	52	47,950	1,560	5,660	11,350	12,150	9,880	5,480	1,050	800
Foot (feet)	53	43,460	1,560	5,960	10,350	7,340	9,510	6,610	1,460	660
Foot (feet), unspecified	530	28,170	1,000	3,720	7,080	4,900	5,940	4,120	1,050	360
Sole(s)	531	2,230	80	310	370	410	520	430	30	80
Sole(s), unspecified	5310	370	30	60	110	40	40	50	-	30
Ball(s) of the foot	5311	30	-	-	-	-	20	-	-	-
Arch(es), instep(s)	5312	200	-	20	30	70	50	20	-	-
Heel(s)	5313	1,570	50	230	220	250	400	360	20	40
Sole(s), n.e.c.	5319	50	-	-	-	30	-	-	-	-
Toes(s), toenail(s)	532	10,230	400	1,570	2,360	1,420	2,300	1,660	310	190
Multiple foot (feet) locations	538	630	30	80	90	130	210	80	-	-
Foot (feet), n.e.c.	539	2,190	40	280	460	480	540	310	70	20
Multiple lower extremities locations	58	9,060	100	670	1,880	1,790	2,330	1,370	250	660
Multiple lower extremities locations, unspecified	580	140	-	-	20	20	50	30	-	-
Foot (feet) and leg(s)	581	1,110	20	140	250	130	300	210	30	30
Foot(feet) and leg(s), unspecified	5810	460	20	90	120	60	50	80	-	30
Foot(feet) and knee(s)	5811	460	-	-	100	30	210	100	-	-
Foot(feet) and leg(s), n.e.c.	5819	190	-	40	30	50	40	30	-	-
Foot (feet) and ankle(s)	582	3,310	50	290	480	710	1,070	370	20	330
Ankle(s) and leg(s)	583	3,550	20	170	920	690	670	620	160	300
Ankle(s) and leg(s), unspecified	5830	820	-	30	210	50	160	70	-	280

See footnotes at end of table.

TABLE R50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Age							
			16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Ankle(s) and knee(s)	5831	2,150	—	80	560	570	380	380	150	20
Ankle(s) and leg(s), n.e.c.	5839	580	—	60	150	70	130	170	—	—
Multiple lower extremities locations, n.e.c.	589	940	—	60	200	230	240	140	40	—
Lower extremities, n.e.c.	59	390	—	—	120	—	130	130	—	—
Body systems	6	17,340	360	1,990	5,160	3,680	3,310	2,040	310	500
Multiple body parts	8	89,490	810	5,440	14,970	18,080	24,980	18,880	4,710	1,620
Multiple body parts, unspecified	80	6,890	—	380	1,370	1,380	2,010	1,210	330	200
Head and neck	81	1,900	20	250	400	360	410	310	110	40
Head, neck, and trunk	82	680	20	90	230	80	60	100	110	—
Head and trunk	83	1,080	40	60	150	150	300	290	70	20
Neck and back	84	7,630	70	790	1,570	1,620	2,170	1,040	200	150
Shoulder(s) and back	85	3,490	—	230	670	770	1,010	620	60	120
Hip(s) and leg(s)	86	1,580	—	80	190	520	370	340	50	20
Upper and lower limb(s)	87	6,090	90	310	650	1,000	1,850	1,550	390	240
Other multiple body parts	89	60,150	540	3,250	9,740	12,200	16,800	13,420	3,370	830
Whole body	891	570	—	—	120	120	140	130	50	—
Multiple body parts, n.e.c.	899	59,580	520	3,240	9,620	12,090	16,660	13,290	3,320	830
Other body parts	9	20	—	—	—	—	—	—	—	—
Prosthetic and orthopedic devices	91	20	—	—	—	—	—	—	—	—
Nonclassifiable	9999	9,450	70	570	1,600	830	1,170	810	280	4,110

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.