

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2014

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin <sup>4</sup>								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Total .....		916,440	358,210	72,280	124,280	13,930	3,460	4,020	970	1,020	338,280
<b>Head</b> .....	1	68,940	26,360	4,990	9,820	1,110	180	220	40	30	26,190
Head, unspecified .....	10	16,280	5,780	1,270	1,800	250	30	20	–	–	7,150
Cranial region, including skull .....	11	15,450	6,890	810	1,470	140	–	50	–	–	6,070
Cranial region, unspecified .....	110	230	80	–	20	–	–	–	–	–	130
Brain .....	111	12,540	5,960	630	950	110	–	50	–	–	4,820
Scalp .....	112	2,290	720	140	470	20	–	–	–	–	920
Skull .....	113	320	100	20	40	–	–	–	–	–	150
Multiple cranial region locations .....	118	30	–	–	–	–	–	–	–	–	20
Cranial region, n.e.c. ....	119	40	–	–	–	–	–	–	–	–	20
Ear(s) .....	12	960	370	50	50	60	–	–	–	–	430
Face .....	13	35,140	12,900	2,740	6,380	620	140	150	30	20	12,150
Face, unspecified .....	130	3,400	1,210	450	420	30	20	–	–	–	1,260
Forehead .....	131	2,610	1,120	270	190	70	–	–	–	–	930
Eye(s) .....	132	20,910	7,490	1,380	4,590	320	80	80	20	–	6,940
Nose, nasal cavity .....	133	2,340	860	130	260	30	–	–	–	–	1,050
Nose, except internal location of diseases or disorders .....	1330	2,330	850	130	260	30	–	–	–	–	1,040
Cheek(s) .....	134	410	190	40	70	–	–	–	–	–	100
Jaw, chin .....	135	840	260	30	80	40	–	–	–	–	430
Mouth .....	136	2,160	1,040	260	300	30	–	–	–	–	530
Mouth, unspecified .....	1360	240	30	130	–	–	–	–	–	–	70
Lip(s) .....	1361	760	530	60	50	–	–	–	–	–	120
Tooth (teeth) .....	1363	980	410	60	180	20	–	–	–	–	300
Multiple mouth locations .....	1368	140	50	–	50	–	–	–	–	–	30
Mouth, n.e.c. ....	1369	30	20	–	–	–	–	–	–	–	–
Multiple face locations .....	138	2,220	670	170	440	60	–	40	–	–	810
Face, n.e.c. ....	139	260	70	–	30	40	–	–	–	–	110
Multiple head locations .....	18	850	310	90	90	40	–	–	–	–	310
Head, n.e.c. ....	19	270	110	30	30	–	–	–	–	–	80
<b>Neck, including throat</b> .....	2	12,410	4,720	1,140	1,620	150	50	40	60	–	4,630
Neck, except internal location of diseases or disorders ...	20	12,390	4,720	1,140	1,620	150	50	40	60	–	4,620
<b>Trunk</b> .....	3	218,560	85,460	17,230	28,750	3,180	620	890	150	190	82,100
Trunk, unspecified .....	30	1,030	310	170	120	–	–	–	–	–	410
Chest, including ribs, internal organs .....	31	14,430	6,020	950	2,200	210	50	30	–	–	4,990
Chest, except internal location of diseases or disorders .....	310	13,860	5,860	940	2,130	200	50	30	–	–	4,650
Internal chest location, unspecified .....	311	110	–	–	50	–	–	–	–	–	40
Heart .....	313	330	80	–	–	–	–	–	–	–	240
Lung(s), pleura .....	315	120	50	–	–	–	–	–	–	–	50
Back, including spine, spinal cord .....	32	162,720	61,150	13,120	21,280	2,710	420	660	130	160	63,100
Back, including spine, spinal cord, unspecified .....	320	64,680	26,990	5,260	9,280	840	80	240	120	40	21,820
Thoracic region .....	321	7,410	2,500	750	600	100	20	50	–	–	3,390

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2014 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin <sup>4</sup>								Multi-race	Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race			
Lumbar region .....	322	82,730	28,340	6,310	10,570	1,700	290	330	—	110	35,070	
Sacral region .....	323	1,060	480	140	50	—	—	—	—	—	380	
Coccygeal region .....	324	1,270	680	50	120	—	—	—	—	—	420	
Multiple back regions .....	328	5,340	2,060	560	640	70	—	40	—	—	1,960	
Back, including spine, spinal cord, n.e.c. ....	329	230	90	50	20	—	—	—	—	—	70	
Abdomen .....	33	19,800	9,320	1,340	2,740	90	20	130	—	—	6,180	
Abdomen, except internal location of diseases or disorders .....	330	18,960	8,860	1,320	2,610	90	20	130	—	—	5,950	
Internal abdominal location, unspecified .....	331	370	150	—	100	—	—	—	—	—	120	
Stomach organ .....	332	50	30	—	—	—	—	—	—	—	—	
Intestines, peritoneum .....	335	370	270	—	20	—	—	—	—	—	70	
Intestines, peritoneum, unspecified .....	3350	280	200	—	20	—	—	—	—	—	60	
Large intestine, colon, rectum .....	3353	70	60	—	—	—	—	—	—	—	—	
Other digestive structures .....	336	20	—	—	—	—	—	—	—	—	20	
Internal abdominal location, n.e.c. ....	339	20	—	—	—	—	—	—	—	—	—	
Pelvic region .....	34	16,060	6,890	1,160	1,810	140	120	50	—	20	5,870	
Pelvic region, unspecified .....	340	150	50	20	—	—	—	—	—	—	80	
Hip(s) .....	341	7,750	3,250	620	850	90	—	40	—	—	2,880	
Pelvis .....	342	1,020	630	90	70	—	—	—	—	—	210	
Buttock(s) .....	343	1,600	690	200	260	20	—	—	—	—	430	
Groin .....	344	4,870	1,990	200	560	—	110	—	—	—	2,000	
External reproductive tract structures .....	345	320	110	20	60	—	—	—	—	—	130	
External reproductive tract structures, unspecified ..	3450	90	—	—	—	—	—	—	—	—	30	
Scrotum .....	3451	200	90	—	—	—	—	—	—	—	100	
Penis .....	3452	20	—	—	—	—	—	—	—	—	—	
Internal reproductive tract structures .....	346	60	—	—	—	—	—	—	—	—	30	
Ovary (ovaries) .....	3463	50	—	—	—	—	—	—	—	—	—	
Multiple pelvic region locations .....	348	200	100	—	—	—	—	—	—	—	80	
Pelvic region, n.e.c. ....	349	80	30	—	—	—	—	—	—	—	30	
Multiple trunk locations .....	38	4,270	1,630	470	600	20	20	—	—	—	1,520	
Trunk, n.e.c. ....	39	250	150	30	—	20	—	—	—	—	40	
<b>Upper extremities .....</b>	<b>4</b>	<b>288,240</b>	<b>117,480</b>	<b>20,240</b>	<b>40,700</b>	<b>5,290</b>	<b>1,500</b>	<b>1,210</b>	<b>310</b>	<b>260</b>	<b>101,250</b>	
Upper extremities, unspecified .....	40	340	50	—	150	—	—	—	—	—	110	
Shoulder(s), including clavicle(s), scapula(e) .....	41	72,200	31,920	5,190	6,760	710	550	350	100	50	26,570	
Arm(s) .....	42	44,290	18,290	2,810	5,540	930	120	120	40	—	16,430	
Arm(s), unspecified .....	420	13,730	5,490	1,130	2,040	180	30	60	—	—	4,780	
Upper arm(s) .....	421	5,650	2,440	220	330	340	—	—	—	—	2,300	
Elbow(s) .....	422	14,310	6,370	770	1,660	180	50	30	30	—	5,230	
Forearm(s) .....	423	8,170	3,110	540	1,160	150	20	—	—	—	3,170	
Multiple arm locations .....	428	1,660	700	120	180	70	—	—	—	—	580	
Multiple arm locations, unspecified .....	4280	280	80	30	80	—	—	—	—	—	80	
Elbow(s) and arm(s) .....	4281	960	440	60	70	50	—	—	—	—	340	
Multiple arm locations, n.e.c. ....	4289	410	180	30	30	20	—	—	—	—	150	
Arm(s), n.e.c. ....	429	760	180	30	180	—	—	—	—	—	370	
Wrist(s) .....	43	36,540	15,560	2,440	4,620	880	130	110	20	20	12,780	

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2014 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin <sup>4</sup>								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Hand(s) .....	44	119,810	46,500	8,520	20,880	2,340	510	600	130	170	40,150
Hand(s), unspecified .....	440	32,070	12,280	2,440	5,430	450	80	200	40	80	11,080
Hand(s), except finger(s) .....	441	4,410	1,700	260	700	110	80	—	—	30	1,530
Finger(s), fingernail(s) .....	442	77,840	29,980	5,490	14,220	1,720	360	380	90	60	25,560
Finger(s), fingernail(s), unspecified .....	4420	58,270	23,030	4,180	10,660	1,090	280	250	60	30	18,710
Fingernail(s), nailbed(s) .....	4421	1,040	260	90	130	30	—	—	—	—	470
Fingertip(s) .....	4422	5,590	2,170	430	1,020	460	—	80	—	—	1,410
Finger(s), fingernail(s), n.e.c. ....	4429	12,940	4,520	790	2,410	140	50	50	—	—	4,960
Hand(s) and finger(s) .....	448	3,580	1,930	240	290	30	—	20	—	—	1,070
Hand(s), n.e.c. ....	449	1,920	620	100	240	40	—	—	—	—	920
Multiple upper extremities locations .....	48	14,620	4,880	1,250	2,720	420	190	30	—	—	5,110
Multiple upper extremities locations, unspecified .....	480	100	30	—	—	—	—	—	—	—	60
Hand(s) and arms(s) .....	481	1,520	450	150	290	100	—	—	—	—	520
Hand(s) and arm(s), unspecified .....	4810	720	240	120	90	60	—	—	—	—	210
Hand(s) and elbow(s) .....	4811	170	60	—	40	20	—	—	—	—	40
Hand(s) and arm(s), n.e.c. ....	4819	630	150	30	160	20	—	—	—	—	280
Hand(s) and wrist(s) .....	482	3,170	1,170	200	530	120	—	—	—	—	1,130
Wrist(s) and arm(s) .....	483	1,580	500	120	210	20	20	—	—	—	700
Wrist(s) and arm(s), unspecified .....	4830	520	160	50	120	—	—	—	—	—	180
Wrist(s) and elbow(s) .....	4831	390	160	—	40	—	—	—	—	—	170
Wrist(s) and arm(s), n.e.c. ....	4839	670	180	60	60	—	—	—	—	—	350
Shoulder(s) and arm(s) .....	484	5,180	1,760	480	1,090	90	30	—	—	—	1,710
Multiple upper extremities locations, n.e.c. ....	489	3,070	970	280	600	70	130	—	—	—	990
Upper extremities, n.e.c. ....	49	440	280	20	50	—	—	—	—	—	90
<b>Lower extremities</b> .....	<b>5</b>	<b>211,990</b>	<b>83,450</b>	<b>16,640</b>	<b>28,490</b>	<b>2,380</b>	<b>710</b>	<b>1,050</b>	<b>350</b>	<b>280</b>	<b>78,650</b>
Lower extremities, unspecified .....	50	200	40	—	30	—	—	—	—	—	120
Leg(s) .....	51	110,930	46,050	7,980	14,400	1,110	300	660	150	140	40,110
Leg(s), unspecified .....	510	11,930	4,470	970	2,460	90	20	70	—	—	3,840
Thigh(s) .....	511	4,710	1,820	350	730	90	130	250	—	—	1,340
Knee(s) .....	512	79,850	34,250	5,670	9,120	660	120	320	130	130	29,450
Lower leg(s) .....	513	11,500	4,170	760	1,650	220	20	20	—	—	4,640
Multiple leg locations .....	518	2,230	920	210	410	50	—	—	—	—	630
Multiple leg locations, unspecified .....	5180	160	50	—	40	—	—	—	—	—	40
Knee(s) and leg(s) .....	5181	1,810	760	160	320	20	—	—	—	—	540
Multiple leg locations, n.e.c. ....	5189	260	110	40	50	—	—	—	—	—	50
Leg(s), n.e.c. ....	519	700	430	20	40	—	—	—	—	—	210
Ankle(s) .....	52	47,950	18,320	3,940	6,530	690	280	140	40	90	17,920
Foot (feet) .....	53	43,460	15,670	3,870	5,590	490	100	180	140	40	17,360
Foot (feet), unspecified .....	530	28,170	10,710	2,540	3,380	260	60	110	30	30	11,050
Sole(s) .....	531	2,230	800	160	290	—	—	—	—	—	830
Sole(s), unspecified .....	5310	370	90	30	40	—	—	—	—	—	200
Ball(s) of the foot .....	5311	30	20	—	—	—	—	—	—	—	—
Arch(es), instep(s) .....	5312	200	60	30	50	—	—	—	—	—	60
Heel(s) .....	5313	1,570	620	90	200	—	—	—	—	—	520
Sole(s), n.e.c. ....	5319	50	—	—	—	—	—	—	—	—	30

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, private industry, 2014 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin <sup>4</sup>								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Toes(s), toenail(s) .....	532	10,230	3,150	900	1,400	180	30	50	—	—	4,510
Multiple foot (feet) locations .....	538	630	240	100	120	—	—	—	—	—	180
Foot (feet), n.e.c. ....	539	2,190	770	170	400	50	—	—	—	—	790
Multiple lower extremities locations .....	58	9,060	3,350	720	1,810	80	20	70	—	—	3,000
Multiple lower extremities locations, unspecified .....	580	140	40	—	—	—	—	—	—	—	80
Foot (feet) and leg(s) .....	581	1,110	450	60	140	—	—	—	—	—	460
Foot(feet) and leg(s), unspecified .....	5810	460	120	—	40	—	—	—	—	—	280
Foot(feet) and knee(s) .....	5811	460	260	20	60	—	—	—	—	—	110
Foot(feet) and leg(s), n.e.c. ....	5819	190	70	20	40	—	—	—	—	—	70
Foot (feet) and ankle(s) .....	582	3,310	1,310	290	490	30	—	20	—	—	1,150
Ankle(s) and leg(s) .....	583	3,550	1,220	280	940	20	—	—	—	—	1,070
Ankle(s) and leg(s), unspecified .....	5830	820	290	50	380	—	—	—	—	—	90
Ankle(s) and knee(s) .....	5831	2,150	720	190	440	—	—	—	—	—	770
Ankle(s) and leg(s), n.e.c. ....	5839	580	210	40	120	—	—	—	—	—	210
Multiple lower extremities locations, n.e.c. ....	589	940	330	80	230	20	—	40	—	—	240
Lower extremities, n.e.c. ....	59	390	20	120	120	—	—	—	—	—	130
<b>Body systems</b> .....	<b>6</b>	<b>17,340</b>	<b>6,010</b>	<b>2,250</b>	<b>1,930</b>	<b>210</b>	<b>20</b>	<b>130</b>	<b>—</b>	<b>—</b>	<b>6,780</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>89,490</b>	<b>32,760</b>	<b>9,090</b>	<b>12,020</b>	<b>1,410</b>	<b>370</b>	<b>460</b>	<b>60</b>	<b>250</b>	<b>33,080</b>
Multiple body parts, unspecified .....	80	6,890	2,090	450	1,180	170	—	20	—	—	2,970
Head and neck .....	81	1,900	720	180	310	—	—	—	—	—	680
Head, neck, and trunk .....	82	680	210	90	130	—	—	—	—	—	240
Head and trunk .....	83	1,080	470	100	130	30	—	—	—	—	330
Neck and back .....	84	7,630	2,740	970	880	90	20	90	—	140	2,690
Shoulder(s) and back .....	85	3,490	1,220	300	450	100	20	—	—	—	1,390
Hip(s) and leg(s) .....	86	1,580	420	120	220	20	20	—	—	—	790
Upper and lower limb(s) .....	87	6,090	2,200	540	790	100	—	40	—	—	2,390
Other multiple body parts .....	89	60,150	22,690	6,340	7,940	890	280	290	20	90	21,600
Whole body .....	891	570	180	40	90	—	—	—	—	—	260
Multiple body parts, n.e.c. ....	899	59,580	22,510	6,300	7,850	890	280	290	20	90	21,340
<b>Other body parts</b> .....	<b>9</b>	<b>20</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>
Prosthetic and orthopedic devices .....	91	20	—	—	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	<b>9999</b>	<b>9,450</b>	<b>1,960</b>	<b>710</b>	<b>960</b>	<b>190</b>	<b>20</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>5,590</b>

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

<sup>4</sup> Race and ethnicity data do not add to total. Some cases may be counted as both multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.  
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.