

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2014

Part of body	Part of body code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		916,440	27,070	7,920	23,610	51,060	218,820	55,460
Head	1	68,940	2,280	670	2,630	2,970	14,380	5,890
Head, unspecified	10	16,280	830	170	570	700	3,850	2,140
Cranial region, including skull	11	15,450	580	240	890	850	3,320	1,750
Cranial region, unspecified	110	230	20	–	–	–	20	–
Brain	111	12,540	540	230	810	750	2,690	1,490
Scalp	112	2,290	20	–	60	80	510	220
Skull	113	320	–	–	–	–	70	30
Multiple cranial region locations	118	30	–	–	–	–	–	–
Cranial region, n.e.c.	119	40	–	–	–	–	–	–
Ear(s)	12	960	–	60	60	–	160	20
Face	13	35,140	850	190	1,050	1,330	6,790	1,890
Face, unspecified	130	3,400	120	–	140	240	900	210
Forehead	131	2,610	40	20	100	110	490	330
Eye(s)	132	20,910	320	100	250	480	3,550	890
Nose, nasal cavity	133	2,340	130	–	240	160	490	250
Nose, except internal location of diseases or disorders	1330	2,330	130	–	240	160	490	250
Cheek(s)	134	410	–	–	30	30	110	–
Jaw, chin	135	840	50	–	40	30	190	20
Mouth	136	2,160	50	–	190	50	310	140
Mouth, unspecified	1360	240	–	–	110	–	20	–
Lip(s)	1361	760	–	–	–	–	100	80
Tooth (teeth)	1363	980	–	–	40	40	160	40
Multiple mouth locations	1368	140	–	–	20	–	20	–
Mouth, n.e.c.	1369	30	–	–	–	–	–	–
Multiple face locations	138	2,220	110	40	60	180	700	40
Face, n.e.c.	139	260	–	–	–	50	60	20
Multiple head locations	18	850	–	–	40	80	210	80
Head, n.e.c.	19	270	–	–	20	–	60	20
Neck, including throat	2	12,410	290	30	370	1,150	2,640	590
Neck, except internal location of diseases or disorders	20	12,390	290	30	370	1,150	2,630	590
Trunk	3	218,560	5,360	1,610	4,470	14,970	53,360	13,460
Trunk, unspecified	30	1,030	20	–	50	90	330	80
Chest, including ribs, internal organs	31	14,430	310	80	420	550	2,450	940
Chest, except internal location of diseases or disorders	310	13,860	250	80	380	510	2,390	910
Internal chest location, unspecified	311	110	–	–	–	–	20	–

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2014 — Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	70,750	14,780	73,460	81,730	104,980	182,800
Head	5,110	1,520	6,290	7,350	8,230	11,570
Head, unspecified	1,540	250	990	1,390	1,040	2,800
Cranial region, including skull	1,460	90	630	1,100	1,290	3,250
Cranial region, unspecified	—	—	30	20	20	90
Brain	1,150	30	440	840	1,030	2,550
Scalp	280	60	120	220	180	510
Skull	—	—	50	—	50	70
Multiple cranial region locations	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—
Ear(s)	60	20	70	170	160	180
Face	1,970	1,140	4,520	4,580	5,630	5,180
Face, unspecified	250	40	560	210	380	350
Forehead	250	40	120	180	310	600
Eye(s)	1,100	760	3,180	2,920	4,260	3,080
Nose, nasal cavity	130	80	90	230	160	360
Nose, except internal location of diseases or disorders	130	80	90	230	160	360
Cheek(s)	20	20	30	50	30	80
Jaw, chin	70	20	130	100	60	120
Mouth	80	90	170	510	190	380
Mouth, unspecified	—	—	—	20	20	30
Lip(s)	—	—	80	380	40	20
Tooth (teeth)	60	60	80	120	80	280
Multiple mouth locations	—	—	—	—	30	50
Mouth, n.e.c.	—	—	—	—	—	—
Multiple face locations	70	90	220	320	220	180
Face, n.e.c.	—	—	20	50	20	20
Multiple head locations	40	20	60	80	70	160
Head, n.e.c.	40	20	—	30	40	—
Neck, including throat	1,010	100	630	1,670	810	3,120
Neck, except internal location of diseases or disorders	1,000	100	630	1,670	810	3,120
Trunk	17,350	3,320	17,270	18,830	21,020	47,320
Trunk, unspecified	50	20	50	60	100	190
Chest, including ribs, internal organs	910	390	1,600	1,930	1,510	3,320
Chest, except internal location of diseases or disorders	880	390	1,550	1,790	1,480	3,210
Internal chest location, unspecified	—	—	—	—	—	50

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Heart	313	330	50	—	—	20	20	20
Lung(s), pleura	315	120	—	—	—	—	—	—
Back, including spine, spinal cord ..	32	162,720	4,030	930	3,240	12,640	42,350	10,020
Back, including spine, spinal cord, unspecified	320	64,680	1,810	390	1,230	4,020	17,750	3,850
Thoracic region	321	7,410	80	40	200	880	1,740	410
Lumbar region	322	82,730	1,950	430	1,510	6,810	20,710	5,430
Sacral region	323	1,060	30	—	80	170	460	20
Coccygeal region	324	1,270	40	20	50	110	380	60
Multiple back regions	328	5,340	110	40	170	640	1,240	210
Back, including spine, spinal cord, n.e.c.	329	230	—	—	—	20	70	40
Abdomen	33	19,800	490	130	190	490	3,080	1,290
Abdomen, except internal location of diseases or disorders	330	18,960	370	110	180	450	2,890	1,290
Internal abdominal location, unspecified	331	370	—	—	—	—	130	—
Stomach organ	332	50	—	—	—	—	20	—
Intestines, peritoneum	335	370	110	20	—	40	40	—
Intestines, peritoneum, unspecified	3350	280	110	—	—	30	30	—
Large intestine, colon, rectum	3353	70	—	—	—	—	—	—
Other digestive structures	336	20	—	—	—	—	—	—
Internal abdominal location, n.e.c.	339	20	—	—	—	—	—	—
Pelvic region	34	16,060	390	430	510	730	3,960	1,040
Pelvic region, unspecified	340	150	—	—	—	—	20	—
Hip(s)	341	7,750	240	60	250	430	2,070	710
Pelvis	342	1,020	20	340	90	—	190	30
Buttock(s)	343	1,600	—	—	30	110	820	120
Groin	344	4,870	110	20	90	130	640	150
External reproductive tract structures	345	320	—	—	—	—	120	—
External reproductive tract structures, unspecified	3450	90	—	—	—	—	50	—
Scrotum	3451	200	—	—	—	—	60	—
Penis	3452	20	—	—	—	—	—	—
Internal reproductive tract structures	346	60	—	—	—	—	30	—
Ovary (ovaries)	3463	50	—	—	—	—	—	—
Multiple pelvic region locations ..	348	200	—	—	30	—	40	—
Pelvic region, n.e.c.	349	80	—	—	—	—	30	—
Multiple trunk locations	38	4,270	120	40	60	460	1,060	80

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2014 — Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Heart	20	—	30	130	—	20
Lung(s), pleura	—	—	—	—	—	30
Back, including spine, spinal cord ..	13,350	2,110	11,660	12,630	14,050	35,530
Back, including spine, spinal cord, unspecified	4,350	920	5,620	5,560	5,700	13,430
Thoracic region	1,050	80	360	430	580	1,550
Lumbar region	7,440	1,010	5,120	6,030	7,150	19,030
Sacral region	60	—	30	70	20	100
Coccygeal region	100	—	130	110	100	150
Multiple back regions	330	100	390	420	460	1,230
Back, including spine, spinal cord, n.e.c.	—	—	20	—	30	30
Abdomen	1,250	460	2,270	2,340	3,620	4,180
Abdomen, except internal location of diseases or disorders	1,200	440	2,210	2,320	3,450	4,040
Internal abdominal location, unspecified	20	—	20	20	130	30
Stomach organ	—	—	—	—	—	20
Intestines, peritoneum	—	—	30	—	40	70
Intestines, peritoneum, unspecified	—	—	30	—	—	40
Large intestine, colon, rectum	—	—	—	—	30	30
Other digestive structures	—	—	—	—	—	—
Internal abdominal location, n.e.c.	—	—	—	—	—	—
Pelvic region	1,410	210	1,440	1,320	1,460	3,140
Pelvic region, unspecified	—	—	20	—	—	60
Hip(s)	840	70	600	550	550	1,340
Pelvis	70	—	90	—	60	110
Buttock(s)	130	60	20	50	70	180
Groin	340	50	690	620	680	1,340
External reproductive tract structures	—	20	20	70	40	30
External reproductive tract structures, unspecified	—	—	—	—	—	20
Scrotum	—	20	—	—	20	—
Penis	—	—	—	—	—	—
Internal reproductive tract structures	—	—	—	—	—	—
Ovary (ovaries)	—	—	—	—	—	—
Multiple pelvic region locations ..	—	—	20	—	—	70
Pelvic region, n.e.c.	—	—	—	—	20	—
Multiple trunk locations	360	120	240	550	240	930

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Trunk, n.e.c.	39	250	—	—	—	20	140	—
Upper extremities	4	288,240	6,310	2,920	4,930	12,880	72,160	13,070
Upper extremities, unspecified	40	340	—	—	—	—	130	—
Shoulder(s), including clavicle(s), scapula(e)	41	72,200	2,100	460	1,550	4,070	14,400	3,930
Arm(s)	42	44,290	1,390	330	790	2,090	10,910	2,110
Arm(s), unspecified	420	13,730	330	140	170	790	3,530	580
Upper arm(s)	421	5,650	400	30	50	320	1,140	290
Elbow(s)	422	14,310	510	50	360	460	3,210	760
Forearm(s)	423	8,170	90	80	170	370	2,450	220
Multiple arm locations	428	1,660	20	20	40	70	400	180
Multiple arm locations, unspecified	4280	280	—	—	—	—	60	—
Elbow(s) and arm(s)	4281	960	—	20	20	30	240	160
Multiple arm locations, n.e.c.	4289	410	20	—	—	30	90	—
Arm(s), n.e.c.	429	760	30	—	—	70	180	80
Wrist(s)	43	36,540	850	820	1,070	1,870	8,920	2,400
Hand(s)	44	119,810	1,500	1,180	1,180	3,810	32,970	3,830
Hand(s), unspecified	440	32,070	460	410	350	1,260	9,280	1,300
Hand(s), except finger(s)	441	4,410	160	20	60	130	950	130
Finger(s), fingernail(s)	442	77,840	770	740	690	2,300	21,280	2,130
Finger(s), fingernail(s), unspecified	4420	58,270	540	600	540	1,770	16,040	1,480
Fingernail(s), nailbed(s)	4421	1,040	—	—	—	—	310	—
Fingertip(s)	4422	5,590	70	80	—	40	1,700	60
Finger(s), fingernail(s), n.e.c.	4429	12,940	160	60	150	470	3,220	580
Hand(s) and finger(s)	448	3,580	90	20	60	80	870	140
Hand(s), n.e.c.	449	1,920	—	—	20	40	580	130
Multiple upper extremities locations	48	14,620	460	120	300	1,030	4,740	660
Multiple upper extremities locations, unspecified	480	100	—	—	—	—	30	—
Hand(s) and arms(s)	481	1,520	40	40	40	70	620	50
Hand(s) and arm(s), unspecified	4810	720	—	—	—	30	320	—
Hand(s) and elbow(s)	4811	170	—	—	—	—	40	—
Hand(s) and arm(s), n.e.c.	4819	630	—	40	20	40	260	20
Hand(s) and wrist(s)	482	3,170	50	—	50	140	1,180	140
Wrist(s) and arm(s)	483	1,580	40	20	80	70	400	200
Wrist(s) and arm(s), unspecified	4830	520	—	—	30	30	130	—
Wrist(s) and elbow(s)	4831	390	—	—	—	30	80	20
Wrist(s) and arm(s), n.e.c.	4839	670	30	—	40	20	190	170
Shoulder(s) and arm(s)	484	5,180	190	20	90	490	1,650	150

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2014 — Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Trunk, n.e.c.	—	—	—	—	20	40
Upper extremities	20,260	4,060	24,240	26,890	47,890	52,240
Upper extremities, unspecified	50	—	—	20	60	30
Shoulder(s), including clavicle(s), scapula(e)	5,420	830	4,820	7,000	8,450	19,140
Arm(s)	3,380	570	3,080	4,260	5,960	9,250
Arm(s), unspecified	1,180	180	1,020	1,340	1,980	2,380
Upper arm(s)	380	40	320	550	690	1,420
Elbow(s)	1,170	170	890	1,580	1,770	3,350
Forearm(s)	510	110	690	690	1,200	1,580
Multiple arm locations	110	30	110	80	240	370
Multiple arm locations, unspecified	50	—	70	—	20	50
Elbow(s) and arm(s)	40	30	40	50	100	230
Multiple arm locations, n.e.c.	20	—	—	20	120	90
Arm(s), n.e.c.	30	40	50	30	80	160
Wrist(s)	4,270	370	2,130	2,130	5,760	5,900
Hand(s)	5,840	2,000	13,570	12,670	25,520	15,630
Hand(s), unspecified	1,570	680	3,930	3,670	5,120	4,010
Hand(s), except finger(s)	170	110	490	560	980	640
Finger(s), fingernail(s)	3,810	1,120	8,410	7,810	18,530	10,200
Finger(s), fingernail(s), unspecified	2,900	710	6,530	5,270	13,710	8,100
Fingernail(s), nailbed(s)	50	30	150	110	210	160
Fingertip(s)	170	50	360	760	1,790	500
Finger(s), fingernail(s), n.e.c.	690	320	1,380	1,660	2,820	1,430
Hand(s) and finger(s)	130	60	470	520	600	550
Hand(s), n.e.c.	170	30	270	130	290	240
Multiple upper extremities locations	1,290	280	610	790	2,070	2,240
Multiple upper extremities locations, unspecified	20	—	—	—	30	—
Hand(s) and arms(s)	120	20	110	60	240	110
Hand(s) and arm(s), unspecified	60	—	50	30	130	50
Hand(s) and elbow(s)	30	—	—	30	—	20
Hand(s) and arm(s), n.e.c.	40	—	50	—	90	40
Hand(s) and wrist(s)	210	50	70	220	650	410
Wrist(s) and arm(s)	140	60	100	90	190	180
Wrist(s) and arm(s), unspecified	50	50	—	40	90	80
Wrist(s) and elbow(s)	50	—	80	20	30	60
Wrist(s) and arm(s), n.e.c.	30	—	—	30	70	50
Shoulder(s) and arm(s)	400	80	170	280	540	1,110

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Multiple upper extremities locations, n.e.c.	489	3,070	150	30	40	260	870	120
Upper extremities, n.e.c.	49	440	—	—	50	—	90	140
Lower extremities	5	211,990	8,200	1,380	6,660	11,000	46,110	15,000
Lower extremities, unspecified	50	200	—	—	—	—	30	—
Leg(s)	51	110,930	4,110	760	3,800	6,240	24,250	7,910
Leg(s), unspecified	510	11,930	850	50	240	400	2,170	700
Thigh(s)	511	4,710	130	30	430	230	1,120	290
Knee(s)	512	79,850	2,700	570	2,800	5,180	17,710	6,000
Lower leg(s)	513	11,500	330	90	220	330	2,480	770
Multiple leg locations	518	2,230	90	20	110	100	720	120
Multiple leg locations, unspecified	5180	160	20	—	—	20	40	—
Knee(s) and leg(s)	5181	1,810	70	—	90	70	610	100
Multiple leg locations, n.e.c.	5189	260	—	—	—	20	70	—
Leg(s), n.e.c.	519	700	—	—	—	—	50	40
Ankle(s)	52	47,950	2,260	290	1,500	2,390	10,570	3,050
Foot (feet)	53	43,460	1,140	280	1,030	1,420	9,330	3,580
Foot (feet), unspecified	530	28,170	620	140	690	930	6,280	2,300
Sole(s)	531	2,230	60	20	30	130	360	90
Sole(s), unspecified	5310	370	—	—	—	—	30	—
Ball(s) of the foot	5311	30	—	—	—	—	—	—
Arch(es), instep(s)	5312	200	—	—	—	—	40	—
Heel(s)	5313	1,570	40	—	30	100	270	80
Sole(s), n.e.c.	5319	50	—	—	—	—	—	—
Toes(s), toenail(s)	532	10,230	360	80	260	260	2,120	870
Multiple foot (feet) locations	538	630	—	30	—	20	110	80
Foot (feet), n.e.c.	539	2,190	100	—	40	80	460	230
Multiple lower extremities locations	58	9,060	670	40	330	840	1,800	450
Multiple lower extremities locations, unspecified	580	140	—	—	—	—	—	60
Foot (feet) and leg(s)	581	1,110	90	—	50	70	250	80
Foot(feet) and leg(s), unspecified	5810	460	90	—	20	20	110	40
Foot(feet) and knee(s)	5811	460	—	—	30	40	70	40
Foot(feet) and leg(s), n.e.c.	5819	190	—	—	—	—	70	—
Foot (feet) and ankle(s)	582	3,310	220	—	140	600	350	120
Ankle(s) and leg(s)	583	3,550	340	—	90	110	980	160
Ankle(s) and leg(s), unspecified	5830	820	20	—	—	20	160	—
Ankle(s) and knee(s)	5831	2,150	290	—	70	80	730	130
Ankle(s) and leg(s), n.e.c.	5839	580	30	—	—	—	80	30

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2014 — Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Multiple upper extremities locations, n.e.c.	400	80	150	140	430	410
Upper extremities, n.e.c.	—	—	30	—	50	50
Lower extremities	16,930	3,980	18,050	18,050	19,010	47,370
Lower extremities, unspecified	20	—	30	30	40	30
Leg(s)	8,020	2,100	9,280	10,440	9,670	24,260
Leg(s), unspecified	610	340	1,380	1,300	1,070	2,810
Thigh(s)	400	190	320	310	340	930
Knee(s)	6,000	1,270	6,330	7,370	6,610	17,250
Lower leg(s)	820	230	820	1,330	1,430	2,640
Multiple leg locations	140	70	80	110	160	530
Multiple leg locations, unspecified	20	—	—	—	—	30
Knee(s) and leg(s)	110	60	50	100	90	460
Multiple leg locations, n.e.c.	20	—	20	—	60	50
Leg(s), n.e.c.	40	—	350	20	60	100
Ankle(s)	4,000	800	4,450	3,400	3,370	11,800
Foot (feet)	4,380	810	3,690	2,860	5,310	9,560
Foot (feet), unspecified	2,820	530	2,650	1,680	3,410	6,070
Sole(s)	190	40	340	310	200	460
Sole(s), unspecified	20	—	110	30	60	80
Ball(s) of the foot	—	—	—	—	—	—
Arch(es), instep(s)	30	—	—	—	20	50
Heel(s)	150	20	200	270	100	290
Sole(s), n.e.c.	—	—	—	—	—	—
Toes(s), toenail(s)	1,180	190	560	580	1,270	2,490
Multiple foot (feet) locations	40	—	40	—	110	170
Foot (feet), n.e.c.	160	50	110	270	320	370
Multiple lower extremities locations	510	260	610	1,210	620	1,700
Multiple lower extremities locations, unspecified	20	—	—	—	—	20
Foot (feet) and leg(s)	30	30	40	150	100	210
Foot(feet) and leg(s), unspecified	—	20	20	30	60	40
Foot(feet) and knee(s)	20	—	—	110	—	130
Foot(feet) and leg(s), n.e.c.	—	—	20	—	30	40
Foot (feet) and ankle(s)	260	80	220	490	250	550
Ankle(s) and leg(s)	150	110	180	510	190	720
Ankle(s) and leg(s), unspecified	—	—	100	310	60	120
Ankle(s) and knee(s)	110	—	60	80	80	500
Ankle(s) and leg(s), n.e.c.	30	90	20	120	40	100

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Multiple lower extremities locations, n.e.c.	589	940	30	20	50	50	210	40
Lower extremities, n.e.c.	59	390	—	—	—	110	130	—
Body systems	6	17,340	890	290	990	1,270	3,940	1,680
Multiple body parts	8	89,490	3,630	950	3,340	6,430	24,410	5,520
Multiple body parts, unspecified	80	6,890	290	230	180	420	1,350	350
Head and neck	81	1,900	40	30	110	150	460	100
Head, neck, and trunk	82	680	20	—	40	80	160	50
Head and trunk	83	1,080	50	—	50	40	280	90
Neck and back	84	7,630	290	100	210	480	1,680	710
Shoulder(s) and back	85	3,490	30	20	40	380	1,130	150
Hip(s) and leg(s)	86	1,580	40	20	120	100	370	180
Upper and lower limb(s)	87	6,090	170	110	210	480	2,030	400
Other multiple body parts	89	60,150	2,690	440	2,370	4,310	16,950	3,500
Whole body	891	570	40	—	—	30	100	20
Multiple body parts, n.e.c.	899	59,580	2,650	430	2,360	4,280	16,850	3,480
Other body parts	9	20	—	—	—	—	—	—
Prosthetic and orthopedic devices	91	20	—	—	—	—	—	—
Nonclassifiable	9999	9,450	100	70	210	400	1,820	250

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2014 — Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Multiple lower extremities locations, n.e.c.	40	30	170	50	60	200
Lower extremities, n.e.c.	—	—	—	—	—	20
Body systems	2,160	410	1,240	960	1,660	1,820
Multiple body parts	7,570	1,260	5,240	7,520	5,830	17,710
Multiple body parts, unspecified	930	120	450	620	480	1,440
Head and neck	70	30	320	110	100	370
Head, neck, and trunk	20	20	40	30	30	190
Head and trunk	110	—	70	50	150	180
Neck and back	620	120	360	880	300	1,880
Shoulder(s) and back	280	50	130	210	300	790
Hip(s) and leg(s)	360	70	60	30	80	140
Upper and lower limb(s)	550	120	320	410	410	900
Other multiple body parts	4,610	730	3,500	5,190	3,980	11,820
Whole body	20	—	30	40	30	260
Multiple body parts, n.e.c.	4,600	730	3,470	5,150	3,950	11,560
Other body parts	—	—	—	—	—	—
Prosthetic and orthopedic devices	—	—	—	—	—	—
Nonclassifiable	360	120	500	460	530	1,650

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ *Standard Occupational Classification Manual, 2010*, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.