

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2014

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		916,440	127,140	13.9	97,830	10.7	156,810	17.1
Head	1	68,940	18,700	27.1	12,680	18.4	14,290	20.7
Head, unspecified	10	16,280	3,670	22.5	3,150	19.3	3,580	22.0
Cranial region, including skull	11	15,450	2,740	17.7	2,280	14.8	3,240	21.0
Cranial region, unspecified	110	230	30	13.0	20	8.7	50	21.7
Brain	111	12,540	1,960	15.6	1,740	13.9	2,610	20.8
Scalp	112	2,290	650	28.4	510	22.3	520	22.7
Skull	113	320	80	25.0	—	—	70	21.9
Multiple cranial region locations	118	30	—	—	—	—	—	—
Cranial region, n.e.c.	119	40	—	—	—	—	—	—
Ear(s)	12	960	260	27.1	100	10.4	260	27.1
Face	13	35,140	11,850	33.7	6,940	19.7	6,910	19.7
Face, unspecified	130	3,400	1,090	32.1	610	17.9	480	14.1
Forehead	131	2,610	930	35.6	390	14.9	640	24.5
Eye(s)	132	20,910	7,710	36.9	4,900	23.4	4,030	19.3
Nose, nasal cavity	133	2,340	500	21.4	250	10.7	350	15.0
Nose, except internal location of diseases or disorders	1330	2,330	490	21.0	250	10.7	340	14.6
Cheek(s)	134	410	70	17.1	100	24.4	90	22.0
Jaw, chin	135	840	130	15.5	130	15.5	250	29.8
Mouth	136	2,160	1,030	47.7	340	15.7	360	16.7
Mouth, unspecified	1360	240	130	54.2	—	—	40	16.7
Lip(s)	1361	760	500	65.8	60	7.9	110	14.5
Tooth (teeth)	1363	980	340	34.7	240	24.5	170	17.3
Multiple mouth locations	1368	140	30	21.4	20	14.3	30	21.4
Mouth, n.e.c.	1369	30	20	66.7	—	—	—	—
Multiple face locations	138	2,220	340	15.3	200	9.0	660	29.7
Face, n.e.c.	139	260	40	15.4	—	—	50	19.2
Multiple head locations	18	850	150	17.6	150	17.6	220	25.9
Head, n.e.c.	19	270	30	11.1	50	18.5	80	29.6
Neck, including throat	2	12,410	1,770	14.3	1,260	10.2	2,210	17.8
Neck, except internal location of diseases or disorders ...	20	12,390	1,770	14.3	1,260	10.2	2,210	17.8
Trunk	3	218,560	24,850	11.4	22,100	10.1	41,570	19.0
Trunk, unspecified	30	1,030	130	12.6	170	16.5	160	15.5
Chest, including ribs, internal organs	31	14,430	1,690	11.7	1,600	11.1	3,060	21.2
Chest, except internal location of diseases or disorders	310	13,860	1,590	11.5	1,590	11.5	2,960	21.4
Internal chest location, unspecified	311	110	20	18.2	—	—	20	18.2
Heart	313	330	50	15.2	—	—	60	18.2
Lung(s), pleura	315	120	20	16.7	—	—	20	16.7
Back, including spine, spinal cord	32	162,720	19,480	12.0	17,640	10.8	33,220	20.4
Back, including spine, spinal cord, unspecified	320	64,680	7,560	11.7	7,410	11.5	13,470	20.8
Thoracic region	321	7,410	970	13.1	1,040	14.0	1,640	22.1
Lumbar region	322	82,730	9,960	12.0	8,340	10.1	16,530	20.0
Sacral region	323	1,060	70	6.6	170	16.0	190	17.9
Coccygeal region	324	1,270	270	21.3	160	12.6	240	18.9
Multiple back regions	328	5,340	610	11.4	490	9.2	1,120	21.0

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2014 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	108,230	11.8	103,270	11.3	57,630	6.3	265,530	29.0	9
Head	6,880	10.0	5,240	7.6	1,820	2.6	9,330	13.5	3
Head, unspecified	1,440	8.8	1,290	7.9	360	2.2	2,790	17.1	3
Cranial region, including skull	1,690	10.9	1,540	10.0	610	3.9	3,350	21.7	5
Cranial region, unspecified	20	8.7	20	8.7	—	—	70	30.4	8
Brain	1,420	11.3	1,380	11.0	570	4.5	2,870	22.9	5
Scalp	210	9.2	110	4.8	20	.9	270	11.8	2
Skull	30	9.4	—	—	—	—	110	34.4	6
Multiple cranial region locations	—	—	—	—	—	—	—	—	6
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	8
Ear(s)	80	8.3	90	9.4	—	—	160	16.7	3
Face	3,510	10.0	2,260	6.4	800	2.3	2,870	8.2	2
Face, unspecified	380	11.2	350	10.3	110	3.2	370	10.9	2
Forehead	160	6.1	170	6.5	80	3.1	220	8.4	2
Eye(s)	1,930	9.2	930	4.4	290	1.4	1,120	5.4	2
Nose, nasal cavity	460	19.7	410	17.5	100	4.3	270	11.5	6
Nose, except internal location of diseases or disorders	460	19.7	410	17.6	100	4.3	270	11.6	6
Cheek(s)	30	7.3	50	12.2	—	—	50	12.2	3
Jaw, chin	40	4.8	70	8.3	30	3.6	180	21.4	4
Mouth	160	7.4	50	2.3	60	2.8	160	7.4	2
Mouth, unspecified	30	12.5	—	—	—	—	30	12.5	1
Lip(s)	50	6.6	—	—	—	—	20	2.6	1
Tooth (teeth)	70	7.1	30	3.1	50	5.1	80	8.2	2
Multiple mouth locations	20	14.3	—	—	—	—	30	21.4	3
Mouth, n.e.c.	—	—	—	—	—	—	—	—	1
Multiple face locations	310	14.0	190	8.6	90	4.1	410	18.5	4
Face, n.e.c.	20	7.7	40	15.4	—	—	80	30.8	11
Multiple head locations	110	12.9	70	8.2	40	4.7	110	12.9	3
Head, n.e.c.	40	14.8	—	—	—	—	50	18.5	3
Neck, including throat	1,520	12.2	1,380	11.1	910	7.3	3,360	27.1	8
Neck, except internal location of diseases or disorders ...	1,510	12.2	1,370	11.1	910	7.3	3,360	27.1	8
Trunk	28,350	13.0	26,600	12.2	15,460	7.1	59,640	27.3	9
Trunk, unspecified	150	14.6	190	18.4	50	4.9	180	17.5	8
Chest, including ribs, internal organs	2,500	17.3	2,310	16.0	850	5.9	2,420	16.8	7
Chest, except internal location of diseases or disorders	2,440	17.6	2,170	15.7	830	6.0	2,290	16.5	7
Internal chest location, unspecified	30	27.3	—	—	—	—	—	—	7
Heart	—	—	110	33.3	—	—	90	27.3	11
Lung(s), pleura	20	16.7	—	—	—	—	30	25.0	6
Back, including spine, spinal cord	21,490	13.2	18,280	11.2	9,640	5.9	42,980	26.4	7
Back, including spine, spinal cord, unspecified	8,180	12.6	7,130	11.0	3,670	5.7	17,270	26.7	7
Thoracic region	1,210	16.3	760	10.3	350	4.7	1,440	19.4	6
Lumbar region	11,160	13.5	9,420	11.4	5,170	6.2	22,140	26.8	8
Sacral region	130	12.3	160	15.1	60	5.7	270	25.5	8
Coccygeal region	180	14.2	110	8.7	60	4.7	240	18.9	4
Multiple back regions	610	11.4	670	12.5	320	6.0	1,530	28.7	9

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Back, including spine, spinal cord, n.e.c.	329	230	40	17.4	30	13.0	30	13.0
Abdomen	33	19,800	1,170	5.9	1,180	6.0	2,170	11.0
Abdomen, except internal location of diseases or disorders	330	18,960	1,090	5.7	1,150	6.1	2,110	11.1
Internal abdominal location, unspecified	331	370	30	8.1	—	—	—	—
Stomach organ	332	50	20	40.0	—	—	20	40.0
Intestines, peritoneum	335	370	30	8.1	20	5.4	30	8.1
Intestines, peritoneum, unspecified	3350	280	—	—	20	7.1	30	10.7
Large intestine, colon, rectum	3353	70	20	28.6	—	—	—	—
Other digestive structures	336	20	—	—	—	—	—	—
Internal abdominal location, n.e.c.	339	20	—	—	—	—	—	—
Pelvic region	34	16,060	1,600	10.0	1,160	7.2	2,190	13.6
Pelvic region, unspecified	340	150	—	—	—	—	—	—
Hip(s)	341	7,750	820	10.6	550	7.1	930	12.0
Pelvis	342	1,020	50	4.9	—	—	60	5.9
Buttock(s)	343	1,600	220	13.8	150	9.4	280	17.5
Groin	344	4,870	480	9.9	400	8.2	690	14.2
External reproductive tract structures	345	320	—	—	20	6.2	150	46.9
External reproductive tract structures, unspecified ..	3450	90	—	—	—	—	50	55.6
Scrotum	3451	200	—	—	—	—	90	45.0
Penis	3452	20	—	—	—	—	—	—
Internal reproductive tract structures	346	60	—	—	—	—	—	—
Ovary (ovaries)	3463	50	—	—	—	—	—	—
Multiple pelvic region locations	348	200	20	10.0	—	—	—	—
Pelvic region, n.e.c.	349	80	—	—	—	—	30	37.5
Multiple trunk locations	38	4,270	710	16.6	340	8.0	730	17.1
Trunk, n.e.c.	39	250	60	24.0	—	—	30	12.0
Upper extremities	4	288,240	40,310	14.0	28,070	9.7	45,300	15.7
Upper extremities, unspecified	40	340	—	—	40	11.8	40	11.8
Shoulder(s), including clavicle(s), scapula(e)	41	72,200	5,950	8.2	3,970	5.5	8,010	11.1
Arm(s)	42	44,290	6,020	13.6	4,290	9.7	6,720	15.2
Arm(s), unspecified	420	13,730	2,040	14.9	1,350	9.8	2,280	16.6
Upper arm(s)	421	5,650	360	6.4	560	9.9	520	9.2
Elbow(s)	422	14,310	1,470	10.3	1,220	8.5	2,030	14.2
Forearm(s)	423	8,170	1,980	24.2	940	11.5	1,550	19.0
Multiple arm locations	428	1,660	90	5.4	160	9.6	230	13.9
Multiple arm locations, unspecified	4280	280	—	—	70	25.0	50	17.9
Elbow(s) and arm(s)	4281	960	30	3.1	70	7.3	100	10.4
Multiple arm locations, n.e.c.	4289	410	50	12.2	20	4.9	70	17.1
Arm(s), n.e.c.	429	760	80	10.5	60	7.9	100	13.2
Wrist(s)	43	36,540	3,930	10.8	3,280	9.0	4,790	13.1
Hand(s)	44	119,810	22,600	18.9	15,450	12.9	23,480	19.6
Hand(s), unspecified	440	32,070	5,660	17.6	4,500	14.0	6,150	19.2
Hand(s), except finger(s)	441	4,410	910	20.6	470	10.7	820	18.6
Finger(s), fingernail(s)	442	77,840	15,370	19.7	9,830	12.6	15,360	19.7
Finger(s), fingernail(s), unspecified	4420	58,270	12,260	21.0	7,800	13.4	11,330	19.4
Fingernail(s), nailbed(s)	4421	1,040	340	32.7	100	9.6	330	31.7
Fingertip(s)	4422	5,590	730	13.1	560	10.0	910	16.3
Finger(s), fingernail(s), n.e.c.	4429	12,940	2,050	15.8	1,370	10.6	2,780	21.5

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2014 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Back, including spine, spinal cord, n.e.c.	20	8.7	30	13.0	—	—	80	34.8	9
Abdomen	2,170	11.0	3,540	17.9	3,140	15.9	6,420	32.4	19
Abdomen, except internal location of diseases or disorders	2,050	10.8	3,270	17.2	3,080	16.2	6,210	32.8	20
Internal abdominal location, unspecified	50	13.5	110	29.7	50	13.5	120	32.4	19
Stomach organ	—	—	—	—	—	—	—	—	5
Intestines, peritoneum	60	16.2	150	40.5	—	—	60	16.2	14
Intestines, peritoneum, unspecified	30	10.7	130	46.4	—	—	50	17.9	14
Large intestine, colon, rectum	30	42.9	—	—	—	—	—	—	10
Other digestive structures	—	—	—	—	—	—	—	—	101
Internal abdominal location, n.e.c.	—	—	—	—	—	—	—	—	16
Pelvic region	1,590	9.9	1,680	10.5	1,440	9.0	6,400	39.9	19
Pelvic region, unspecified	20	13.3	20	13.3	—	—	80	53.3	43
Hip(s)	750	9.7	620	8.0	370	4.8	3,700	47.7	24
Pelvis	60	5.9	50	4.9	30	2.9	760	74.5	60
Buttock(s)	160	10.0	140	8.8	60	3.8	600	37.5	11
Groin	540	11.1	740	15.2	910	18.7	1,110	22.8	15
External reproductive tract structures	—	—	90	28.1	—	—	30	9.4	5
External reproductive tract structures, unspecified ..	—	—	—	—	—	—	—	—	5
Scrotum	—	—	80	40.0	—	—	—	—	3
Penis	—	—	—	—	—	—	—	—	2
Internal reproductive tract structures	30	50.0	—	—	—	—	—	—	9
Ovary (ovaries)	—	—	—	—	—	—	—	—	3
Multiple pelvic region locations	20	10.0	—	—	60	30.0	90	45.0	24
Pelvic region, n.e.c.	—	—	20	25.0	—	—	20	25.0	13
Multiple trunk locations	440	10.3	580	13.6	320	7.5	1,140	26.7	10
Trunk, n.e.c.	—	—	20	8.0	20	8.0	100	40.0	17
Upper extremities	34,380	11.9	33,990	11.8	17,600	6.1	88,580	30.7	10
Upper extremities, unspecified	80	23.5	30	8.8	20	5.9	110	32.4	9
Shoulder(s), including clavicle(s), scapula(e)	7,550	10.5	7,710	10.7	5,180	7.2	33,830	46.9	26
Arm(s)	4,660	10.5	5,370	12.1	3,090	7.0	14,150	31.9	11
Arm(s), unspecified	1,230	9.0	1,610	11.7	1,090	7.9	4,120	30.0	10
Upper arm(s)	410	7.3	720	12.7	410	7.3	2,680	47.4	26
Elbow(s)	2,040	14.3	1,660	11.6	1,030	7.2	4,870	34.0	12
Forearm(s)	730	8.9	980	12.0	470	5.8	1,530	18.7	5
Multiple arm locations	200	12.0	320	19.3	80	4.8	580	34.9	16
Multiple arm locations, unspecified	50	17.9	—	—	—	—	80	28.6	7
Elbow(s) and arm(s)	100	10.4	270	28.1	60	6.2	330	34.4	17
Multiple arm locations, n.e.c.	50	12.2	30	7.3	20	4.9	170	41.5	13
Arm(s), n.e.c.	50	6.6	80	10.5	20	2.6	370	48.7	22
Wrist(s)	4,310	11.8	4,850	13.3	2,420	6.6	12,960	35.5	14
Hand(s)	16,120	13.5	14,030	11.7	5,920	4.9	22,210	18.5	5
Hand(s), unspecified	4,550	14.2	3,820	11.9	1,800	5.6	5,570	17.4	5
Hand(s), except finger(s)	670	15.2	560	12.7	200	4.5	780	17.7	6
Finger(s), fingernail(s)	10,070	12.9	9,090	11.7	3,640	4.7	14,490	18.6	5
Finger(s), fingernail(s), unspecified	7,420	12.7	6,360	10.9	2,400	4.1	10,700	18.4	5
Fingernail(s), nailbed(s)	60	5.8	120	11.5	40	3.8	60	5.8	3
Fingertip(s)	640	11.4	870	15.6	320	5.7	1,570	28.1	10
Finger(s), fingernail(s), n.e.c.	1,960	15.1	1,750	13.5	880	6.8	2,160	16.7	6

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Hand(s) and finger(s)	448	3,580	400	11.2	400	11.2	770	21.5
Hand(s), n.e.c.	449	1,920	250	13.0	260	13.5	380	19.8
Multiple upper extremities locations	48	14,620	1,770	12.1	970	6.6	2,090	14.3
Multiple upper extremities locations, unspecified	480	100	—	—	—	—	20	20.0
Hand(s) and arms(s)	481	1,520	170	11.2	130	8.6	260	17.1
Hand(s) and arm(s), unspecified	4810	720	110	15.3	70	9.7	140	19.4
Hand(s) and elbow(s)	4811	170	20	11.8	—	—	40	23.5
Hand(s) and arm(s), n.e.c.	4819	630	50	7.9	50	7.9	90	14.3
Hand(s) and wrist(s)	482	3,170	430	13.6	230	7.3	490	15.5
Wrist(s) and arm(s)	483	1,580	450	28.5	110	7.0	130	8.2
Wrist(s) and arm(s), unspecified	4830	520	130	25.0	—	—	60	11.5
Wrist(s) and elbow(s)	4831	390	100	25.6	40	10.3	20	5.1
Wrist(s) and arm(s), n.e.c.	4839	670	230	34.3	60	9.0	60	9.0
Shoulder(s) and arm(s)	484	5,180	450	8.7	300	5.8	800	15.4
Multiple upper extremities locations, n.e.c.	489	3,070	250	8.1	190	6.2	380	12.4
Upper extremities, n.e.c.	49	440	30	6.8	70	15.9	170	38.6
Lower extremities	5	211,990	24,490	11.6	19,870	9.4	33,630	15.9
Lower extremities, unspecified	50	200	30	15.0	—	—	—	—
Leg(s)	51	110,930	12,190	11.0	8,770	7.9	15,830	14.3
Leg(s), unspecified	510	11,930	1,530	12.8	1,060	8.9	2,020	16.9
Thigh(s)	511	4,710	530	11.3	460	9.8	860	18.3
Knee(s)	512	79,850	7,490	9.4	6,170	7.7	10,660	13.4
Lower leg(s)	513	11,500	1,840	16.0	850	7.4	1,900	16.5
Multiple leg locations	518	2,230	440	19.7	190	8.5	340	15.2
Multiple leg locations, unspecified	5180	160	30	18.8	30	18.8	20	12.5
Knee(s) and leg(s)	5181	1,810	380	21.0	130	7.2	290	16.0
Multiple leg locations, n.e.c.	5189	260	30	11.5	30	11.5	30	11.5
Leg(s), n.e.c.	519	700	360	51.4	50	7.1	50	7.1
Ankle(s)	52	47,950	5,930	12.4	5,130	10.7	8,850	18.5
Foot (feet)	53	43,460	5,340	12.3	5,160	11.9	7,550	17.4
Foot (feet), unspecified	530	28,170	3,260	11.6	3,420	12.1	4,950	17.6
Sole(s)	531	2,230	290	13.0	250	11.2	370	16.6
Sole(s), unspecified	5310	370	90	24.3	40	10.8	90	24.3
Ball(s) of the foot	5311	30	—	—	—	—	—	—
Arch(es), instep(s)	5312	200	30	15.0	40	20.0	—	—
Heel(s)	5313	1,570	150	9.6	140	8.9	270	17.2
Sole(s), n.e.c.	5319	50	—	—	—	—	—	—
Toes(s), toenail(s)	532	10,230	1,340	13.1	1,030	10.1	1,860	18.2
Multiple foot (feet) locations	538	630	180	28.6	140	22.2	60	9.5
Foot (feet), n.e.c.	539	2,190	290	13.2	320	14.6	310	14.2
Multiple lower extremities locations	58	9,060	990	10.9	690	7.6	1,380	15.2
Multiple lower extremities locations, unspecified	580	140	—	—	—	—	40	28.6
Foot (feet) and leg(s)	581	1,110	140	12.6	50	4.5	190	17.1
Foot(feet) and leg(s), unspecified	5810	460	90	19.6	—	—	120	26.1
Foot(feet) and knee(s)	5811	460	20	4.3	30	6.5	30	6.5
Foot(feet) and leg(s), n.e.c.	5819	190	30	15.8	—	—	30	15.8
Foot (feet) and ankle(s)	582	3,310	330	10.0	280	8.5	340	10.3
Ankle(s) and leg(s)	583	3,550	410	11.5	320	9.0	640	18.0
Ankle(s) and leg(s), unspecified	5830	820	—	—	20	2.4	70	8.5

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2014 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Hand(s) and finger(s)	470	13.1	310	8.7	200	5.6	1,020	28.5	7
Hand(s), n.e.c.	360	18.8	240	12.5	80	4.2	340	17.7	7
Multiple upper extremities locations	1,630	11.1	2,000	13.7	940	6.4	5,220	35.7	14
Multiple upper extremities locations, unspecified	—	—	20	20.0	—	—	30	30.0	10
Hand(s) and arms(s)	220	14.5	150	9.9	140	9.2	440	28.9	10
Hand(s) and arm(s), unspecified	80	11.1	80	11.1	50	6.9	190	26.4	7
Hand(s) and elbow(s)	20	11.8	—	—	30	17.6	60	35.3	21
Hand(s) and arm(s), n.e.c.	120	19.0	70	11.1	60	9.5	190	30.2	11
Hand(s) and wrist(s)	470	14.8	450	14.2	200	6.3	890	28.1	10
Wrist(s) and arm(s)	150	9.5	170	10.8	60	3.8	510	32.3	9
Wrist(s) and arm(s), unspecified	80	15.4	50	9.6	30	5.8	170	32.7	10
Wrist(s) and elbow(s)	30	7.7	20	5.1	—	—	170	43.6	14
Wrist(s) and arm(s), n.e.c.	40	6.0	90	13.4	20	3.0	180	26.9	4
Shoulder(s) and arm(s)	540	10.4	520	10.0	320	6.2	2,250	43.4	20
Multiple upper extremities locations, n.e.c.	240	7.8	690	22.5	210	6.8	1,100	35.8	20
Upper extremities, n.e.c.	30	6.8	—	—	20	4.5	110	25.0	3
Lower extremities	25,320	11.9	24,410	11.5	14,360	6.8	69,900	33.0	12
Lower extremities, unspecified	—	—	20	10.0	40	20.0	80	40.0	29
Leg(s)	12,850	11.6	12,600	11.4	8,110	7.3	40,570	36.6	15
Leg(s), unspecified	1,420	11.9	1,190	10.0	640	5.4	4,070	34.1	10
Thigh(s)	840	17.8	420	8.9	400	8.5	1,210	25.7	10
Knee(s)	9,050	11.3	9,840	12.3	6,460	8.1	30,190	37.8	16
Lower leg(s)	1,200	10.4	860	7.5	470	4.1	4,370	38.0	10
Multiple leg locations	290	13.0	270	12.1	120	5.4	600	26.9	7
Multiple leg locations, unspecified	—	—	30	18.8	—	—	40	25.0	7
Knee(s) and leg(s)	240	13.3	210	11.6	100	5.5	450	24.9	7
Multiple leg locations, n.e.c.	40	15.4	30	11.5	—	—	100	38.5	13
Leg(s), n.e.c.	50	7.1	30	4.3	20	2.9	140	20.0	1
Ankle(s)	6,190	12.9	5,190	10.8	2,840	5.9	13,820	28.8	8
Foot (feet)	5,110	11.8	5,570	12.8	2,950	6.8	11,770	27.1	9
Foot (feet), unspecified	3,300	11.7	3,280	11.6	1,940	6.9	8,010	28.4	10
Sole(s)	190	8.5	280	12.6	110	4.9	730	32.7	12
Sole(s), unspecified	50	13.5	60	16.2	—	—	50	13.5	5
Ball(s) of the foot	—	—	—	—	—	—	—	—	14
Arch(es), instep(s)	20	10.0	—	—	—	—	60	30.0	6
Heel(s)	110	7.0	190	12.1	100	6.4	610	38.9	15
Sole(s), n.e.c.	—	—	—	—	—	—	—	—	2
Toes(s), toenail(s)	1,380	13.5	1,640	16.0	770	7.5	2,200	21.5	8
Multiple foot (feet) locations	50	7.9	50	7.9	20	3.2	140	22.2	3
Foot (feet), n.e.c.	180	8.2	310	14.2	110	5.0	680	31.1	11
Multiple lower extremities locations	1,150	12.7	910	10.0	410	4.5	3,530	39.0	14
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	70	50.0	33
Foot (feet) and leg(s)	140	12.6	150	13.5	—	—	430	38.7	14
Foot(feet) and leg(s), unspecified	20	4.3	80	17.4	—	—	140	30.4	7
Foot(feet) and knee(s)	100	21.7	60	13.0	—	—	210	45.7	16
Foot(feet) and leg(s), n.e.c.	20	10.5	—	—	—	—	80	42.1	13
Foot (feet) and ankle(s)	230	6.9	390	11.8	230	6.9	1,510	45.6	21
Ankle(s) and leg(s)	680	19.2	260	7.3	110	3.1	1,130	31.8	10
Ankle(s) and leg(s), unspecified	340	41.5	30	3.7	—	—	330	40.2	10

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Ankle(s) and knee(s)	5831	2,150	370	17.2	270	12.6	400	18.6
Ankle(s) and leg(s), n.e.c.	5839	580	20	3.4	30	5.2	170	29.3
Multiple lower extremities locations, n.e.c.	589	940	100	10.6	50	5.3	170	18.1
Lower extremities, n.e.c.	59	390	—	—	110	28.2	—	—
Body systems	6	17,340	4,070	23.5	3,230	18.6	2,660	15.3
Multiple body parts	8	89,490	10,890	12.2	9,430	10.5	15,620	17.5
Multiple body parts, unspecified	80	6,890	910	13.2	780	11.3	1,030	14.9
Head and neck	81	1,900	450	23.7	230	12.1	370	19.5
Head, neck, and trunk	82	680	20	2.9	60	8.8	130	19.1
Head and trunk	83	1,080	150	13.9	110	10.2	240	22.2
Neck and back	84	7,630	660	8.7	780	10.2	1,810	23.7
Shoulder(s) and back	85	3,490	400	11.5	310	8.9	520	14.9
Hip(s) and leg(s)	86	1,580	170	10.8	180	11.4	200	12.7
Upper and lower limb(s)	87	6,090	920	15.1	580	9.5	1,090	17.9
Other multiple body parts	89	60,150	7,210	12.0	6,400	10.6	10,220	17.0
Whole body	891	570	90	15.8	110	19.3	100	17.5
Multiple body parts, n.e.c.	899	59,580	7,120	12.0	6,290	10.6	10,120	17.0
Other body parts	9	20	—	—	—	—	—	—
Prosthetic and orthopedic devices	91	20	—	—	—	—	—	—
Nonclassifiable	9999	9,450	2,060	21.8	1,200	12.7	1,520	16.1

See footnotes at end of table.

TABLE R68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, 2014 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Ankle(s) and knee(s)	290	13.5	190	8.8	80	3.7	550	25.6	6
Ankle(s) and leg(s), n.e.c.	50	8.6	40	6.9	20	3.4	250	43.1	15
Multiple lower extremities locations, n.e.c.	90	9.6	100	10.6	50	5.3	380	40.4	17
Lower extremities, n.e.c.	—	—	130	33.3	—	—	130	33.3	11
Body systems	1,720	9.9	850	4.9	1,230	7.1	3,580	20.6	4
Multiple body parts	9,310	10.4	9,480	10.6	5,740	6.4	29,030	32.4	10
Multiple body parts, unspecified	650	9.4	540	7.8	270	3.9	2,720	39.5	12
Head and neck	180	9.5	180	9.5	70	3.7	430	22.6	4
Head, neck, and trunk	120	17.6	90	13.2	70	10.3	190	27.9	14
Head and trunk	100	9.3	90	8.3	90	8.3	310	28.7	7
Neck and back	650	8.5	800	10.5	500	6.6	2,430	31.8	10
Shoulder(s) and back	320	9.2	410	11.7	270	7.7	1,250	35.8	14
Hip(s) and leg(s)	130	8.2	160	10.1	90	5.7	650	41.1	18
Upper and lower limb(s)	830	13.6	510	8.4	340	5.6	1,810	29.7	8
Other multiple body parts	6,330	10.5	6,710	11.2	4,040	6.7	19,240	32.0	10
Whole body	70	12.3	20	3.5	—	—	170	29.8	5
Multiple body parts, n.e.c.	6,260	10.5	6,700	11.2	4,020	6.7	19,070	32.0	11
Other body parts	—	—	—	—	—	—	—	—	10
Prosthetic and orthopedic devices	—	—	—	—	—	—	—	—	10
Nonclassifiable	750	7.9	1,310	13.9	510	5.4	2,110	22.3	5

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.