

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2014

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total		916,440	8,010	71,510	82,890	189,760	142,400	121,480	62,900	18,040	9,250	860	209,340
Head	1	68,940	570	4,740	6,220	13,740	12,200	9,030	5,240	1,500	530	30	15,140
Head, unspecified	10	16,280	220	1,220	1,450	3,390	3,130	1,710	1,220	260	110	–	3,570
Cranial region, including skull	11	15,450	220	1,190	1,400	3,630	2,770	1,830	1,340	370	180	–	2,530
Cranial region, unspecified	110	230	–	–	–	30	60	–	–	–	–	–	110
Brain	111	12,540	190	1,030	1,130	2,880	2,120	1,550	1,000	310	140	–	2,170
Scalp	112	2,290	20	110	230	600	510	210	310	50	40	–	210
Skull	113	320	–	40	–	90	60	60	20	–	–	–	30
Multiple cranial region locations	118	30	–	–	–	–	–	–	–	–	–	–	–
Cranial region, n.e.c.	119	40	–	–	–	20	–	–	–	–	–	–	–
Ear(s)	12	960	–	20	80	200	210	150	–	–	–	–	290
Face	13	35,140	120	2,190	3,200	6,180	5,910	5,220	2,570	850	240	–	8,660
Face, unspecified	130	3,400	30	220	250	550	820	420	230	40	20	–	820
Forehead	131	2,610	20	190	380	450	410	390	210	70	–	–	460
Eye(s)	132	20,910	–	970	1,620	3,890	3,270	2,900	1,670	440	130	–	6,000
Nose, nasal cavity	133	2,340	40	290	260	320	320	470	190	30	30	–	390
Nose, except internal location of diseases or disorders	1330	2,330	40	290	260	320	310	470	190	30	30	–	380
Cheek(s)	134	410	–	20	40	100	70	50	30	–	–	–	110
Jaw, chin	135	840	–	120	60	120	120	100	50	50	–	–	210
Mouth	136	2,160	–	200	90	400	370	520	120	60	20	–	370
Mouth, unspecified	1360	240	–	130	–	–	20	30	–	–	–	–	40
Lip(s)	1361	760	–	20	20	150	70	310	30	–	–	–	140
Tooth (teeth)	1363	980	–	40	40	170	270	160	80	40	–	–	160
Multiple mouth locations	1368	140	–	–	20	50	–	20	–	20	–	–	–
Mouth, n.e.c.	1369	30	–	–	–	20	–	–	–	–	–	–	–
Multiple face locations	138	2,220	–	160	470	280	510	350	60	120	–	–	240
Face, n.e.c.	139	260	–	–	20	80	30	20	–	–	–	–	60
Multiple head locations	18	850	–	110	80	270	120	100	70	–	–	–	70
Head, n.e.c.	19	270	–	20	20	70	60	30	–	–	–	–	20
Neck, including throat	2	12,410	50	1,010	1,020	2,440	2,150	2,010	690	310	80	–	2,640
Neck, except internal location of diseases or disorders	20	12,390	50	1,010	1,020	2,440	2,150	2,010	690	310	80	–	2,630
Trunk	3	218,560	1,120	16,700	21,370	45,930	33,320	28,080	13,290	3,720	1,970	150	52,920
Trunk, unspecified	30	1,030	40	80	90	250	120	150	50	40	–	–	210
Chest, including ribs, internal organs	31	14,430	110	1,210	1,330	2,990	2,000	2,590	1,100	260	140	–	2,690
Chest, except internal location of diseases or disorders	310	13,860	110	1,180	1,300	2,930	1,900	2,520	1,040	240	130	–	2,480
Internal chest location, unspecified	311	110	–	–	–	30	–	–	–	20	–	–	30
Heart	313	330	–	20	30	–	70	40	40	–	–	–	120
Lung(s), pleura	315	120	–	–	–	–	20	–	–	–	–	–	50
Back, including spine, spinal cord	32	162,720	770	12,970	16,780	34,500	24,270	20,560	9,640	2,890	1,460	140	38,760
Back, including spine, spinal cord, unspecified	320	64,680	310	4,650	6,440	12,600	9,140	7,370	3,780	970	490	30	18,910
Thoracic region	321	7,410	30	570	730	1,760	1,090	1,120	590	190	100	–	1,230

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Lumbar region	322	82,730	290	7,040	8,830	18,200	12,870	10,840	4,770	1,610	800	100	17,400
Sacral region	323	1,060	30	90	130	300	130	180	60	—	—	—	120
Coccygeal region	324	1,270	40	140	80	280	200	180	40	20	—	—	280
Multiple back regions	328	5,340	60	480	530	1,290	810	840	390	90	50	—	790
Back, including spine, spinal cord, n.e.c.	329	230	—	—	40	70	30	30	—	—	—	—	20
Abdomen	33	19,800	20	890	1,670	3,820	3,110	2,300	1,510	280	180	—	6,010
Abdomen, except internal location of diseases or disorders	330	18,960	20	860	1,670	3,730	2,960	2,260	1,480	270	170	—	5,530
Internal abdominal location, unspecified	331	370	—	20	—	70	40	20	—	—	—	—	200
Stomach organ	332	50	—	—	—	—	20	—	—	—	—	—	—
Intestines, peritoneum	335	370	—	—	—	—	70	—	—	—	—	—	260
Intestines, peritoneum, unspecified	3350	280	—	—	—	—	30	—	—	—	—	—	210
Large intestine, colon, rectum	3353	70	—	—	—	—	30	—	—	—	—	—	30
Other digestive structures	336	20	—	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	339	20	—	—	—	—	—	—	—	—	—	—	—
Pelvic region	34	16,060	130	1,220	1,070	3,440	3,060	2,040	810	160	170	—	3,970
Pelvic region, unspecified	340	150	—	—	30	20	40	—	—	—	—	—	50
Hip(s)	341	7,750	70	720	570	1,630	1,170	1,020	410	80	120	—	1,950
Pelvis	342	1,020	20	20	30	100	460	130	80	—	20	—	150
Buttock(s)	343	1,600	20	130	90	270	510	180	90	—	20	—	300
Groin	344	4,870	—	320	290	1,320	810	590	210	50	—	—	1,260
External reproductive tract structures ..	345	320	—	—	—	70	30	20	—	—	—	—	180
External reproductive tract structures, unspecified	3450	90	—	—	—	—	—	—	—	—	—	—	70
Scrotum	3451	200	—	—	—	60	—	20	—	—	—	—	90
Penis	3452	20	—	—	—	—	—	—	—	—	—	—	—
Internal reproductive tract structures ...	346	60	—	—	—	—	—	30	—	—	—	—	30
Ovary (ovaries)	3463	50	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	200	—	—	30	20	20	60	—	—	—	—	50
Pelvic region, n.e.c.	349	80	—	—	—	20	—	—	—	—	—	—	20
Multiple trunk locations	38	4,270	40	330	400	880	680	410	180	80	20	—	1,250
Trunk, n.e.c.	39	250	—	—	30	50	80	30	—	—	—	—	30
Upper extremities	4	288,240	2,290	22,850	26,620	61,070	44,750	36,700	19,490	5,300	2,900	150	66,120
Upper extremities, unspecified	40	340	—	20	20	50	90	40	—	—	—	—	110
Shoulder(s), including clavicle(s), scapula(e)	41	72,200	510	5,940	7,260	15,010	10,750	8,650	4,700	1,290	660	50	17,390
Arm(s)	42	44,290	560	3,310	3,630	9,110	6,880	6,230	3,210	1,190	520	20	9,620
Arm(s), unspecified	420	13,730	100	950	1,060	2,910	1,930	2,240	1,180	320	130	—	2,900
Upper arm(s)	421	5,650	300	450	510	1,270	780	740	350	80	50	—	1,130
Elbow(s)	422	14,310	130	1,150	1,090	2,620	2,200	1,830	900	420	130	—	3,840
Forearm(s)	423	8,170	30	580	700	1,810	1,570	1,150	590	300	150	—	1,290
Multiple arm locations	428	1,660	—	150	200	400	250	180	140	30	—	—	290
Multiple arm locations, unspecified ..	4280	280	—	—	80	50	70	20	—	—	—	—	40
Elbow(s) and arm(s)	4281	960	—	80	80	280	110	90	110	30	—	—	170
Multiple arm locations, n.e.c.	4289	410	—	60	30	80	70	70	20	—	—	—	80

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Arm(s), n.e.c.	429	760	—	20	80	100	150	90	50	40	—	—	170
Wrist(s)	43	36,540	590	2,800	2,800	6,140	4,730	4,620	1,840	490	250	30	12,260
Hand(s)	44	119,810	540	9,530	11,180	28,000	20,180	15,410	8,800	2,060	1,380	30	22,700
Hand(s), unspecified	440	32,070	320	2,470	2,820	7,360	5,670	3,910	1,980	510	190	20	6,810
Hand(s), except finger(s)	441	4,410	—	430	370	1,150	640	570	340	40	120	—	740
Finger(s), fingernail(s)	442	77,840	180	6,310	7,570	17,880	12,750	10,430	6,020	1,320	1,030	—	14,330
Finger(s), fingernail(s), unspecified ..	4420	58,270	160	4,580	5,850	13,800	9,380	7,410	4,030	1,000	900	—	11,140
Fingernail(s), nailbed(s)	4421	1,040	—	30	50	160	150	150	200	50	—	—	250
Fingertip(s)	4422	5,590	—	470	510	1,040	990	880	870	70	30	—	710
Finger(s), fingernail(s), n.e.c.	4429	12,940	20	1,230	1,160	2,870	2,220	1,990	920	200	100	—	2,230
Hand(s) and finger(s)	448	3,580	20	190	260	1,250	520	330	330	170	30	—	480
Hand(s), n.e.c.	449	1,920	—	130	150	370	600	170	130	20	—	—	340
Multiple upper extremities locations	48	14,620	90	1,230	1,580	2,710	2,080	1,690	920	260	100	—	3,950
Multiple upper extremities locations, unspecified	480	100	—	—	—	20	20	—	—	—	—	—	30
Hand(s) and arms(s)	481	1,520	—	140	170	320	220	150	50	40	—	—	400
Hand(s) and arm(s), unspecified	4810	720	—	90	110	200	70	60	—	—	—	—	190
Hand(s) and elbow(s)	4811	170	—	—	—	—	30	—	20	—	—	—	80
Hand(s) and arm(s), n.e.c.	4819	630	—	50	50	110	130	100	30	30	—	—	130
Hand(s) and wrist(s)	482	3,170	—	150	480	540	530	330	280	50	20	—	780
Wrist(s) and arm(s)	483	1,580	40	70	70	370	240	180	100	—	—	—	490
Wrist(s) and arm(s), unspecified	4830	520	30	40	—	100	100	60	40	—	—	—	130
Wrist(s) and elbow(s)	4831	390	—	—	20	50	80	20	—	—	—	—	180
Wrist(s) and arm(s), n.e.c.	4839	670	—	20	30	220	70	90	40	—	—	—	180
Shoulder(s) and arm(s)	484	5,180	20	590	590	900	710	630	340	90	30	—	1,270
Multiple upper extremities locations, n.e.c.	489	3,070	—	260	250	540	360	390	140	70	30	—	990
Upper extremities, n.e.c.	49	440	—	20	160	60	50	60	20	—	—	—	80
Lower extremities	5	211,990	2,560	16,300	17,510	44,010	34,000	30,380	15,570	4,490	2,240	370	44,560
Lower extremities, unspecified	50	200	—	—	—	20	20	40	30	—	—	—	60
Leg(s)	51	110,930	1,510	7,980	8,850	22,530	17,740	15,860	7,950	2,420	1,180	160	24,730
Leg(s), unspecified	510	11,930	140	840	970	2,460	1,750	1,770	830	240	140	—	2,790
Thigh(s)	511	4,710	60	360	270	1,020	790	980	350	110	40	—	740
Knee(s)	512	79,850	1,100	5,780	6,560	15,780	13,020	10,880	5,640	1,800	900	90	18,310
Lower leg(s)	513	11,500	200	720	790	2,380	1,800	1,870	820	220	90	—	2,600
Multiple leg locations	518	2,230	—	250	200	540	320	300	290	50	—	—	190
Multiple leg locations, unspecified ...	5180	160	—	—	—	30	40	50	—	—	—	—	20
Knee(s) and leg(s)	5181	1,810	—	190	170	460	240	220	260	40	—	—	140
Multiple leg locations, n.e.c.	5189	260	—	50	—	60	40	30	20	—	—	—	30
Leg(s), n.e.c.	519	700	—	20	50	360	60	60	30	—	20	—	100
Ankle(s)	52	47,950	720	4,110	4,180	9,580	7,680	7,020	3,870	1,070	510	50	9,160
Foot (feet)	53	43,460	220	3,330	3,590	10,320	6,990	5,860	3,000	890	500	—	8,750
Foot (feet), unspecified	530	28,170	180	2,250	1,990	6,510	4,160	3,800	2,060	520	300	—	6,400
Sole(s)	531	2,230	—	190	180	400	270	290	260	40	30	—	580
Sole(s), unspecified	5310	370	—	30	40	40	20	100	—	20	—	—	110
Ball(s) of the foot	5311	30	—	—	—	—	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	200	—	20	—	30	40	20	20	—	20	—	30

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Heel(s)	5313	1,570	—	130	130	290	200	150	220	—	—	—	440
Sole(s), n.e.c.	5319	50	—	—	—	30	—	—	—	—	—	—	—
Toes(s), toenail(s)	532	10,230	—	710	1,120	2,850	2,000	1,350	500	220	140	—	1,320
Multiple foot (feet) locations	538	630	—	90	90	120	70	90	50	—	20	—	100
Foot (feet), n.e.c.	539	2,190	30	100	210	440	500	330	130	100	—	—	360
Multiple lower extremities locations	58	9,060	100	740	870	1,540	1,570	1,470	720	110	30	150	1,750
Multiple lower extremities locations, unspecified	580	140	—	20	—	60	—	—	—	—	—	—	40
Foot (feet) and leg(s)	581	1,110	20	160	50	180	240	110	140	30	—	—	170
Foot(feet) and leg(s), unspecified	5810	460	—	120	20	50	110	50	—	30	—	—	60
Foot(feet) and knee(s)	5811	460	20	30	30	100	100	20	110	—	—	—	50
Foot(feet) and leg(s), n.e.c.	5819	190	—	—	—	30	30	50	—	—	—	—	60
Foot (feet) and ankle(s)	582	3,310	40	200	480	450	600	730	240	50	—	—	530
Ankle(s) and leg(s)	583	3,550	40	290	270	700	550	470	270	30	—	140	790
Ankle(s) and leg(s), unspecified	5830	820	20	80	80	50	70	110	30	—	—	—	370
Ankle(s) and knee(s)	5831	2,150	20	120	150	580	360	210	200	—	—	—	360
Ankle(s) and leg(s), n.e.c.	5839	580	—	90	30	70	120	150	50	—	—	—	60
Multiple lower extremities locations, n.e.c.	589	940	—	70	60	160	170	160	70	—	—	—	230
Lower extremities, n.e.c.	59	390	—	120	—	—	—	130	—	—	—	—	110
Body systems	6	17,340	40	1,650	1,520	2,750	2,060	2,130	810	280	450	—	5,650
Multiple body parts	8	89,490	1,360	7,890	8,370	19,000	13,150	12,270	7,450	2,380	1,060	120	16,440
Multiple body parts, unspecified	80	6,890	110	420	410	1,180	1,000	910	500	130	50	—	2,170
Head and neck	81	1,900	30	150	180	390	290	330	160	70	20	—	300
Head, neck, and trunk	82	680	—	40	60	160	160	80	20	30	—	—	120
Head and trunk	83	1,080	60	120	150	230	140	90	70	20	—	—	190
Neck and back	84	7,630	60	610	580	1,810	1,160	1,120	500	180	80	—	1,530
Shoulder(s) and back	85	3,490	30	270	340	610	580	350	250	100	50	—	900
Hip(s) and leg(s)	86	1,580	—	480	120	360	260	100	90	—	—	—	150
Upper and lower limb(s)	87	6,090	140	620	460	1,410	840	950	410	110	130	20	1,000
Other multiple body parts	89	60,150	910	5,200	6,060	12,850	8,720	8,340	5,460	1,730	710	80	10,090
Whole body	891	570	—	30	30	90	90	80	80	20	—	—	140
Multiple body parts, n.e.c.	899	59,580	900	5,160	6,030	12,770	8,630	8,260	5,380	1,710	710	80	9,950

See footnotes at end of table.

TABLE R79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, private industry, 2014 — Continued

Part of body	Part of body code ²	Private industry ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Other body parts	9	20	—	—	—	—	—	—	—	—	—	—	—
Prosthetic and orthopedic devices	91	20	—	—	—	—	—	—	—	—	—	—	—
Nonclassifiable	9999	9,450	20	370	260	810	770	890	360	60	—	—	5,870

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.