

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2015

Part of body	Part of body code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		902,160	29,730	6,530	21,820	48,510	215,320	58,740
Head	1	74,180	2,020	470	2,770	3,510	16,110	5,710
Head, unspecified	10	18,710	300	70	680	1,090	4,230	1,870
Cranial region, including skull	11	18,060	860	170	1,020	1,070	4,180	2,250
Cranial region, unspecified	110	320	–	–	–	–	20	–
Brain	111	15,040	740	150	970	1,040	3,500	1,940
Scalp	112	2,140	60	–	30	30	480	210
Skull	113	430	–	–	–	–	100	90
Multiple cranial region locations	118	40	–	–	–	–	20	–
Cranial region, n.e.c.	119	90	–	–	–	–	50	–
Ear(s)	12	930	20	–	60	40	140	30
Face	13	35,450	830	190	910	1,260	7,250	1,500
Face, unspecified	130	3,720	120	–	70	350	970	160
Forehead	131	3,050	30	–	60	110	560	290
Eye(s)	132	20,600	260	70	350	430	3,850	550
Nose, nasal cavity	133	2,730	220	–	180	160	420	170
Nose, except internal location of diseases or disorders	1330	2,470	220	–	180	160	420	170
Sinus(es)	1334	260	–	–	–	–	–	–
Cheek(s)	134	390	–	–	30	–	70	20
Jaw, chin	135	730	–	–	100	60	180	40
Mouth	136	2,430	130	80	70	70	640	170
Mouth, unspecified	1360	690	40	–	–	–	300	20
Lip(s)	1361	670	30	–	20	30	140	50
Tooth (teeth)	1363	970	60	–	50	–	170	90
Multiple mouth locations	1368	80	–	–	–	–	20	–
Multiple face locations	138	1,580	50	20	60	60	470	100
Face, n.e.c.	139	210	–	–	–	–	90	–
Multiple head locations	18	760	–	–	90	30	220	20
Head, n.e.c.	19	270	–	–	–	–	100	30
Neck, including throat	2	12,430	740	80	420	1,360	2,480	1,150
Neck, except internal location of diseases or disorders	20	12,420	740	80	420	1,360	2,480	1,140
Trunk	3	209,360	5,550	1,350	3,780	14,250	49,460	13,060
Trunk, unspecified	30	1,320	–	–	70	110	390	70
Chest, including ribs, internal organs	31	15,790	400	70	250	510	3,560	720
Chest, except internal location of diseases or disorders	310	13,550	390	60	210	460	2,670	680
Internal chest location, unspecified	311	50	–	–	–	–	20	–

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2015 — Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	64,250	15,740	72,070	84,720	106,900	177,030
Head	5,910	1,470	5,490	8,630	9,620	12,140
Head, unspecified	2,100	250	860	2,090	1,590	3,560
Cranial region, including skull	1,790	100	680	990	1,370	3,570
Cranial region, unspecified	110	—	40	20	—	80
Brain	1,410	70	500	690	1,080	2,930
Scalp	210	30	100	260	230	490
Skull	50	—	40	20	40	60
Multiple cranial region locations	—	—	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—
Ear(s)	70	20	100	70	70	300
Face	1,890	1,100	3,800	5,400	6,460	4,530
Face, unspecified	190	70	650	520	270	350
Forehead	220	50	230	490	570	450
Eye(s)	860	820	2,120	3,610	4,840	2,520
Nose, nasal cavity	380	20	230	250	260	420
Nose, except internal location of diseases or disorders	160	20	230	250	230	420
Sinus(es)	220	—	—	—	—	—
Cheek(s)	30	—	50	60	80	30
Jaw, chin	30	20	90	30	60	110
Mouth	120	30	280	400	150	310
Mouth, unspecified	—	—	200	—	—	20
Lip(s)	—	20	—	260	60	30
Tooth (teeth)	100	—	60	130	80	220
Multiple mouth locations	—	—	—	—	—	40
Multiple face locations	50	70	120	50	200	330
Face, n.e.c.	—	—	—	—	30	20
Multiple head locations	20	—	40	50	110	150
Head, n.e.c.	40	—	—	30	20	20
Neck, including throat	960	130	520	1,170	760	2,640
Neck, except internal location of diseases or disorders	950	130	520	1,170	760	2,640
Trunk	15,320	3,340	17,450	19,630	20,270	45,800
Trunk, unspecified	40	30	30	90	260	200
Chest, including ribs, internal organs	1,290	900	1,950	1,510	1,460	3,140
Chest, except internal location of diseases or disorders	620	900	1,940	1,460	1,340	2,810
Internal chest location, unspecified	—	—	—	—	—	—

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Heart	313	710	—	—	40	40	190	20
Bronchus	314	30	—	—	—	—	—	—
Lung(s), pleura	315	1,450	—	—	—	—	670	20
Back, including spine, spinal cord ..	32	155,740	4,180	1,120	2,690	12,290	38,370	9,510
Back, including spine, spinal cord, unspecified	320	59,360	1,810	600	860	4,470	14,680	3,210
Thoracic region	321	8,160	360	30	60	970	1,790	530
Lumbar region	322	81,970	1,890	460	1,660	6,060	20,020	5,540
Sacral region	323	270	—	—	—	20	60	20
Coccygeal region	324	1,300	40	20	30	80	320	60
Multiple back regions	328	4,450	70	—	80	680	1,420	130
Back, including spine, spinal cord, n.e.c.	329	220	—	—	—	20	70	20
Abdomen	33	18,290	440	80	340	460	2,650	1,520
Abdomen, except internal location of diseases or disorders	330	17,620	410	80	190	380	2,540	1,460
Internal abdominal location, unspecified	331	360	—	—	100	60	—	50
Stomach organ	332	20	—	—	—	—	—	—
Intestines, peritoneum	335	260	—	—	50	20	80	—
Intestines, peritoneum, unspecified	3350	230	—	—	50	—	70	—
Large intestine, colon, rectum	3353	30	—	—	—	—	—	—
Other digestive structures	336	30	—	—	—	—	20	—
Liver	3361	30	—	—	—	—	20	—
Pelvic region	34	14,770	400	40	330	660	3,650	1,020
Pelvic region, unspecified	340	200	—	—	—	—	20	—
Hip(s)	341	7,370	330	20	250	390	2,040	640
Pelvis	342	940	20	—	—	50	90	70
Buttock(s)	343	1,320	—	—	—	70	600	130
Groin	344	4,360	40	20	60	120	650	150
External reproductive tract structures	345	200	—	—	—	—	80	—
External reproductive tract structures, unspecified	3450	30	—	—	—	—	—	—
Scrotum	3451	100	—	—	—	—	40	—
Penis	3452	20	—	—	—	—	—	—
External female genital region	3453	20	—	—	—	—	—	—
Multiple external reproductive tract structures	3458	20	—	—	—	—	20	—
Multiple pelvic region locations ..	348	320	—	—	—	—	150	—
Pelvic region, n.e.c.	349	50	—	—	—	—	20	—
Multiple trunk locations	38	3,280	110	20	90	210	780	210

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2015 — Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Heart	—	—	—	—	80	300
Bronchus	—	—	—	—	—	—
Lung(s), pleura	660	—	—	20	30	—
Back, including spine, spinal cord ..	11,680	1,900	12,220	14,080	13,830	33,760
Back, including spine, spinal cord, unspecified	3,270	600	6,160	6,690	5,290	11,690
Thoracic region	990	20	420	720	760	1,500
Lumbar region	6,960	1,180	5,240	6,210	7,350	19,350
Sacral region	20	—	—	—	20	90
Coccygeal region	190	—	20	120	90	310
Multiple back regions	220	80	360	330	320	750
Back, including spine, spinal cord, n.e.c.	30	—	—	—	—	60
Abdomen	1,070	180	1,530	2,370	2,870	4,770
Abdomen, except internal location of diseases or disorders	1,050	180	1,490	2,350	2,790	4,700
Internal abdominal location, unspecified	—	—	—	—	60	50
Stomach organ	—	—	—	—	—	—
Intestines, peritoneum	—	—	30	—	—	20
Intestines, peritoneum, unspecified	—	—	30	—	—	—
Large intestine, colon, rectum	—	—	—	—	—	—
Other digestive structures	—	—	—	—	—	—
Liver	—	—	—	—	—	—
Pelvic region	990	230	1,440	1,240	1,520	3,240
Pelvic region, unspecified	—	—	30	50	—	80
Hip(s)	570	70	600	490	620	1,360
Pelvis	20	20	460	20	70	120
Buttock(s)	90	—	30	50	60	250
Groin	300	110	280	590	740	1,310
External reproductive tract structures	—	20	—	20	—	50
External reproductive tract structures, unspecified	—	—	—	—	—	—
Scrotum	—	—	—	20	—	20
Penis	—	—	—	—	—	—
External female genital region	—	—	—	—	—	—
Multiple external reproductive tract structures	—	—	—	—	—	—
Multiple pelvic region locations ..	—	—	30	20	—	70
Pelvic region, n.e.c.	—	—	—	—	—	—
Multiple trunk locations	240	100	260	290	300	670

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Trunk, n.e.c.	39	170	—	—	—	20	60	—
Upper extremities	4	294,420	7,690	1,360	4,720	12,550	74,660	16,320
Upper extremities, unspecified	40	590	—	—	—	30	220	20
Shoulder(s), including clavicle(s), scapula(e)	41	72,270	2,270	370	1,300	3,850	14,310	4,080
Arm(s)	42	45,760	1,920	200	1,110	1,940	10,810	3,330
Arm(s), unspecified	420	14,060	990	30	360	630	4,040	690
Upper arm(s)	421	6,170	240	30	80	280	1,150	590
Elbow(s)	422	14,360	450	50	190	620	2,920	1,230
Forearm(s)	423	8,640	150	90	160	290	2,230	680
Multiple arm locations	428	2,110	60	—	320	110	380	80
Multiple arm locations, unspecified	4280	190	50	—	—	20	50	—
Elbow(s) and arm(s)	4281	1,460	—	—	320	70	200	60
Multiple arm locations, n.e.c.	4289	470	—	—	—	30	140	—
Arm(s), n.e.c.	429	420	30	—	—	—	90	70
Wrist(s)	43	34,210	920	290	640	1,920	8,640	2,650
Hand(s)	44	124,540	1,750	430	1,250	3,600	36,550	5,300
Hand(s), unspecified	440	33,630	790	120	380	1,160	10,640	1,660
Hand(s), except finger(s)	441	4,380	50	—	—	100	1,040	120
Finger(s), fingernail(s)	442	81,520	880	280	810	2,170	23,690	3,420
Finger(s), fingernail(s), unspecified	4420	62,660	580	230	670	1,810	18,100	2,750
Fingernail(s), nailbed(s)	4421	930	—	—	—	—	250	50
Fingertip(s)	4422	7,380	190	20	—	60	1,960	200
Finger(s), fingernail(s), n.e.c.	4429	10,550	110	30	120	290	3,390	430
Hand(s) and finger(s)	448	3,650	30	20	50	140	850	60
Hand(s), n.e.c.	449	1,360	—	—	—	30	320	30
Multiple upper extremities locations	48	16,800	810	80	420	1,200	4,070	900
Multiple upper extremities locations, unspecified	480	160	—	—	—	—	—	—
Hand(s) and arms(s)	481	1,880	80	—	40	110	630	70
Hand(s) and arm(s), unspecified	4810	800	40	—	—	20	270	30
Hand(s) and elbow(s)	4811	360	—	—	—	30	60	40
Hand(s) and arm(s), n.e.c.	4819	710	30	—	—	60	300	—
Hand(s) and wrist(s)	482	3,770	130	—	220	300	1,060	230
Wrist(s) and arm(s)	483	2,240	90	—	20	140	510	60
Wrist(s) and arm(s), unspecified	4830	700	—	—	—	50	210	30
Wrist(s) and elbow(s)	4831	620	20	—	—	20	130	20
Wrist(s) and arm(s), n.e.c.	4839	920	70	—	—	70	180	—
Shoulder(s) and arm(s)	484	5,890	450	40	90	430	1,120	460

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2015 — Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Trunk, n.e.c.	—	—	—	40	20	—
Upper extremities	18,460	4,360	24,790	29,260	49,230	50,920
Upper extremities, unspecified	40	30	40	—	60	120
Shoulder(s), including clavicle(s), scapula(e)	5,590	840	5,550	6,650	9,120	18,260
Arm(s)	3,270	850	3,780	4,560	5,960	8,000
Arm(s), unspecified	1,000	260	990	1,170	1,740	2,160
Upper arm(s)	600	20	380	640	740	1,410
Elbow(s)	1,100	330	1,330	1,680	1,660	2,780
Forearm(s)	410	160	950	780	1,580	1,180
Multiple arm locations	140	—	110	240	230	420
Multiple arm locations, unspecified	—	—	—	—	20	30
Elbow(s) and arm(s)	90	—	60	200	130	300
Multiple arm locations, n.e.c.	60	—	30	40	80	80
Arm(s), n.e.c.	20	60	20	50	20	50
Wrist(s)	3,150	370	2,600	2,670	5,160	5,210
Hand(s)	5,160	2,050	11,580	13,940	26,600	16,320
Hand(s), unspecified	1,690	570	3,180	3,300	5,720	4,420
Hand(s), except finger(s)	170	30	650	370	1,110	720
Finger(s), fingernail(s)	3,040	1,320	7,220	9,710	18,450	10,490
Finger(s), fingernail(s), unspecified	2,610	1,050	5,920	7,270	13,910	7,760
Fingernail(s), nailbed(s)	20	—	70	50	300	150
Fingertip(s)	110	140	740	1,130	1,930	890
Finger(s), fingernail(s), n.e.c.	310	130	490	1,260	2,320	1,690
Hand(s) and finger(s)	140	60	440	420	910	530
Hand(s), n.e.c.	120	70	80	130	410	160
Multiple upper extremities locations	1,220	210	1,230	1,410	2,270	2,980
Multiple upper extremities locations, unspecified	50	—	—	20	—	20
Hand(s) and arms(s)	110	30	100	110	300	280
Hand(s) and arm(s), unspecified	50	—	—	90	120	150
Hand(s) and elbow(s)	40	—	90	—	30	20
Hand(s) and arm(s), n.e.c.	20	—	—	—	150	110
Hand(s) and wrist(s)	290	20	310	200	600	400
Wrist(s) and arm(s)	140	—	340	420	270	240
Wrist(s) and arm(s), unspecified	80	—	—	200	80	30
Wrist(s) and elbow(s)	40	—	20	160	90	100
Wrist(s) and arm(s), n.e.c.	20	—	310	60	100	110
Shoulder(s) and arm(s)	440	80	340	380	660	1,400

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Multiple upper extremities locations, n.e.c.	489	2,860	60	—	40	210	730	70
Upper extremities, n.e.c.	49	240	—	—	—	—	60	30
Lower extremities	5	202,460	7,670	1,470	6,320	8,770	45,100	15,160
Lower extremities, unspecified	50	370	—	—	20	—	110	—
Leg(s)	51	103,770	3,370	740	3,150	4,730	22,170	8,070
Leg(s), unspecified	510	11,990	290	60	200	290	2,640	880
Thigh(s)	511	4,610	130	60	150	160	830	240
Knee(s)	512	73,810	2,680	540	2,340	3,830	16,070	6,210
Lower leg(s)	513	10,520	200	50	360	340	1,960	590
Multiple leg locations	518	2,470	70	20	100	100	590	110
Multiple leg locations, unspecified	5180	80	—	—	—	—	20	—
Knee(s) and leg(s)	5181	1,940	60	—	50	90	410	70
Multiple leg locations, n.e.c.	5189	450	—	20	50	—	170	40
Leg(s), n.e.c.	519	370	—	—	—	—	80	30
Ankle(s)	52	45,780	2,230	440	1,660	1,880	11,570	2,570
Foot (feet)	53	43,310	1,650	130	1,030	1,760	9,000	3,900
Foot (feet), unspecified	530	28,130	1,210	80	650	980	6,630	2,130
Sole(s)	531	2,840	90	—	70	50	410	270
Sole(s), unspecified	5310	310	20	—	—	—	30	—
Ball(s) of the foot	5311	30	—	—	—	—	—	—
Arch(es), instep(s)	5312	170	20	—	—	—	30	—
Heel(s)	5313	2,320	50	—	60	30	350	260
Toes(s), toenail(s)	532	10,240	320	20	270	320	1,600	1,380
Multiple foot (feet) locations	538	1,110	—	—	—	340	170	60
Foot (feet), n.e.c.	539	990	20	30	30	70	180	60
Multiple lower extremities locations	58	9,140	430	160	460	400	2,220	610
Multiple lower extremities locations, unspecified	580	450	—	—	20	—	20	270
Foot (feet) and leg(s)	581	1,690	30	—	60	30	460	40
Foot(feet) and leg(s), unspecified	5810	730	—	—	50	—	120	—
Foot(feet) and knee(s)	5811	360	20	—	—	—	140	30
Foot(feet) and leg(s), n.e.c.	5819	590	—	—	—	—	200	—
Foot (feet) and ankle(s)	582	2,880	210	20	50	90	610	110
Ankle(s) and leg(s)	583	3,060	120	140	270	210	910	150
Ankle(s) and leg(s), unspecified	5830	550	20	—	110	20	190	—
Ankle(s) and knee(s)	5831	1,710	70	30	40	170	490	120
Ankle(s) and leg(s), n.e.c.	5839	800	30	—	130	—	230	20
Multiple lower extremities locations, n.e.c.	589	1,050	60	—	60	50	220	30

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2015 — Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Multiple upper extremities locations, n.e.c.	180	80	130	280	420	640
Upper extremities, n.e.c.	20	20	—	—	50	20
Lower extremities	14,890	3,700	17,650	17,600	18,670	45,350
Lower extremities, unspecified	50	—	—	30	30	100
Leg(s)	7,270	1,890	8,650	10,410	9,770	23,470
Leg(s), unspecified	670	310	1,440	1,160	1,050	3,000
Thigh(s)	280	70	660	280	660	1,070
Knee(s)	5,640	1,220	5,630	7,760	6,310	15,520
Lower leg(s)	540	210	830	910	1,530	3,000
Multiple leg locations	100	80	50	290	220	730
Multiple leg locations, unspecified	—	—	—	—	—	—
Knee(s) and leg(s)	60	70	40	250	200	620
Multiple leg locations, n.e.c.	30	—	—	30	—	100
Leg(s), n.e.c.	50	—	40	—	—	150
Ankle(s)	3,410	840	3,750	3,750	3,630	10,020
Foot (feet)	3,550	750	4,280	2,720	4,730	9,810
Foot (feet), unspecified	2,330	490	2,750	1,650	3,100	6,130
Sole(s)	160	70	570	390	190	570
Sole(s), unspecified	40	20	20	—	20	150
Ball(s) of the foot	—	—	—	—	—	—
Arch(es), instep(s)	—	—	30	—	—	40
Heel(s)	110	40	500	370	160	370
Toes(s), toenail(s)	950	150	860	580	1,060	2,730
Multiple foot (feet) locations	40	50	60	—	190	160
Foot (feet), n.e.c.	70	—	40	80	190	220
Multiple lower extremities locations	600	220	960	650	490	1,950
Multiple lower extremities locations, unspecified	—	—	—	—	30	70
Foot (feet) and leg(s)	60	30	610	60	90	210
Foot(feet) and leg(s), unspecified	—	—	320	30	20	130
Foot(feet) and knee(s)	20	20	40	—	40	40
Foot(feet) and leg(s), n.e.c.	—	—	260	30	30	40
Foot (feet) and ankle(s)	270	70	110	450	190	700
Ankle(s) and leg(s)	200	50	110	80	130	720
Ankle(s) and leg(s), unspecified	30	—	20	—	20	110
Ankle(s) and knee(s)	120	30	40	30	50	510
Ankle(s) and leg(s), n.e.c.	50	—	40	30	60	100
Multiple lower extremities locations, n.e.c.	80	70	120	60	50	240

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2015 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups ⁴					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Lower extremities, n.e.c.	59	100	—	—	—	—	20	—
Body systems	6	16,560	1,030	630	420	1,170	4,000	1,660
Multiple body parts	8	86,410	4,600	1,150	3,280	6,630	21,550	5,100
Multiple body parts, unspecified	80	6,720	200	40	150	340	1,490	290
Head and neck	81	2,330	70	—	110	290	660	90
Head, neck, and trunk	82	580	30	—	—	50	100	80
Head and trunk	83	1,150	—	30	70	60	390	40
Neck and back	84	7,970	700	210	200	760	1,510	340
Shoulder(s) and back	85	3,200	50	—	40	240	880	140
Hip(s) and leg(s)	86	1,530	140	—	—	110	480	180
Upper and lower limb(s)	87	4,720	220	50	150	400	1,370	390
Other multiple body parts	89	58,210	3,170	790	2,530	4,390	14,670	3,560
Whole body	891	560	20	—	30	50	180	—
Multiple body parts, n.e.c.	899	57,650	3,150	790	2,500	4,340	14,490	3,560
Nonclassifiable	9999	6,330	420	20	110	260	1,940	590

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, private industry, 2015 — Continued

Part of body	Summary occupational groups ⁴					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Lower extremities, n.e.c.	—	—	—	40	—	—
Body systems	1,610	420	840	1,290	1,670	1,810
Multiple body parts	6,570	2,070	4,850	6,790	6,140	17,590
Multiple body parts, unspecified	720	170	830	540	420	1,520
Head and neck	140	90	160	210	170	320
Head, neck, and trunk	90	—	70	20	20	90
Head and trunk	60	40	100	50	30	280
Neck and back	310	110	380	910	280	2,260
Shoulder(s) and back	180	140	190	220	470	640
Hip(s) and leg(s)	110	40	30	30	100	300
Upper and lower limb(s)	450	70	180	320	370	760
Other multiple body parts	4,510	1,410	2,900	4,490	4,280	11,430
Whole body	20	—	30	50	20	160
Multiple body parts, n.e.c.	4,500	1,410	2,880	4,440	4,260	11,270
Nonclassifiable	540	250	480	350	550	760

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.