

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011²

Nature	Nature code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		199,700	2,040	12,680	9,350	4,550	8,070
Traumatic injuries and disorders	1	189,340	1,610	12,550	9,260	4,470	7,970
Traumatic injuries and disorders, unspecified	10	11,190	–	420	320	200	300
Traumatic injuries to bones, nerves, spinal cord	11	14,440	–	210	550	280	880
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	390	–	40	–	–	20
Fractures	111	13,590	–	160	510	270	680
Traumatic injuries to nerves, except the spinal cord ..	113	410	–	–	30	–	180
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	30	–	–	–	–	–
Pinched nerve	1131	370	–	–	30	–	180
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	20	–	–	–	–	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	81,770	–	7,820	3,790	2,050	3,340
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	720	–	30	20	–	20
Dislocations	121	1,620	–	90	40	70	20
Dislocations, unspecified	1210	180	–	–	–	–	–
Herniated discs	1211	430	–	40	–	40	20
Dislocation of joints	1212	960	–	40	40	30	–
Dislocations, n.e.c.	1219	50	–	–	–	–	–
Cartilage fractures and tears	122	850	–	20	–	30	–
Cartilage fractures and tears, unspecified	1220	30	–	–	–	–	–
Meniscus tears	1221	800	–	20	–	30	–
Cartilage fractures and tears, n.e.c.	1229	20	–	–	–	–	–
Sprains, strains, tears	123	76,710	–	7,470	3,600	1,880	2,910
Sprains, strains, tears, unspecified	1230	5,350	–	260	220	160	140
Major tears to muscles, tendons, ligaments	1231	3,760	–	320	110	70	180
Sprains	1232	23,220	–	1,480	570	650	460
Strains	1233	42,710	–	5,310	2,560	1,000	2,060
Multiple sprains, strains, tears	1238	1,670	–	100	150	–	70
Hernias due to traumatic incidents	124	1,230	–	210	120	40	330
Whiplash	125	270	–	–	–	–	–
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	170	–	–	–	30	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	210	–	–	–	–	–
Open wounds	13	10,730	–	540	510	770	800
Open wounds, unspecified	130	90	–	–	–	–	–
Amputations, avulsions, enucleations	131	270	–	20	40	50	50
Amputations	1311	220	–	–	20	50	50
Avulsions, enucleations	1312	50	–	–	20	–	–
Cuts, lacerations	132	7,720	–	480	460	720	560
Puncture wounds, except gunshot wounds	133	2,400	–	–	–	–	180
Gunshot wounds	134	210	–	–	–	–	–

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011² — Continued

Nature	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Total	38,470	5,260	21,010	35,440	32,800	29,870	6,990	30,930
Traumatic injuries and disorders	38,270	5,180	20,630	30,670	30,270	28,690	6,880	28,010
Traumatic injuries and disorders, unspecified	2,880	170	1,620	1,500	1,500	2,500	250	1,230
Traumatic injuries to bones, nerves, spinal cord	6,120	110	1,350	880	880	1,830	130	1,970
Traumatic injuries to bones, nerves, spinal cord, unspecified	80	—	110	20	20	40	—	50
Fractures	6,020	100	1,210	770	770	1,770	110	1,860
Traumatic injuries to nerves, except the spinal cord ..	20	—	20	70	70	20	—	60
Traumatic injuries to nerves, except the spinal cord, unspecified	—	—	—	—	—	—	—	—
Pinched nerve	20	—	20	50	50	—	—	40
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12,050	1,750	7,750	20,890	20,770	12,970	4,690	8,600
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	250	—	90	120	120	120	—	50
Dislocations	460	50	150	200	200	430	130	90
Dislocations, unspecified	30	—	—	50	50	30	—	20
Herniated discs	30	20	60	50	40	160	30	20
Dislocation of joints	390	30	80	100	100	220	80	30
Dislocations, n.e.c.	20	—	—	—	—	—	—	—
Cartilage fractures and tears	280	20	20	370	370	80	20	20
Cartilage fractures and tears, unspecified	—	—	—	—	—	20	—	—
Meniscus tears	270	20	20	370	370	60	20	20
Cartilage fractures and tears, n.e.c.	—	—	—	—	—	—	—	—
Sprains, strains, tears	11,020	1,620	7,190	20,060	19,940	12,080	4,500	8,150
Sprains, strains, tears, unspecified	1,140	90	610	1,260	1,260	790	150	650
Major tears to muscles, tendons, ligaments	1,080	70	260	800	800	370	140	480
Sprains	5,120	450	1,810	7,540	7,530	2,740	820	2,260
Strains	3,360	960	4,360	10,030	9,930	7,900	3,300	4,620
Multiple sprains, strains, tears	320	40	150	430	430	270	80	140
Hernias due to traumatic incidents	—	60	30	110	110	60	40	270
Whiplash	—	—	260	—	—	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	30	—	20	20	20	20	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	—	—	—	—	—	170	—	—
Open wounds	660	2,110	330	90	—	850	20	4,040
Open wounds, unspecified	20	20	—	—	—	—	—	30
Amputations, avulsions, enucleations	—	—	30	—	—	—	—	70
Amputations	—	—	20	—	—	—	—	50
Avulsions, enucleations	—	—	—	—	—	—	—	20
Cuts, lacerations	610	1,920	250	—	—	300	—	2,390
Puncture wounds, except gunshot wounds	—	150	30	—	—	430	—	1,540
Gunshot wounds	—	—	—	90	—	110	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Multiple types of open wounds	138	20	—	—	—	—	—
Open wounds, n.e.c.	139	20	—	—	—	—	—
Surface wounds and bruises	14	22,050	—	1,140	1,870	250	940
Surface wounds and bruises, unspecified	140	200	—	—	—	—	—
Abrasions, scratches	141	2,120	—	40	—	—	70
Bruises, contusions	143	19,230	—	1,100	1,820	230	840
Multiple surface wounds and bruises	148	340	—	—	20	—	20
Surface wounds and bruises, n.e.c.	149	150	—	—	—	—	—
Burns and corrosions	15	1,710	360	60	20	70	140
Burns and corrosions, unspecified	150	40	—	—	—	20	—
Chemical burns and corrosions	151	320	320	—	—	—	—
Chemical burns and corrosions, unspecified	1510	300	300	—	—	—	—
Heat (thermal) burns	152	1,230	20	60	20	50	110
Heat (thermal) burns, unspecified	1520	930	20	50	20	30	90
First degree heat (thermal) burns	1521	90	—	—	—	—	—
Second degree heat (thermal) burns	1522	180	—	—	—	—	—
Heat (thermal) burns, n.e.c.	1529	30	—	—	—	—	—
Electrical burns	153	40	—	—	—	—	30
Electrical burns, unspecified	1530	40	—	—	—	—	30
Other burns	159	80	—	—	—	—	—
Other burns, first degree	1591	80	—	—	—	—	—
Intracranial injuries	16	1,780	—	60	200	70	80
Intracranial injuries, unspecified	160	190	—	—	—	—	—
Concussions	162	1,580	—	50	200	20	70
Effects of environmental conditions	17	780	—	—	—	—	—
Effects of heat and light	172	770	—	—	—	—	—
Effects of heat and light, unspecified	1720	50	—	—	—	—	—
Heat stroke	1721	20	—	—	—	—	—
Heat syncope	1722	90	—	—	—	—	—
Heat fatigue	1723	100	—	—	—	—	—
Heat exhaustion, prostration	1725	460	—	—	—	—	—
Effects of heat and light, n.e.c.	1729	50	—	—	—	—	—
Multiple traumatic injuries and disorders	18	9,490	—	60	390	110	140
Multiple traumatic injuries and disorders, unspecified	180	1,200	—	—	—	20	—
Cuts and abrasions or bruises	181	2,000	—	—	100	30	30
Sprains and other injuries	182	4,110	—	50	180	20	60
Sprains and other injuries, unspecified	1820	120	—	—	—	—	—
Sprains and bruises	1821	3,130	—	50	170	—	30
Sprains and cuts	1822	420	—	—	—	—	—
Sprains and other injuries, n.e.c.	1829	440	—	—	—	—	—
Fractures and other injuries	183	970	—	—	40	—	30
Fractures and other injuries, unspecified	1830	70	—	—	—	—	—
Fractures (except skull fractures) and concussions	1831	50	—	—	—	—	—
Fractures and dislocations	1834	160	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	700	—	—	40	—	30
Burns and other injuries, except fractures	184	30	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	30	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011² — Continued

Nature	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Multiple types of open wounds	—	—	—	—	—	—	—	—
Open wounds, n.e.c.	—	—	—	—	—	—	—	—
Surface wounds and bruises	6,520	360	3,790	40	30	3,450	340	3,110
Surface wounds and bruises, unspecified	50	—	20	—	—	30	—	40
Abrasions, scratches	310	40	90	—	—	450	110	1,060
Bruises, contusions	6,070	320	3,660	30	30	2,820	230	1,800
Multiple surface wounds and bruises	80	—	—	—	—	120	—	80
Surface wounds and bruises, n.e.c.	—	—	—	—	—	30	—	100
Burns and corrosions	—	—	90	—	—	—	—	960
Burns and corrosions, unspecified	—	—	—	—	—	—	—	—
Chemical burns and corrosions	—	—	—	—	—	—	—	—
Chemical burns and corrosions, unspecified	—	—	—	—	—	—	—	—
Heat (thermal) burns	—	—	70	—	—	—	—	900
Heat (thermal) burns, unspecified	—	—	20	—	—	—	—	690
First degree heat (thermal) burns	—	—	—	—	—	—	—	40
Second degree heat (thermal) burns	—	—	—	—	—	—	—	150
Heat (thermal) burns, n.e.c.	—	—	—	—	—	—	—	20
Electrical burns	—	—	—	—	—	—	—	—
Electrical burns, unspecified	—	—	—	—	—	—	—	—
Other burns	—	—	—	—	—	—	—	40
Other burns, first degree	—	—	—	—	—	—	—	40
Intracranial injuries	500	—	260	—	—	410	30	170
Intracranial injuries, unspecified	40	—	60	—	—	—	—	—
Concussions	460	—	200	—	—	400	30	160
Effects of environmental conditions	—	—	—	—	—	—	—	780
Effects of heat and light	—	—	—	—	—	—	—	770
Effects of heat and light, unspecified	—	—	—	—	—	—	—	50
Heat stroke	—	—	—	—	—	—	—	20
Heat syncope	—	—	—	—	—	—	—	90
Heat fatigue	—	—	—	—	—	—	—	100
Heat exhaustion, prostration	—	—	—	—	—	—	—	460
Effects of heat and light, n.e.c.	—	—	—	—	—	—	—	50
Multiple traumatic injuries and disorders	3,220	70	2,160	250	250	1,710	60	1,230
Multiple traumatic injuries and disorders, unspecified	210	—	400	—	—	280	—	30
Cuts and abrasions or bruises	460	20	570	—	—	450	20	310
Sprains and other injuries	1,880	30	720	40	40	340	20	720
Sprains and other injuries, unspecified	—	—	50	—	—	40	—	—
Sprains and bruises	1,570	30	560	40	40	210	—	430
Sprains and cuts	60	—	50	—	—	50	—	240
Sprains and other injuries, n.e.c.	230	—	60	—	—	50	—	40
Fractures and other injuries	320	—	120	—	—	280	—	130
Fractures and other injuries, unspecified	30	—	—	—	—	—	—	—
Fractures (except skull fractures) and concussions	—	—	—	—	—	—	—	30
Fractures and dislocations	40	—	—	—	—	110	—	—
Fractures and other injuries, n.e.c.	240	—	110	—	—	170	—	80
Burns and other injuries, except fractures	—	—	—	—	—	—	—	—
Burns and other injuries, n.e.c.	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Multiple traumatic injuries and disorders, n.e.c.	189	1,180	—	—	60	20	—
Other traumatic injuries and disorders	19	35,390	1,240	2,230	1,630	690	1,350
Other traumatic injuries and disorders, unspecified ...	190	60	50	—	—	—	—
Electrocutions, electric shocks	193	160	—	—	—	—	60
Dermatitis and reactions affecting the skin—acute	195	560	80	—	—	—	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	190	30	—	—	—	—
Allergic dermatitis—acute	1951	280	—	—	—	—	—
Irritant dermatitis—acute	1952	50	40	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	40	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	1,660	890	—	—	20	—
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	420	70	—	—	—	—
Poisoning, including poisoning-related asphyxia ...	1961	260	190	—	—	20	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	440	320	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	180	180	—	—	—	—
Other or unspecified allergic reactions	1966	130	—	—	—	—	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	40	30	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	50	40	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	130	30	—	—	—	—
Nonspecified injuries and disorders	197	32,920	230	2,230	1,630	670	1,300
Crushing injuries	1971	750	—	40	60	90	160
Soreness, pain, hurt—nonspecified injury	1972	25,890	20	2,040	1,290	520	980
Swelling, inflammation, irritation—nonspecified injury	1973	3,770	200	60	230	30	130
Numbness—nonspecified injury	1974	240	—	20	—	—	20
Multiple nonspecified injuries and disorders	1978	1,180	—	20	—	—	—
Nonspecified injuries and disorders, n.e.c.	1979	1,080	—	60	30	—	—
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—
Diseases and disorders of body systems	2	4,320	130	90	50	50	90
Systemic diseases and disorders, unspecified	20	20	—	—	—	—	—
Nervous system and sense organs diseases	22	1,760	30	—	—	—	70
Disorders of the peripheral nervous system	224	1,460	—	—	—	—	—
Carpal tunnel syndrome	2241	1,430	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	140	20	—	—	—	—
Conjunctivitis—non-viral	2251	30	20	—	—	—	—
Blindness, low vision	2254	60	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	30	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	140	—	—	—	—	60
Deafness, hearing loss and impairment	2261	120	—	—	—	—	60

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011² — Continued

Nature	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Multiple traumatic injuries and disorders, n.e.c.	340	—	330	—	—	360	—	40
Other traumatic injuries and disorders	6,310	600	3,290	7,010	6,840	4,970	1,350	5,910
Other traumatic injuries and disorders, unspecified ...	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	—	—	—	—	—	—	—	60
Dermatitis and reactions affecting the skin—acute	—	—	—	—	—	—	—	480
Dermatitis and reactions affecting the skin—acute, unspecified	—	—	—	—	—	—	—	160
Allergic dermatitis—acute	—	—	—	—	—	—	—	270
Irritant dermatitis—acute	—	—	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	—	—	—	—	—	—	—	40
Other poisoning, toxic, noxious, or allergenic effects	—	—	—	20	—	—	—	720
Poisoning, toxic, noxious, or allergenic effect, unspecified	—	—	—	—	—	—	—	330
Poisoning, including poisoning-related asphyxia ...	—	—	—	—	—	—	—	50
Other respiratory system symptoms—toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	110
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—
Other or unspecified allergic reactions	—	—	—	—	—	—	—	110
Nausea, vomiting— toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	—	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	—	—	—	—	—	—	—	100
Nonspecified injuries and disorders	6,290	600	3,280	6,990	6,840	4,950	1,340	4,660
Crushing injuries	20	30	160	—	—	20	—	190
Soreness, pain, hurt—nonspecified injury	5,040	510	2,660	6,050	5,910	3,770	1,190	2,910
Swelling, inflammation, irritation—nonspecified injury	330	20	200	630	620	520	80	1,420
Numbness—nonspecified injury	—	—	—	90	90	60	50	—
Multiple nonspecified injuries and disorders	560	—	70	60	60	400	20	30
Nonspecified injuries and disorders, n.e.c.	350	—	180	160	150	160	—	100
Other traumatic injuries and disorders, n.e.c.	—	—	—	—	—	—	—	—
Diseases and disorders of body systems	30	50	170	2,780	2,230	340	40	530
Systemic diseases and disorders, unspecified	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	—	20	60	1,460	1,460	—	—	100
Disorders of the peripheral nervous system	—	—	—	1,450	1,450	—	—	—
Carpal tunnel syndrome	—	—	—	1,430	1,430	—	—	—
Disorders of the eye, adnexa, vision	—	20	—	—	—	—	—	80
Conjunctivitis—non-viral	—	—	—	—	—	—	—	—
Blindness, low vision	—	—	—	—	—	—	—	60
Disorders of the eye, adnexa, vision, n.e.c.	—	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	—	—	—	—	—	—	—	20
Deafness, hearing loss and impairment	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Circulatory system diseases	23	540	—	—	—	—	—
Hypertensive disease	232	60	—	—	—	—	—
Ischemic heart disease, including heart attack	233	280	—	—	—	—	—
Ischemic heart disease, unspecified	2330	40	—	—	—	—	—
Myocardial infarction (heart attack)	2331	220	—	—	—	—	—
Other forms of heart disease	235	20	—	—	—	—	—
Other forms of heart disease, n.e.c.	2359	20	—	—	—	—	—
Respiratory system diseases	24	140	80	—	—	—	—
Pneumonia, influenza	243	40	—	—	—	—	—
Pneumonia	2431	30	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	20	—	—	—	—	—
Asthma, except intrinsic	2443	20	—	—	—	—	—
Digestive system diseases and disorders	25	120	—	50	—	—	—
Hernia—nontraumatic	253	120	—	50	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	1,170	—	40	20	40	—
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	20	—	—	—	—	—
Dorsopathies	272	210	—	—	—	—	—
Sciatica	2721	90	—	—	—	—	—
Lumbago	2722	50	—	—	—	—	—
Dorsopathies, n.e.c.	2729	40	—	—	—	—	—
Soft tissue disorders, except the back	273	870	—	40	20	40	—
Soft tissue disorder, except the back, unspecified	2730	80	—	—	—	—	—
Bursitis	2731	90	—	—	—	—	—
Stenosing tenosynovitis	2732	60	—	—	—	—	—
Epicondylitis	2734	280	—	—	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	230	—	—	—	30	—
Ganglion or cystic tumor	2736	90	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	20	—	—	—	—	—
Osteopathies, chondropathies, and acquired deformities	274	70	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	280	—	—	20	—	—
Infections of the skin and subcutaneous tissue	281	270	—	—	20	—	—
Infections of the skin and subcutaneous tissue, unspecified	2810	80	—	—	—	—	—
Cellulitis and abscess	2811	40	—	—	—	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	120	—	—	—	—	—
Other staphylococcus skin infection	2814	20	—	—	—	—	—
Other systemic diseases and disorders	29	260	—	—	—	—	—
Other systemic diseases and disorders, unspecified	290	230	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders	291	30	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	30	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011² — Continued

Nature	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Circulatory system diseases	—	—	—	530	—	—	—	—
Hypertensive disease	—	—	—	60	—	—	—	—
Ischemic heart disease, including heart attack	—	—	—	280	—	—	—	—
Ischemic heart disease, unspecified	—	—	—	40	—	—	—	—
Myocardial infarction (heart attack)	—	—	—	210	—	—	—	—
Other forms of heart disease	—	—	—	20	—	—	—	—
Other forms of heart disease, n.e.c.	—	—	—	20	—	—	—	—
Respiratory system diseases	—	—	—	—	—	—	—	50
Pneumonia, influenza	—	—	—	—	—	—	—	40
Pneumonia	—	—	—	—	—	—	—	30
Chronic obstructive pulmonary disease and allied conditions	—	—	—	—	—	—	—	—
Asthma, except intrinsic	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	—	—	—	20	—	—	—	20
Hernia—nontraumatic	—	—	—	20	—	—	—	20
Musculoskeletal system and connective tissue diseases and disorders	30	20	100	500	500	260	30	160
Musculoskeletal system and connective tissue diseases and disorders, unspecified	—	—	—	20	20	—	—	—
Dorsopathies	—	—	80	90	90	—	—	—
Sciatica	—	—	—	—	—	—	—	—
Lumbago	—	—	—	—	—	—	—	—
Dorsopathies, n.e.c.	—	—	—	—	—	—	—	—
Soft tissue disorders, except the back	20	—	—	330	320	250	20	160
Soft tissue disorder, except the back, unspecified	—	—	—	40	40	—	—	20
Bursitis	—	—	—	—	—	—	—	40
Stenosing tenosynovitis	—	—	—	30	30	—	—	—
Epicondylitis	—	—	—	30	30	220	—	30
Other or unspecified tendonitis (tendinitis)	—	—	—	110	110	—	—	60
Ganglion or cystic tumor	—	—	—	80	70	—	—	—
Soft tissue disorder, except the back, n.e.c.	—	—	—	—	—	—	—	—
Osteopathies, chondropathies, and acquired deformities	—	—	—	70	70	—	—	—
Disorders of the skin and subcutaneous tissue	—	—	—	—	—	60	—	170
Infections of the skin and subcutaneous tissue	—	—	—	—	—	60	—	160
Infections of the skin and subcutaneous tissue, unspecified	—	—	—	—	—	—	—	30
Cellulitis and abscess	—	—	—	—	—	—	—	30
Methicillin-resistant staphylococcus aureus (MRSA) infection	—	—	—	—	—	—	—	100
Other staphylococcus skin infection	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	—	—	—	250	250	—	—	—
Other systemic diseases and disorders, unspecified	—	—	—	220	220	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders	—	—	—	30	30	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	—	—	—	30	30	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Infectious and parasitic diseases	3	200	—	—	—	—	—
Infectious and parasitic diseases, unspecified	30	40	—	—	—	—	—
Bacterial diseases	31	60	—	—	—	—	—
Other bacterial diseases	319	50	—	—	—	—	—
Viral diseases	32	50	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	323	20	—	—	—	—	—
Chickenpox, varicella	3233	20	—	—	—	—	—
Other diseases due to viruses	329	20	—	—	—	—	—
Other diseases due to viruses, n.e.c.	3299	20	—	—	—	—	—
Other infectious and parasitic diseases	39	30	—	—	—	—	—
Scabies and other acariases	392	30	—	—	—	—	—
Neoplasms, tumors, and cancers	4	220	190	—	—	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	220	190	—	—	—	—
Malignant neoplasms and tumors of other sites	419	180	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	1,730	110	20	—	—	—
Symptoms, signs, and ill-defined conditions, unspecified	50	30	—	—	—	—	—
Symptoms	51	1,630	110	20	—	—	—
General symptoms	511	910	—	20	—	—	—
Loss of consciousness—not heat related	5111	250	—	—	—	—	—
Convulsions, seizures	5112	20	—	—	—	—	—
Dizziness—general	5114	230	—	—	—	—	—
Inflammation, swelling—general	5115	20	—	—	—	—	—
Numbness—general	5116	20	—	—	—	—	—
Multiple general symptoms	5118	330	—	—	—	—	—
General symptoms, n.e.c.	5119	30	—	—	—	—	—
Symptoms involving head and neck	514	80	—	—	—	—	—
Headache, except migraine	5141	30	—	—	—	—	—
Symptoms involving cardiovascular system	515	90	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	70	—	—	—	—	—
Symptoms involving respiratory system and chest	516	420	70	—	—	—	—
Symptoms involving respiratory system and chest, unspecified	5160	40	20	—	—	—	—
Chest pain	5164	230	—	—	—	—	—
Multiple symptoms involving respiratory system and chest	5168	30	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	130	20	—	—	—	—
Multiple symptoms	518	90	20	—	—	—	—
Abnormal findings	52	60	—	—	—	—	—
Other abnormal findings	529	40	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011² — Continued

Nature	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Infectious and parasitic diseases	—	—	—	—	—	—	—	200
Infectious and parasitic diseases, unspecified	—	—	—	—	—	—	—	40
Bacterial diseases	—	—	—	—	—	—	—	60
Other bacterial diseases	—	—	—	—	—	—	—	50
Viral diseases	—	—	—	—	—	—	—	50
Viral diseases accompanied by exanthem (eruptive fever)	—	—	—	—	—	—	—	20
Chickenpox, varicella	—	—	—	—	—	—	—	20
Other diseases due to viruses	—	—	—	—	—	—	—	20
Other diseases due to viruses, n.e.c.	—	—	—	—	—	—	—	20
Other infectious and parasitic diseases	—	—	—	—	—	—	—	30
Scabies and other acariases	—	—	—	—	—	—	—	30
Neoplasms, tumors, and cancers	—	—	—	—	—	—	—	30
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	—	—	—	—	—	—	—	30
Malignant neoplasms and tumors of other sites	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	20	—	30	990	160	70	—	420
Symptoms, signs, and ill-defined conditions, unspecified	—	—	—	—	—	—	—	—
Symptoms	20	—	30	930	140	50	—	420
General symptoms	20	—	20	450	110	30	—	320
Loss of consciousness—not heat related	—	—	—	170	—	—	—	50
Convulsions, seizures	—	—	—	—	—	—	—	—
Dizziness—general	—	—	—	90	—	—	—	90
Inflammation, swelling—general	—	—	—	—	—	—	—	—
Numbness—general	—	—	—	20	20	—	—	—
Multiple general symptoms	—	—	—	160	70	—	—	170
General symptoms, n.e.c.	—	—	—	—	—	—	—	—
Symptoms involving head and neck	—	—	—	—	—	—	—	50
Headache, except migraine	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	—	—	—	80	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	—	—	—	70	—	—	—	—
Symptoms involving respiratory system and chest	—	—	—	280	—	—	—	40
Symptoms involving respiratory system and chest, unspecified	—	—	—	—	—	—	—	—
Chest pain	—	—	—	200	—	—	—	—
Multiple symptoms involving respiratory system and chest	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	—	—	—	70	—	—	—	20
Multiple symptoms	—	—	—	70	—	—	—	—
Abnormal findings	—	—	—	50	—	—	—	—
Other abnormal findings	—	—	—	40	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Other diseases, conditions, and disorders	6	1,790	—	—	—	—	—
Mental disorders and syndromes	62	1,790	—	—	—	—	—
Anxiety, stress	621	1,740	—	—	—	—	—
Anxiety, stress, unspecified	6210	740	—	—	—	—	—
Post-traumatic stress disorder	6211	520	—	—	—	—	—
Anxiety or panic disorder	6213	60	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011² — Continued

Nature	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Other diseases, conditions, and disorders	—	—	140	920	130	640	20	90
Mental disorders and syndromes	—	—	140	920	130	640	20	90
Anxiety, stress	—	—	140	890	130	630	20	90
Anxiety, stress, unspecified	—	—	—	380	130	290	—	60
Post-traumatic stress disorder	—	—	130	240	—	130	20	20
Anxiety or panic disorder	—	—	—	40	—	20	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Anxiety, stress, n.e.c.	6219	420	—	—	—	—	—
Mental disorders and syndromes, n.e.c.	629	30	—	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011² — Continued

Nature	Source of injury or illness ⁵							
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		All other sources ⁶
				Total	Worker motion or position	Total	Patient	
Anxiety, stress, n.e.c.	—	—	20	210	—	190	—	—
Mental disorders and syndromes, n.e.c.	—	—	—	20	—	—	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Exposures to disease—no illness incurred	7	150	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	80	—	—	20	—	—
Nonclassifiable	9999	1,880	—	—	20	—	—

See footnotes at end of table.

TABLE L14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, local government, 2011² — Continued

Nature	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Exposures to disease—no illness incurred	—	—	—	—	—	70	20	20
Multiple diseases, conditions, and disorders	30	—	—	—	—	—	—	—
Nonclassifiable	120	—	40	—	—	50	30	1,630

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.