

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2011²

| Part of body | Part of body code ³ | Local government ⁴ | Nature of injury or illness ⁵ | | | | | | | |
|--|--------------------------------|-------------------------------|--|-----------|------------------------------|-------------------|-----------|---------------------|------------|----------------|
| | | | Sprains, strains, tears | Fractures | Cuts, lacerations, punctures | | | Bruises, contusions | Heat burns | Chemical burns |
| | | | | | Total | Cuts, lacerations | Punctures | | | |
| Total | | 199,700 | 76,710 | 13,590 | 10,120 | 7,720 | 2,400 | 19,230 | 1,230 | 320 |
| Head | 1 | 12,430 | 20 | 310 | 2,030 | 1,950 | 80 | 2,140 | 170 | 150 |
| Head, unspecified | 10 | 3,190 | — | — | 860 | 860 | — | 810 | — | — |
| Cranial region, including skull | 11 | 2,840 | — | 20 | 450 | 440 | — | 340 | — | — |
| Cranial region, unspecified | 110 | 30 | — | — | — | — | — | — | — | — |
| Brain | 111 | 1,850 | — | — | — | — | — | — | — | — |
| Scalp | 112 | 690 | — | — | 440 | 440 | — | 230 | — | — |
| Skull | 113 | 110 | — | 20 | — | — | — | 80 | — | — |
| Multiple cranial region locations | 118 | 140 | — | — | — | — | — | — | — | — |
| Cranial region, n.e.c. | 119 | 20 | — | — | — | — | — | — | — | — |
| Ear(s) | 12 | 400 | — | — | 110 | 110 | — | — | 120 | — |
| Face | 13 | 5,790 | — | 290 | 570 | 500 | 70 | 910 | 40 | 150 |
| Face, unspecified | 130 | 790 | — | 20 | 210 | 210 | — | 320 | 20 | — |
| Forehead | 131 | 400 | — | — | 100 | 100 | — | 180 | — | — |
| Eye(s) | 132 | 3,120 | — | — | 100 | 50 | 50 | 220 | — | 130 |
| Nose, nasal cavity | 133 | 260 | — | 100 | 30 | 30 | — | 40 | — | — |
| Nose, except internal location of diseases or disorders | 1330 | 260 | — | 100 | 30 | 30 | — | 40 | — | — |
| Cheek(s) | 134 | 230 | — | — | 20 | — | — | — | — | — |
| Jaw, chin | 135 | 90 | — | 20 | — | — | — | 30 | — | — |
| Mouth | 136 | 440 | — | 110 | 80 | 70 | — | 20 | — | — |
| Mouth, unspecified | 1360 | 30 | — | — | — | — | — | — | — | — |
| Lip(s) | 1361 | 240 | — | — | 70 | 70 | — | — | — | — |
| Tooth (teeth) | 1363 | 120 | — | 110 | — | — | — | — | — | — |
| Multiple mouth locations | 1368 | 40 | — | — | — | — | — | — | — | — |
| Multiple face locations | 138 | 370 | — | 30 | 20 | 20 | — | 80 | — | — |
| Face, n.e.c. | 139 | 80 | — | — | 20 | 20 | — | 40 | — | — |
| Multiple head locations | 18 | 170 | — | — | 20 | 20 | — | 70 | — | — |
| Head, n.e.c. | 19 | 50 | — | — | 20 | 20 | — | — | — | — |
| Neck, including throat | 2 | 2,730 | 1,930 | 50 | — | — | — | 60 | — | — |
| Neck, except internal location of diseases or disorders ... | 20 | 2,720 | 1,930 | 50 | — | — | — | 60 | — | — |
| Trunk | 3 | 42,260 | 25,310 | 930 | 70 | — | 70 | 2,250 | 40 | 100 |
| Trunk, unspecified | 30 | 210 | 70 | — | — | — | — | 30 | — | — |
| Chest, including ribs, internal organs | 31 | 3,440 | 560 | 280 | 40 | — | 40 | 540 | — | — |
| Chest, except internal location of diseases or disorders | 310 | 2,650 | 560 | 280 | 40 | — | 40 | 540 | — | — |
| Internal chest location, unspecified | 311 | 100 | — | — | — | — | — | — | — | — |
| Heart | 313 | 490 | — | — | — | — | — | — | — | — |
| Lung(s), pleura | 315 | 170 | — | — | — | — | — | — | — | — |
| Internal chest location, n.e.c. | 319 | 20 | — | — | — | — | — | — | — | — |
| Back, including spine, spinal cord | 32 | 31,810 | 22,650 | 130 | 20 | — | 20 | 1,040 | — | 70 |
| Back, including spine, spinal cord, unspecified | 320 | 11,450 | 7,950 | 40 | 20 | — | 20 | 590 | — | 70 |

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2011² — Continued

| Part of body | Nature of injury or illness ⁵ | | | | | | | Soreness, pain | All other natures ⁶ |
|--|--|------------------------|------------|---|-----------------------------------|---------------------------------|--------|----------------|--------------------------------|
| | Amputations | Carpal tunnel syndrome | Tendonitis | Multiple traumatic injuries and disorders | | | | | |
| | | | | Total | With fractures and other injuries | With sprains and other injuries | | | |
| Total | 220 | 1,430 | 230 | 9,490 | 970 | 4,110 | 25,890 | 41,240 | |
| Head | - | - | - | 630 | 80 | - | 890 | 6,090 | |
| Head, unspecified | - | - | - | 400 | - | - | 490 | 630 | |
| Cranial region, including skull | - | - | - | 40 | - | - | 20 | 1,960 | |
| Cranial region, unspecified | - | - | - | - | - | - | - | - | |
| Brain | - | - | - | - | - | - | - | 1,840 | |
| Scalp | - | - | - | - | - | - | - | - | |
| Skull | - | - | - | - | - | - | - | - | |
| Multiple cranial region locations | - | - | - | 30 | - | - | - | 100 | |
| Cranial region, n.e.c. | - | - | - | - | - | - | - | - | |
| Ear(s) | - | - | - | - | - | - | - | 160 | |
| Face | - | - | - | 170 | 40 | - | 360 | 3,270 | |
| Face, unspecified | - | - | - | - | - | - | 100 | 130 | |
| Forehead | - | - | - | - | - | - | 50 | 60 | |
| Eye(s) | - | - | - | - | - | - | 110 | 2,550 | |
| Nose, nasal cavity | - | - | - | 20 | - | - | 50 | - | |
| Nose, except internal location of diseases or disorders | - | - | - | 20 | - | - | 50 | - | |
| Cheek(s) | - | - | - | - | - | - | - | 200 | |
| Jaw, chin | - | - | - | - | - | - | 20 | - | |
| Mouth | - | - | - | - | - | - | - | 220 | |
| Mouth, unspecified | - | - | - | - | - | - | - | - | |
| Lip(s) | - | - | - | - | - | - | - | 160 | |
| Tooth (teeth) | - | - | - | - | - | - | - | - | |
| Multiple mouth locations | - | - | - | - | - | - | - | - | |
| Multiple face locations | - | - | - | 110 | 30 | - | 20 | 90 | |
| Face, n.e.c. | - | - | - | - | - | - | - | - | |
| Multiple head locations | - | - | - | - | - | - | - | 70 | |
| Head, n.e.c. | - | - | - | - | - | - | - | - | |
| Neck, including throat | - | - | - | - | - | - | 280 | 410 | |
| Neck, except internal location of diseases or disorders ... | - | - | - | - | - | - | 280 | 400 | |
| Trunk | - | - | - | 640 | - | 310 | 7,400 | 5,520 | |
| Trunk, unspecified | - | - | - | - | - | - | 90 | 30 | |
| Chest, including ribs, internal organs | - | - | - | 300 | - | 60 | 570 | 1,120 | |
| Chest, except internal location of diseases or disorders | - | - | - | 300 | - | 60 | 570 | 330 | |
| Internal chest location, unspecified | - | - | - | - | - | - | - | 100 | |
| Heart | - | - | - | - | - | - | - | 490 | |
| Lung(s), pleura | - | - | - | - | - | - | - | 170 | |
| Internal chest location, n.e.c. | - | - | - | - | - | - | - | 20 | |
| Back, including spine, spinal cord | - | - | - | 150 | - | 120 | 5,610 | 2,130 | |
| Back, including spine, spinal cord, unspecified | - | - | - | 70 | - | 70 | 2,110 | 600 | |

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2011² — Continued

| Part of body | Part of body code ³ | Local government ⁴ | Nature of injury or illness ⁵ | | | | | | | |
|--|--------------------------------|-------------------------------|--|--------------|------------------------------|-------------------|--------------|---------------------|------------|----------------|
| | | | Sprains, strains, tears | Fractures | Cuts, lacerations, punctures | | | Bruises, contusions | Heat burns | Chemical burns |
| | | | | | Total | Cuts, lacerations | Punctures | | | |
| Thoracic region | 321 | 1,540 | 1,290 | 20 | — | — | — | — | — | — |
| Lumbar region | 322 | 17,510 | 12,580 | 60 | — | — | — | 280 | — | — |
| Sacral region | 323 | 110 | 50 | — | — | — | — | 30 | — | — |
| Coccygeal region | 324 | 150 | — | — | — | — | — | 80 | — | — |
| Multiple back regions | 328 | 1,010 | 750 | — | — | — | — | 40 | — | — |
| Back, including spine, spinal cord, n.e.c. | 329 | 40 | 20 | — | — | — | — | — | — | — |
| Abdomen | 33 | 2,450 | 410 | — | — | — | — | 60 | — | — |
| Abdomen, except internal location of diseases or disorders | 330 | 2,070 | 410 | — | — | — | — | 60 | — | — |
| Internal abdominal location, unspecified | 331 | 110 | — | — | — | — | — | — | — | — |
| Urinary organs | 334 | 180 | — | — | — | — | — | — | — | — |
| Kidney(s) | 3342 | 30 | — | — | — | — | — | — | — | — |
| Intestines, peritoneum | 335 | 20 | — | — | — | — | — | — | — | — |
| Other digestive structures | 336 | 70 | — | — | — | — | — | — | — | — |
| Pelvic region | 34 | 3,240 | 1,190 | 470 | — | — | — | 530 | — | — |
| Pelvic region, unspecified | 340 | 130 | — | — | — | — | — | — | — | — |
| Hip(s) | 341 | 1,420 | 300 | 400 | — | — | — | 250 | — | — |
| Pelvis | 342 | 110 | — | 70 | — | — | — | — | — | — |
| Buttock(s) | 343 | 390 | 80 | — | — | — | — | 160 | — | — |
| Groin | 344 | 1,070 | 740 | — | — | — | — | 110 | — | — |
| External reproductive tract structures | 345 | 40 | — | — | — | — | — | — | — | — |
| Scrotum | 3451 | 30 | — | — | — | — | — | — | — | — |
| Multiple pelvic region locations | 348 | 40 | 20 | — | — | — | — | — | — | — |
| Multiple trunk locations | 38 | 1,100 | 420 | 50 | — | — | — | 50 | — | — |
| Trunk, n.e.c. | 39 | 20 | — | — | — | — | — | — | — | — |
| Upper extremities | 4 | 51,930 | 17,950 | 5,440 | 6,420 | 4,720 | 1,700 | 4,320 | 560 | — |
| Upper extremities, unspecified | 40 | 80 | 40 | — | — | — | — | — | — | — |
| Shoulder(s), including clavicle(s), scapula(e) | 41 | 13,680 | 9,150 | 280 | 40 | 40 | — | 430 | 30 | — |
| Arm(s) | 42 | 9,760 | 2,810 | 900 | 690 | 340 | 350 | 1,820 | 130 | — |
| Arm(s), unspecified | 420 | 2,660 | 880 | 250 | 160 | 120 | 50 | 360 | 40 | — |
| Upper arm(s) | 421 | 1,030 | 560 | 110 | 90 | 20 | 80 | 20 | — | — |
| Elbow(s) | 422 | 3,690 | 690 | 360 | 60 | 60 | — | 1,150 | — | — |
| Forearm(s) | 423 | 1,440 | 410 | 150 | 330 | 110 | 220 | 80 | 50 | — |
| Multiple arm locations | 428 | 900 | 270 | 20 | — | — | — | 210 | 30 | — |
| Multiple arm locations, unspecified | 4280 | 230 | 20 | — | — | — | — | — | — | — |
| Elbow(s) and arm(s) | 4281 | 250 | 90 | — | — | — | — | — | — | — |
| Multiple arm locations, n.e.c. | 4289 | 420 | 160 | — | — | — | — | — | — | — |
| Arm(s), n.e.c. | 429 | 40 | — | 20 | — | — | — | — | — | — |
| Wrist(s) | 43 | 6,690 | 2,000 | 1,300 | 210 | 150 | 60 | 230 | 30 | — |
| Hand(s) | 44 | 16,660 | 2,550 | 2,780 | 5,460 | 4,180 | 1,280 | 1,320 | 330 | — |
| Hand(s), unspecified | 440 | 5,220 | 620 | 770 | 1,700 | 1,170 | 530 | 560 | 160 | — |
| Hand(s), except finger(s) | 441 | 990 | 90 | 220 | 230 | 110 | 120 | 80 | — | — |
| Finger(s), fingernail(s) | 442 | 9,460 | 1,620 | 1,750 | 3,210 | 2,590 | 620 | 650 | 160 | — |
| Finger(s), fingernail(s), unspecified | 4420 | 7,250 | 1,320 | 1,390 | 2,600 | 2,090 | 510 | 520 | 110 | — |

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2011² — Continued

| Part of body | Nature of injury or illness ⁵ | | | | | | | All other natures ⁶ |
|--|--|------------------------|------------|---|-----------------------------------|---------------------------------|----------------|--------------------------------|
| | Amputations | Carpal tunnel syndrome | Tendonitis | Multiple traumatic injuries and disorders | | | Soreness, pain | |
| | | | | Total | With fractures and other injuries | With sprains and other injuries | | |
| Thoracic region | - | - | - | - | - | - | 160 | 50 |
| Lumbar region | - | - | - | 60 | - | 40 | 3,150 | 1,380 |
| Sacral region | - | - | - | - | - | - | - | 30 |
| Coccygeal region | - | - | - | - | - | - | 20 | 20 |
| Multiple back regions | - | - | - | 20 | - | - | 160 | 40 |
| Back, including spine, spinal cord, n.e.c. | - | - | - | - | - | - | - | - |
| Abdomen | - | - | - | - | - | - | 260 | 1,710 |
| Abdomen, except internal location of diseases or disorders | - | - | - | - | - | - | 260 | 1,330 |
| Internal abdominal location, unspecified | - | - | - | - | - | - | - | 110 |
| Urinary organs | - | - | - | - | - | - | - | 180 |
| Kidney(s) | - | - | - | - | - | - | - | 30 |
| Intestines, peritoneum | - | - | - | - | - | - | - | 20 |
| Other digestive structures | - | - | - | - | - | - | - | 70 |
| Pelvic region | - | - | - | 70 | - | 50 | 510 | 440 |
| Pelvic region, unspecified | - | - | - | - | - | - | - | 110 |
| Hip(s) | - | - | - | 30 | - | - | 230 | 210 |
| Pelvis | - | - | - | - | - | - | 20 | 20 |
| Buttock(s) | - | - | - | - | - | - | 100 | - |
| Groin | - | - | - | - | - | - | 140 | 80 |
| External reproductive tract structures | - | - | - | - | - | - | - | 20 |
| Scrotum | - | - | - | - | - | - | - | 20 |
| Multiple pelvic region locations | - | - | - | - | - | - | 20 | - |
| Multiple trunk locations | - | - | - | 120 | - | 80 | 370 | 70 |
| Trunk, n.e.c. | - | - | - | - | - | - | - | - |
| Upper extremities | 200 | 1,430 | 190 | 1,330 | 260 | 550 | 5,800 | 8,270 |
| Upper extremities, unspecified | - | - | - | - | - | - | - | 20 |
| Shoulder(s), including clavicle(s), scapula(e) | - | - | 40 | 60 | 20 | 40 | 1,840 | 1,810 |
| Arm(s) | - | - | 30 | 210 | 30 | 110 | 1,000 | 2,160 |
| Arm(s), unspecified | - | - | 20 | 50 | - | - | 250 | 640 |
| Upper arm(s) | - | - | - | - | - | - | 190 | 40 |
| Elbow(s) | - | - | - | 80 | 20 | 40 | 420 | 920 |
| Forearm(s) | - | - | - | - | - | - | 30 | 380 |
| Multiple arm locations | - | - | - | 60 | - | 60 | 100 | 170 |
| Multiple arm locations, unspecified | - | - | - | - | - | - | 20 | - |
| Elbow(s) and arm(s) | - | - | - | 20 | - | - | 50 | 20 |
| Multiple arm locations, n.e.c. | - | - | - | 40 | - | 40 | 30 | 150 |
| Arm(s), n.e.c. | - | - | - | - | - | - | - | - |
| Wrist(s) | - | 1,430 | 90 | 30 | - | 20 | 540 | 830 |
| Hand(s) | 200 | - | 30 | 700 | 50 | 260 | 1,180 | 2,120 |
| Hand(s), unspecified | - | - | - | 330 | - | 230 | 290 | 780 |
| Hand(s), except finger(s) | - | - | - | 220 | - | - | 110 | 50 |
| Finger(s), fingernail(s) | 200 | - | - | 140 | 50 | 30 | 620 | 1,100 |
| Finger(s), fingernail(s), unspecified | 70 | - | - | 60 | 20 | 20 | 400 | 780 |

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2011² — Continued

| Part of body | Part of body code ³ | Local government ⁴ | Nature of injury or illness ⁵ | | | | | | | |
|---|--------------------------------|-------------------------------|--|--------------|------------------------------|-------------------|------------|---------------------|------------|----------------|
| | | | Sprains, strains, tears | Fractures | Cuts, lacerations, punctures | | | Bruises, contusions | Heat burns | Chemical burns |
| | | | | | Total | Cuts, lacerations | Punctures | | | |
| Fingernail(s), nailbed(s) | 4421 | 60 | — | — | 30 | 20 | — | — | — | — |
| Fingertip(s) | 4422 | 500 | 30 | 50 | 160 | 130 | 30 | — | — | — |
| Finger(s), fingernail(s), n.e.c. | 4429 | 1,650 | 270 | 310 | 420 | 350 | 70 | 130 | — | — |
| Hand(s) and finger(s) | 448 | 860 | 210 | 30 | 270 | 260 | — | 20 | — | — |
| Hand(s), n.e.c. | 449 | 140 | — | 20 | 50 | 50 | — | — | — | — |
| Multiple upper extremities locations | 48 | 5,000 | 1,370 | 170 | 20 | — | — | 490 | 50 | — |
| Multiple upper extremities locations, unspecified | 480 | 270 | 60 | — | — | — | — | — | — | — |
| Hand(s) and arms(s) | 481 | 630 | 90 | — | — | — | — | 30 | 20 | — |
| Hand(s) and arm(s), unspecified | 4810 | 100 | — | — | — | — | — | — | 20 | — |
| Hand(s) and elbow(s) | 4811 | 100 | 60 | — | — | — | — | — | — | — |
| Hand(s) and arm(s), n.e.c. | 4819 | 430 | 20 | — | — | — | — | — | — | — |
| Hand(s) and wrist(s) | 482 | 1,410 | 290 | 90 | — | — | — | 210 | — | — |
| Wrist(s) and arm(s) | 483 | 320 | 50 | 60 | — | — | — | 20 | — | — |
| Wrist(s) and arm(s), unspecified | 4830 | 100 | — | — | — | — | — | 20 | — | — |
| Wrist(s) and elbow(s) | 4831 | 90 | — | 40 | — | — | — | — | — | — |
| Wrist(s) and arm(s), n.e.c. | 4839 | 120 | 40 | — | — | — | — | — | — | — |
| Shoulder(s) and arm(s) | 484 | 1,200 | 660 | — | — | — | — | 70 | — | — |
| Multiple upper extremities locations, n.e.c. | 489 | 1,170 | 230 | — | — | — | — | 140 | — | — |
| Upper extremities, n.e.c. | 49 | 60 | 20 | — | — | — | — | 30 | — | — |
| Lower extremities | 5 | 49,900 | 22,350 | 6,480 | 1,290 | 940 | 340 | 6,390 | 210 | 30 |
| Lower extremities, unspecified | 50 | 110 | 40 | — | — | — | — | — | — | — |
| Leg(s) | 51 | 29,790 | 13,200 | 2,080 | 940 | 790 | 150 | 4,110 | 100 | — |
| Leg(s), unspecified | 510 | 3,590 | 610 | 1,250 | 330 | 270 | 60 | 860 | — | — |
| Thigh(s) | 511 | 1,550 | 880 | 230 | 60 | 30 | 30 | 250 | 40 | — |
| Knee(s) | 512 | 21,870 | 10,770 | 420 | 430 | 410 | 30 | 2,590 | — | — |
| Lower leg(s) | 513 | 1,680 | 600 | 160 | 110 | 80 | 30 | 210 | — | — |
| Multiple leg locations | 518 | 1,060 | 340 | — | — | — | — | 200 | — | — |
| Multiple leg locations, unspecified | 5180 | 70 | 20 | — | — | — | — | — | — | — |
| Knee(s) and leg(s) | 5181 | 540 | 240 | — | — | — | — | 50 | — | — |
| Multiple leg locations, n.e.c. | 5189 | 450 | 80 | — | — | — | — | 140 | — | — |
| Leg(s), n.e.c. | 519 | 40 | — | 20 | — | — | — | — | — | — |
| Ankle(s) | 52 | 10,500 | 7,190 | 1,960 | 20 | — | — | 330 | — | — |
| Foot (feet) | 53 | 7,000 | 1,040 | 2,180 | 310 | 130 | 180 | 1,640 | 90 | 20 |
| Foot (feet), unspecified | 530 | 4,750 | 950 | 1,310 | 170 | 40 | 120 | 1,110 | 80 | 20 |
| Sole(s) | 531 | 410 | 30 | 80 | 60 | 20 | 50 | 40 | — | — |
| Sole(s), unspecified | 5310 | 50 | — | — | 40 | — | 40 | — | — | — |
| Arch(es), instep(s) | 5312 | 40 | — | — | — | — | — | — | — | — |
| Heel(s) | 5313 | 300 | — | 60 | 20 | 20 | — | 40 | — | — |
| Toes(s), toenail(s) | 532 | 1,540 | 20 | 750 | 70 | 70 | — | 400 | — | — |
| Multiple foot (feet) locations | 538 | 110 | — | — | — | — | — | 50 | — | — |
| Foot (feet), n.e.c. | 539 | 180 | 40 | 30 | — | — | — | 30 | — | — |
| Multiple lower extremities locations | 58 | 2,510 | 870 | 260 | — | — | — | 280 | 20 | — |
| Multiple lower extremities locations, unspecified | 580 | 120 | 40 | — | — | — | — | — | — | — |
| Foot (feet) and leg(s) | 581 | 380 | 100 | — | — | — | — | 30 | 20 | — |

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2011² — Continued

| Part of body | Nature of injury or illness ⁵ | | | | | | | All other natures ⁶ |
|---|--|------------------------|------------|---|-----------------------------------|---------------------------------|----------------|--------------------------------|
| | Amputations | Carpal tunnel syndrome | Tendonitis | Multiple traumatic injuries and disorders | | | Soreness, pain | |
| | | | | Total | With fractures and other injuries | With sprains and other injuries | | |
| Fingernail(s), nailbed(s) | — | — | — | — | — | — | — | — |
| Fingertip(s) | 110 | — | — | 20 | — | — | — | 70 |
| Finger(s), fingernail(s), n.e.c. | 20 | — | — | 40 | — | — | 220 | 240 |
| Hand(s) and finger(s) | — | — | — | — | — | — | 140 | 160 |
| Hand(s), n.e.c. | — | — | — | — | — | — | 20 | 30 |
| Multiple upper extremities locations | — | — | — | 340 | 160 | 120 | 1,230 | 1,320 |
| Multiple upper extremities locations, unspecified | — | — | — | 130 | — | — | 20 | 50 |
| Hand(s) and arms(s) | — | — | — | — | — | — | 60 | 410 |
| Hand(s) and arm(s), unspecified | — | — | — | — | — | — | 20 | 30 |
| Hand(s) and elbow(s) | — | — | — | — | — | — | — | — |
| Hand(s) and arm(s), n.e.c. | — | — | — | — | — | — | — | 370 |
| Hand(s) and wrist(s) | — | — | — | 50 | — | 20 | 640 | 140 |
| Wrist(s) and arm(s) | — | — | — | 30 | — | 20 | 90 | 50 |
| Wrist(s) and arm(s), unspecified | — | — | — | — | — | — | 20 | 30 |
| Wrist(s) and elbow(s) | — | — | — | 20 | — | — | 20 | — |
| Wrist(s) and arm(s), n.e.c. | — | — | — | — | — | — | 50 | 20 |
| Shoulder(s) and arm(s) | — | — | — | 30 | — | — | 120 | 310 |
| Multiple upper extremities locations, n.e.c. | — | — | — | 100 | 30 | 60 | 300 | 370 |
| Upper extremities, n.e.c. | — | — | — | — | — | — | — | — |
| Lower extremities | 20 | — | 40 | 1,450 | 110 | 730 | 4,900 | 6,760 |
| Lower extremities, unspecified | — | — | — | — | — | — | — | — |
| Leg(s) | — | — | 20 | 650 | — | 330 | 3,680 | 5,010 |
| Leg(s), unspecified | — | — | — | 20 | — | — | 140 | 380 |
| Thigh(s) | — | — | — | — | — | — | 40 | 50 |
| Knee(s) | — | — | 20 | 550 | — | 290 | 2,890 | 4,160 |
| Lower leg(s) | — | — | — | 40 | — | 30 | 340 | 210 |
| Multiple leg locations | — | — | — | 40 | — | — | 260 | 200 |
| Multiple leg locations, unspecified | — | — | — | 30 | — | — | — | — |
| Knee(s) and leg(s) | — | — | — | — | — | — | 100 | 140 |
| Multiple leg locations, n.e.c. | — | — | — | — | — | — | 150 | 60 |
| Leg(s), n.e.c. | — | — | — | — | — | — | — | — |
| Ankle(s) | — | — | — | 50 | 20 | 30 | 260 | 660 |
| Foot (feet) | — | — | — | 290 | — | — | 530 | 880 |
| Foot (feet), unspecified | — | — | — | 230 | — | — | 240 | 650 |
| Sole(s) | — | — | — | — | — | — | 160 | 40 |
| Sole(s), unspecified | — | — | — | — | — | — | — | — |
| Arch(es), instep(s) | — | — | — | — | — | — | — | — |
| Heel(s) | — | — | — | — | — | — | 150 | 20 |
| Toes(s), toenail(s) | — | — | — | 60 | — | — | 110 | 120 |
| Multiple foot (feet) locations | — | — | — | — | — | — | — | 30 |
| Foot (feet), n.e.c. | — | — | — | — | — | — | 20 | 40 |
| Multiple lower extremities locations | — | — | — | 460 | 70 | 370 | 410 | 190 |
| Multiple lower extremities locations, unspecified | — | — | — | — | — | — | — | — |
| Foot (feet) and leg(s) | — | — | — | 110 | 40 | 60 | 110 | 20 |

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2011² — Continued

| Part of body | Part of body code ³ | Local government ⁴ | Nature of injury or illness ⁵ | | | | | | | |
|---|--------------------------------|-------------------------------|--|------------|------------------------------|-------------------|-----------|---------------------|------------|----------------|
| | | | Sprains, strains, tears | Fractures | Cuts, lacerations, punctures | | | Bruises, contusions | Heat burns | Chemical burns |
| | | | | | Total | Cuts, lacerations | Punctures | | | |
| Foot(feet) and leg(s), unspecified | 5810 | 80 | — | — | — | — | — | — | — | — |
| Foot(feet) and knee(s) | 5811 | 290 | 80 | — | — | — | — | 20 | — | — |
| Foot (feet) and ankle(s) | 582 | 740 | 350 | 130 | — | — | — | 80 | — | — |
| Ankle(s) and leg(s) | 583 | 740 | 340 | 90 | — | — | — | — | — | — |
| Ankle(s) and leg(s), unspecified | 5830 | 120 | 30 | 20 | — | — | — | — | — | — |
| Ankle(s) and knee(s) | 5831 | 510 | 290 | — | — | — | — | — | — | — |
| Ankle(s) and leg(s), n.e.c. | 5839 | 110 | 20 | 60 | — | — | — | — | — | — |
| Multiple lower extremities locations, n.e.c. | 589 | 530 | 60 | — | — | — | — | 80 | — | — |
| Body systems | 6 | 5,650 | — | — | — | — | — | — | — | — |
| Multiple body parts | 8 | 32,120 | 8,930 | 380 | 200 | 110 | 90 | 3,920 | 220 | 30 |
| Multiple body parts, unspecified | 80 | 1,970 | 430 | — | — | — | — | 560 | — | — |
| Head and neck | 81 | 440 | 20 | — | — | — | — | 30 | — | — |
| Head, neck, and trunk | 82 | 220 | — | — | — | — | — | 40 | — | — |
| Head and trunk | 83 | 330 | 20 | — | — | — | — | 70 | — | — |
| Neck and back | 84 | 2,680 | 1,730 | — | — | — | — | — | — | — |
| Shoulder(s) and back | 85 | 700 | 340 | — | — | — | — | 80 | — | — |
| Hip(s) and leg(s) | 86 | 590 | 340 | 20 | — | — | — | 80 | — | — |
| Upper and lower limb(s) | 87 | 2,910 | 550 | 20 | 50 | — | 40 | 480 | — | — |
| Other multiple body parts | 89 | 22,300 | 5,490 | 300 | 150 | 100 | 50 | 2,570 | 200 | 30 |
| Whole body | 891 | 200 | — | — | — | — | — | 20 | — | — |
| Multiple body parts, n.e.c. | 899 | 22,100 | 5,480 | 300 | 150 | 100 | 50 | 2,560 | 200 | 30 |

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2011² — Continued

| Part of body | Nature of injury or illness ⁵ | | | | | | | |
|---|--|------------------------|------------|---|-----------------------------------|---------------------------------|----------------|--------------------------------|
| | Amputations | Carpal tunnel syndrome | Tendonitis | Multiple traumatic injuries and disorders | | | Soreness, pain | All other natures ⁶ |
| | | | | Total | With fractures and other injuries | With sprains and other injuries | | |
| Foot(feet) and leg(s), unspecified | - | - | - | - | - | - | 40 | - |
| Foot(feet) and knee(s) | - | - | - | 100 | 40 | 60 | 70 | - |
| Foot (feet) and ankle(s) | - | - | - | - | - | - | 70 | 100 |
| Ankle(s) and leg(s) | - | - | - | 100 | - | 80 | 150 | 60 |
| Ankle(s) and leg(s), unspecified | - | - | - | 20 | - | - | 50 | - |
| Ankle(s) and knee(s) | - | - | - | 80 | - | 80 | 100 | 40 |
| Ankle(s) and leg(s), n.e.c. | - | - | - | - | - | - | - | 20 |
| Multiple lower extremities locations, n.e.c. | - | - | - | 250 | - | 220 | 90 | 20 |
| Body systems | - | - | - | - | - | - | 30 | 5,610 |
| Multiple body parts | - | - | - | 5,440 | 510 | 2,510 | 6,530 | 6,490 |
| Multiple body parts, unspecified | - | - | - | 240 | 20 | 20 | 170 | 550 |
| Head and neck | - | - | - | 90 | - | 70 | 150 | 150 |
| Head, neck, and trunk | - | - | - | 90 | - | 20 | 60 | 20 |
| Head and trunk | - | - | - | 60 | - | - | 50 | 120 |
| Neck and back | - | - | - | 60 | - | 50 | 450 | 430 |
| Shoulder(s) and back | - | - | - | 20 | - | 20 | 170 | 70 |
| Hip(s) and leg(s) | - | - | - | 20 | - | 20 | 100 | 30 |
| Upper and lower limb(s) | - | - | - | 590 | 110 | 170 | 420 | 780 |
| Other multiple body parts | - | - | - | 4,260 | 370 | 2,130 | 4,950 | 4,350 |
| Whole body | - | - | - | 40 | - | - | 100 | 40 |
| Multiple body parts, n.e.c. | - | - | - | 4,220 | 370 | 2,130 | 4,850 | 4,310 |

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2011² — Continued

| Part of body | Part of body code ³ | Local government ⁴ | Nature of injury or illness ⁵ | | | | | | | |
|------------------------------|--------------------------------|-------------------------------|--|-----------|------------------------------|-------------------|-----------|---------------------|------------|----------------|
| | | | Sprains, strains, tears | Fractures | Cuts, lacerations, punctures | | | Bruises, contusions | Heat burns | Chemical burns |
| | | | | | Total | Cuts, lacerations | Punctures | | | |
| Nonclassifiable | 9999 | 2,690 | 230 | — | 120 | — | 120 | 150 | — | — |

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2011² — Continued

| Part of body | Nature of injury or illness ⁵ | | | | | | | Soreness, pain | All other natures ⁶ |
|------------------------------|--|------------------------|------------|---|-----------------------------------|---------------------------------|----|----------------|--------------------------------|
| | Amputations | Carpal tunnel syndrome | Tendonitis | Multiple traumatic injuries and disorders | | | | | |
| | | | | Total | With fractures and other injuries | With sprains and other injuries | | | |
| Nonclassifiable | — | — | — | — | — | — | 60 | 2,080 | |

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 123; Fractures = 111; Cuts, lacerations, punctures, Total = 132-133; Cuts, lacerations = 132; Punctures = 133; Bruises, contusions = 143; Heat burns = 152; Chemical burns = 151; Amputations = 1311; Carpal tunnel syndrome = 2241; Tendonitis (other or unspecified) = 2735; Multiple traumatic injuries and illnesses, Total = 18; With fractures and other injuries = 183; With sprains and other injuries = 182; Soreness, pain = 1972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.