

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2011²

Nature	Nature code ³	Local government ⁴	Race or ethnic origin ⁵								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Total		199,700	85,390	14,070	14,080	1,480	370	680	90	90	83,460
Traumatic injuries and disorders	1	189,340	80,380	13,360	13,500	1,450	370	660	80	90	79,460
Traumatic injuries and disorders, unspecified	10	11,190	4,630	710	620	160	20	30	–	–	5,010
Traumatic injuries to bones, nerves, spinal cord	11	14,440	7,670	500	1,030	70	20	60	–	–	5,100
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	390	240	20	20	–	–	–	–	–	110
Fractures	111	13,590	7,280	440	980	70	20	60	–	–	4,750
Traumatic injuries to nerves, except the spinal cord ..	113	410	130	40	20	–	–	–	–	–	220
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	30	–	–	–	–	–	–	–	–	20
Pinched nerve	1131	370	120	30	20	–	–	–	–	–	200
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	20	–	–	–	–	–	–	–	–	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	81,770	34,870	5,780	5,380	550	230	250	50	60	34,610
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	720	420	50	20	–	–	–	–	–	230
Dislocations	121	1,620	700	–	120	120	–	–	–	–	660
Dislocations, unspecified	1210	180	50	–	–	–	–	–	–	–	110
Herniated discs	1211	430	190	–	70	–	–	–	–	–	160
Dislocation of joints	1212	960	440	–	30	120	–	–	–	–	370
Dislocations, n.e.c.	1219	50	20	–	–	–	–	–	–	–	30
Cartilage fractures and tears	122	850	590	50	20	–	–	–	–	–	170
Cartilage fractures and tears, unspecified	1220	30	–	–	–	–	–	–	–	–	–
Meniscus tears	1221	800	570	50	20	–	–	–	–	–	150
Cartilage fractures and tears, n.e.c.	1229	20	–	–	–	–	–	–	–	–	–
Sprains, strains, tears	123	76,710	31,920	5,630	5,190	420	230	230	50	60	32,990
Sprains, strains, tears, unspecified	1230	5,350	2,550	340	150	–	–	–	–	–	2,290
Major tears to muscles, tendons, ligaments	1231	3,760	2,490	80	100	–	–	–	–	–	1,070
Sprains	1232	23,220	8,920	1,480	1,480	50	60	60	–	–	11,160
Strains	1233	42,710	17,300	3,650	3,240	360	170	160	30	50	17,750
Multiple sprains, strains, tears	1238	1,670	670	70	200	–	–	–	–	–	720
Hernias due to traumatic incidents	124	1,230	870	–	20	–	–	–	–	–	320
Whiplash	125	270	230	20	–	–	–	–	–	–	–
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	170	120	–	–	–	–	–	–	–	40
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	210	–	–	–	–	–	–	–	–	200
Open wounds	13	10,730	4,770	470	1,230	50	20	80	–	–	4,110
Open wounds, unspecified	130	90	–	–	–	–	–	–	–	–	80
Amputations, avulsions, enucleations	131	270	110	30	20	–	–	–	–	–	110
Amputations	1311	220	90	30	–	–	–	–	–	–	80
Avulsions, enucleations	1312	50	–	–	–	–	–	–	–	–	20
Cuts, lacerations	132	7,720	3,180	360	1,120	–	–	40	–	–	3,000
Puncture wounds, except gunshot wounds	133	2,400	1,330	70	80	30	–	–	–	–	870

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Race or ethnic origin ⁵									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Gunshot wounds	134	210	130	—	—	—	—	—	30	—	—	40
Multiple types of open wounds	138	20	—	—	—	—	—	—	—	—	—	—
Open wounds, n.e.c.	139	20	—	—	—	—	—	—	—	—	—	—
Surface wounds and bruises	14	22,050	7,800	1,860	1,300	120	40	40	—	—	—	10,890
Surface wounds and bruises, unspecified	140	200	90	—	20	—	—	—	—	—	—	80
Abrasions, scratches	141	2,120	870	130	70	—	—	—	—	—	—	1,030
Bruises, contusions	143	19,230	6,610	1,650	1,190	110	40	40	—	—	—	9,600
Multiple surface wounds and bruises	148	340	140	60	—	—	—	—	—	—	—	130
Surface wounds and bruises, n.e.c.	149	150	80	20	—	—	—	—	—	—	—	40
Burns and corrosions	15	1,710	740	150	110	—	—	—	—	—	—	700
Burns and corrosions, unspecified	150	40	20	—	—	—	—	—	—	—	—	20
Chemical burns and corrosions	151	320	100	70	80	—	—	—	—	—	—	60
Chemical burns and corrosions, unspecified	1510	300	80	70	80	—	—	—	—	—	—	60
Heat (thermal) burns	152	1,230	560	70	20	—	—	—	—	—	—	580
Heat (thermal) burns, unspecified	1520	930	410	50	20	—	—	—	—	—	—	440
First degree heat (thermal) burns	1521	90	—	—	—	—	—	—	—	—	—	80
Second degree heat (thermal) burns	1522	180	110	—	—	—	—	—	—	—	—	60
Heat (thermal) burns, n.e.c.	1529	30	20	—	—	—	—	—	—	—	—	—
Electrical burns	153	40	—	—	—	—	—	—	—	—	—	—
Electrical burns, unspecified	1530	40	—	—	—	—	—	—	—	—	—	—
Other burns	159	80	50	—	—	—	—	—	—	—	—	30
Other burns, first degree	1591	80	50	—	—	—	—	—	—	—	—	30
Intracranial injuries	16	1,780	830	40	100	20	—	—	—	—	—	770
Intracranial injuries, unspecified	160	190	100	—	—	—	—	—	—	—	—	80
Concussions	162	1,580	730	40	100	20	—	—	—	—	—	690
Effects of environmental conditions	17	780	360	60	20	—	—	60	—	—	—	280
Effects of heat and light	172	770	360	50	20	—	—	60	—	—	—	280
Effects of heat and light, unspecified	1720	50	50	—	—	—	—	—	—	—	—	—
Heat stroke	1721	20	—	—	—	—	—	—	—	—	—	20
Heat syncope	1722	90	50	—	—	—	—	—	—	—	—	40
Heat fatigue	1723	100	—	—	—	—	—	—	—	—	—	80
Heat exhaustion, prostration	1725	460	220	50	20	—	—	60	—	—	—	110
Effects of heat and light, n.e.c.	1729	50	30	—	—	—	—	—	—	—	—	20
Multiple traumatic injuries and disorders	18	9,490	3,480	340	1,010	60	—	30	—	—	—	4,560
Multiple traumatic injuries and disorders, unspecified	180	1,200	410	20	70	—	—	—	—	—	—	700
Cuts and abrasions or bruises	181	2,000	640	50	120	—	—	—	—	—	—	1,170
Sprains and other injuries	182	4,110	1,650	240	390	—	—	—	—	—	—	1,810
Sprains and other injuries, unspecified	1820	120	60	20	—	—	—	—	—	—	—	30
Sprains and bruises	1821	3,130	1,140	180	310	—	—	—	—	—	—	1,480
Sprains and cuts	1822	420	290	—	—	—	—	—	—	—	—	100
Sprains and other injuries, n.e.c.	1829	440	160	20	80	—	—	—	—	—	—	190
Fractures and other injuries	183	970	440	—	130	—	—	20	—	—	—	340
Fractures and other injuries, unspecified	1830	70	20	—	—	—	—	—	—	—	—	30
Fractures (except skull fractures) and concussions	1831	50	20	—	—	—	—	—	—	—	—	—
Fractures and dislocations	1834	160	30	—	—	—	—	—	—	—	—	20
Fractures and other injuries, n.e.c.	1839	700	360	—	30	—	—	—	—	—	—	290

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Burns and other injuries, except fractures	184	30	30	—	—	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	30	30	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	1,180	320	—	300	20	—	—	—	—	530
Other traumatic injuries and disorders	19	35,390	15,210	3,470	2,710	430	30	100	—	20	13,410
Other traumatic injuries and disorders, unspecified ...	190	60	50	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	193	160	30	—	—	—	—	—	—	—	120
Dermatitis and reactions affecting the skin—acute	195	560	230	—	20	—	—	—	—	—	310
Dermatitis and reactions affecting the skin—acute, unspecified	1950	190	70	—	—	—	—	—	—	—	100
Allergic dermatitis—acute	1951	280	140	—	—	—	—	—	—	—	130
Irritant dermatitis—acute	1952	50	—	—	—	—	—	—	—	—	40
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	40	—	—	—	—	—	—	—	—	40
Other poisoning, toxic, noxious, or allergenic effects	196	1,660	430	410	40	—	—	—	—	—	750
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	420	200	30	20	—	—	—	—	—	180
Poisoning, including poisoning-related asphyxia ...	1961	260	60	100	—	—	—	—	—	—	100
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	440	80	240	—	—	—	—	—	—	100
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	180	—	20	—	—	—	—	—	—	150
Other or unspecified allergic reactions	1966	130	40	20	—	—	—	—	—	—	60
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	40	—	—	—	—	—	—	—	—	30
Multiple poisoning, toxic, noxious, or allergenic effects	1968	50	—	—	—	—	—	—	—	—	30
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	130	20	—	—	—	—	—	—	—	100
Nonspecified injuries and disorders	197	32,920	14,440	3,030	2,660	420	30	90	—	20	12,220
Crushing injuries	1971	750	380	30	20	—	—	—	—	—	320
Soreness, pain, hurt—nonspecified injury	1972	25,890	12,260	2,540	2,220	330	20	80	—	—	8,420
Swelling, inflammation, irritation—nonspecified injury	1973	3,770	1,110	240	170	80	—	—	—	—	2,160
Numbness—nonspecified injury	1974	240	130	—	30	—	—	—	—	—	50
Multiple nonspecified injuries and disorders	1978	1,180	160	160	110	—	—	—	—	—	740
Nonspecified injuries and disorders, n.e.c.	1979	1,080	410	60	90	—	—	—	—	—	520
Other traumatic injuries and disorders, n.e.c.	199	20	20	—	—	—	—	—	—	—	—
Diseases and disorders of body systems	2	4,320	2,450	170	420	—	—	—	—	—	1,280
Systemic diseases and disorders, unspecified	20	20	—	—	—	—	—	—	—	—	20
Nervous system and sense organs diseases	22	1,760	1,360	90	50	—	—	—	—	—	250
Disorders of the peripheral nervous system	224	1,460	1,160	30	40	—	—	—	—	—	230
Carpal tunnel syndrome	2241	1,430	1,150	30	40	—	—	—	—	—	200
Disorders of the eye, adnexa, vision	225	140	70	50	—	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	30	20	—	—	—	—	—	—	—	—
Blindness, low vision	2254	60	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Disorders of the eye, adnexa, vision, n.e.c.	2259	30	20	—	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	140	130	—	—	—	—	—	—	—	—
Deafness, hearing loss and impairment	2261	120	120	—	—	—	—	—	—	—	—
Circulatory system diseases	23	540	270	20	—	—	—	—	—	—	230
Hypertensive disease	232	60	30	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	280	210	—	—	—	—	—	—	—	50
Ischemic heart disease, unspecified	2330	40	—	—	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	220	210	—	—	—	—	—	—	—	—
Other forms of heart disease	235	20	20	—	—	—	—	—	—	—	—
Other forms of heart disease, n.e.c.	2359	20	20	—	—	—	—	—	—	—	—
Respiratory system diseases	24	140	20	—	70	—	—	—	—	—	50
Pneumonia, influenza	243	40	—	—	—	—	—	—	—	—	40
Pneumonia	2431	30	—	—	—	—	—	—	—	—	30
Chronic obstructive pulmonary disease and allied conditions	244	20	20	—	—	—	—	—	—	—	—
Asthma, except intrinsic	2443	20	20	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	120	70	—	—	—	—	—	—	—	40
Hernia—nontraumatic	253	120	70	—	—	—	—	—	—	—	40
Musculoskeletal system and connective tissue diseases and disorders	27	1,170	500	40	160	—	—	—	—	—	460
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	20	—	—	—	—	—	—	—	—	—
Dorsopathies	272	210	50	—	—	—	—	—	—	—	60
Sciatica	2721	90	—	—	—	—	—	—	—	—	—
Lumbago	2722	50	—	—	—	—	—	—	—	—	30
Dorsopathies, n.e.c.	2729	40	—	—	—	—	—	—	—	—	30
Soft tissue disorders, except the back	273	870	380	—	100	—	—	—	—	—	380
Soft tissue disorder, except the back, unspecified	2730	80	50	—	—	—	—	—	—	—	20
Bursitis	2731	90	70	—	—	—	—	—	—	—	—
Stenosing tenosynovitis	2732	60	20	—	—	—	—	—	—	—	30
Epicondylitis	2734	280	20	—	40	—	—	—	—	—	220
Other or unspecified tendonitis (tendinitis)	2735	230	140	—	30	—	—	—	—	—	50
Ganglion or cystic tumor	2736	90	60	—	—	—	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	20	—	—	—	—	—	—	—	—	20
Osteopathies, chondropathies, and acquired deformities	274	70	—	—	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	280	140	—	—	—	—	—	—	—	140
Infections of the skin and subcutaneous tissue	281	270	130	—	—	—	—	—	—	—	130
Infections of the skin and subcutaneous tissue, unspecified	2810	80	30	—	—	—	—	—	—	—	50
Cellulitis and abscess	2811	40	20	—	—	—	—	—	—	—	30
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	120	70	—	—	—	—	—	—	—	50
Other staphylococcus skin infection	2814	20	20	—	—	—	—	—	—	—	—
Other systemic diseases and disorders	29	260	60	—	100	—	—	—	—	—	90
Other systemic diseases and disorders, unspecified	290	230	—	—	100	—	—	—	—	—	70

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Endocrine, nutritional, metabolic, and immunity disorders	291	30	—	—	—	—	—	—	—	—	20
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	30	—	—	—	—	—	—	—	—	20
Infectious and parasitic diseases	3	200	110	—	—	—	—	—	—	—	80
Infectious and parasitic diseases, unspecified	30	40	—	—	—	—	—	—	—	—	—
Bacterial diseases	31	60	50	—	—	—	—	—	—	—	—
Other bacterial diseases	319	50	50	—	—	—	—	—	—	—	—
Viral diseases	32	50	—	—	—	—	—	—	—	—	40
Viral diseases accompanied by exanthem (eruptive fever)	323	20	—	—	—	—	—	—	—	—	20
Chickenpox, varicella	3233	20	—	—	—	—	—	—	—	—	20
Other diseases due to viruses	329	20	—	—	—	—	—	—	—	—	20
Other diseases due to viruses, n.e.c.	3299	20	—	—	—	—	—	—	—	—	20
Other infectious and parasitic diseases	39	30	30	—	—	—	—	—	—	—	—
Scabies and other acariases	392	30	30	—	—	—	—	—	—	—	—
Neoplasms, tumors, and cancers	4	220	30	—	—	—	—	—	—	—	190
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	220	30	—	—	—	—	—	—	—	190
Malignant neoplasms and tumors of other sites	419	180	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	1,730	800	240	70	—	—	—	—	—	620
Symptoms, signs, and ill-defined conditions, unspecified	50	30	—	—	—	—	—	—	—	—	—
Symptoms	51	1,630	760	240	70	—	—	—	—	—	560
General symptoms	511	910	360	130	30	—	—	—	—	—	380
Loss of consciousness—not heat related	5111	250	140	50	20	—	—	—	—	—	50
Convulsions, seizures	5112	20	—	—	—	—	—	—	—	—	—
Dizziness—general	5114	230	140	—	—	—	—	—	—	—	90
Inflammation, swelling—general	5115	20	—	—	—	—	—	—	—	—	20
Numbness—general	5116	20	—	—	—	—	—	—	—	—	—
Multiple general symptoms	5118	330	70	—	—	—	—	—	—	—	190
General symptoms, n.e.c.	5119	30	—	—	—	—	—	—	—	—	30
Symptoms involving head and neck	514	80	50	—	—	—	—	—	—	—	30
Headache, except migraine	5141	30	—	—	—	—	—	—	—	—	30
Symptoms involving cardiovascular system	515	90	70	—	—	—	—	—	—	—	20
Symptoms involving cardiovascular system, n.e.c.	5159	70	60	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	420	190	100	30	—	—	—	—	—	100
Symptoms involving respiratory system and chest, unspecified	5160	40	—	20	—	—	—	—	—	—	—
Chest pain	5164	230	140	—	—	—	—	—	—	—	70
Multiple symptoms involving respiratory system and chest	5168	30	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Symptoms involving respiratory system and chest, n.e.c.	5169	130	30	60	20	—	—	—	—	—	20
Multiple symptoms	518	90	70	—	—	—	—	—	—	—	—
Abnormal findings	52	60	20	—	—	—	—	—	—	—	40
Other abnormal findings	529	40	—	—	—	—	—	—	—	—	40
Other diseases, conditions, and disorders	6	1,790	400	220	70	30	—	—	—	—	1,070
Mental disorders and syndromes	62	1,790	400	220	70	30	—	—	—	—	1,060
Anxiety, stress	621	1,740	380	220	60	20	—	—	—	—	1,060
Anxiety, stress, unspecified	6210	740	190	150	20	20	—	—	—	—	360
Post-traumatic stress disorder	6211	520	120	30	—	—	—	—	—	—	370
Anxiety or panic disorder	6213	60	40	—	—	—	—	—	—	—	—
Anxiety, stress, n.e.c.	6219	420	30	30	40	—	—	—	—	—	320
Mental disorders and syndromes, n.e.c.	629	30	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L46. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and race or ethnic origin of worker, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Race or ethnic origin ⁵								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Exposures to disease—no illness incurred	7	150	130	—	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	80	40	—	—	—	—	—	—	—	30
Nonclassifiable	9999	1,880	1,060	70	20	—	—	—	—	—	730

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.