

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011²

Nature	Nature code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		199,700	4,010	1,180	31,210	8,140	97,930	450
Traumatic injuries and disorders	1	189,340	3,200	1,130	30,240	7,990	93,240	450
Traumatic injuries and disorders, unspecified	10	11,190	160	100	1,770	360	7,000	60
Traumatic injuries to bones, nerves, spinal cord	11	14,440	970	60	3,430	570	6,150	–
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	390	–	–	70	–	130	–
Fractures	111	13,590	970	60	3,330	560	5,790	–
Traumatic injuries to nerves, except the spinal cord	113	410	–	–	30	–	210	–
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	30	–	–	–	–	–	–
Pinched nerve	1131	370	–	–	20	–	200	–
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	20	–	–	–	–	–	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc. ...	12	81,770	750	450	10,270	4,500	39,820	190
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	720	40	–	70	40	350	–
Dislocations	121	1,620	–	–	240	100	900	–
Dislocations, unspecified	1210	180	–	–	50	20	90	–
Herniated discs	1211	430	–	–	50	50	210	–
Dislocation of joints	1212	960	–	–	140	30	560	–
Dislocations, n.e.c.	1219	50	–	–	–	–	40	–
Cartilage fractures and tears ...	122	850	–	20	110	30	350	–
Cartilage fractures and tears, unspecified	1220	30	–	–	–	–	20	–
Meniscus tears	1221	800	–	20	100	30	310	–
Cartilage fractures and tears, n.e.c.	1229	20	–	–	–	–	–	–
Sprains, strains, tears	123	76,710	690	430	9,630	4,240	37,650	180
Sprains, strains, tears, unspecified	1230	5,350	20	20	730	140	2,880	–
Major tears to muscles, tendons, ligaments	1231	3,760	40	50	990	160	1,510	–
Sprains	1232	23,220	190	40	3,450	940	11,230	80
Strains	1233	42,710	430	310	4,220	2,910	21,160	100
Multiple sprains, strains, tears	1238	1,670	–	–	240	80	870	–

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	8,670	130	9,140	12,910	3,190	22,100
Traumatic injuries and disorders	7,720	110	8,870	11,800	3,040	21,070
Traumatic injuries and disorders, unspecified	370	—	240	260	190	670
Traumatic injuries to bones, nerves, spinal cord	670	—	620	680	170	1,080
Traumatic injuries to bones, nerves, spinal cord, unspecified	—	—	30	80	20	50
Fractures	640	—	550	550	130	970
Traumatic injuries to nerves, except the spinal cord	30	—	40	40	20	40
Traumatic injuries to nerves, except the spinal cord, unspecified	—	—	—	—	—	—
Pinched nerve	20	—	40	40	—	30
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc. ...	2,930	60	4,500	6,360	1,290	10,560
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	50	—	30	110	—	30
Dislocations	20	—	140	80	—	110
Dislocations, unspecified	—	—	—	—	—	—
Herniated discs	—	—	—	40	—	60
Dislocation of joints	20	—	130	20	—	50
Dislocations, n.e.c.	—	—	—	—	—	—
Cartilage fractures and tears ...	20	—	170	90	—	60
Cartilage fractures and tears, unspecified	—	—	—	—	—	—
Meniscus tears	20	—	170	90	—	60
Cartilage fractures and tears, n.e.c.	—	—	—	—	—	—
Sprains, strains, tears	2,830	60	3,930	5,770	1,210	10,000
Sprains, strains, tears, unspecified	240	—	310	420	100	470
Major tears to muscles, tendons, ligaments	170	—	200	290	90	250
Sprains	940	30	1,200	1,480	400	3,230
Strains	1,290	30	2,180	3,490	590	5,950
Multiple sprains, strains, tears	200	—	60	80	20	110

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Hernias due to traumatic incidents	124	1,230	—	—	30	40	440	—
Whiplash	125	270	—	—	—	50	50	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	170	—	—	20	—	50	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	210	—	—	160	—	40	—
Open wounds	13	10,730	130	90	970	330	6,390	20
Open wounds, unspecified	130	90	—	—	—	—	20	—
Amputations, avulsions, enucleations	131	270	—	—	—	—	100	—
Amputations	1311	220	—	—	—	—	70	—
Avulsions, enucleations	1312	50	—	—	—	—	20	—
Cuts, lacerations	132	7,720	110	40	630	110	4,690	20
Puncture wounds, except gunshot wounds	133	2,400	—	50	310	210	1,360	—
Gunshot wounds	134	210	—	—	—	—	210	—
Multiple types of open wounds	138	20	—	—	—	—	—	—
Open wounds, n.e.c.	139	20	—	—	—	—	—	—
Surface wounds and bruises	14	22,050	360	120	4,720	670	9,430	70
Surface wounds and bruises, unspecified	140	200	—	—	90	—	60	—
Abrasions, scratches	141	2,120	—	—	290	50	1,280	—
Bruises, contusions	143	19,230	340	110	4,280	610	7,800	50
Multiple surface wounds and bruises	148	340	—	—	60	—	170	—
Surface wounds and bruises, n.e.c.	149	150	—	—	—	—	110	—
Burns and corrosions	15	1,710	—	—	70	50	1,130	—
Burns and corrosions, unspecified	150	40	—	—	—	—	20	—
Chemical burns and corrosions	151	320	—	—	30	—	150	—
Chemical burns and corrosions, unspecified	1510	300	—	—	30	—	130	—
Heat (thermal) burns	152	1,230	—	—	20	50	920	—
Heat (thermal) burns, unspecified	1520	930	—	—	20	50	750	—
First degree heat (thermal) burns	1521	90	—	—	—	—	40	—
Second degree heat (thermal) burns	1522	180	—	—	—	—	110	—
Heat (thermal) burns, n.e.c.	1529	30	—	—	—	—	30	—
Electrical burns	153	40	—	—	—	—	—	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Hernias due to traumatic incidents	—	—	180	260	50	220
Whiplash	—	—	20	—	—	130
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	—	—	30	50	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	—	—	—	—	—	—
Open wounds	250	—	630	830	340	690
Open wounds, unspecified	—	—	—	—	—	—
Amputations, avulsions, enucleations	—	—	20	110	—	—
Amputations	—	—	—	100	—	—
Avulsions, enucleations	—	—	—	—	—	—
Cuts, lacerations	210	—	500	600	250	550
Puncture wounds, except gunshot wounds	30	—	90	120	80	110
Gunshot wounds	—	—	—	—	—	—
Multiple types of open wounds	—	—	—	—	—	—
Open wounds, n.e.c.	—	—	—	—	—	—
Surface wounds and bruises	1,230	—	770	1,090	210	3,290
Surface wounds and bruises, unspecified	—	—	—	30	—	—
Abrasions, scratches	60	—	140	160	50	80
Bruises, contusions	1,160	—	610	880	170	3,140
Multiple surface wounds and bruises	—	—	—	20	—	70
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—
Burns and corrosions	20	—	130	160	30	110
Burns and corrosions, unspecified	—	—	—	—	—	—
Chemical burns and corrosions	—	—	20	30	—	80
Chemical burns and corrosions, unspecified	—	—	20	30	—	80
Heat (thermal) burns	20	—	80	90	20	30
Heat (thermal) burns, unspecified	—	—	30	20	—	30
First degree heat (thermal) burns	—	—	—	—	—	—
Second degree heat (thermal) burns	—	—	—	60	—	—
Heat (thermal) burns, n.e.c.	—	—	—	—	—	—
Electrical burns	—	—	—	—	—	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Electrical burns, unspecified	1530	40	—	—	—	—	—	—
Other burns	159	80	—	—	—	—	40	—
Other burns, first degree	1591	80	—	—	—	—	40	—
Intracranial injuries	16	1,780	20	—	520	120	730	—
Intracranial injuries, unspecified	160	190	—	—	60	—	40	—
Concussions	162	1,580	20	—	460	120	690	—
Effects of environmental conditions	17	780	—	—	—	—	480	—
Effects of heat and light	172	770	—	—	—	—	470	—
Effects of heat and light, unspecified	1720	50	—	—	—	—	—	—
Heat stroke	1721	20	—	—	—	—	20	—
Heat syncope	1722	90	—	—	—	—	40	—
Heat fatigue	1723	100	—	—	—	—	100	—
Heat exhaustion, prostration	1725	460	—	—	—	—	260	—
Effects of heat and light, n.e.c.	1729	50	—	—	—	—	50	—
Multiple traumatic injuries and disorders	18	9,490	130	30	2,050	160	4,890	—
Multiple traumatic injuries and disorders, unspecified	180	1,200	30	—	150	—	890	—
Cuts and abrasions or bruises	181	2,000	—	—	320	—	1,000	—
Sprains and other injuries	182	4,110	50	—	1,090	90	1,850	—
Sprains and other injuries, unspecified	1820	120	—	—	70	—	—	—
Sprains and bruises	1821	3,130	40	—	830	60	1,440	—
Sprains and cuts	1822	420	—	—	60	—	290	—
Sprains and other injuries, n.e.c.	1829	440	—	—	130	30	110	—
Fractures and other injuries	183	970	30	—	160	—	510	—
Fractures and other injuries, unspecified	1830	70	—	—	—	—	20	—
Fractures (except skull fractures) and concussions	1831	50	—	—	—	—	—	—
Fractures and dislocations	1834	160	—	—	20	—	130	—
Fractures and other injuries, n.e.c.	1839	700	20	—	130	—	360	—
Burns and other injuries, except fractures	184	30	—	—	—	—	20	—
Burns and other injuries, n.e.c.	1849	30	—	—	—	—	20	—
Multiple traumatic injuries and disorders, n.e.c.	189	1,180	—	—	320	40	620	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Electrical burns, unspecified	—	—	—	—	—	—
Other burns	—	—	—	30	—	—
Other burns, first degree	—	—	—	30	—	—
Intracranial injuries	100	—	40	70	—	180
Intracranial injuries, unspecified	20	—	—	—	—	50
Concussions	80	—	40	60	—	120
Effects of environmental conditions	—	—	20	60	—	190
Effects of heat and light	—	—	20	60	—	190
Effects of heat and light, unspecified	—	—	—	—	—	30
Heat stroke	—	—	—	—	—	—
Heat syncope	—	—	—	—	—	—
Heat fatigue	—	—	—	—	—	—
Heat exhaustion, prostration	—	—	20	50	—	100
Effects of heat and light, n.e.c.	—	—	—	—	—	—
Multiple traumatic injuries and disorders	370	—	240	420	70	1,070
Multiple traumatic injuries and disorders, unspecified	30	—	30	20	—	20
Cuts and abrasions or bruises	50	—	90	70	—	440
Sprains and other injuries	220	—	80	210	40	430
Sprains and other injuries, unspecified	30	—	—	—	—	—
Sprains and bruises	150	—	60	170	30	330
Sprains and cuts	—	—	—	—	—	40
Sprains and other injuries, n.e.c.	40	—	—	40	—	60
Fractures and other injuries	60	—	20	90	—	60
Fractures and other injuries, unspecified	—	—	—	20	—	—
Fractures (except skull fractures) and concussions	—	—	—	—	—	—
Fractures and dislocations	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	50	—	20	40	—	50
Burns and other injuries, except fractures	—	—	—	—	—	—
Burns and other injuries, n.e.c.	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	—	—	20	20	—	110

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Other traumatic injuries and disorders	19	35,390	680	250	6,430	1,230	17,200	100
Other traumatic injuries and disorders, unspecified	190	60	—	—	—	—	—	—
Electrocutions, electric shocks	193	160	—	—	—	—	100	—
Dermatitis and reactions affecting the skin—acute	195	560	—	—	—	30	310	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	190	—	—	—	20	80	—
Allergic dermatitis—acute	1951	280	—	—	—	—	180	—
Irritant dermatitis—acute	1952	50	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	40	—	—	—	—	30	—
Other poisoning, toxic, noxious, or allergenic effects	196	1,660	40	20	110	30	940	—
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	420	—	—	—	—	290	—
Poisoning, including poisoning-related asphyxia	1961	260	—	—	—	—	160	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	440	40	—	60	—	250	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	180	—	—	—	—	30	—
Other or unspecified allergic reactions	1966	130	—	—	20	—	60	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	40	—	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	50	—	—	—	—	20	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	130	—	—	—	—	120	—
Nonspecified injuries and disorders	197	32,920	640	230	6,300	1,170	15,830	90
Crushing injuries	1971	750	—	—	40	20	300	—
Soreness, pain, hurt—nonspecified injury	1972	25,890	460	180	4,570	1,020	12,810	90

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Other traumatic injuries and disorders	1,800	40	1,670	1,880	720	3,250
Other traumatic injuries and disorders, unspecified	—	—	—	—	—	—
Electrocutions, electric shocks	—	—	—	—	—	30
Dermatitis and reactions affecting the skin—acute	20	—	50	50	40	60
Dermatitis and reactions affecting the skin—acute, unspecified	—	—	40	20	—	—
Allergic dermatitis—acute	—	—	—	30	20	20
Irritant dermatitis—acute	—	—	—	—	—	30
Dermatitis and reactions affecting the skin—acute, n.e.c.	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	60	—	140	50	110	150
Poisoning, toxic, noxious, or allergenic effect, unspecified	20	—	30	30	—	30
Poisoning, including poisoning-related asphyxia	—	—	80	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	—	—	—	20	—	50
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	—	—	—	—	—	40
Other or unspecified allergic reactions	—	—	40	—	—	—
Nausea, vomiting— toxic, noxious, or allergenic effect	—	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	—	—	—	—	—	—
Nonspecified injuries and disorders	1,720	40	1,460	1,770	520	3,010
Crushing injuries	30	—	50	160	70	80
Soreness, pain, hurt—nonspecified injury	1,340	40	1,180	1,340	340	2,420

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Swelling, inflammation, irritation—nonspecified injury	1973	3,770	160	30	660	90	1,770	—
Numbness—nonspecified injury	1974	240	—	—	40	—	120	—
Multiple nonspecified injuries and disorders	1978	1,180	—	—	490	—	530	—
Nonspecified injuries and disorders, n.e.c.	1979	1,080	—	—	500	30	300	—
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—	—
Diseases and disorders of body systems	2	4,320	760	20	200	50	1,850	—
Systemic diseases and disorders, unspecified	20	20	—	—	—	—	—	—
Nervous system and sense organs diseases	22	1,760	690	20	70	20	380	—
Disorders of the peripheral nervous system	224	1,460	690	20	40	—	190	—
Carpal tunnel syndrome	2241	1,430	690	20	20	—	190	—
Disorders of the eye, adnexa, vision	225	140	—	—	30	—	40	—
Conjunctivitis—non-viral	2251	30	—	—	—	—	—	—
Blindness, low vision	2254	60	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	30	—	—	20	—	—	—
Disorders of the ear, mastoid process, hearing	226	140	—	—	—	—	140	—
Deafness, hearing loss and impairment	2261	120	—	—	—	—	120	—
Circulatory system diseases	23	540	—	—	—	—	530	—
Hypertensive disease	232	60	—	—	—	—	60	—
Ischemic heart disease, including heart attack	233	280	—	—	—	—	280	—
Ischemic heart disease, unspecified	2330	40	—	—	—	—	40	—
Myocardial infarction (heart attack)	2331	220	—	—	—	—	220	—
Other forms of heart disease	235	20	—	—	—	—	—	—
Other forms of heart disease, n.e.c.	2359	20	—	—	—	—	—	—
Respiratory system diseases	24	140	—	—	20	—	110	—
Pneumonia, influenza	243	40	—	—	—	—	30	—
Pneumonia	2431	30	—	—	—	—	30	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Swelling, inflammation, irritation—nonspecified injury	190	—	170	210	100	380
Numbness—nonspecified injury	30	—	—	—	—	20
Multiple nonspecified injuries and disorders	30	—	30	—	—	60
Nonspecified injuries and disorders, n.e.c.	100	—	30	30	—	60
Other traumatic injuries and disorders, n.e.c.	—	—	—	—	—	—
Diseases and disorders of body systems	540	—	160	210	50	430
Systemic diseases and disorders, unspecified	—	—	—	—	—	—
Nervous system and sense organs diseases	230	—	130	90	—	140
Disorders of the peripheral nervous system	230	—	70	90	—	120
Carpal tunnel syndrome	220	—	70	90	—	120
Disorders of the eye, adnexa, vision	—	—	50	—	—	20
Conjunctivitis—non-viral	—	—	—	—	—	—
Blindness, low vision	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	—	—	—	—	—	—
Deafness, hearing loss and impairment	—	—	—	—	—	—
Circulatory system diseases	—	—	—	—	—	—
Hypertensive disease	—	—	—	—	—	—
Ischemic heart disease, including heart attack	—	—	—	—	—	—
Ischemic heart disease, unspecified	—	—	—	—	—	—
Myocardial infarction (heart attack)	—	—	—	—	—	—
Other forms of heart disease ..	—	—	—	—	—	—
Other forms of heart disease, n.e.c.	—	—	—	—	—	—
Respiratory system diseases	—	—	—	—	—	—
Pneumonia, influenza	—	—	—	—	—	—
Pneumonia	—	—	—	—	—	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Chronic obstructive pulmonary disease and allied conditions ..	244	20	—	—	—	—	—	—
Asthma, except intrinsic	2443	20	—	—	—	—	—	—
Digestive system diseases and disorders	25	120	—	—	—	—	50	—
Hernia—nontraumatic	253	120	—	—	—	—	50	—
Musculoskeletal system and connective tissue diseases and disorders	27	1,170	60	—	30	20	510	—
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	20	—	—	—	—	20	—
Dorsopathies	272	210	—	—	20	—	70	—
Sciatica	2721	90	—	—	—	—	—	—
Lumbago	2722	50	—	—	—	—	—	—
Dorsopathies, n.e.c.	2729	40	—	—	—	—	—	—
Soft tissue disorders, except the back	273	870	60	—	20	20	420	—
Soft tissue disorder, except the back, unspecified	2730	80	—	—	—	—	40	—
Bursitis	2731	90	—	—	—	—	20	—
Stenosing tenosynovitis	2732	60	20	—	—	—	20	—
Epicondylitis	2734	280	—	—	—	—	240	—
Other or unspecified tendonitis (tendinitis)	2735	230	—	—	—	—	60	—
Ganglion or cystic tumor	2736	90	—	—	—	—	20	—
Soft tissue disorder, except the back, n.e.c.	2739	20	—	—	—	—	20	—
Osteopathies, chondropathies, and acquired deformities	274	70	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	280	—	—	70	—	190	—
Infections of the skin and subcutaneous tissue	281	270	—	—	60	—	180	—
Infections of the skin and subcutaneous tissue, unspecified	2810	80	—	—	—	—	30	—
Cellulitis and abscess	2811	40	—	—	—	—	20	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	120	—	—	—	—	120	—
Other staphylococcus skin infection	2814	20	—	—	—	—	—	—
Other systemic diseases and disorders	29	260	—	—	—	—	50	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Chronic obstructive pulmonary disease and allied conditions ..	-	-	-	-	-	-
Asthma, except intrinsic	-	-	-	-	-	-
Digestive system diseases and disorders	-	-	-	-	-	-
Hernia—nontraumatic	-	-	-	-	-	-
Musculoskeletal system and connective tissue diseases and disorders	110	-	20	100	-	280
Musculoskeletal system and connective tissue diseases and disorders, unspecified	-	-	-	-	-	-
Dorsopathies	-	-	-	30	-	80
Sciatica	-	-	-	-	-	-
Lumbago	-	-	-	-	-	-
Dorsopathies, n.e.c.	-	-	-	30	-	-
Soft tissue disorders, except the back	110	-	20	70	-	130
Soft tissue disorder, except the back, unspecified	-	-	-	-	-	-
Bursitis	-	-	-	40	-	-
Stenosing tenosynovitis	-	-	-	-	-	-
Epicondylitis	-	-	-	-	-	-
Other or unspecified tendonitis (tendinitis)	50	-	-	-	-	70
Ganglion or cystic tumor	20	-	-	-	-	50
Soft tissue disorder, except the back, n.e.c.	-	-	-	-	-	-
Osteopathies, chondropathies, and acquired deformities	-	-	-	-	-	-
Disorders of the skin and subcutaneous tissue	-	-	-	-	-	-
Infections of the skin and subcutaneous tissue	-	-	-	-	-	-
Infections of the skin and subcutaneous tissue, unspecified	-	-	-	-	-	-
Cellulitis and abscess	-	-	-	-	-	-
Methicillin-resistant staphylococcus aureus (MRSA) infection	-	-	-	-	-	-
Other staphylococcus skin infection	-	-	-	-	-	-
Other systemic diseases and disorders	190	-	-	-	-	-

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Other systemic diseases and disorders, unspecified	290	230	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders	291	30	—	—	—	—	30	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	2919	30	—	—	—	—	30	—
Infectious and parasitic diseases	3	200	—	—	30	—	110	—
Infectious and parasitic diseases, unspecified	30	40	—	—	—	—	—	—
Bacterial diseases	31	60	—	—	—	—	50	—
Other bacterial diseases	319	50	—	—	—	—	50	—
Viral diseases	32	50	—	—	20	—	30	—
Viral diseases accompanied by exanthem (eruptive fever)	323	20	—	—	—	—	20	—
Chickenpox, varicella	3233	20	—	—	—	—	20	—
Other diseases due to viruses	329	20	—	—	20	—	—	—
Other diseases due to viruses, n.e.c.	3299	20	—	—	20	—	—	—
Other infectious and parasitic diseases	39	30	—	—	—	—	30	—
Scabies and other acariases ...	392	30	—	—	—	—	30	—
Neoplasms, tumors, and cancers	4	220	—	—	—	—	220	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	220	—	—	—	—	220	—
Malignant neoplasms and tumors of other sites	419	180	—	—	—	—	180	—
Symptoms, signs, and ill-defined conditions	5	1,730	—	—	250	20	1,070	—
Symptoms, signs, and ill-defined conditions, unspecified	50	30	—	—	—	—	30	—
Symptoms	51	1,630	—	—	250	20	980	—
General symptoms	511	910	—	—	150	—	470	—
Loss of consciousness—not heat related	5111	250	—	—	50	—	110	—
Convulsions, seizures	5112	20	—	—	—	—	20	—
Dizziness—general	5114	230	—	—	—	—	100	—
Inflammation, swelling—general	5115	20	—	—	—	—	—	—
Numbness—general	5116	20	—	—	—	—	—	—
Multiple general symptoms ..	5118	330	—	—	80	—	230	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Other systemic diseases and disorders, unspecified	190	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorders, n.e.c.	—	—	—	—	—	—
Infectious and parasitic diseases	—	—	—	—	—	—
Infectious and parasitic diseases, unspecified	—	—	—	—	—	—
Bacterial diseases	—	—	—	—	—	—
Other bacterial diseases	—	—	—	—	—	—
Viral diseases	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	—	—	—	—	—	—
Chickenpox, varicella	—	—	—	—	—	—
Other diseases due to viruses	—	—	—	—	—	—
Other diseases due to viruses, n.e.c.	—	—	—	—	—	—
Other infectious and parasitic diseases	—	—	—	—	—	—
Scabies and other acariases ..	—	—	—	—	—	—
Neoplasms, tumors, and cancers	—	—	—	—	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	—	—	—	—	—	—
Malignant neoplasms and tumors of other sites	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	120	—	70	80	20	50
Symptoms, signs, and ill-defined conditions, unspecified	—	—	—	—	—	—
Symptoms	120	—	60	80	20	50
General symptoms	90	—	60	70	—	20
Loss of consciousness—not heat related	—	—	50	—	—	—
Convulsions, seizures	—	—	—	—	—	—
Dizziness—general	70	—	—	40	—	—
Inflammation, swelling—general	—	—	—	—	—	—
Numbness—general	—	—	—	—	—	—
Multiple general symptoms ..	—	—	—	—	—	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
General symptoms, n.e.c.	5119	30	—	—	—	—	20	—
Symptoms involving head and neck	514	80	—	—	—	—	40	—
Headache, except migraine	5141	30	—	—	—	—	30	—
Symptoms involving cardiovascular system	515	90	—	—	—	—	80	—
Symptoms involving cardiovascular system, n.e.c.	5159	70	—	—	—	—	70	—
Symptoms involving respiratory system and chest	516	420	—	—	40	—	310	—
Symptoms involving respiratory system and chest, unspecified	5160	40	—	—	—	—	20	—
Chest pain	5164	230	—	—	—	—	180	—
Multiple symptoms involving respiratory system and chest	5168	30	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	5169	130	—	—	—	—	100	—
Multiple symptoms	518	90	—	—	—	—	70	—
Abnormal findings	52	60	—	—	—	—	50	—
Other abnormal findings	529	40	—	—	—	—	40	—
Other diseases, conditions, and disorders	6	1,790	30	—	270	20	690	—
Mental disorders and syndromes	62	1,790	30	—	270	20	690	—
Anxiety, stress	621	1,740	30	—	270	20	680	—
Anxiety, stress, unspecified	6210	740	—	—	190	20	360	—
Post-traumatic stress disorder	6211	520	—	—	—	—	250	—
Anxiety or panic disorder	6213	60	—	—	—	—	40	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
General symptoms, n.e.c.	—	—	—	—	—	—
Symptoms involving head and neck	—	—	—	—	—	—
Headache, except migraine	—	—	—	—	—	—
Symptoms involving cardiovascular system	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	—	—	—	—	—	—
Symptoms involving respiratory system and chest	30	—	—	—	—	30
Symptoms involving respiratory system and chest, unspecified	—	—	—	—	—	—
Chest pain	—	—	—	—	—	—
Multiple symptoms involving respiratory system and chest	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	—	—	—	—	—	—
Multiple symptoms	—	—	—	—	—	—
Abnormal findings	—	—	—	—	—	—
Other abnormal findings	—	—	—	—	—	—
Other diseases, conditions, and disorders	150	—	20	—	30	520
Mental disorders and syndromes	150	—	20	—	30	520
Anxiety, stress	150	—	20	—	30	510
Anxiety, stress, unspecified	70	—	—	—	—	40
Post-traumatic stress disorder	20	—	—	—	—	210
Anxiety or panic disorder	—	—	—	—	—	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Anxiety, stress, n.e.c.	6219	420	—	—	60	—	20	—
Mental disorders and syndromes, n.e.c.	629	30	—	—	—	—	—	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Anxiety, stress, n.e.c.	60	—	—	—	—	260
Mental disorders and syndromes, n.e.c.	—	—	—	—	—	20

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Nature code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Exposures to disease—no illness incurred	7	150	—	—	20	20	100	—
Multiple diseases, conditions, and disorders	8	80	—	—	30	—	40	—
Nonclassifiable	9999	1,880	—	—	180	30	610	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2011² — Continued

Nature	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Exposures to disease—no illness incurred	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	—	—	—	—	—	—
Nonclassifiable	130	—	—	800	—	—

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.