

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2011²

Part of body	Part of body code ³	Local government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		199,700	—	—	810	5,920	33,430	50,050	60,550	34,500	7,120	7,320
Head	1	12,430	—	—	80	500	2,610	3,280	2,930	2,100	610	310
Head, unspecified	10	3,190	—	—	—	120	550	650	700	830	250	80
Cranial region, including skull	11	2,840	—	—	20	80	480	950	630	480	170	20
Cranial region, unspecified	110	30	—	—	—	—	—	—	—	—	—	—
Brain	111	1,850	—	—	20	70	420	520	370	280	150	20
Scalp	112	690	—	—	—	—	30	390	190	50	30	—
Skull	113	110	—	—	—	—	20	20	—	60	—	—
Multiple cranial region locations	118	140	—	—	—	—	—	—	30	90	—	—
Cranial region, n.e.c.	119	20	—	—	—	—	—	—	—	—	—	—
Ear(s)	12	400	—	—	—	30	80	160	70	50	—	—
Face	13	5,790	—	—	40	260	1,440	1,480	1,490	690	170	210
Face, unspecified	130	790	—	—	—	—	270	150	100	90	60	130
Forehead	131	400	—	—	—	30	100	30	120	100	20	—
Eye(s)	132	3,120	—	—	30	170	660	920	920	310	40	60
Nose, nasal cavity	133	260	—	—	—	20	80	40	50	30	30	—
Nose, except internal location of diseases or disorders	1330	260	—	—	—	20	80	40	50	30	30	—
Cheek(s)	134	230	—	—	—	—	70	140	—	—	—	—
Jaw, chin	135	90	—	—	—	—	—	20	50	—	—	—
Mouth	136	440	—	—	—	20	170	80	110	40	—	—
Mouth, unspecified	1360	30	—	—	—	—	—	—	20	—	—	—
Lip(s)	1361	240	—	—	—	20	160	50	—	—	—	—
Tooth (teeth)	1363	120	—	—	—	—	—	30	40	30	—	—
Multiple mouth locations	1368	40	—	—	—	—	—	—	40	—	—	—
Multiple face locations	138	370	—	—	—	—	90	70	100	90	—	—
Face, n.e.c.	139	80	—	—	—	—	—	—	30	20	—	—
Multiple head locations	18	170	—	—	—	—	50	40	30	40	—	—
Head, n.e.c.	19	50	—	—	—	—	—	20	20	—	—	—
Neck, including throat	2	2,730	—	—	—	50	500	720	1,080	320	30	—
Neck, except internal location of diseases or disorders ...	20	2,720	—	—	—	50	490	720	1,080	320	30	—
Trunk	3	42,260	—	—	70	1,220	7,480	11,680	13,140	6,020	1,370	1,280
Trunk, unspecified	30	210	—	—	—	—	60	100	30	—	—	—
Chest, including ribs, internal organs	31	3,440	—	—	—	20	480	1,110	880	580	120	230
Chest, except internal location of diseases or disorders	310	2,650	—	—	—	20	480	700	740	390	110	210
Internal chest location, unspecified	311	100	—	—	—	—	—	30	20	50	—	—
Heart	313	490	—	—	—	—	—	300	50	130	—	—
Lung(s), pleura	315	170	—	—	—	—	—	80	60	—	—	—
Internal chest location, n.e.c.	319	20	—	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	32	31,810	—	—	40	1,040	6,010	9,280	9,910	4,010	910	610
Back, including spine, spinal cord, unspecified	320	11,450	—	—	20	560	2,370	2,550	4,070	1,310	210	370
Thoracic region	321	1,540	—	—	—	60	330	670	320	90	40	20
Lumbar region	322	17,510	—	—	—	380	3,090	5,570	5,250	2,350	650	210
Sacral region	323	110	—	—	—	—	—	80	—	—	—	—
Coccygeal region	324	150	—	—	—	—	—	40	30	60	—	—
Multiple back regions	328	1,010	—	—	—	30	200	360	220	190	—	—

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Age										
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported	
Back, including spine, spinal cord, n.e.c.	329	40	-	-	-	-	-	-	-	-	-	-	-
Abdomen	33	2,450	-	-	-	100	360	550	990	350	30	70	
Abdomen, except internal location of diseases or disorders	330	2,070	-	-	-	90	330	370	840	330	30	70	
Internal abdominal location, unspecified	331	110	-	-	-	-	-	20	60	20	-	-	
Urinary organs	334	180	-	-	-	-	-	-	-	-	-	-	
Kidney(s)	3342	30	-	-	-	-	-	-	-	-	-	-	
Intestines, peritoneum	335	20	-	-	-	-	-	-	-	-	-	-	
Other digestive structures	336	70	-	-	-	-	-	-	70	-	-	-	
Pelvic region	34	3,240	-	-	-	40	370	500	850	950	160	350	
Pelvic region, unspecified	340	130	-	-	-	-	-	-	-	120	-	-	
Hip(s)	341	1,420	-	-	-	-	120	250	330	500	100	130	
Pelvis	342	110	-	-	-	-	-	-	50	30	-	-	
Buttock(s)	343	390	-	-	-	-	60	30	90	80	-	120	
Groin	344	1,070	-	-	-	40	150	180	330	220	50	100	
External reproductive tract structures	345	40	-	-	-	-	-	20	-	-	-	-	
Scrotum	3451	30	-	-	-	-	-	20	-	-	-	-	
Multiple pelvic region locations	348	40	-	-	-	-	30	-	-	-	-	-	
Multiple trunk locations	38	1,100	-	-	-	-	200	130	480	110	140	-	
Trunk, n.e.c.	39	20	-	-	-	-	-	-	-	-	-	-	
Upper extremities	4	51,930	-	-	130	1,460	8,290	11,440	16,420	10,090	2,030	2,070	
Upper extremities, unspecified	40	80	-	-	-	-	40	-	20	20	-	-	
Shoulder(s), including clavicle(s), scapula(e)	41	13,680	-	-	-	240	1,840	3,450	4,510	2,940	370	310	
Arm(s)	42	9,760	-	-	-	120	1,540	2,480	3,040	1,710	380	480	
Arm(s), unspecified	420	2,660	-	-	-	80	550	660	770	390	150	70	
Upper arm(s)	421	1,030	-	-	-	-	100	190	290	360	70	-	
Elbow(s)	422	3,690	-	-	-	20	340	1,270	1,210	660	50	130	
Forearm(s)	423	1,440	-	-	-	20	330	270	360	90	100	270	
Multiple arm locations	428	900	-	-	-	-	220	80	400	200	-	-	
Multiple arm locations, unspecified	4280	230	-	-	-	-	190	-	20	20	-	-	
Elbow(s) and arm(s)	4281	250	-	-	-	-	-	30	130	80	-	-	
Multiple arm locations, n.e.c.	4289	420	-	-	-	-	20	40	250	110	-	-	
Arm(s), n.e.c.	429	40	-	-	-	-	-	-	-	-	-	-	
Wrist(s)	43	6,690	-	-	-	230	1,240	730	2,450	1,320	510	190	
Hand(s)	44	16,660	-	-	110	580	3,020	3,580	5,440	2,710	360	870	
Hand(s), unspecified	440	5,220	-	-	-	190	840	1,020	1,750	930	70	420	
Hand(s), except finger(s)	441	990	-	-	-	30	440	260	170	60	-	20	
Finger(s), fingernail(s)	442	9,460	-	-	90	330	1,660	2,010	3,150	1,590	260	380	
Finger(s), fingernail(s), unspecified	4420	7,250	-	-	80	190	1,230	1,390	2,400	1,400	190	360	
Fingernail(s), nailbed(s)	4421	60	-	-	-	-	-	30	-	-	-	-	
Fingertip(s)	4422	500	-	-	-	80	80	160	70	50	40	-	
Finger(s), fingernail(s), n.e.c.	4429	1,650	-	-	-	50	340	430	670	120	30	-	
Hand(s) and finger(s)	448	860	-	-	-	30	90	250	290	130	-	70	
Hand(s), n.e.c.	449	140	-	-	-	-	-	30	80	-	20	-	
Multiple upper extremities locations	48	5,000	-	-	-	280	570	1,190	950	1,390	410	210	
Multiple upper extremities locations, unspecified	480	270	-	-	-	-	-	80	20	40	-	-	
Hand(s) and arms(s)	481	630	-	-	-	-	50	390	90	70	30	-	
Hand(s) and arm(s), unspecified	4810	100	-	-	-	-	-	30	40	20	-	-	
Hand(s) and elbow(s)	4811	100	-	-	-	-	-	30	30	30	-	-	

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Hand(s) and arm(s), n.e.c.	4819	430	—	—	—	—	40	330	30	—	20	—
Hand(s) and wrist(s)	482	1,410	—	—	—	—	160	170	270	480	320	—
Wrist(s) and arm(s)	483	320	—	—	—	—	90	60	40	120	—	—
Wrist(s) and arm(s), unspecified	4830	100	—	—	—	—	30	30	20	20	—	—
Wrist(s) and elbow(s)	4831	90	—	—	—	—	—	—	—	80	—	—
Wrist(s) and arm(s), n.e.c.	4839	120	—	—	—	—	60	30	—	20	—	—
Shoulder(s) and arm(s)	484	1,200	—	—	—	40	90	320	320	340	30	60
Multiple upper extremities locations, n.e.c.	489	1,170	—	—	—	220	70	170	210	340	20	130
Upper extremities, n.e.c.	49	60	—	—	—	—	40	—	—	—	—	—
Lower extremities	5	49,900	—	—	310	1,990	8,190	12,280	15,100	8,650	1,440	1,930
Lower extremities, unspecified	50	110	—	—	—	—	20	—	60	20	—	—
Leg(s)	51	29,790	—	—	120	860	4,440	7,320	9,380	5,540	1,130	1,000
Leg(s), unspecified	510	3,590	—	—	—	50	250	1,240	1,450	340	140	110
Thigh(s)	511	1,550	—	—	—	30	130	240	590	540	20	—
Knee(s)	512	21,870	—	—	110	750	3,650	5,130	6,470	4,010	890	860
Lower leg(s)	513	1,680	—	—	—	—	350	470	470	330	40	—
Multiple leg locations	518	1,060	—	—	—	20	50	220	380	310	40	—
Multiple leg locations, unspecified	5180	70	—	—	—	—	—	—	20	—	—	—
Knee(s) and leg(s)	5181	540	—	—	—	—	50	180	170	90	30	—
Multiple leg locations, n.e.c.	5189	450	—	—	—	—	—	40	190	210	—	—
Leg(s), n.e.c.	519	40	—	—	—	—	—	20	—	—	—	—
Ankle(s)	52	10,500	—	—	80	710	1,960	2,760	2,900	1,370	160	550
Foot (feet)	53	7,000	—	—	80	230	1,600	1,400	1,990	1,320	120	270
Foot (feet), unspecified	530	4,750	—	—	40	170	1,220	790	1,290	900	90	250
Sole(s)	531	410	—	—	—	—	40	40	260	60	—	—
Sole(s), unspecified	5310	50	—	—	—	—	—	—	40	—	—	—
Arch(es), instep(s)	5312	40	—	—	—	—	—	—	—	—	—	—
Heel(s)	5313	300	—	—	—	—	20	20	210	40	—	—
Toes(s), toenail(s)	532	1,540	—	—	40	30	260	530	350	300	30	20
Multiple foot (feet) locations	538	110	—	—	—	—	30	20	30	20	—	—
Foot (feet), n.e.c.	539	180	—	—	—	—	40	30	60	40	—	—
Multiple lower extremities locations	58	2,510	—	—	40	190	170	790	780	410	20	110
Multiple lower extremities locations, unspecified	580	120	—	—	—	—	—	—	—	—	—	—
Foot (feet) and leg(s)	581	380	—	—	—	—	30	110	60	160	—	20
Foot(feet) and leg(s), unspecified	5810	80	—	—	—	—	20	—	20	20	—	—
Foot(feet) and knee(s)	5811	290	—	—	—	—	—	90	30	140	—	—
Foot (feet) and ankle(s)	582	740	—	—	—	20	50	130	340	100	—	—
Ankle(s) and leg(s)	583	740	—	—	—	80	50	260	240	80	—	20
Ankle(s) and leg(s), unspecified	5830	120	—	—	—	30	—	50	—	—	—	20
Ankle(s) and knee(s)	5831	510	—	—	—	50	30	190	160	60	—	—
Ankle(s) and leg(s), n.e.c.	5839	110	—	—	—	—	—	—	70	—	—	—
Multiple lower extremities locations, n.e.c.	589	530	—	—	—	—	50	290	130	50	—	—
Body systems	6	5,650	—	—	90	130	940	1,450	1,980	770	220	70
Multiple body parts	8	32,120	—	—	120	530	5,070	8,200	9,620	6,390	1,400	780
Multiple body parts, unspecified	80	1,970	—	—	—	40	230	520	660	190	90	220
Head and neck	81	440	—	—	—	—	100	100	150	80	—	—
Head, neck, and trunk	82	220	—	—	—	—	30	80	90	20	—	—

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Head and trunk	83	330	—	—	—	—	20	100	60	110	20	—
Neck and back	84	2,680	—	—	—	30	440	720	680	760	40	—
Shoulder(s) and back	85	700	—	—	—	20	110	180	190	120	80	—
Hip(s) and leg(s)	86	590	—	—	—	—	50	170	240	120	—	—
Upper and lower limb(s)	87	2,910	—	—	—	90	470	780	800	670	90	—
Other multiple body parts	89	22,300	—	—	100	340	3,630	5,560	6,750	4,320	1,060	540
Whole body	891	200	—	—	—	—	50	30	70	40	—	—
Multiple body parts, n.e.c.	899	22,100	—	—	100	340	3,580	5,520	6,690	4,280	1,060	540

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Nonclassifiable	9999	2,690	—	—	—	50	350	990	270	150	20	860

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.