

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2011²

Part of body	Part of body code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Total		199,700	4,010	1,180	31,210	8,140	97,930	450
Head	1	12,430	130	30	2,700	410	6,160	20
Head, unspecified	10	3,190	40	–	770	60	1,600	–
Cranial region, including skull	11	2,840	30	–	580	130	1,400	–
Cranial region, unspecified	110	30	–	–	–	–	20	–
Brain	111	1,850	20	–	530	120	780	–
Scalp	112	690	–	–	30	–	500	–
Skull	113	110	–	–	–	–	100	–
Multiple cranial region locations	118	140	–	–	–	–	–	–
Cranial region, n.e.c.	119	20	–	–	–	–	–	–
Ear(s)	12	400	–	–	–	–	300	–
Face	13	5,790	40	20	1,300	180	2,750	20
Face, unspecified	130	790	–	–	360	30	300	–
Forehead	131	400	–	–	110	20	170	–
Eye(s)	132	3,120	30	–	210	50	1,810	20
Nose, nasal cavity	133	260	–	–	120	20	80	–
Nose, except internal location of diseases or disorders	1330	260	–	–	120	20	80	–
Cheek(s)	134	230	–	–	140	–	70	–
Jaw, chin	135	90	–	–	30	–	30	–
Mouth	136	440	–	–	210	30	150	–
Mouth, unspecified	1360	30	–	–	–	–	–	–
Lip(s)	1361	240	–	–	–	–	70	–
Tooth (teeth)	1363	120	–	–	40	20	30	–
Multiple mouth locations	1368	40	–	–	–	–	40	–
Multiple face locations	138	370	–	–	110	30	100	–
Face, n.e.c.	139	80	–	–	–	–	30	–
Multiple head locations	18	170	–	–	20	–	110	–
Head, n.e.c.	19	50	–	–	30	–	–	–
Neck, including throat	2	2,730	–	–	410	230	1,320	–
Neck, except internal location of diseases or disorders	20	2,720	–	–	410	230	1,320	–
Trunk	3	42,260	790	260	4,830	2,810	19,730	150
Trunk, unspecified	30	210	–	–	–	–	130	–
Chest, including ribs, internal organs	31	3,440	50	–	400	60	2,340	–
Chest, except internal location of diseases or disorders	310	2,650	40	–	340	50	1,660	–
Internal chest location, unspecified	311	100	–	–	30	–	40	–
Heart	313	490	–	–	–	–	480	–

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2011²
— Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Total	8,670	130	9,140	12,910	3,190	22,100
Head	350	—	510	620	160	1,300
Head, unspecified	80	—	60	50	20	510
Cranial region, including skull	130	—	50	120	—	380
Cranial region, unspecified	—	—	—	—	—	—
Brain	100	—	40	70	—	180
Scalp	20	—	—	—	—	110
Skull	—	—	—	—	—	—
Multiple cranial region locations	—	—	—	—	—	90
Cranial region, n.e.c.	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	50
Face	130	—	400	460	130	330
Face, unspecified	—	—	30	20	—	50
Forehead	—	—	—	40	—	30
Eye(s)	60	—	310	350	80	190
Nose, nasal cavity	—	—	—	20	—	—
Nose, except internal location of diseases or disorders	—	—	—	20	—	—
Cheek(s)	—	—	—	—	—	—
Jaw, chin	—	—	—	—	—	—
Mouth	—	—	—	20	—	20
Mouth, unspecified	—	—	—	20	—	—
Lip(s)	—	—	—	—	—	—
Tooth (teeth)	—	—	—	—	—	—
Multiple mouth locations	—	—	—	—	—	—
Multiple face locations	30	—	30	—	—	20
Face, n.e.c.	20	—	—	—	—	—
Multiple head locations	—	—	—	—	—	20
Head, n.e.c.	—	—	—	—	—	—
Neck, including throat	50	—	80	70	—	530
Neck, except internal location of diseases or disorders	50	—	80	70	—	530
Trunk	1,260	30	2,440	3,370	720	5,800
Trunk, unspecified	—	—	—	—	—	—
Chest, including ribs, internal organs	80	—	260	60	—	180
Chest, except internal location of diseases or disorders	50	—	260	60	—	170
Internal chest location, unspecified	20	—	—	—	—	—
Heart	—	—	—	—	—	—

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Lung(s), pleura	315	170	—	—	—	—	150	—
Internal chest location, n.e.c.	319	20	—	—	—	—	—	—
Back, including spine, spinal cord ..	32	31,810	520	230	3,610	2,300	13,940	150
Back, including spine, spinal cord, unspecified	320	11,450	210	150	1,000	710	4,880	110
Thoracic region	321	1,540	—	—	170	80	610	—
Lumbar region	322	17,510	280	80	2,270	1,350	7,990	40
Sacral region	323	110	—	—	—	30	30	—
Coccygeal region	324	150	—	—	30	—	60	—
Multiple back regions	328	1,010	—	—	140	120	360	—
Back, including spine, spinal cord, n.e.c.	329	40	—	—	—	—	20	—
Abdomen	33	2,450	150	—	150	90	1,070	—
Abdomen, except internal location of diseases or disorders	330	2,070	140	—	140	90	810	—
Internal abdominal location, unspecified	331	110	—	—	—	—	40	—
Urinary organs	334	180	—	—	—	—	180	—
Kidney(s)	3342	30	—	—	—	—	30	—
Intestines, peritoneum	335	20	—	—	—	—	—	—
Other digestive structures	336	70	—	—	—	—	—	—
Pelvic region	34	3,240	40	20	580	260	1,590	—
Pelvic region, unspecified	340	130	—	—	—	—	110	—
Hip(s)	341	1,420	30	—	410	120	530	—
Pelvis	342	110	—	—	20	—	60	—
Buttock(s)	343	390	—	—	50	—	190	—
Groin	344	1,070	—	—	70	120	620	—
External reproductive tract structures	345	40	—	—	—	—	30	—
Scrotum	3451	30	—	—	—	—	30	—
Multiple pelvic region locations ..	348	40	—	—	30	—	—	—
Multiple trunk locations	38	1,100	30	—	70	90	640	—
Trunk, n.e.c.	39	20	—	—	—	—	20	—
Upper extremities	4	51,930	1,540	320	5,100	2,020	27,500	80
Upper extremities, unspecified	40	80	—	—	—	—	50	—
Shoulder(s), including clavicle(s), scapula(e)	41	13,680	130	130	1,090	850	6,960	20
Arm(s)	42	9,760	480	60	1,070	210	4,800	40
Arm(s), unspecified	420	2,660	170	—	530	80	1,030	—
Upper arm(s)	421	1,030	30	—	70	20	600	—
Elbow(s)	422	3,690	110	—	290	70	1,800	—
Forearm(s)	423	1,440	30	—	120	30	890	—

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2011²
— Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Lung(s), pleura	—	—	—	—	—	—
Internal chest location, n.e.c.	—	—	—	—	—	—
Back, including spine, spinal cord ..	990	30	1,810	2,740	490	4,930
Back, including spine, spinal cord, unspecified	230	—	730	1,010	100	2,300
Thoracic region	70	—	20	110	140	320
Lumbar region	650	—	1,030	1,360	250	2,190
Sacral region	—	—	—	20	—	—
Coccygeal region	—	—	—	20	—	—
Multiple back regions	50	—	30	220	—	90
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—
Abdomen	—	—	230	300	140	300
Abdomen, except internal location of diseases or disorders	—	—	220	300	60	290
Internal abdominal location, unspecified	—	—	—	—	—	—
Urinary organs	—	—	—	—	—	—
Kidney(s)	—	—	—	—	—	—
Intestines, peritoneum	—	—	—	—	—	—
Other digestive structures	—	—	—	—	—	—
Pelvic region	150	—	100	160	—	320
Pelvic region, unspecified	—	—	—	—	—	—
Hip(s)	90	—	30	—	—	190
Pelvis	—	—	—	—	—	—
Buttock(s)	50	—	—	—	—	70
Groin	—	—	50	130	—	50
External reproductive tract structures	—	—	—	—	—	—
Scrotum	—	—	—	—	—	—
Multiple pelvic region locations ..	—	—	—	—	—	—
Multiple trunk locations	30	—	40	100	—	60
Trunk, n.e.c.	—	—	—	—	—	—
Upper extremities	2,260	60	2,510	3,970	1,030	5,400
Upper extremities, unspecified	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	540	—	890	1,080	310	1,630
Arm(s)	250	20	400	780	190	1,420
Arm(s), unspecified	90	20	140	210	40	330
Upper arm(s)	20	—	30	100	30	120
Elbow(s)	100	—	80	370	100	740
Forearm(s)	—	—	140	60	20	130

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Multiple arm locations	428	900	140	50	40	—	460	—
Multiple arm locations, unspecified	4280	230	—	—	—	—	200	—
Elbow(s) and arm(s)	4281	250	—	50	—	—	160	—
Multiple arm locations, n.e.c.	4289	420	140	—	20	—	100	—
Arm(s), n.e.c.	429	40	—	—	20	—	—	—
Wrist(s)	43	6,690	730	80	720	130	3,290	—
Hand(s)	44	16,660	130	40	940	710	10,120	—
Hand(s), unspecified	440	5,220	80	—	360	120	3,450	—
Hand(s), except finger(s)	441	990	—	—	70	60	700	—
Finger(s), fingernail(s)	442	9,460	40	20	490	510	5,410	—
Finger(s), fingernail(s), unspecified	4420	7,250	—	—	380	440	4,300	—
Fingernail(s), nailbed(s)	4421	60	—	—	—	—	40	—
Fingertip(s)	4422	500	—	—	—	—	200	—
Finger(s), fingernail(s), n.e.c.	4429	1,650	30	—	100	60	870	—
Hand(s) and finger(s)	448	860	—	—	20	—	470	—
Hand(s), n.e.c.	449	140	—	—	—	—	90	—
Multiple upper extremities locations	48	5,000	70	—	1,230	120	2,270	—
Multiple upper extremities locations, unspecified	480	270	—	—	40	—	180	—
Hand(s) and arms(s)	481	630	—	—	360	—	130	—
Hand(s) and arm(s), unspecified	4810	100	—	—	—	—	20	—
Hand(s) and elbow(s)	4811	100	—	—	—	—	50	—
Hand(s) and arm(s), n.e.c.	4819	430	—	—	340	—	60	—
Hand(s) and wrist(s)	482	1,410	50	—	500	20	680	—
Wrist(s) and arm(s)	483	320	—	—	70	40	90	—
Wrist(s) and arm(s), unspecified	4830	100	—	—	20	—	30	—
Wrist(s) and elbow(s)	4831	90	—	—	40	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	120	—	—	20	20	40	—
Shoulder(s) and arm(s)	484	1,200	—	—	60	30	620	—
Multiple upper extremities locations, n.e.c.	489	1,170	—	—	200	20	560	—
Upper extremities, n.e.c.	49	60	—	—	40	—	—	—
Lower extremities	5	49,900	1,070	230	10,420	1,470	24,460	120
Lower extremities, unspecified	50	110	—	—	40	—	30	—
Leg(s)	51	29,790	770	220	5,600	980	15,230	60
Leg(s), unspecified	510	3,590	560	—	750	50	1,240	—
Thigh(s)	511	1,550	—	—	680	20	470	—
Knee(s)	512	21,870	150	160	3,760	890	12,030	20
Lower leg(s)	513	1,680	30	—	230	—	1,070	20

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2011²

— Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Multiple arm locations	30	—	—	40	—	90
Multiple arm locations, unspecified	—	—	—	—	—	—
Elbow(s) and arm(s)	—	—	—	—	—	20
Multiple arm locations, n.e.c.	—	—	—	—	—	70
Arm(s), n.e.c.	—	—	—	—	—	—
Wrist(s)	500	—	230	320	50	630
Hand(s)	620	40	910	1,440	440	1,230
Hand(s), unspecified	210	30	380	170	50	340
Hand(s), except finger(s)	—	—	20	40	50	40
Finger(s), fingernail(s)	380	—	470	1,060	290	750
Finger(s), fingernail(s), unspecified	90	—	380	700	250	640
Fingernail(s), nailbed(s)	—	—	—	—	—	—
Fingertip(s)	40	—	—	150	—	60
Finger(s), fingernail(s), n.e.c.	250	—	80	190	30	50
Hand(s) and finger(s)	20	—	30	160	60	80
Hand(s), n.e.c.	—	—	—	—	—	20
Multiple upper extremities locations	340	—	80	330	50	490
Multiple upper extremities locations, unspecified	—	—	—	—	—	40
Hand(s) and arms(s)	30	—	—	50	—	30
Hand(s) and arm(s), unspecified	—	—	—	20	—	20
Hand(s) and elbow(s)	—	—	—	30	—	—
Hand(s) and arm(s), n.e.c.	—	—	—	—	—	—
Hand(s) and wrist(s)	60	—	—	60	20	20
Wrist(s) and arm(s)	60	—	—	30	—	—
Wrist(s) and arm(s), unspecified	—	—	—	—	—	—
Wrist(s) and elbow(s)	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	—	—	—	—	—	—
Shoulder(s) and arm(s)	40	—	40	90	—	290
Multiple upper extremities locations, n.e.c.	150	—	20	100	—	90
Upper extremities, n.e.c.	—	—	—	—	—	—
Lower extremities	1,940	30	2,240	2,610	720	4,480
Lower extremities, unspecified	—	—	—	—	—	—
Leg(s)	960	30	1,500	1,630	520	2,240
Leg(s), unspecified	110	—	310	160	—	380
Thigh(s)	30	—	80	30	30	210
Knee(s)	780	30	1,020	1,200	350	1,460
Lower leg(s)	40	—	50	60	20	110

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Multiple leg locations	518	1,060	—	—	180	—	410	20
Multiple leg locations, unspecified	5180	70	—	—	—	—	30	—
Knee(s) and leg(s)	5181	540	—	—	30	—	270	—
Multiple leg locations, n.e.c.	5189	450	—	—	150	—	110	—
Leg(s), n.e.c.	519	40	—	—	—	—	—	—
Ankle(s)	52	10,500	140	—	1,800	280	5,540	50
Foot (feet)	53	7,000	100	—	2,440	130	2,550	—
Foot (feet), unspecified	530	4,750	70	—	1,670	100	1,580	—
Sole(s)	531	410	—	—	40	—	270	—
Sole(s), unspecified	5310	50	—	—	—	—	—	—
Arch(es), instep(s)	5312	40	—	—	—	—	20	—
Heel(s)	5313	300	—	—	20	—	240	—
Toes(s), toenail(s)	532	1,540	20	—	680	—	580	—
Multiple foot (feet) locations	538	110	—	—	—	—	60	—
Foot (feet), n.e.c.	539	180	—	—	40	—	60	—
Multiple lower extremities locations	58	2,510	60	—	540	80	1,110	—
Multiple lower extremities locations, unspecified	580	120	—	—	—	—	110	—
Foot (feet) and leg(s)	581	380	—	—	180	—	120	—
Foot(feet) and leg(s), unspecified	5810	80	—	—	—	—	50	—
Foot(feet) and knee(s)	5811	290	—	—	170	—	60	—
Foot (feet) and ankle(s)	582	740	—	—	130	20	240	—
Ankle(s) and leg(s)	583	740	40	—	170	20	320	—
Ankle(s) and leg(s), unspecified	5830	120	—	—	20	—	50	—
Ankle(s) and knee(s)	5831	510	—	—	130	—	240	—
Ankle(s) and leg(s), n.e.c.	5839	110	—	—	20	—	30	—
Multiple lower extremities locations, n.e.c.	589	530	—	—	60	30	320	—
Body systems	6	5,650	70	40	640	80	2,910	—
Multiple body parts	8	32,120	400	240	6,680	1,080	14,860	70
Multiple body parts, unspecified	80	1,970	50	—	330	60	940	—
Head and neck	81	440	20	—	90	60	160	—
Head, neck, and trunk	82	220	—	—	60	—	100	—
Head and trunk	83	330	—	—	100	—	140	—
Neck and back	84	2,680	50	80	520	70	1,100	—
Shoulder(s) and back	85	700	—	—	50	40	370	—
Hip(s) and leg(s)	86	590	20	—	230	30	190	—
Upper and lower limb(s)	87	2,910	60	—	330	90	1,120	—
Other multiple body parts	89	22,300	200	100	4,980	730	10,750	60

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2011²
— Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Multiple leg locations	—	—	40	180	120	80
Multiple leg locations, unspecified	—	—	—	—	—	30
Knee(s) and leg(s)	—	—	—	40	120	40
Multiple leg locations, n.e.c.	—	—	—	140	—	—
Leg(s), n.e.c.	—	—	—	—	—	—
Ankle(s)	450	—	330	500	80	1,280
Foot (feet)	270	—	260	360	110	750
Foot (feet), unspecified	150	—	150	220	100	690
Sole(s)	—	—	—	60	—	—
Sole(s), unspecified	—	—	—	20	—	—
Arch(es), instep(s)	—	—	—	—	—	—
Heel(s)	—	—	—	20	—	—
Toes(s), toenail(s)	90	—	60	60	—	20
Multiple foot (feet) locations	—	—	20	—	—	—
Foot (feet), n.e.c.	20	—	20	20	—	20
Multiple lower extremities locations	240	—	130	120	—	210
Multiple lower extremities locations, unspecified	—	—	—	—	—	—
Foot (feet) and leg(s)	—	—	60	—	—	—
Foot(feet) and leg(s), unspecified	—	—	—	—	—	—
Foot(feet) and knee(s)	—	—	60	—	—	—
Foot (feet) and ankle(s)	160	—	60	20	—	70
Ankle(s) and leg(s)	40	—	—	50	—	100
Ankle(s) and leg(s), unspecified	—	—	—	40	—	—
Ankle(s) and knee(s)	30	—	—	—	—	80
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	30	—	—	50	—	30
Body systems	290	—	220	190	230	910
Multiple body parts	2,380	—	1,120	1,240	290	3,650
Multiple body parts, unspecified	250	—	110	40	—	190
Head and neck	—	—	20	40	—	—
Head, neck, and trunk	—	—	—	—	—	50
Head and trunk	30	—	—	20	—	—
Neck and back	70	—	170	50	—	560
Shoulder(s) and back	40	—	30	60	—	100
Hip(s) and leg(s)	—	—	—	—	—	50
Upper and lower limb(s)	730	—	90	140	—	340
Other multiple body parts	1,250	—	690	890	260	2,330

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Whole body	891	200	—	—	20	—	90	—
Multiple body parts, n.e.c.	899	22,100	200	100	4,960	720	10,660	60

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2011²
 — Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Whole body	30	—	—	30	—	—
Multiple body parts, n.e.c.	1,210	—	690	860	250	2,330

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Summary occupational groups ⁵					
			Management, business, and financial occupations	Computer, engineering, and science occupations	Education, legal, community service, arts, and media occupations	Healthcare practitioners and technical occupations	Service occupations	Sales and related occupations
Nonclassifiable	9999	2,690	–	40	430	40	980	–

See footnotes at end of table.

TABLE L53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, local government, 2011²
 — Continued

Part of body	Summary occupational groups ⁵					
	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Nonclassifiable	140	—	—	840	—	20

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ *Standard Occupational Classification Manual*, 2010, Office of Management and Budget.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.