

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2011²

Part of body	Part of body code ³	Local government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		199,700	26,530	13.3	20,570	10.3	33,770	16.9
Head	1	12,430	2,760	22.2	2,630	21.2	2,530	20.4
Head, unspecified	10	3,190	560	17.6	690	21.6	600	18.8
Cranial region, including skull	11	2,840	360	12.7	520	18.3	480	16.9
Cranial region, unspecified	110	30	—	—	—	—	—	—
Brain	111	1,850	230	12.4	400	21.6	420	22.7
Scalp	112	690	60	8.7	120	17.4	50	7.2
Skull	113	110	—	—	—	—	—	—
Multiple cranial region locations	118	140	50	35.7	—	—	—	—
Cranial region, n.e.c.	119	20	—	—	—	—	—	—
Ear(s)	12	400	110	27.5	80	20.0	80	20.0
Face	13	5,790	1,700	29.4	1,320	22.8	1,280	22.1
Face, unspecified	130	790	200	25.3	30	3.8	310	39.2
Forehead	131	400	140	35.0	50	12.5	110	27.5
Eye(s)	132	3,120	1,020	32.7	870	27.9	680	21.8
Nose, nasal cavity	133	260	100	38.5	30	11.5	30	11.5
Nose, except internal location of diseases or disorders	1330	260	100	38.5	30	11.5	30	11.5
Cheek(s)	134	230	—	—	—	—	—	—
Jaw, chin	135	90	20	22.2	30	33.3	—	—
Mouth	136	440	120	27.3	240	54.5	50	11.4
Mouth, unspecified	1360	30	—	—	—	—	—	—
Lip(s)	1361	240	40	16.7	180	75.0	—	—
Tooth (teeth)	1363	120	60	50.0	—	—	40	33.3
Multiple mouth locations	1368	40	—	—	—	—	—	—
Multiple face locations	138	370	60	16.2	60	16.2	90	24.3
Face, n.e.c.	139	80	30	37.5	—	—	—	—
Multiple head locations	18	170	20	11.8	20	11.8	70	41.2
Head, n.e.c.	19	50	—	—	—	—	—	—
Neck, including throat	2	2,730	520	19.0	390	14.3	360	13.2
Neck, except internal location of diseases or disorders ...	20	2,720	510	18.8	390	14.3	360	13.2
Trunk	3	42,260	4,990	11.8	4,540	10.7	8,130	19.2
Trunk, unspecified	30	210	—	—	60	28.6	70	33.3
Chest, including ribs, internal organs	31	3,440	390	11.3	420	12.2	720	20.9
Chest, except internal location of diseases or disorders	310	2,650	330	12.5	260	9.8	600	22.6
Internal chest location, unspecified	311	100	40	40.0	—	—	20	20.0
Heart	313	490	—	—	—	—	50	10.2
Lung(s), pleura	315	170	—	—	—	—	40	23.5
Internal chest location, n.e.c.	319	20	—	—	—	—	—	—
Back, including spine, spinal cord	32	31,810	3,680	11.6	3,480	10.9	6,470	20.3
Back, including spine, spinal cord, unspecified	320	11,450	1,350	11.8	1,130	9.9	2,270	19.8
Thoracic region	321	1,540	290	18.8	120	7.8	310	20.1
Lumbar region	322	17,510	1,840	10.5	1,970	11.3	3,650	20.8
Sacral region	323	110	30	27.3	—	—	20	18.2
Coccygeal region	324	150	50	33.3	—	—	40	26.7

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	26,900	13.5	28,760	14.4	14,410	7.2	48,770	24.4	8
Head	1,520	12.2	1,330	10.7	360	2.9	1,300	10.5	3
Head, unspecified	430	13.5	480	15.0	110	3.4	320	10.0	3
Cranial region, including skull	440	15.5	220	7.7	90	3.2	720	25.4	6
Cranial region, unspecified	—	—	—	—	—	—	—	—	3
Brain	250	13.5	200	10.8	50	2.7	310	16.8	4
Scalp	110	15.9	20	2.9	—	—	320	46.4	12
Skull	60	54.5	—	—	—	—	—	—	8
Multiple cranial region locations	—	—	—	—	—	—	80	57.1	52
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	1
Ear(s)	50	12.5	—	—	70	17.5	—	—	3
Face	580	10.0	620	10.7	80	1.4	210	3.6	2
Face, unspecified	110	13.9	70	8.9	—	—	50	6.3	3
Forehead	30	7.5	50	12.5	—	—	—	—	3
Eye(s)	120	3.8	340	10.9	—	—	90	2.9	2
Nose, nasal cavity	70	26.9	20	7.7	—	—	—	—	3
Nose, except internal location of diseases or disorders	70	26.9	20	7.7	—	—	—	—	3
Cheek(s)	140	60.9	60	26.1	—	—	—	—	6
Jaw, chin	—	—	—	—	—	—	20	22.2	2
Mouth	20	4.5	—	—	—	—	—	—	2
Mouth, unspecified	—	—	—	—	—	—	—	—	2
Lip(s)	—	—	—	—	—	—	—	—	2
Tooth (teeth)	—	—	—	—	—	—	—	—	1
Multiple mouth locations	—	—	—	—	—	—	—	—	2
Multiple face locations	60	16.2	50	13.5	40	10.8	—	—	4
Face, n.e.c.	20	25.0	20	25.0	—	—	—	—	7
Multiple head locations	—	—	—	—	20	11.8	30	17.6	4
Head, n.e.c.	—	—	—	—	—	—	—	—	7
Neck, including throat	280	10.3	280	10.3	240	8.8	660	24.2	7
Neck, except internal location of diseases or disorders ...	280	10.3	280	10.3	240	8.8	660	24.3	7
Trunk	6,870	16.3	5,850	13.8	3,440	8.1	8,440	20.0	8
Trunk, unspecified	—	—	60	28.6	—	—	—	—	3
Chest, including ribs, internal organs	810	23.5	480	14.0	310	9.0	320	9.3	7
Chest, except internal location of diseases or disorders	580	21.9	470	17.7	230	8.7	190	7.2	7
Internal chest location, unspecified	30	30.0	—	—	—	—	—	—	2
Heart	130	26.5	—	—	30	6.1	120	24.5	10
Lung(s), pleura	70	41.2	—	—	50	29.4	—	—	9
Internal chest location, n.e.c.	—	—	—	—	—	—	—	—	3
Back, including spine, spinal cord	5,190	16.3	4,440	14.0	2,470	7.8	6,080	19.1	7
Back, including spine, spinal cord, unspecified	2,030	17.7	1,780	15.5	730	6.4	2,160	18.9	7
Thoracic region	420	27.3	150	9.7	70	4.5	180	11.7	6
Lumbar region	2,510	14.3	2,440	13.9	1,590	9.1	3,510	20.0	8
Sacral region	30	27.3	—	—	—	—	—	—	6
Coccygeal region	—	—	—	—	—	—	20	13.3	3

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Multiple back regions	328	1,010	120	11.9	240	23.8	160	15.8
Back, including spine, spinal cord, n.e.c.	329	40	—	—	—	—	—	—
Abdomen	33	2,450	350	14.3	130	5.3	200	8.2
Abdomen, except internal location of diseases or disorders	330	2,070	340	16.4	90	4.3	190	9.2
Internal abdominal location, unspecified	331	110	—	—	—	—	—	—
Urinary organs	334	180	—	—	—	—	—	—
Kidney(s)	3342	30	—	—	—	—	—	—
Intestines, peritoneum	335	20	—	—	—	—	—	—
Other digestive structures	336	70	—	—	—	—	—	—
Pelvic region	34	3,240	470	14.5	340	10.5	560	17.3
Pelvic region, unspecified	340	130	—	—	—	—	—	—
Hip(s)	341	1,420	220	15.5	160	11.3	250	17.6
Pelvis	342	110	—	—	30	27.3	—	—
Buttock(s)	343	390	150	38.5	40	10.3	40	10.3
Groin	344	1,070	60	5.6	110	10.3	250	23.4
External reproductive tract structures	345	40	30	75.0	—	—	—	—
Scrotum	3451	30	—	—	—	—	—	—
Multiple pelvic region locations	348	40	—	—	—	—	—	—
Multiple trunk locations	38	1,100	80	7.3	110	10.0	110	10.0
Trunk, n.e.c.	39	20	—	—	—	—	—	—
Upper extremities	4	51,930	5,430	10.5	4,020	7.7	7,780	15.0
Upper extremities, unspecified	40	80	—	—	20	25.0	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	13,680	910	6.7	980	7.2	1,440	10.5
Arm(s)	42	9,760	1,160	11.9	690	7.1	1,650	16.9
Arm(s), unspecified	420	2,660	260	9.8	190	7.1	330	12.4
Upper arm(s)	421	1,030	30	2.9	20	1.9	120	11.7
Elbow(s)	422	3,690	490	13.3	170	4.6	790	21.4
Forearm(s)	423	1,440	220	15.3	80	5.6	340	23.6
Multiple arm locations	428	900	160	17.8	210	23.3	60	6.7
Multiple arm locations, unspecified	4280	230	—	—	190	82.6	—	—
Elbow(s) and arm(s)	4281	250	—	—	—	—	20	8.0
Multiple arm locations, n.e.c.	4289	420	150	35.7	20	4.8	40	9.5
Arm(s), n.e.c.	429	40	—	—	—	—	—	—
Wrist(s)	43	6,690	420	6.3	460	6.9	1,530	22.9
Hand(s)	44	16,660	2,460	14.8	1,570	9.4	2,710	16.3
Hand(s), unspecified	440	5,220	1,050	20.1	440	8.4	770	14.8
Hand(s), except finger(s)	441	990	120	12.1	30	3.0	180	18.2
Finger(s), fingernail(s)	442	9,460	1,260	13.3	1,000	10.6	1,700	18.0
Finger(s), fingernail(s), unspecified	4420	7,250	980	13.5	850	11.7	1,380	19.0
Fingernail(s), nailbed(s)	4421	60	—	—	—	—	—	—
Fingertip(s)	4422	500	40	8.0	20	4.0	110	22.0
Finger(s), fingernail(s), n.e.c.	4429	1,650	230	13.9	120	7.3	200	12.1
Hand(s) and finger(s)	448	860	30	3.5	20	2.3	50	5.8
Hand(s), n.e.c.	449	140	—	—	80	57.1	—	—
Multiple upper extremities locations	48	5,000	460	9.2	300	6.0	420	8.4
Multiple upper extremities locations, unspecified	480	270	40	14.8	—	—	40	14.8
Hand(s) and arms(s)	481	630	30	4.8	20	3.2	30	4.8

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Multiple back regions	180	17.8	50	5.0	70	6.9	190	18.8	5
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	5
Abdomen	240	9.8	380	15.5	370	15.1	780	31.8	18
Abdomen, except internal location of diseases or disorders	230	11.1	370	17.9	370	17.9	470	22.7	15
Internal abdominal location, unspecified	—	—	—	—	—	—	90	81.8	77
Urinary organs	—	—	—	—	—	—	180	100.0	40
Kidney(s)	—	—	—	—	—	—	—	—	35
Intestines, peritoneum	—	—	—	—	—	—	—	—	31
Other digestive structures	—	—	—	—	—	—	—	—	180
Pelvic region	350	10.8	370	11.4	250	7.7	900	27.8	8
Pelvic region, unspecified	—	—	—	—	110	84.6	—	—	30
Hip(s)	70	4.9	100	7.0	30	2.1	590	41.5	10
Pelvis	—	—	—	—	—	—	70	63.6	45
Buttock(s)	160	41.0	—	—	—	—	—	—	3
Groin	110	10.3	210	19.6	110	10.3	220	20.6	11
External reproductive tract structures	—	—	—	—	—	—	—	—	1
Scrotum	—	—	—	—	—	—	—	—	1
Multiple pelvic region locations	—	—	—	—	—	—	—	—	4
Multiple trunk locations	280	25.5	130	11.8	40	3.6	350	31.8	9
Trunk, n.e.c.	—	—	—	—	—	—	—	—	1
Upper extremities	7,060	13.6	8,180	15.8	4,100	7.9	15,350	29.6	12
Upper extremities, unspecified	20	25.0	—	—	—	—	20	25.0	3
Shoulder(s), including clavicle(s), scapula(e)	1,730	12.6	1,870	13.7	1,280	9.4	5,460	39.9	19
Arm(s)	1,500	15.4	1,140	11.7	660	6.8	2,970	30.4	10
Arm(s), unspecified	380	14.3	480	18.0	370	13.9	650	24.4	14
Upper arm(s)	150	14.6	30	2.9	90	8.7	580	56.3	45
Elbow(s)	500	13.6	520	14.1	100	2.7	1,120	30.4	8
Forearm(s)	370	25.7	80	5.6	80	5.6	290	20.1	8
Multiple arm locations	100	11.1	20	2.2	30	3.3	330	36.7	7
Multiple arm locations, unspecified	—	—	—	—	—	—	—	—	2
Elbow(s) and arm(s)	70	28.0	—	—	—	—	130	52.0	33
Multiple arm locations, n.e.c.	20	4.8	—	—	—	—	190	45.2	6
Arm(s), n.e.c.	—	—	—	—	—	—	—	—	2
Wrist(s)	730	10.9	680	10.2	680	10.2	2,190	32.7	12
Hand(s)	2,640	15.8	3,050	18.3	1,270	7.6	2,960	17.8	8
Hand(s), unspecified	760	14.6	860	16.5	440	8.4	910	17.4	7
Hand(s), except finger(s)	310	31.3	60	6.1	50	5.1	230	23.2	8
Finger(s), fingernail(s)	1,490	15.8	1,850	19.6	670	7.1	1,490	15.8	7
Finger(s), fingernail(s), unspecified	1,120	15.4	1,550	21.4	330	4.6	1,030	14.2	7
Fingernail(s), nailbed(s)	20	33.3	20	33.3	—	—	—	—	9
Fingertip(s)	70	14.0	40	8.0	90	18.0	110	22.0	10
Finger(s), fingernail(s), n.e.c.	280	17.0	240	14.5	250	15.2	340	20.6	10
Hand(s) and finger(s)	80	9.3	250	29.1	110	12.8	310	36.0	19
Hand(s), n.e.c.	—	—	20	14.3	—	—	20	14.3	2
Multiple upper extremities locations	440	8.8	1,410	28.2	220	4.4	1,740	34.8	16
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	180	66.7	65
Hand(s) and arms(s)	—	—	400	63.5	50	7.9	90	14.3	12

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Hand(s) and arm(s), unspecified	4810	100	20	20.0	—	—	—	—
Hand(s) and elbow(s)	4811	100	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	430	—	—	—	—	20	4.7
Hand(s) and wrist(s)	482	1,410	50	3.5	—	—	100	7.1
Wrist(s) and arm(s)	483	320	90	28.1	—	—	20	6.2
Wrist(s) and arm(s), unspecified	4830	100	20	20.0	—	—	—	—
Wrist(s) and elbow(s)	4831	90	40	44.4	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	120	30	25.0	—	—	—	—
Shoulder(s) and arm(s)	484	1,200	200	16.7	120	10.0	140	11.7
Multiple upper extremities locations, n.e.c.	489	1,170	40	3.4	130	11.1	100	8.5
Upper extremities, n.e.c.	49	60	—	—	—	—	—	—
Lower extremities	5	49,900	5,330	10.7	5,480	11.0	8,140	16.3
Lower extremities, unspecified	50	110	—	—	—	—	40	36.4
Leg(s)	51	29,790	2,890	9.7	3,050	10.2	4,520	15.2
Leg(s), unspecified	510	3,590	210	5.8	670	18.7	510	14.2
Thigh(s)	511	1,550	100	6.5	100	6.5	180	11.6
Knee(s)	512	21,870	2,370	10.8	1,800	8.2	3,370	15.4
Lower leg(s)	513	1,680	170	10.1	370	22.0	320	19.0
Multiple leg locations	518	1,060	50	4.7	100	9.4	150	14.2
Multiple leg locations, unspecified	5180	70	—	—	30	42.9	—	—
Knee(s) and leg(s)	5181	540	20	3.7	60	11.1	70	13.0
Multiple leg locations, n.e.c.	5189	450	20	4.4	—	—	70	15.6
Leg(s), n.e.c.	519	40	—	—	—	—	—	—
Ankle(s)	52	10,500	1,000	9.5	1,120	10.7	2,130	20.3
Foot (feet)	53	7,000	1,050	15.0	1,010	14.4	1,110	15.9
Foot (feet), unspecified	530	4,750	710	14.9	760	16.0	730	15.4
Sole(s)	531	410	20	4.9	40	9.8	40	9.8
Sole(s), unspecified	5310	50	—	—	—	—	—	—
Arch(es), instep(s)	5312	40	—	—	—	—	—	—
Heel(s)	5313	300	—	—	30	10.0	20	6.7
Toes(s), toenail(s)	532	1,540	290	18.8	190	12.3	270	17.5
Multiple foot (feet) locations	538	110	—	—	—	—	30	27.3
Foot (feet), n.e.c.	539	180	30	16.7	—	—	40	22.2
Multiple lower extremities locations	58	2,510	390	15.5	300	12.0	330	13.1
Multiple lower extremities locations, unspecified	580	120	—	—	—	—	—	—
Foot (feet) and leg(s)	581	380	90	23.7	20	5.3	60	15.8
Foot(feet) and leg(s), unspecified	5810	80	20	25.0	—	—	40	50.0
Foot(feet) and knee(s)	5811	290	70	24.1	—	—	20	6.9
Foot (feet) and ankle(s)	582	740	170	23.0	80	10.8	130	17.6
Ankle(s) and leg(s)	583	740	70	9.5	160	21.6	120	16.2
Ankle(s) and leg(s), unspecified	5830	120	—	—	20	16.7	—	—
Ankle(s) and knee(s)	5831	510	70	13.7	130	25.5	100	19.6
Ankle(s) and leg(s), n.e.c.	5839	110	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	530	60	11.3	50	9.4	30	5.7
Body systems	6	5,650	1,190	21.1	670	11.9	1,220	21.6
Multiple body parts	8	32,120	4,970	15.5	2,700	8.4	5,320	16.6

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Hand(s) and arm(s), unspecified	—	—	30	30.0	—	—	20	20.0	11
Hand(s) and elbow(s)	—	—	—	—	30	30.0	40	40.0	27
Hand(s) and arm(s), n.e.c.	—	—	370	86.0	—	—	20	4.7	12
Hand(s) and wrist(s)	120	8.5	440	31.2	80	5.7	620	44.0	18
Wrist(s) and arm(s)	40	12.5	60	18.8	20	6.2	80	25.0	9
Wrist(s) and arm(s), unspecified	—	—	—	—	—	—	40	40.0	30
Wrist(s) and elbow(s)	—	—	40	44.4	—	—	—	—	18
Wrist(s) and arm(s), n.e.c.	30	25.0	—	—	—	—	20	16.7	7
Shoulder(s) and arm(s)	110	9.2	190	15.8	50	4.2	400	33.3	12
Multiple upper extremities locations, n.e.c.	150	12.8	330	28.2	20	1.7	390	33.3	15
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—	3
Lower extremities	7,000	14.0	7,750	15.5	3,720	7.5	12,480	25.0	10
Lower extremities, unspecified	—	—	—	—	—	—	50	45.5	26
Leg(s)	3,940	13.2	4,910	16.5	2,470	8.3	8,000	26.9	11
Leg(s), unspecified	400	11.1	480	13.4	50	1.4	1,260	35.1	11
Thigh(s)	130	8.4	310	20.0	170	11.0	550	35.5	20
Knee(s)	3,140	14.4	3,620	16.6	1,840	8.4	5,730	26.2	11
Lower leg(s)	190	11.3	260	15.5	100	6.0	270	16.1	5
Multiple leg locations	80	7.5	230	21.7	300	28.3	160	15.1	14
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—	2
Knee(s) and leg(s)	70	13.0	60	11.1	160	29.6	110	20.4	20
Multiple leg locations, n.e.c.	—	—	160	35.6	140	31.1	50	11.1	11
Leg(s), n.e.c.	—	—	—	—	—	—	—	—	29
Ankle(s)	1,590	15.1	1,450	13.8	600	5.7	2,610	24.9	8
Foot (feet)	1,100	15.7	960	13.7	520	7.4	1,240	17.7	6
Foot (feet), unspecified	520	10.9	800	16.8	430	9.1	800	16.8	6
Sole(s)	40	9.8	30	7.3	30	7.3	210	51.2	44
Sole(s), unspecified	—	—	—	—	—	—	—	—	11
Arch(es), instep(s)	—	—	—	—	—	—	—	—	7
Heel(s)	30	10.0	20	6.7	—	—	200	66.7	67
Toes(s), toenail(s)	510	33.1	60	3.9	50	3.2	190	12.3	6
Multiple foot (feet) locations	—	—	30	27.3	—	—	—	—	7
Foot (feet), n.e.c.	20	11.1	40	22.2	—	—	40	22.2	7
Multiple lower extremities locations	370	14.7	420	16.7	120	4.8	580	23.1	7
Multiple lower extremities locations, unspecified	110	91.7	—	—	—	—	—	—	6
Foot (feet) and leg(s)	60	15.8	70	18.4	—	—	80	21.1	6
Foot(feet) and leg(s), unspecified	—	—	—	—	—	—	—	—	4
Foot(feet) and knee(s)	50	17.2	60	20.7	—	—	70	24.1	6
Foot (feet) and ankle(s)	70	9.5	60	8.1	60	8.1	180	24.3	5
Ankle(s) and leg(s)	90	12.2	50	6.8	50	6.8	210	28.4	7
Ankle(s) and leg(s), unspecified	20	16.7	—	—	30	25.0	30	25.0	21
Ankle(s) and knee(s)	60	11.8	40	7.8	—	—	100	19.6	4
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	—	80	72.7	81
Multiple lower extremities locations, n.e.c.	50	9.4	240	45.3	—	—	100	18.9	20
Body systems	470	8.3	610	10.8	370	6.5	1,100	19.5	4
Multiple body parts	3,460	10.8	4,570	14.2	1,790	5.6	9,310	29.0	10

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

Part of body	Part of body code ³	Local government ⁴	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Multiple body parts, unspecified	80	1,970	280	14.2	310	15.7	220	11.2
Head and neck	81	440	100	22.7	70	15.9	100	22.7
Head, neck, and trunk	82	220	50	22.7	20	9.1	60	27.3
Head and trunk	83	330	100	30.3	30	9.1	70	21.2
Neck and back	84	2,680	620	23.1	160	6.0	280	10.4
Shoulder(s) and back	85	700	90	12.9	30	4.3	130	18.6
Hip(s) and leg(s)	86	590	200	33.9	60	10.2	40	6.8
Upper and lower limb(s)	87	2,910	340	11.7	230	7.9	850	29.2
Other multiple body parts	89	22,300	3,200	14.3	1,790	8.0	3,570	16.0
Whole body	891	200	70	35.0	20	10.0	—	—
Multiple body parts, n.e.c.	899	22,100	3,130	14.2	1,770	8.0	3,560	16.1
Nonclassifiable	9999	2,690	1,330	49.4	140	5.2	290	10.8

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2011² — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Multiple body parts, unspecified	170	8.6	160	8.1	150	7.6	670	34.0	11
Head and neck	90	20.5	60	13.6	—	—	—	—	4
Head, neck, and trunk	—	—	50	22.7	—	—	20	9.1	4
Head and trunk	30	9.1	50	15.2	—	—	50	15.2	3
Neck and back	220	8.2	330	12.3	270	10.1	800	29.9	11
Shoulder(s) and back	—	—	70	10.0	80	11.4	290	41.4	21
Hip(s) and leg(s)	30	5.1	30	5.1	—	—	220	37.3	4
Upper and lower limb(s)	270	9.3	250	8.6	320	11.0	660	22.7	6
Other multiple body parts	2,630	11.8	3,570	16.0	940	4.2	6,600	29.6	10
Whole body	20	10.0	30	15.0	—	—	50	25.0	6
Multiple body parts, n.e.c.	2,610	11.8	3,540	16.0	940	4.3	6,550	29.6	10
Nonclassifiable	230	8.6	180	6.7	390	14.5	140	5.2	2

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.