

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2012²

Part of body	Part of body code ³	Local government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		181,060	—	50	1,050	5,030	31,180	45,370	53,720	36,370	5,430	2,870
Head	1	11,330	—	—	140	460	1,730	2,920	2,900	2,400	650	120
Head, unspecified	10	1,990	—	—	40	70	270	440	410	470	240	50
Cranial region, including skull	11	2,760	—	—	80	90	430	800	770	480	110	—
Cranial region, unspecified	110	410	—	—	—	—	—	230	40	140	—	—
Brain	111	1,810	—	—	80	70	350	480	580	190	50	—
Scalp	112	380	—	—	—	—	70	70	80	100	50	—
Skull	113	100	—	—	—	—	—	—	60	—	—	—
Cranial region, n.e.c.	119	50	—	—	—	—	—	—	—	—	—	—
Ear(s)	12	190	—	—	—	—	70	60	60	60	—	—
Face	13	6,040	—	—	20	290	990	1,550	1,620	1,320	170	70
Face, unspecified	130	1,230	—	—	—	20	200	750	120	110	—	—
Forehead	131	390	—	—	—	30	70	30	140	70	40	—
Eye(s)	132	2,700	—	—	—	180	480	560	690	690	30	60
Nose, nasal cavity	133	320	—	—	—	30	50	60	130	40	—	—
Nose, except internal location of diseases or disorders	1330	320	—	—	—	30	50	60	120	40	—	—
Cheek(s)	134	60	—	—	—	—	—	20	20	—	—	—
Jaw, chin	135	90	—	—	—	—	30	20	20	—	—	—
Mouth	136	460	—	—	—	—	20	40	350	30	—	—
Lip(s)	1361	320	—	—	—	—	—	20	280	—	—	—
Tooth (teeth)	1363	110	—	—	—	—	—	60	20	—	—	—
Multiple face locations	138	690	—	—	—	20	120	50	120	350	40	—
Face, n.e.c.	139	100	—	—	—	—	—	30	30	20	—	—
Multiple head locations	18	340	—	—	—	—	30	70	40	60	130	—
Neck, including throat	2	2,660	—	—	30	70	290	1,010	740	430	70	30
Neck, except internal location of diseases or disorders ...	20	2,620	—	—	30	70	290	970	740	430	70	30
Trunk	3	39,120	—	—	270	1,200	6,900	10,250	11,770	7,240	990	490
Trunk, unspecified	30	210	—	—	—	—	20	30	90	60	—	—
Chest, including ribs, internal organs	31	2,890	—	—	—	—	310	850	820	680	180	40
Chest, except internal location of diseases or disorders	310	2,290	—	—	—	—	230	600	590	650	180	30
Internal chest location, unspecified	311	100	—	—	—	—	60	—	20	—	—	—
Heart	313	360	—	—	—	—	—	160	160	20	—	—
Lung(s), pleura	315	110	—	—	—	—	—	90	—	—	—	—
Back, including spine, spinal cord	32	29,790	—	—	250	1,050	5,420	8,070	9,070	4,920	570	420
Back, including spine, spinal cord, unspecified	320	11,780	—	—	130	330	1,760	3,280	3,870	1,970	210	220
Thoracic region	321	1,530	—	—	20	150	130	460	620	120	40	—
Lumbar region	322	15,210	—	—	100	500	3,290	4,000	4,280	2,530	320	190
Sacral region	323	130	—	—	—	—	—	—	90	20	—	—
Coccygeal region	324	220	—	—	—	—	40	60	50	60	—	—
Multiple back regions	328	860	—	—	—	70	180	200	170	220	—	—
Back, including spine, spinal cord, n.e.c.	329	60	—	—	—	—	—	—	—	—	—	—
Abdomen	33	2,440	—	—	—	40	330	660	710	610	30	40
Abdomen, except internal location of diseases or disorders	330	2,100	—	—	—	40	260	540	630	550	30	40
Internal abdominal location, unspecified	331	250	—	—	—	—	70	80	60	50	—	—

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Intestines, peritoneum	335	70	-	-	-	-	-	40	20	-	-	-
Large intestine, colon, rectum	3353	60	-	-	-	-	-	40	-	-	-	-
Pelvic region	34	2,890	-	-	-	80	610	450	780	790	180	-
Pelvic region, unspecified	340	40	-	-	-	-	-	40	-	-	-	-
Hip(s)	341	1,070	-	-	-	40	180	190	210	330	120	-
Pelvis	342	60	-	-	-	-	20	-	-	30	-	-
Buttock(s)	343	300	-	-	-	-	130	20	40	60	40	-
Groin	344	1,320	-	-	-	30	270	220	420	370	-	-
External reproductive tract structures	345	30	-	-	-	-	20	-	-	-	-	-
Scrotum	3451	20	-	-	-	-	20	-	-	-	-	-
Multiple pelvic region locations	348	60	-	-	-	-	-	-	50	-	-	-
Pelvic region, n.e.c.	349	20	-	-	-	-	-	-	-	-	-	-
Multiple trunk locations	38	860	-	-	-	-	190	190	290	180	-	-
Trunk, n.e.c.	39	40	-	-	-	-	-	-	-	-	-	-
Upper extremities	4	45,190	-	20	230	990	6,870	11,150	14,280	9,550	1,200	880
Upper extremities, unspecified	40	30	-	-	-	-	-	-	-	-	-	-
Shoulder(s), including clavicle(s), scapula(e)	41	14,580	-	-	50	340	2,280	3,070	4,700	3,520	410	220
Arm(s)	42	8,020	-	-	30	220	1,080	2,120	2,140	2,050	180	210
Arm(s), unspecified	420	2,700	-	-	-	110	500	770	540	560	60	160
Upper arm(s)	421	930	-	-	-	30	80	160	370	250	40	-
Elbow(s)	422	2,140	-	-	-	70	240	600	830	340	50	-
Forearm(s)	423	1,390	-	-	20	20	210	360	240	470	20	40
Multiple arm locations	428	740	-	-	-	-	30	180	100	420	-	-
Multiple arm locations, unspecified	4280	100	-	-	-	-	-	90	-	-	-	-
Elbow(s) and arm(s)	4281	550	-	-	-	-	30	70	30	420	-	-
Multiple arm locations, n.e.c.	4289	90	-	-	-	-	-	-	70	-	-	-
Arm(s), n.e.c.	429	130	-	-	-	-	20	50	50	-	-	-
Wrist(s)	43	6,490	-	-	20	80	740	1,710	2,370	1,260	140	170
Hand(s)	44	12,940	-	20	130	310	2,450	3,350	3,830	2,200	360	270
Hand(s), unspecified	440	3,520	-	-	40	100	870	860	1,000	490	100	60
Hand(s), except finger(s)	441	780	-	-	-	20	260	230	120	100	40	-
Finger(s), fingernail(s)	442	7,500	-	-	90	170	1,240	2,080	2,100	1,400	210	200
Finger(s), fingernail(s), unspecified	4420	5,350	-	-	60	140	720	1,330	1,750	980	180	170
Fingernail(s), nailbed(s)	4421	120	-	-	-	-	-	80	20	-	-	-
Fingertip(s)	4422	420	-	-	-	-	80	70	40	220	-	-
Finger(s), fingernail(s), n.e.c.	4429	1,610	-	-	20	30	430	610	290	190	30	-
Hand(s) and finger(s)	448	660	-	-	-	-	70	120	260	190	-	-
Hand(s), n.e.c.	449	480	-	-	-	-	-	60	360	30	-	-
Multiple upper extremities locations	48	3,090	-	-	-	40	320	890	1,200	510	100	30
Multiple upper extremities locations, unspecified	480	80	-	-	-	-	-	-	-	40	30	-
Hand(s) and arms(s)	481	220	-	-	-	-	30	50	80	40	-	-
Hand(s) and arm(s), unspecified	4810	70	-	-	-	-	20	20	20	-	-	-
Hand(s) and elbow(s)	4811	40	-	-	-	-	-	-	-	20	-	-
Hand(s) and arm(s), n.e.c.	4819	110	-	-	-	-	-	20	50	20	-	-
Hand(s) and wrist(s)	482	580	-	-	-	20	110	130	190	110	20	-
Wrist(s) and arm(s)	483	270	-	-	-	-	30	100	50	60	20	-
Wrist(s) and arm(s), unspecified	4830	80	-	-	-	-	-	20	20	20	-	-
Wrist(s) and elbow(s)	4831	40	-	-	-	-	-	-	-	-	-	-
Wrist(s) and arm(s), n.e.c.	4839	150	-	-	-	-	-	80	20	30	-	-

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Shoulder(s) and arm(s)	484	980	-	-	-	-	60	340	400	160	-	-
Multiple upper extremities locations, n.e.c.	489	960	-	-	-	-	80	270	480	100	20	-
Upper extremities, n.e.c.	49	40	-	-	-	-	-	-	30	-	-	-
Lower extremities	5	44,000	-	-	250	1,630	8,850	10,780	11,580	9,030	1,310	560
Leg(s)	51	25,390	-	-	80	760	4,680	6,320	7,030	5,460	760	310
Leg(s), unspecified	510	1,770	-	-	-	50	280	450	480	420	80	-
Thigh(s)	511	790	-	-	-	-	40	250	260	200	20	-
Knee(s)	512	20,360	-	-	60	680	3,880	4,970	5,750	4,180	550	280
Lower leg(s)	513	1,960	-	-	-	30	450	570	340	510	60	-
Multiple leg locations	518	420	-	-	-	-	30	80	190	100	20	-
Multiple leg locations, unspecified	5180	20	-	-	-	-	-	-	-	-	-	-
Knee(s) and leg(s)	5181	320	-	-	-	-	20	70	140	70	20	-
Multiple leg locations, n.e.c.	5189	70	-	-	-	-	-	-	20	40	-	-
Leg(s), n.e.c.	519	110	-	-	-	-	-	-	20	40	-	-
Ankle(s)	52	10,130	-	-	100	550	2,710	2,750	2,110	1,520	210	180
Foot (feet)	53	6,070	-	-	40	280	1,010	1,190	1,790	1,500	180	70
Foot (feet), unspecified	530	4,130	-	-	30	250	670	770	1,240	1,040	70	60
Sole(s)	531	380	-	-	-	-	50	160	80	80	-	-
Sole(s), unspecified	5310	40	-	-	-	-	-	20	-	-	-	-
Heel(s)	5313	310	-	-	-	-	40	140	50	70	-	-
Toes(s), toenail(s)	532	1,030	-	-	-	20	120	160	360	260	100	-
Multiple foot (feet) locations	538	320	-	-	-	-	130	40	70	70	-	-
Foot (feet), n.e.c.	539	210	-	-	-	-	40	60	40	40	-	-
Multiple lower extremities locations	58	2,400	-	-	30	40	440	520	650	550	160	-
Multiple lower extremities locations, unspecified	580	40	-	-	-	-	-	-	20	-	-	-
Foot (feet) and leg(s)	581	350	-	-	-	-	30	30	230	40	-	-
Foot(feet) and leg(s), unspecified	5810	80	-	-	-	-	-	-	40	20	-	-
Foot(feet) and knee(s)	5811	230	-	-	-	-	20	-	180	20	-	-
Foot(feet) and leg(s), n.e.c.	5819	40	-	-	-	-	-	-	-	-	-	-
Foot (feet) and ankle(s)	582	760	-	-	-	-	250	160	80	160	70	-
Ankle(s) and leg(s)	583	880	-	-	-	20	100	130	250	290	90	-
Ankle(s) and leg(s), unspecified	5830	150	-	-	-	-	-	-	40	20	70	-
Ankle(s) and knee(s)	5831	630	-	-	-	-	70	100	190	250	-	-
Ankle(s) and leg(s), n.e.c.	5839	100	-	-	-	20	20	20	-	30	-	-
Multiple lower extremities locations, n.e.c.	589	370	-	-	-	-	50	200	70	40	-	-
Body systems	6	5,810	-	-	70	80	1,150	1,130	2,160	1,040	140	50
Multiple body parts	8	31,130	-	-	60	450	5,220	7,770	9,990	6,440	1,050	150
Multiple body parts, unspecified	80	3,070	-	-	-	60	380	370	1,570	550	120	-
Head and neck	81	500	-	-	-	20	60	90	190	120	-	-
Head, neck, and trunk	82	230	-	-	-	-	40	110	70	-	-	-
Head and trunk	83	400	-	-	-	-	20	100	200	80	-	-
Neck and back	84	2,890	-	-	-	20	520	890	940	470	40	20
Shoulder(s) and back	85	830	-	-	-	30	110	160	250	220	60	-
Hip(s) and leg(s)	86	410	-	-	-	-	-	70	130	180	-	-
Upper and lower limb(s)	87	2,820	-	-	30	60	800	860	430	570	80	-
Other multiple body parts	89	19,970	-	-	20	260	3,290	5,120	6,210	4,240	730	110
Whole body	891	60	-	-	-	-	-	-	20	-	-	-

See footnotes at end of table.

TABLE L50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Multiple body parts, n.e.c.	899	19,910	—	—	20	260	3,280	5,110	6,180	4,230	730	110
Nonclassifiable	9999	1,810	—	—	—	150	170	350	300	240	—	580

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.