

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2012²

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total		181,060	1,400	16,820	19,870	39,560	28,670	23,870	10,570	4,200	3,430	950	31,720
Traumatic injuries and disorders	1	173,830	1,320	16,280	19,420	38,580	27,740	23,170	10,260	4,090	3,360	920	28,680
Traumatic injuries and disorders, unspecified	10	3,680	20	310	230	510	950	730	110	30	70	20	710
Traumatic injuries to bones, nerves, spinal cord	11	10,050	140	920	1,150	2,000	1,650	1,530	720	220	170	-	1,530
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	70	-	-	-	30	-	-	-	-	-	-	-
Fractures	111	9,720	140	900	1,100	1,950	1,620	1,500	640	220	170	-	1,470
Traumatic injuries to spinal cord	112	40	-	-	20	-	-	-	-	-	-	-	-
Traumatic injuries to spinal cord, unspecified	1120	20	-	-	-	-	-	-	-	-	-	-	-
Traumatic injuries to spinal cord, n.e.c.	1129	20	-	-	-	-	-	-	-	-	-	-	-
Traumatic injuries to nerves, except the spinal cord	113	200	-	-	30	-	-	-	80	-	-	-	40
Pinched nerve	1131	200	-	-	30	-	-	-	80	-	-	-	40
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	80,130	660	7,230	9,510	18,450	13,300	9,840	4,280	1,940	1,230	550	13,130
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	650	-	-	40	40	20	50	-	-	-	-	400
Dislocations	121	1,580	-	90	150	180	490	180	40	30	80	-	340
Dislocations, unspecified	1210	140	-	-	-	30	30	-	-	-	-	-	50
Herniated discs	1211	360	-	40	20	30	100	80	-	-	-	-	70
Dislocation of joints	1212	1,020	-	50	120	120	350	70	20	20	70	-	210
Dislocations, n.e.c.	1219	50	-	-	-	-	-	30	-	-	-	-	-
Cartilage fractures and tears	122	860	-	140	100	170	190	80	50	30	20	-	70
Cartilage fractures and tears, unspecified	1220	20	-	-	-	-	-	-	-	-	-	-	-
Meniscus tears	1221	760	-	60	90	160	190	80	50	30	20	-	70
Cartilage fractures and tears, n.e.c.	1229	90	-	-	-	-	-	-	-	-	-	-	-
Sprains, strains, tears	123	75,740	660	6,820	9,040	17,800	12,410	9,430	4,110	1,860	1,070	540	12,020
Sprains, strains, tears, unspecified	1230	5,450	70	430	800	1,280	1,000	620	340	80	30	20	770
Major tears to muscles, tendons, ligaments	1231	3,020	-	210	380	780	290	410	170	90	50	60	560
Sprains	1232	19,890	250	1,860	2,420	4,430	3,500	2,520	1,360	440	300	120	2,700
Strains	1233	45,210	310	4,180	5,220	11,070	6,840	5,740	2,170	1,220	680	330	7,440
Multiple sprains, strains, tears	1238	2,170	-	130	210	240	780	140	70	30	-	-	550
Hernias due to traumatic incidents	124	1,040	-	140	100	240	150	60	50	-	-	-	290
Whiplash	125	120	-	20	20	-	30	30	-	-	-	-	-
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	120	-	20	50	-	-	-	-	-	-	-	20
Open wounds	13	11,130	-	810	760	2,440	1,250	2,180	830	570	880	-	1,380
Open wounds, unspecified	130	130	-	40	-	-	-	-	-	-	-	-	30
Amputations, avulsions, enucleations	131	270	-	40	20	60	70	30	20	-	-	-	40
Amputations	1311	150	-	30	-	20	40	-	-	-	-	-	20

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
Avulsions, enucleations	1312	110	—	—	—	40	20	—	—	—	—	—	—	20
Cuts, lacerations	132	7,590	—	620	650	1,660	950	1,480	470	540	130	—	—	1,050
Puncture wounds, except gunshot wounds	133	2,910	—	110	90	690	230	650	170	20	690	—	—	260
Gunshot wounds	134	230	—	—	—	20	—	—	120	—	60	—	—	—
Surface wounds and bruises	14	19,100	210	1,630	2,610	4,320	3,650	2,790	1,100	250	190	90	—	2,270
Surface wounds and bruises, unspecified	140	190	—	—	50	40	70	20	—	—	—	—	—	—
Abrasions, scratches	141	1,490	—	140	410	250	160	120	80	20	20	—	—	290
Blisters	142	100	—	—	—	—	—	—	—	—	—	—	—	—
Bruises, contusions	143	16,420	190	1,450	1,940	3,990	3,370	2,260	860	220	170	90	—	1,870
Multiple surface wounds and bruises	148	650	—	20	210	30	30	260	—	—	—	—	—	80
Surface wounds and bruises, n.e.c.	149	250	—	—	—	—	20	130	—	—	—	—	—	—
Burns and corrosions	15	2,760	—	130	150	1,060	330	210	250	350	—	20	—	260
Burns and corrosions, unspecified	150	90	—	—	—	—	—	—	—	—	—	—	—	70
Chemical burns and corrosions	151	240	—	—	—	110	40	40	20	—	—	—	—	—
Chemical burns and corrosions, unspecified	1510	220	—	—	—	110	40	40	—	—	—	—	—	—
Heat (thermal) burns	152	2,300	—	120	130	930	220	120	230	350	—	—	—	170
Heat (thermal) burns, unspecified ..	1520	1,670	—	100	70	780	170	80	—	350	—	—	—	90
First degree heat (thermal) burns ..	1521	180	—	—	60	70	—	—	—	—	—	—	—	—
Second degree heat (thermal) burns	1522	310	—	—	—	80	20	40	130	—	—	—	—	40
Third or fourth degree heat (thermal) burns	1523	20	—	—	—	—	—	—	—	—	—	—	—	—
Heat (thermal) burns, n.e.c.	1529	130	—	—	—	—	40	—	—	—	—	—	—	—
Electrical burns	153	110	—	—	—	—	50	30	—	—	—	—	—	—
Electrical burns, unspecified	1530	100	—	—	—	—	50	30	—	—	—	—	—	—
Other burns	159	20	—	—	—	—	—	—	—	—	—	—	—	—
Intracranial injuries	16	1,720	20	170	240	320	430	260	60	20	—	—	—	190
Intracranial injuries, unspecified	160	170	—	30	—	30	30	40	—	—	—	—	—	—
Concussions	162	1,520	—	140	210	280	390	220	60	20	—	—	—	180
Effects of environmental conditions	17	690	—	—	50	60	80	170	150	50	70	—	—	60
Effects of heat and light	172	680	—	—	40	60	80	160	150	50	70	—	—	50
Effects of heat and light, unspecified	1720	30	—	—	—	20	—	—	—	—	—	—	—	—
Heat stroke	1721	40	—	—	—	—	—	20	—	—	—	—	—	—
Heat syncope	1722	20	—	—	—	—	—	20	—	—	—	—	—	—
Heat fatigue	1723	50	—	—	—	—	—	—	40	—	—	—	—	—
Heat exhaustion, prostration	1725	320	—	—	—	30	70	60	40	20	70	—	—	40
Effects of heat and light, n.e.c.	1729	210	—	—	40	—	—	60	—	30	—	—	—	—
Multiple traumatic injuries and disorders	18	7,260	70	830	1,000	1,220	1,120	960	800	80	390	—	—	800
Multiple traumatic injuries and disorders, unspecified	180	650	—	70	200	90	150	20	20	—	—	—	—	90
Cuts and abrasions or bruises	181	1,560	20	110	150	250	250	170	340	—	50	—	—	210
Sprains and other injuries	182	3,440	30	420	550	600	330	410	320	30	340	—	—	400
Sprains and other injuries, unspecified	1820	240	—	—	130	20	—	40	—	—	—	—	—	40

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Sprains and bruises	1821	2,480	30	320	260	530	250	240	220	20	330	—	290
Sprains and cuts	1822	220	—	70	30	20	20	—	—	—	—	—	70
Sprains and other injuries, n.e.c.	1829	500	—	30	140	40	60	120	90	—	—	—	—
Fractures and other injuries	183	840	—	90	50	150	60	290	80	30	—	—	70
Fractures and other injuries, unspecified	1830	90	—	—	—	30	—	30	—	—	—	—	—
Fractures (except skull fractures) and concussions	1831	70	—	—	—	—	—	20	—	—	—	—	40
Fractures and dislocations	1834	30	—	—	—	—	—	20	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	640	—	90	50	120	50	210	70	30	—	—	—
Burns and other injuries, except fractures	184	90	—	70	—	—	—	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	40	—	20	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	680	—	80	30	120	320	60	30	—	—	—	20
Other traumatic injuries and disorders ...	19	37,310	190	4,240	3,730	8,210	4,990	4,490	1,950	610	350	200	8,360
Other traumatic injuries and disorders, unspecified	190	50	—	—	—	40	—	—	—	—	—	—	—
Asphyxiations, strangulations, suffocations	191	30	—	—	—	—	—	—	—	—	—	—	30
Electrocutions, electric shocks	193	780	—	480	—	120	30	20	—	—	—	—	100
Dermatitis and reactions affecting the skin—acute	195	470	—	70	20	70	70	70	—	20	—	—	150
Dermatitis and reactions affecting the skin—acute, unspecified	1950	90	—	—	—	30	20	20	—	—	—	—	—
Allergic dermatitis—acute	1951	320	—	30	—	40	50	40	—	20	—	—	130
Irritant dermatitis—acute	1952	50	—	—	—	—	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	1,840	—	230	180	660	140	160	70	20	—	—	360
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	620	—	110	80	210	40	90	40	—	—	—	30
Poisoning, including poisoning-related asphyxia	1961	190	—	20	—	60	—	20	—	—	—	—	60
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	590	—	30	80	270	—	—	—	—	—	—	170
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	80	—	—	—	20	—	—	—	—	—	—	—
Other or unspecified allergic reactions	1966	130	—	30	—	—	20	—	—	—	—	—	60
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	30	—	—	—	—	20	—	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	80	—	20	—	30	—	—	—	—	—	—	20

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred											Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	100	—	—	—	60	—	30	—	—	—	—	—	—
Nonspecified injuries and disorders ...	197	34,110	190	3,450	3,510	7,320	4,730	4,240	1,870	570	340	190	7,710	
Crushing injuries	1971	1,090	—	70	170	320	70	130	80	40	—	—	210	
Soreness, pain, hurt—nonspecified injury	1972	29,250	190	2,730	3,090	6,070	4,360	3,700	1,490	350	330	190	6,760	
Swelling, inflammation, irritation—nonspecified injury	1973	2,710	—	530	220	540	190	360	250	180	—	—	430	
Numbness—nonspecified injury	1974	150	—	20	—	30	—	—	—	—	—	—	80	
Multiple nonspecified injuries and disorders	1978	730	—	80	20	330	80	20	20	—	—	—	170	
Nonspecified injuries and disorders, n.e.c.	1979	180	—	—	20	20	20	30	20	—	—	—	60	
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—	—	—	—	—	—	—	
Traumatic injuries and disorders, n.e.c.	1999	20	—	—	—	—	—	—	—	—	—	—	—	
Diseases and disorders of body systems	2	2,920	70	130	190	410	380	230	110	40	20	—	1,320	
Nervous system and sense organs diseases	22	1,030	—	50	20	130	120	70	—	—	—	—	610	
Disorders of the peripheral nervous system	224	750	—	30	—	70	30	60	—	—	—	—	550	
Carpal tunnel syndrome	2241	720	—	20	—	70	30	50	—	—	—	—	520	
Disorders of the peripheral nervous system, n.e.c.	2249	20	—	—	—	—	—	—	—	—	—	—	20	
Disorders of the eye, adnexa, vision ..	225	160	—	20	—	40	70	—	—	—	—	—	—	
Disorders of the eye, adnexa, vision, unspecified	2250	20	—	—	—	—	—	—	—	—	—	—	—	
Conjunctivitis—non-viral	2251	120	—	—	—	30	60	—	—	—	—	—	—	
Disorders of the ear, mastoid process, hearing	226	100	—	—	—	—	—	—	—	—	—	—	60	
Disorders of the ear, mastoid process, hearing, unspecified	2260	20	—	—	—	—	—	—	—	—	—	—	—	
Deafness, hearing loss and impairment	2261	80	—	—	—	—	—	—	—	—	—	—	60	
Circulatory system diseases	23	330	—	40	100	—	120	40	—	—	—	—	20	
Ischemic heart disease, including heart attack	233	270	—	40	70	—	110	30	—	—	—	—	20	
Ischemic heart disease, unspecified	2330	20	—	—	—	—	20	—	—	—	—	—	—	
Myocardial infarction (heart attack)	2331	240	—	40	70	—	90	30	—	—	—	—	—	
Diseases of the veins, lymphatics	238	30	—	—	—	—	—	—	—	—	—	—	—	
Hemorrhoids	2382	30	—	—	—	—	—	—	—	—	—	—	—	
Respiratory system diseases	24	270	—	—	—	—	—	20	70	—	—	—	170	
Acute respiratory infections (including common cold)	241	60	—	—	—	—	—	—	—	—	—	—	50	

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred										Not reported	
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Pneumonia, influenza	243	140	-	-	-	-	-	-	-	-	-	-	-	120
Pneumonia, influenza, unspecified	2430	40	-	-	-	-	-	-	-	-	-	-	-	40
Pneumonia	2431	20	-	-	-	-	-	-	-	-	-	-	-	-
Influenza—common	2432	40	-	-	-	-	-	-	-	-	-	-	-	40
Chronic obstructive pulmonary disease and allied conditions	244	60	-	-	-	-	-	-	-	60	-	-	-	-
Asthma, except intrinsic	2443	60	-	-	-	-	-	-	-	50	-	-	-	-
Digestive system diseases and disorders	25	220	-	-	-	-	80	-	-	-	-	-	-	130
Hernia—nontraumatic	253	220	-	-	-	-	80	-	-	-	-	-	-	130
Musculoskeletal system and connective tissue diseases and disorders	27	860	-	40	50	240	40	90	20	-	-	-	-	290
Musculoskeletal system and connective tissue diseases and disorders, unspecified	270	20	-	-	-	-	-	-	-	-	-	-	-	-
Arthropathies and related disorders (arthritis)	271	40	-	-	-	-	-	-	-	-	-	-	-	-
Dorsopathies	272	40	-	-	-	-	-	-	-	-	-	-	-	-
Sciatica	2721	30	-	-	-	-	-	-	-	-	-	-	-	-
Soft tissue disorders, except the back	273	760	-	40	50	190	30	90	-	-	-	-	-	260
Soft tissue disorder, except the back, unspecified	2730	20	-	-	-	-	-	-	-	-	-	-	-	-
Bursitis	2731	100	-	-	-	20	-	-	-	-	-	-	-	-
Stenosing tenosynovitis	2732	110	-	-	-	-	-	-	-	-	-	-	-	80
Other tenosynovitis, synovitis	2733	20	-	-	-	-	-	-	-	-	-	-	-	-
Epicondylitis	2734	100	-	-	-	50	-	20	-	-	-	-	-	20
Other or unspecified tendonitis (tendinitis)	2735	250	-	-	30	30	20	40	-	-	-	-	-	100
Ganglion or cystic tumor	2736	40	-	-	-	-	-	-	-	-	-	-	-	30
Soft tissue disorder, except the back, n.e.c.	2739	120	-	-	-	-	-	-	-	-	-	-	-	20
Disorders of the skin and subcutaneous tissue	28	180	-	-	-	30	-	-	-	-	-	-	-	110
Infections of the skin and subcutaneous tissue	281	160	-	-	-	-	-	-	-	-	-	-	-	100
Infections of the skin and subcutaneous tissue, unspecified	2810	60	-	-	-	-	-	-	-	-	-	-	-	50
Cellulitis and abscess	2811	40	-	-	-	-	-	-	-	-	-	-	-	-
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	40	-	-	-	-	-	-	-	-	-	-	-	40
Infections of the skin and subcutaneous tissue, n.e.c.	2819	20	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases and disorders of the skin and subcutaneous tissue	289	20	-	-	-	-	-	-	-	-	-	-	-	-
Other systemic diseases and disorders	29	20	-	-	-	-	-	-	-	-	-	-	-	-
Infectious and parasitic diseases	3	230	-	40	60	-	20	-	-	-	-	-	-	80
Bacterial diseases	31	120	-	-	40	-	-	-	-	-	-	-	-	40

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
Other bacterial diseases	319	80	—	—	—	—	—	—	—	—	—	—	—	40
Diphtheria, whooping cough	3192	30	—	—	—	—	—	—	—	—	—	—	—	30
Viral diseases	32	50	—	—	—	—	—	—	—	—	—	—	—	30
Other infectious and parasitic diseases	39	40	—	—	—	—	—	—	—	—	—	—	—	—
Scabies and other acariases	392	30	—	—	—	—	—	—	—	—	—	—	—	—
Neoplasms, tumors, and cancers	4	60	—	—	—	—	—	—	—	—	—	—	—	50
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	60	—	—	—	—	—	—	—	—	—	—	—	50
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas), unspecified	410	20	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	1,250	—	200	100	240	180	90	70	20	40	—	—	310
Symptoms, signs, and ill-defined conditions, unspecified	50	50	—	—	—	—	—	—	—	—	—	—	—	50
Symptoms	51	1,180	—	180	100	240	180	90	70	20	40	—	—	260
Symptoms, unspecified	510	50	—	—	—	—	—	—	—	—	—	—	—	30
General symptoms	511	500	—	120	50	150	70	50	—	—	—	—	—	40
Loss of consciousness—not heat related	5111	280	—	60	30	90	50	40	—	—	—	—	—	—
Dizziness—general	5114	80	—	—	30	—	—	—	—	—	—	—	—	20
Multiple general symptoms	5118	120	—	50	—	40	—	—	—	—	—	—	—	—
Symptoms involving head and neck ..	514	110	—	—	—	—	40	—	—	—	—	—	—	30
Headache, except migraine	5141	90	—	—	—	—	40	—	—	—	—	—	—	20
Symptoms involving cardiovascular system	515	100	—	—	—	20	—	—	—	—	—	—	—	40
Symptoms involving cardiovascular system, unspecified	5150	40	—	—	—	—	—	—	—	—	—	—	—	20
Unspecified tachycardia (rapid heartbeat)	5151	30	—	—	—	20	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	30	—	—	—	—	—	—	—	—	—	—	—	30
Symptoms involving respiratory system and chest	516	290	—	20	—	20	60	30	50	—	30	—	—	50
Symptoms involving respiratory system and chest, unspecified	5160	50	—	—	—	—	—	—	—	—	—	—	—	—
Chest pain	5164	170	—	—	—	—	40	—	50	—	30	—	—	40
Symptoms involving respiratory system and chest, n.e.c.	5169	60	—	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving digestive and urinary system	517	80	—	—	—	—	—	—	—	—	—	—	—	—
Multiple symptoms	518	40	—	—	—	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	1,800	—	150	50	280	210	320	130	40	—	—	—	620
Mental disorders and syndromes	62	1,800	—	150	50	280	210	320	130	40	—	—	—	620

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
Mental disorders and syndromes, unspecified	620	150	—	—	—	—	30	—	—	—	—	—	—	30
Anxiety, stress	621	1,620	—	150	30	240	180	290	120	20	—	—	—	590
Anxiety, stress, unspecified	6210	790	—	120	—	100	60	80	100	20	—	—	—	300
Post-traumatic stress disorder	6211	490	—	30	—	90	110	190	—	—	—	—	—	40
Anxiety, stress, n.e.c.	6219	330	—	—	—	40	—	20	—	—	—	—	—	230
Depression or depressive episode	622	30	—	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2012² — Continued

Nature	Nature code ³	Local government ⁴	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Exposures to disease—no illness incurred	7	200	—	—	—	30	130	—	—	—	—	—	20
Multiple diseases, conditions, and disorders	8	140	—	—	—	—	—	30	—	—	—	—	80
Nonclassifiable	9999	630	—	—	30	—	—	—	—	—	—	—	560

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.