

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2012²

Part of body	Part of body code ³	Local government ⁴	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Total		181,060	1,400	16,820	19,870	39,560	28,670	23,870	10,570	4,200	3,430	950	31,720
Head	1	11,330	40	1,470	1,040	2,220	2,180	1,810	480	600	150	40	1,310
Head, unspecified	10	1,990	—	370	180	300	420	170	140	20	100	—	290
Cranial region, including skull	11	2,760	20	340	370	440	700	390	120	20	30	—	330
Cranial region, unspecified	110	410	—	130	—	—	230	—	—	—	—	—	—
Brain	111	1,810	20	170	240	350	430	260	60	20	—	—	240
Scalp	112	380	—	20	110	30	30	50	40	—	—	—	80
Skull	113	100	—	—	20	—	—	60	—	—	—	—	—
Cranial region, n.e.c.	119	50	—	—	—	—	—	—	—	—	—	—	—
Ear(s)	12	190	—	60	—	20	40	20	—	—	—	—	60
Face	13	6,040	—	570	480	1,430	980	1,200	210	550	20	30	540
Face, unspecified	130	1,230	—	—	50	140	230	100	20	500	—	—	150
Forehead	131	390	—	40	20	120	110	60	—	—	—	—	20
Eye(s)	132	2,700	—	430	260	870	340	380	150	20	20	—	230
Nose, nasal cavity	133	320	—	30	70	40	110	30	20	—	—	—	—
Nose, except internal location of diseases or disorders	1330	320	—	20	70	40	110	30	20	—	—	—	—
Cheek(s)	134	60	—	—	—	—	—	—	—	—	—	—	—
Jaw, chin	135	90	—	—	—	50	—	—	—	—	—	—	20
Mouth	136	460	—	—	20	40	20	340	—	—	—	—	20
Lip(s)	1361	320	—	—	—	—	—	290	—	—	—	—	—
Tooth (teeth)	1363	110	—	—	—	30	—	40	—	—	—	—	—
Multiple face locations	138	690	—	50	40	130	120	280	—	—	—	—	70
Face, n.e.c.	139	100	—	—	20	30	20	—	—	—	—	—	—
Multiple head locations	18	340	—	130	—	30	40	30	—	—	—	—	80
Neck, including throat	2	2,660	130	400	260	660	320	220	110	40	30	—	480
Neck, except internal location of diseases or disorders	20	2,620	130	400	260	660	320	220	110	40	30	—	430
Trunk	3	39,120	200	3,830	4,770	9,180	6,050	4,630	2,140	730	520	220	6,830
Trunk, unspecified	30	210	—	60	20	30	70	—	—	—	—	—	20
Chest, including ribs, internal organs	31	2,890	—	250	270	650	460	350	300	50	70	—	490
Chest, except internal location of diseases or disorders	310	2,290	—	190	180	620	340	290	190	40	60	—	370
Internal chest location, unspecified	311	100	—	—	—	—	—	—	—	—	—	—	30
Heart	313	360	—	40	70	20	110	40	—	—	—	—	50
Lung(s), pleura	315	110	—	—	—	—	—	—	60	—	—	—	—
Back, including spine, spinal cord	32	29,790	140	2,970	3,790	7,060	4,530	3,390	1,510	630	330	160	5,260
Back, including spine, spinal cord, unspecified	320	11,780	40	1,010	1,560	2,690	2,050	1,170	500	260	150	70	2,280
Thoracic region	321	1,530	—	220	250	230	220	140	180	40	—	—	250
Lumbar region	322	15,210	90	1,590	1,760	3,930	2,090	1,950	710	320	150	90	2,530
Sacral region	323	130	—	20	100	—	—	—	—	—	—	—	—
Coccygeal region	324	220	—	20	—	30	40	30	—	—	—	—	60
Multiple back regions	328	860	—	110	120	170	130	100	100	—	—	—	70

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Hours on the job before event occurred										Not reported	
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Back, including spine, spinal cord, n.e.c.	329	60	—	—	—	—	—	—	—	—	—	—	—	—
Abdomen	33	2,440	—	260	240	380	480	260	100	—	40	60	590	
Abdomen, except internal location of diseases or disorders	330	2,100	—	260	190	370	400	250	100	—	40	60	410	
Internal abdominal location, unspecified	331	250	—	—	—	—	80	—	—	—	—	—	160	
Intestines, peritoneum	335	70	—	—	50	—	—	—	—	—	—	—	—	
Large intestine, colon, rectum	3353	60	—	—	50	—	—	—	—	—	—	—	—	
Pelvic region	34	2,890	40	220	400	800	390	500	200	20	40	—	280	
Pelvic region, unspecified	340	40	—	—	—	—	—	—	—	—	—	—	—	
Hip(s)	341	1,070	—	120	270	200	120	140	80	—	—	—	130	
Pelvis	342	60	—	—	—	—	20	—	—	—	—	—	—	
Buttock(s)	343	300	—	—	20	60	160	30	—	—	—	—	20	
Groin	344	1,320	—	70	70	530	70	320	90	—	—	—	120	
External reproductive tract structures ..	345	30	—	—	—	—	—	—	20	—	—	—	—	
Scrotum	3451	20	—	—	—	—	—	—	20	—	—	—	—	
Multiple pelvic region locations	348	60	—	—	—	—	—	—	—	—	—	—	—	
Pelvic region, n.e.c.	349	20	—	—	—	—	—	—	—	—	—	—	—	
Multiple trunk locations	38	860	—	80	50	270	110	90	20	—	30	—	200	
Trunk, n.e.c.	39	40	—	—	—	—	—	30	—	—	—	—	—	
Upper extremities	4	45,190	190	3,720	4,390	10,060	6,900	6,430	2,400	1,090	1,160	230	8,640	
Upper extremities, unspecified	40	30	—	—	—	—	—	—	—	—	—	—	—	
Shoulder(s), including clavicle(s), scapula(e)	41	14,580	60	1,510	1,150	3,320	2,480	1,840	650	440	220	80	2,840	
Arm(s)	42	8,020	50	520	1,040	1,950	1,430	930	440	170	80	70	1,340	
Arm(s), unspecified	420	2,700	30	120	170	570	770	360	90	20	20	—	480	
Upper arm(s)	421	930	—	50	70	320	190	120	40	30	40	—	60	
Elbow(s)	422	2,140	—	150	250	490	270	290	90	110	—	—	470	
Forearm(s)	423	1,390	—	90	120	530	130	110	210	—	—	—	170	
Multiple arm locations	428	740	—	90	410	40	70	30	—	—	—	—	90	
Multiple arm locations, unspecified ..	4280	100	—	60	—	—	—	—	—	—	—	—	—	
Elbow(s) and arm(s)	4281	550	—	—	410	20	30	20	—	—	—	—	50	
Multiple arm locations, n.e.c.	4289	90	—	20	—	—	—	—	—	—	—	—	40	
Arm(s), n.e.c.	429	130	—	20	—	—	—	—	—	—	—	—	80	
Wrist(s)	43	6,490	30	350	690	1,300	1,050	700	150	110	710	—	1,390	
Hand(s)	44	12,940	40	1,070	1,180	2,730	1,550	2,480	990	320	130	60	2,390	
Hand(s), unspecified	440	3,520	—	330	330	840	360	570	350	100	50	—	580	
Hand(s), except finger(s)	441	780	—	40	40	80	270	140	40	—	—	—	170	
Finger(s), fingernail(s)	442	7,500	40	610	630	1,640	820	1,390	580	150	80	50	1,510	
Finger(s), fingernail(s), unspecified ..	4420	5,350	30	380	450	1,080	640	1,090	380	80	80	—	1,130	
Fingernail(s), nailbed(s)	4421	120	—	—	—	—	—	—	50	—	—	—	—	
Fingertip(s)	4422	420	—	50	20	140	50	60	—	—	—	—	80	
Finger(s), fingernail(s), n.e.c.	4429	1,610	—	180	140	410	130	230	140	50	—	40	290	
Hand(s) and finger(s)	448	660	—	70	180	80	100	90	—	50	—	—	80	
Hand(s), n.e.c.	449	480	—	—	—	90	—	290	—	—	—	—	50	
Multiple upper extremities locations	48	3,090	—	270	310	740	380	470	160	50	20	—	670	

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Hours on the job before event occurred										Not reported	
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Multiple upper extremities locations, unspecified	480	80	—	—	—	—	—	—	—	—	—	—	—	20
Hand(s) and arms(s)	481	220	—	30	70	40	20	30	—	—	—	—	—	30
Hand(s) and arm(s), unspecified	4810	70	—	—	—	—	20	20	—	—	—	—	—	—
Hand(s) and elbow(s)	4811	40	—	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	110	—	—	50	—	—	—	—	—	—	—	—	20
Hand(s) and wrist(s)	482	580	—	110	20	90	120	70	—	—	—	—	—	140
Wrist(s) and arm(s)	483	270	—	—	—	50	30	50	—	—	—	—	—	100
Wrist(s) and arm(s), unspecified	4830	80	—	—	—	—	—	20	—	—	—	—	—	20
Wrist(s) and elbow(s)	4831	40	—	—	—	20	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	150	—	—	—	20	—	20	—	—	—	—	—	70
Shoulder(s) and arm(s)	484	980	—	50	120	200	90	170	40	40	—	—	—	260
Multiple upper extremities locations, n.e.c.	489	960	—	70	90	350	100	130	100	—	—	—	—	120
Upper extremities, n.e.c.	49	40	—	—	—	—	—	—	—	—	—	—	—	—
Lower extremities	5	44,000	600	3,840	4,410	9,750	7,320	5,790	3,020	910	720	330	7,300	
Leg(s)	51	25,390	230	1,780	2,620	5,930	4,500	2,870	1,890	510	540	160	4,370	
Leg(s), unspecified	510	1,770	—	100	190	270	310	180	280	80	—	—	350	
Thigh(s)	511	790	—	60	60	180	180	90	90	—	—	—	120	
Knee(s)	512	20,360	200	1,420	2,010	4,890	3,620	2,250	1,380	410	510	130	3,530	
Lower leg(s)	513	1,960	—	180	350	420	230	280	90	20	20	30	320	
Multiple leg locations	518	420	—	—	—	140	120	40	40	—	—	—	30	
Multiple leg locations, unspecified ...	5180	20	—	—	—	—	—	—	—	—	—	—	—	
Knee(s) and leg(s)	5181	320	—	—	—	120	90	30	30	—	—	—	—	
Multiple leg locations, n.e.c.	5189	70	—	—	—	20	30	—	—	—	—	—	—	
Leg(s), n.e.c.	519	110	—	—	—	—	—	40	—	—	—	—	—	
Ankle(s)	52	10,130	240	910	950	1,950	1,500	1,760	690	230	140	90	1,670	
Foot (feet)	53	6,070	20	970	580	1,250	770	820	330	130	30	60	1,100	
Foot (feet), unspecified	530	4,130	20	640	380	760	570	630	220	80	30	—	760	
Sole(s)	531	380	—	30	20	150	30	30	—	20	—	—	60	
Sole(s), unspecified	5310	40	—	—	—	—	—	—	—	—	—	—	—	
Heel(s)	5313	310	—	20	—	140	30	20	—	—	—	—	50	
Toes(s), toenail(s)	532	1,030	—	80	120	230	130	90	100	20	—	—	250	
Multiple foot (feet) locations	538	320	—	190	20	50	20	—	—	—	—	—	—	
Foot (feet), n.e.c.	539	210	—	30	40	50	20	50	—	—	—	—	20	
Multiple lower extremities locations	58	2,400	110	180	260	620	540	350	120	30	—	20	170	
Multiple lower extremities locations, unspecified	580	40	—	—	—	—	—	—	—	—	—	—	20	
Foot (feet) and leg(s)	581	350	20	30	130	60	40	20	60	—	—	—	—	
Foot(feet) and leg(s), unspecified	5810	80	—	20	—	50	—	—	—	—	—	—	—	
Foot(feet) and knee(s)	5811	230	20	—	120	—	20	—	—	—	—	—	—	
Foot(feet) and leg(s), n.e.c.	5819	40	—	—	—	—	—	—	—	—	—	—	—	
Foot (feet) and ankle(s)	582	760	—	20	40	380	110	60	30	30	—	—	80	
Ankle(s) and leg(s)	583	880	80	120	50	120	220	210	20	—	—	—	40	
Ankle(s) and leg(s), unspecified	5830	150	—	—	—	70	40	—	—	—	—	—	20	
Ankle(s) and knee(s)	5831	630	80	100	20	40	180	160	—	—	—	—	20	
Ankle(s) and leg(s), n.e.c.	5839	100	—	—	20	—	—	40	—	—	—	—	—	

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Multiple lower extremities locations, n.e.c.	589	370	—	—	30	60	170	60	—	—	—	—	—
Body systems	6	5,810	—	960	390	1,180	530	690	370	120	80	—	1,470
Multiple body parts	8	31,130	240	2,580	4,550	6,340	5,260	4,040	1,980	680	720	100	4,650
Multiple body parts, unspecified	80	3,070	—	120	250	390	860	450	150	20	70	—	760
Head and neck	81	500	20	40	20	110	110	60	—	—	—	—	120
Head, neck, and trunk	82	230	—	30	—	30	60	—	—	—	—	—	40
Head and trunk	83	400	—	20	90	60	70	—	120	—	—	—	—
Neck and back	84	2,890	20	160	140	1,180	470	180	240	50	20	—	420
Shoulder(s) and back	85	830	—	120	80	160	120	90	80	20	20	—	160
Hip(s) and leg(s)	86	410	—	20	30	100	70	20	30	—	—	—	100
Upper and lower limb(s)	87	2,820	20	270	570	540	380	270	360	—	—	—	370
Other multiple body parts	89	19,970	160	1,800	3,360	3,770	3,120	2,940	970	550	560	70	2,660
Whole body	891	60	—	—	—	—	—	—	—	—	—	—	30
Multiple body parts, n.e.c.	899	19,910	160	1,800	3,350	3,760	3,120	2,930	970	550	560	70	2,630

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2012² — Continued

Part of body	Part of body code ³	Local government ⁴	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Nonclassifiable	9999	1,810	–	30	60	160	120	260	70	20	50	–	1,030

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOI) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.