

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2013

Part of body	Part of body code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		180,130	1,530	11,470	6,950	4,460	7,650
Head	1	12,550	280	260	590	340	800
Head, unspecified	10	2,900	—	50	150	130	420
Cranial region, including skull	11	3,600	—	170	290	60	180
Cranial region, unspecified	110	620	—	40	—	—	—
Brain	111	2,380	—	90	260	40	170
Scalp	112	450	—	40	—	—	—
Skull	113	140	—	—	—	—	—
Ear(s)	12	360	—	—	40	—	30
Face	13	5,240	270	30	110	140	160
Face, unspecified	130	650	—	—	—	—	—
Forehead	131	380	—	—	20	—	—
Eye(s)	132	2,160	230	—	70	30	80
Nose, nasal cavity	133	840	—	—	—	—	—
Nose, except internal location of diseases or disorders	1330	830	—	—	—	—	—
Cheek(s)	134	80	—	—	—	—	—
Jaw, chin	135	260	—	—	—	—	—
Mouth	136	250	—	—	—	—	30
Mouth, unspecified	1360	20	—	—	—	—	—
Lip(s)	1361	80	—	—	—	—	—
Tooth (teeth)	1363	110	—	—	—	—	—
Multiple mouth locations	1368	50	—	—	—	—	—
Multiple face locations	138	510	30	—	—	—	—
Face, n.e.c.	139	100	—	—	—	—	—
Multiple head locations	18	440	—	—	—	—	—
Neck, including throat	2	3,460	—	100	40	20	230
Neck, except internal location of diseases or disorders ...	20	3,460	—	100	40	20	230
Trunk	3	40,720	110	6,230	1,820	870	1,600
Trunk, unspecified	30	90	—	—	—	—	—
Chest, including ribs, internal organs	31	3,040	110	90	40	40	50
Chest, except internal location of diseases or disorders	310	2,290	100	90	40	40	50
Internal chest location, unspecified	311	150	—	—	—	—	—
Heart	313	490	—	—	—	—	—
Lung(s), pleura	315	110	—	—	—	—	—
Back, including spine, spinal cord	32	31,570	—	5,450	1,590	730	1,280
Back, including spine, spinal cord, unspecified	320	12,270	—	2,280	630	390	660
Thoracic region	321	1,420	—	380	40	30	50
Lumbar region	322	16,820	—	2,680	850	300	550
Sacral region	323	90	—	—	—	—	—
Coccygeal region	324	230	—	—	20	—	—
Multiple back regions	328	730	—	100	50	—	—
Abdomen	33	1,640	—	280	90	60	150

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2013 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Total	34,710	5,160	17,050	34,570	31,630	28,400	6,020	25,930
Head	2,420	200	1,200	280	210	2,490	200	3,550
Head, unspecified	570	20	170	190	150	360	50	780
Cranial region, including skull	1,050	50	660	50	40	390	40	640
Cranial region, unspecified	120	—	290	40	40	20	—	100
Brain	810	50	220	—	—	320	30	350
Scalp	80	—	120	—	—	30	—	150
Skull	30	—	30	—	—	—	—	30
Ear(s)	—	—	—	—	—	—	—	240
Face	620	120	330	30	20	1,530	80	1,850
Face, unspecified	160	—	—	—	—	160	—	230
Forehead	90	—	120	—	—	70	—	50
Eye(s)	40	40	140	20	20	270	20	1,240
Nose, nasal cavity	100	30	40	—	—	490	—	150
Nose, except internal location of diseases or disorders	100	30	40	—	—	490	—	150
Cheek(s)	—	—	—	—	—	40	20	40
Jaw, chin	70	—	—	—	—	130	—	—
Mouth	70	40	20	—	—	40	—	20
Mouth, unspecified	—	—	—	—	—	20	—	—
Lip(s)	40	—	—	—	—	—	—	20
Tooth (teeth)	30	20	—	—	—	20	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—
Multiple face locations	70	—	—	—	—	330	—	20
Face, n.e.c.	—	—	—	—	—	—	—	80
Multiple head locations	180	—	20	—	—	200	40	40
Neck, including throat	280	30	1,070	760	720	460	120	470
Neck, except internal location of diseases or disorders ...	280	30	1,070	760	720	460	120	470
Trunk	5,780	1,680	3,310	8,610	7,990	6,210	2,720	4,180
Trunk, unspecified	50	—	—	—	—	—	—	20
Chest, including ribs, internal organs	550	20	370	700	100	480	110	560
Chest, except internal location of diseases or disorders	550	20	370	150	90	470	110	370
Internal chest location, unspecified	—	—	—	140	—	—	—	—
Heart	—	—	—	410	—	—	—	80
Lung(s), pleura	—	—	—	—	—	—	—	110
Back, including spine, spinal cord	3,880	1,450	2,470	6,980	6,970	4,800	2,380	2,700
Back, including spine, spinal cord, unspecified	1,400	460	910	2,800	2,800	1,590	670	990
Thoracic region	320	—	70	190	190	200	70	140
Lumbar region	1,920	950	1,420	3,740	3,740	2,830	1,580	1,520
Sacral region	—	—	—	—	—	60	—	—
Coccygeal region	150	—	20	—	—	—	—	—
Multiple back regions	80	30	60	220	220	110	60	50
Abdomen	20	130	160	250	250	230	100	220

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Abdomen, except internal location of diseases or disorders	330	1,560	—	280	90	60	150
Internal abdominal location, unspecified	331	50	—	—	—	—	—
Intestines, peritoneum	335	30	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	20	—	—	—	—	—
Pelvic region	34	3,090	—	300	80	20	60
Hip(s)	341	1,630	—	100	30	—	20
Pelvis	342	340	—	—	—	—	—
Buttock(s)	343	180	—	—	—	—	—
Groin	344	810	—	200	40	20	30
External reproductive tract structures	345	50	—	—	—	—	—
Scrotum	3451	20	—	—	—	—	—
Multiple pelvic region locations	348	20	—	—	—	—	—
Pelvic region, n.e.c.	349	30	—	—	—	—	—
Multiple trunk locations	38	1,280	—	90	20	—	60
Upper extremities	4	42,990	170	3,190	2,030	1,810	3,040
Upper extremities, unspecified	40	90	—	20	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	13,380	—	1,770	790	220	890
Arm(s)	42	6,660	40	330	360	210	500
Arm(s), unspecified	420	1,790	30	90	140	80	170
Upper arm(s)	421	1,360	—	50	110	20	140
Elbow(s)	422	2,130	—	130	80	60	100
Forearm(s)	423	1,200	—	40	30	50	60
Multiple arm locations	428	110	—	—	—	—	—
Elbow(s) and arm(s)	4281	50	—	—	—	—	—
Multiple arm locations, n.e.c.	4289	60	—	—	—	—	—
Arm(s), n.e.c.	429	70	—	—	—	—	—
Wrist(s)	43	5,510	—	230	230	130	260
Hand(s)	44	13,110	120	650	570	920	1,240
Hand(s), unspecified	440	3,560	70	100	120	350	230
Hand(s), except finger(s)	441	850	—	30	—	50	60
Finger(s), fingernail(s)	442	8,200	—	520	430	500	880
Finger(s), fingernail(s), unspecified	4420	6,490	—	340	320	340	710
Fingernail(s), nailbed(s)	4421	130	—	—	—	—	—
Fingertip(s)	4422	460	—	130	20	40	60
Finger(s), fingernail(s), n.e.c.	4429	1,120	—	40	100	110	100
Hand(s) and finger(s)	448	390	—	—	20	20	60
Hand(s), n.e.c.	449	120	—	—	—	—	—
Multiple upper extremities locations	48	4,220	—	200	80	340	150
Multiple upper extremities locations, unspecified	480	40	—	—	—	—	—
Hand(s) and arms(s)	481	270	—	—	—	20	—
Hand(s) and arm(s), unspecified	4810	110	—	—	—	—	—
Hand(s) and elbow(s)	4811	60	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	100	—	—	—	20	—
Hand(s) and wrist(s)	482	880	—	50	—	30	60
Wrist(s) and arm(s)	483	530	—	—	20	—	20

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2013 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Abdomen, except internal location of diseases or disorders	20	130	160	210	210	230	100	190
Internal abdominal location, unspecified	—	—	—	40	40	—	—	—
Intestines, peritoneum	—	—	—	—	—	—	—	30
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	20
Pelvic region	850	—	210	450	430	520	90	580
Hip(s)	620	—	160	230	220	340	—	130
Pelvis	40	—	—	—	—	—	—	290
Buttock(s)	120	—	20	—	—	20	—	—
Groin	50	—	—	190	190	150	80	100
External reproductive tract structures	—	—	—	—	—	—	—	30
Scrotum	—	—	—	—	—	—	—	—
Multiple pelvic region locations	20	—	—	—	—	—	—	—
Pelvic region, n.e.c.	—	—	—	—	—	—	—	—
Multiple trunk locations	430	70	90	230	220	160	40	100
Upper extremities	5,380	2,740	2,560	4,770	4,610	9,380	1,850	7,550
Upper extremities, unspecified	—	—	—	50	50	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	1,410	670	1,100	1,570	1,470	3,150	1,070	1,710
Arm(s)	1,200	110	460	660	640	1,160	200	1,510
Arm(s), unspecified	370	20	160	140	140	210	50	350
Upper arm(s)	90	20	20	130	110	440	40	300
Elbow(s)	540	30	230	260	260	340	90	340
Forearm(s)	150	30	40	120	120	130	—	510
Multiple arm locations	30	—	—	—	—	20	—	—
Elbow(s) and arm(s)	20	—	—	—	—	—	—	—
Multiple arm locations, n.e.c.	—	—	—	—	—	20	—	—
Arm(s), n.e.c.	—	—	—	—	—	—	—	—
Wrist(s)	1,400	180	210	1,320	1,320	1,220	250	280
Hand(s)	630	1,680	640	620	610	2,520	160	3,470
Hand(s), unspecified	260	250	210	360	360	620	40	980
Hand(s), except finger(s)	20	80	20	—	—	400	—	170
Finger(s), fingernail(s)	330	1,300	370	180	180	1,450	110	2,160
Finger(s), fingernail(s), unspecified	310	1,030	310	150	150	1,180	50	1,720
Fingernail(s), nailbed(s)	—	20	—	—	—	—	—	50
Fingertip(s)	—	60	—	—	—	—	—	110
Finger(s), fingernail(s), n.e.c.	20	190	40	20	20	240	40	280
Hand(s) and finger(s)	20	20	50	60	60	50	—	90
Hand(s), n.e.c.	—	30	—	—	—	—	—	70
Multiple upper extremities locations	740	110	150	550	540	1,320	160	560
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	20	—	20	40	40	110	—	60
Hand(s) and arm(s), unspecified	—	—	—	—	—	70	—	30
Hand(s) and elbow(s)	—	—	—	20	20	20	—	—
Hand(s) and arm(s), n.e.c.	—	—	—	20	20	20	—	20
Hand(s) and wrist(s)	160	—	20	170	170	260	40	90
Wrist(s) and arm(s)	110	30	—	60	60	150	—	110

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Wrist(s) and arm(s), unspecified	4830	140	—	—	—	—	20
Wrist(s) and elbow(s)	4831	220	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	170	—	—	—	—	—
Shoulder(s) and arm(s)	484	1,100	—	130	20	20	20
Multiple upper extremities locations, n.e.c.	489	1,400	—	20	30	270	30
Upper extremities, n.e.c.	49	20	—	—	—	—	—
Lower extremities	5	45,690	60	920	1,760	1,030	1,040
Lower extremities, unspecified	50	60	—	—	—	—	—
Leg(s)	51	25,350	20	490	730	660	410
Leg(s), unspecified	510	1,670	—	30	60	30	100
Thigh(s)	511	1,260	—	30	—	—	—
Knee(s)	512	19,570	—	270	540	560	210
Lower leg(s)	513	1,860	—	70	120	60	70
Multiple leg locations	518	960	—	90	—	—	—
Multiple leg locations, unspecified	5180	90	—	—	—	—	—
Knee(s) and leg(s)	5181	800	—	—	—	—	—
Multiple leg locations, n.e.c.	5189	70	—	—	—	—	—
Leg(s), n.e.c.	519	30	—	—	—	—	—
Ankle(s)	52	10,650	—	60	200	160	70
Foot (feet)	53	7,240	30	340	780	210	510
Foot (feet), unspecified	530	4,490	20	120	520	80	300
Sole(s)	531	460	—	—	50	—	110
Sole(s), unspecified	5310	100	—	—	—	—	70
Arch(es), instep(s)	5312	40	—	—	—	—	—
Heel(s)	5313	320	—	—	50	—	50
Toes(s), toenail(s)	532	1,810	—	210	190	110	50
Multiple foot (feet) locations	538	340	—	—	—	—	40
Foot (feet), n.e.c.	539	130	—	—	—	—	—
Multiple lower extremities locations	58	2,390	—	—	50	—	50
Multiple lower extremities locations, unspecified	580	100	—	—	—	—	—
Foot (feet) and leg(s)	581	290	—	—	—	—	—
Foot(feet) and leg(s), unspecified	5810	60	—	—	—	—	—
Foot(feet) and knee(s)	5811	130	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	90	—	—	—	—	—
Foot (feet) and ankle(s)	582	600	—	—	—	—	—
Ankle(s) and leg(s)	583	850	—	—	40	—	—
Ankle(s) and leg(s), unspecified	5830	40	—	—	—	—	—
Ankle(s) and knee(s)	5831	720	—	—	40	—	—
Ankle(s) and leg(s), n.e.c.	5839	90	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	560	—	—	—	—	—
Body systems	6	5,130	650	—	40	30	70
Multiple body parts	8	27,370	250	760	670	350	860
Multiple body parts, unspecified	80	2,910	—	140	50	—	130
Head and neck	81	520	—	—	20	—	30

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2013 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Wrist(s) and arm(s), unspecified	—	—	—	30	30	20	—	40
Wrist(s) and elbow(s)	60	—	—	—	—	120	—	—
Wrist(s) and arm(s), n.e.c.	40	—	—	30	30	20	—	70
Shoulder(s) and arm(s)	150	50	60	160	150	290	80	210
Multiple upper extremities locations, n.e.c.	290	20	30	120	120	500	30	90
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—
Lower extremities	11,610	390	3,100	16,310	16,070	4,050	460	4,470
Lower extremities, unspecified	—	—	—	—	—	20	—	—
Leg(s)	6,140	230	1,980	8,600	8,550	2,820	240	2,520
Leg(s), unspecified	430	—	270	220	220	220	30	270
Thigh(s)	230	20	—	610	610	150	—	170
Knee(s)	4,630	180	1,330	7,030	7,030	2,320	190	1,780
Lower leg(s)	240	20	220	640	600	120	20	280
Multiple leg locations	600	—	150	70	70	—	—	—
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	560	—	140	50	50	—	—	—
Multiple leg locations, n.e.c.	30	—	—	20	20	—	—	—
Leg(s), n.e.c.	—	—	—	20	20	—	—	—
Ankle(s)	3,550	—	470	5,040	5,030	510	50	500
Foot (feet)	1,230	150	450	1,630	1,450	500	150	1,300
Foot (feet), unspecified	760	70	230	1,440	1,260	190	20	740
Sole(s)	50	—	30	100	100	—	—	90
Sole(s), unspecified	—	—	—	—	—	—	—	20
Arch(es), instep(s)	—	—	—	—	—	—	—	—
Heel(s)	—	—	20	90	90	—	—	70
Toes(s), toenail(s)	220	—	150	60	60	290	—	440
Multiple foot (feet) locations	180	70	—	—	—	—	—	—
Foot (feet), n.e.c.	20	—	—	20	20	—	—	30
Multiple lower extremities locations	680	—	200	1,030	1,030	200	—	140
Multiple lower extremities locations, unspecified	20	—	—	—	—	—	—	—
Foot (feet) and leg(s)	170	—	—	40	40	—	—	—
Foot(feet) and leg(s), unspecified	20	—	—	—	—	—	—	—
Foot(feet) and knee(s)	100	—	—	30	30	—	—	—
Foot(feet) and leg(s), n.e.c.	50	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	110	—	60	250	250	110	—	50
Ankle(s) and leg(s)	230	—	90	390	390	40	—	50
Ankle(s) and leg(s), unspecified	—	—	—	—	—	—	—	—
Ankle(s) and knee(s)	190	—	70	360	360	20	—	40
Ankle(s) and leg(s), n.e.c.	40	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	160	—	20	320	320	—	—	40
Body systems	80	—	50	1,850	90	400	—	1,940
Multiple body parts	8,930	100	5,210	1,880	1,830	5,230	620	2,650
Multiple body parts, unspecified	870	—	630	340	330	330	20	360
Head and neck	40	—	160	—	—	110	40	130

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Head, neck, and trunk	82	500	—	—	—	—	390
Head and trunk	83	200	—	—	—	—	—
Neck and back	84	1,670	—	30	70	110	20
Shoulder(s) and back	85	710	—	40	—	20	20
Hip(s) and leg(s)	86	240	—	—	—	—	—
Upper and lower limb(s)	87	2,720	—	—	30	90	—
Other multiple body parts	89	17,900	240	540	480	100	240
Whole body	891	150	40	—	40	—	—
Multiple body parts, n.e.c.	899	17,750	200	540	450	100	240
Nonclassifiable	9999	2,220	—	—	—	—	—

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2013 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Head, neck, and trunk	30	—	60	—	—	—	—	20
Head and trunk	100	—	30	—	—	30	—	—
Neck and back	120	—	930	60	60	200	60	120
Shoulder(s) and back	70	—	130	190	190	170	40	60
Hip(s) and leg(s)	90	—	20	30	30	30	—	60
Upper and lower limb(s)	1,400	—	90	130	130	830	40	80
Other multiple body parts	6,210	70	3,160	1,130	1,080	3,540	400	1,820
Whole body	—	—	30	—	—	—	—	40
Multiple body parts, n.e.c.	6,200	70	3,130	1,120	1,080	3,530	400	1,790
Nonclassifiable	230	—	530	110	110	180	30	1,120

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.