

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2013

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		180,130	107,620	72,280	230	4,110	10,540	38,190	123,910	3,370
Traumatic injuries and disorders	1	172,610	103,540	68,910	160	4,010	10,380	37,030	118,760	2,430
Traumatic injuries and disorders, unspecified	10	520	410	100	-	-	40	40	410	30
Traumatic injuries to bones, nerves, spinal cord	11	12,760	7,490	5,220	50	290	610	2,350	9,310	190
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1,860	1,200	620	40	-	30	630	1,110	80
Fractures	111	10,610	6,110	4,490	-	280	570	1,700	7,950	110
Traumatic injuries to nerves, except the spinal cord ..	113	90	70	30	-	-	-	20	70	-
Pinched nerve	1131	80	50	30	-	-	-	20	60	-
Multiple traumatic injuries to bones, nerves, spinal cord	118	80	70	-	-	-	-	-	-	-
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	110	30	80	-	-	-	-	100	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	78,250	49,350	28,830	70	1,520	4,080	16,110	55,330	1,220
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	360	200	150	-	-	30	50	270	-
Dislocations	121	2,140	1,150	980	-	40	110	380	1,590	-
Dislocations, unspecified	1210	140	100	30	-	-	-	20	110	-
Herniated discs	1211	970	650	320	-	-	50	30	880	-
Dislocation of joints	1212	970	350	620	-	20	40	320	570	-
Dislocations, n.e.c.	1219	70	60	-	-	-	20	-	30	-
Cartilage fractures and tears	122	710	480	230	-	-	-	140	540	-
Cartilage fractures and tears, unspecified	1220	50	40	-	-	-	-	-	50	-
Meniscus tears	1221	650	430	220	-	-	-	140	480	-
Sprains, strains, tears	123	73,930	46,480	27,380	70	1,460	3,840	15,340	52,080	1,210
Sprains, strains, tears, unspecified	1230	5,260	2,870	2,390	-	80	270	1,070	3,800	40
Major tears to muscles, tendons, ligaments	1231	4,390	2,790	1,600	-	50	130	700	3,480	20
Sprains	1232	20,440	12,660	7,770	20	540	860	4,710	14,090	250
Strains	1233	42,810	27,490	15,270	50	770	2,530	8,700	29,910	900
Multiple sprains, strains, tears	1238	1,020	670	350	-	20	50	160	800	-
Hernias due to traumatic incidents	124	780	760	20	-	-	70	140	570	-
Whiplash	125	150	100	50	-	-	-	30	120	-
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	140	130	-	-	-	-	-	140	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	50	40	-	-	-	-	-	-	-
Open wounds	13	8,510	6,310	2,200	-	380	820	1,810	5,360	140
Open wounds, unspecified	130	90	50	50	-	-	-	40	40	-
Amputations, avulsions, enucleations	131	360	290	70	-	-	50	50	250	-
Amputations	1311	280	260	20	-	-	40	40	190	-
Avulsions, enucleations	1312	70	30	40	-	-	-	-	50	-
Cuts, lacerations	132	6,130	4,520	1,600	-	320	500	1,410	3,820	80
Puncture wounds, except gunshot wounds	133	1,750	1,300	450	-	50	270	280	1,090	60
Gunshot wounds	134	110	100	-	-	-	-	20	80	-
Multiple types of open wounds	138	60	30	40	-	-	-	-	60	-
Surface wounds and bruises	14	17,980	8,580	9,390	-	350	1,310	3,600	12,450	260
Surface wounds and bruises, unspecified	140	500	130	360	-	-	-	50	430	-

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Abrasions, scratches	141	1,490	900	590	—	20	50	180	1,230	—
Bruises, contusions	143	15,640	7,390	8,250	—	310	1,230	3,310	10,530	260
Multiple surface wounds and bruises	148	290	150	140	—	—	—	30	250	—
Surface wounds and bruises, n.e.c.	149	50	—	40	—	20	20	20	—	—
Burns and corrosions	15	2,230	1,400	830	—	90	160	640	1,340	—
Burns and corrosions, unspecified	150	120	80	40	—	—	—	—	90	—
Chemical burns and corrosions	151	190	120	70	—	—	30	70	90	—
Chemical burns and corrosions, unspecified	1510	190	120	70	—	—	30	70	90	—
Heat (thermal) burns	152	1,770	1,070	710	—	90	50	540	1,100	—
Heat (thermal) burns, unspecified	1520	1,100	620	470	—	30	50	160	850	—
First degree heat (thermal) burns	1521	50	—	40	—	—	—	—	50	—
Second degree heat (thermal) burns	1522	300	120	180	—	60	—	80	160	—
Heat (thermal) burns, n.e.c.	1529	320	310	—	—	—	—	290	30	—
Electrical burns	153	50	30	—	—	—	—	—	30	—
Electrical burns, unspecified	1530	40	30	—	—	—	—	—	30	—
Other burns	159	100	100	—	—	—	50	20	20	—
Other burns, unspecified	1590	60	60	—	—	—	—	—	—	—
Intracranial injuries	16	2,280	960	1,320	—	130	220	750	1,170	20
Intracranial injuries, unspecified	160	230	50	170	—	—	—	30	180	—
Concussions	162	2,030	900	1,130	—	130	200	710	970	20
Effects of environmental conditions	17	470	400	70	—	—	30	90	340	—
Effects of heat and light	172	420	350	70	—	—	30	90	290	—
Effects of heat and light, unspecified	1720	20	20	—	—	—	—	—	—	—
Heat syncope	1722	30	30	—	—	—	—	—	30	—
Heat fatigue	1723	20	20	—	—	—	—	—	20	—
Heat exhaustion, prostration	1725	230	220	—	—	—	—	60	160	—
Effects of heat and light, n.e.c.	1729	100	40	50	—	—	—	20	60	—
Effects of air or water pressure	173	40	40	—	—	—	—	—	40	—
Effects of air or water pressure, n.e.c.	1739	40	40	—	—	—	—	—	40	—
Multiple traumatic injuries and disorders	18	6,220	2,980	3,240	—	90	390	1,430	4,300	20
Multiple traumatic injuries and disorders, unspecified	180	400	80	320	—	—	—	40	350	—
Cuts and abrasions or bruises	181	1,010	620	390	—	—	60	210	740	—
Sprains and other injuries	182	2,900	1,260	1,630	—	80	140	940	1,730	—
Sprains and other injuries, unspecified	1820	230	170	60	—	—	—	140	90	—
Sprains and bruises	1821	2,330	940	1,390	—	80	130	690	1,410	—
Sprains and cuts	1822	90	40	50	—	—	—	—	90	—
Sprains and other injuries, n.e.c.	1829	250	110	140	—	—	—	100	140	—
Fractures and other injuries	183	900	320	580	—	—	20	140	730	—
Fractures and other injuries, unspecified	1830	210	80	140	—	—	—	20	180	—
Fractures and dislocations	1834	50	20	30	—	—	—	—	40	—
Fractures and other injuries, n.e.c.	1839	630	210	410	—	—	—	110	500	—
Multiple traumatic injuries and disorders, n.e.c.	189	1,000	690	310	—	—	160	100	740	—
Other traumatic injuries and disorders	19	43,380	25,660	17,700	20	1,140	2,710	10,220	28,760	540
Other traumatic injuries and disorders, unspecified ...	190	130	90	40	—	—	—	30	90	—
Asphyxiations, strangulations, suffocations	191	30	—	20	—	—	—	—	30	—
Electrocutions, electric shocks	193	90	40	50	—	—	—	40	50	—
Dermatitis and reactions affecting the skin—acute	195	940	510	430	—	80	100	190	540	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	460	110	340	—	40	—	80	340	—

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Allergic dermatitis—acute	1951	410	390	20	—	30	80	100	150	—
Irritant dermatitis—acute	1952	20	—	—	—	—	—	—	—	—
Multiple types of dermatitis and skin reactions—acute	1958	30	—	20	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	20	—	20	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	2,380	1,520	860	—	540	90	670	1,060	20
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	1,090	860	230	—	350	50	110	570	—
Poisoning, including poisoning-related asphyxia ...	1961	100	60	40	—	—	—	30	60	—
Anaphylactic shock, anaphylaxis	1962	40	—	30	—	30	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	740	450	280	—	90	—	420	220	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	20	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	60	30	30	—	—	—	30	20	—
Other or unspecified allergic reactions	1966	220	60	150	—	70	20	50	80	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	50	—	40	—	—	—	—	40	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	40	30	—	—	—	—	—	30	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	30	—	—	—	—	—	—	20	—
Nonspecified injuries and disorders	197	39,790	23,480	16,290	—	520	2,520	9,290	26,980	480
Crushing injuries	1971	990	620	370	—	50	80	190	680	—
Soreness, pain, hurt—nonspecified injury	1972	35,280	20,710	14,570	—	390	2,150	8,570	23,800	380
Swelling, inflammation, irritation—nonspecified injury	1973	2,230	1,420	810	—	50	140	310	1,680	50
Numbness—nonspecified injury	1974	160	110	50	—	—	—	—	150	—
Multiple nonspecified injuries and disorders	1978	940	500	440	—	30	140	190	520	50
Nonspecified injuries and disorders, n.e.c.	1979	180	120	60	—	—	—	30	150	—
Diseases and disorders of body systems	2	3,230	1,810	1,410	—	40	70	330	2,660	130
Nervous system and sense organs diseases	22	1,200	360	840	—	—	20	130	1,040	—
Other disorders of the central nervous system	223	50	40	—	—	—	—	—	40	—
Migraine	2232	40	40	—	—	—	—	—	40	—
Disorders of the peripheral nervous system	224	890	220	670	—	—	—	80	810	—
Disorders of the peripheral nervous system, unspecified	2240	30	20	—	—	—	—	—	20	—
Carpal tunnel syndrome	2241	830	160	660	—	—	—	70	750	—
Disorders of the peripheral nervous system, n.e.c.	2249	40	40	—	—	—	—	—	40	—
Disorders of the eye, adnexa, vision	225	150	50	100	—	—	—	50	80	—
Conjunctivitis—non-viral	2251	100	30	70	—	—	—	50	40	—
Disorders of the eye, adnexa, vision, n.e.c.	2259	20	20	—	—	—	—	—	20	—
Disorders of the ear, mastoid process, hearing	226	100	50	40	—	—	—	—	100	—
Deafness, hearing loss and impairment	2261	80	40	—	—	—	—	—	80	—
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	20	—	—	—	—	—	—	20	—

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Circulatory system diseases	23	590	550	40	—	—	—	30	530	40
Hypertensive disease	232	50	50	—	—	—	—	—	50	—
Ischemic heart disease, including heart attack	233	280	270	20	—	—	—	—	280	—
Ischemic heart disease, unspecified	2330	180	180	—	—	—	—	—	180	—
Myocardial infarction (heart attack)	2331	90	70	20	—	—	—	—	90	—
Other forms of heart disease	235	140	120	—	—	—	—	—	100	—
Other forms of heart disease, n.e.c.	2359	60	60	—	—	—	—	—	30	—
Cerebrovascular disease	236	40	30	—	—	—	20	—	—	—
Stroke	2361	30	30	—	—	—	—	—	—	—
Respiratory system diseases	24	240	200	30	—	—	—	60	180	—
Pneumonia, influenza	243	230	190	—	—	—	—	60	170	—
Pneumonia, influenza, unspecified	2430	130	120	—	—	—	—	30	100	—
Pneumonia	2431	100	70	—	—	—	—	—	70	—
Digestive system diseases and disorders	25	50	50	—	—	—	—	—	50	—
Hernia—nontraumatic	253	50	50	—	—	—	—	—	50	—
Musculoskeletal system and connective tissue diseases and disorders	27	820	430	390	—	—	40	80	600	100
Soft tissue disorders, except the back	273	790	420	380	—	—	40	70	580	100
Soft tissue disorder, except the back, unspecified	2730	140	20	120	—	—	—	—	50	—
Bursitis	2731	90	90	—	—	—	—	—	80	—
Stenosing tenosynovitis	2732	40	—	30	—	—	—	—	30	—
Other tenosynovitis, synovitis	2733	30	—	20	—	—	—	—	20	—
Epicondylitis	2734	110	30	80	—	—	—	—	110	—
Other or unspecified tendonitis (tendinitis)	2735	150	100	50	—	—	40	40	80	—
Ganglion or cystic tumor	2736	20	—	—	—	—	—	—	20	—
Soft tissue disorder, except the back, n.e.c.	2739	200	140	60	—	—	—	—	180	—
Disorders of the skin and subcutaneous tissue	28	340	220	120	—	20	—	30	270	—
Infections of the skin and subcutaneous tissue	281	320	200	120	—	20	—	30	260	—
Cellulitis and abscess	2811	90	80	—	—	—	—	20	50	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	210	100	110	—	—	—	20	190	—
Infectious and parasitic diseases	3	280	200	80	—	—	—	90	180	—
Bacterial diseases	31	20	—	—	—	—	—	20	—	—
Viral diseases	32	20	20	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	50	30	—	—	—	—	—	50	—
Infectious diseases peculiar to the intestines, n.e.c. ..	369	30	30	—	—	—	—	—	20	—
Other infectious and parasitic diseases	39	180	130	50	—	—	—	60	100	—
Scabies and other acariases	392	170	130	40	—	—	—	60	100	—
Neoplasms, tumors, and cancers	4	50	50	—	—	—	—	—	50	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	50	50	—	—	—	—	—	50	—
Symptoms, signs, and ill-defined conditions	5	1,420	720	710	—	50	60	350	820	140
Symptoms	51	1,300	620	680	—	30	60	310	750	140
General symptoms	511	600	350	250	—	—	50	90	450	—
General symptoms, unspecified	5110	20	20	—	—	—	—	—	20	—
Loss of consciousness—not heat related	5111	130	50	70	—	—	—	30	80	—

See footnotes at end of table.

TABLE L47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Dizziness—general	5114	330	210	120	—	—	—	40	280	—
Inflammation, swelling—general	5115	40	—	—	—	—	—	—	—	—
Multiple general symptoms	5118	40	40	—	—	—	—	—	40	—
General symptoms, n.e.c.	5119	40	—	20	—	—	—	—	20	—
Symptoms involving head and neck	514	100	50	50	—	—	—	—	70	—
Headache, except migraine	5141	90	40	50	—	—	—	—	60	—
Symptoms involving cardiovascular system	515	130	90	40	—	—	—	70	50	—
Unspecified tachycardia (rapid heartbeat)	5151	60	—	40	—	—	—	—	50	—
Symptoms involving cardiovascular system, n.e.c.	5159	70	70	—	—	—	—	70	—	—
Symptoms involving respiratory system and chest	516	310	80	230	—	20	—	30	130	130
Symptoms involving respiratory system and chest, unspecified	5160	90	20	70	—	—	—	—	60	—
Chest pain	5164	70	50	20	—	—	—	20	50	—
Symptoms involving respiratory system and chest, n.e.c.	5169	150	—	140	—	—	—	—	—	130
Multiple symptoms	518	50	20	—	—	—	—	—	40	—
Abnormal findings	52	40	30	—	—	20	—	—	—	—
Other abnormal findings	529	40	30	—	—	20	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	58	80	70	—	—	—	—	30	40	—
Other diseases, conditions, and disorders	6	1,480	730	740	—	—	—	280	1,150	30
Mental disorders and syndromes	62	1,460	720	720	—	—	—	280	1,130	30
Mental disorders and syndromes, unspecified	620	20	—	—	—	—	—	—	—	—
Anxiety, stress	621	1,440	710	720	—	—	—	260	1,120	30
Anxiety, stress, unspecified	6210	720	320	400	—	—	—	130	550	30
Post-traumatic stress disorder	6211	490	300	180	—	—	—	60	430	—
Anxiety or panic disorder	6213	80	40	40	—	—	—	40	40	—
Anxiety, stress, n.e.c.	6219	130	50	80	—	—	—	40	90	—
Exposures to disease—no illness incurred	7	150	90	60	—	—	—	110	40	—
Multiple diseases, conditions, and disorders	8	40	—	40	—	—	—	—	40	—
Nonclassifiable	9999	870	480	340	50	—	—	—	220	630

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.