

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2013

Part of body	Part of body code ²	Local government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Total		180,130	72,390	10,740	11,380	1,200	240	990	80	120	82,990
Head	1	12,550	4,470	680	1,090	110	-	60	-	40	6,110
Head, unspecified	10	2,900	1,000	250	430	30	-	-	-	-	1,170
Cranial region, including skull	11	3,600	1,570	60	200	-	-	-	-	-	1,720
Cranial region, unspecified	110	620	130	-	-	-	-	-	-	-	480
Brain	111	2,380	1,120	20	170	-	-	-	-	-	1,010
Scalp	112	450	260	-	20	-	-	-	-	-	160
Skull	113	140	40	30	-	-	-	-	-	-	70
Ear(s)	12	360	160	-	40	-	-	-	-	-	160
Face	13	5,240	1,650	340	390	70	-	40	-	-	2,740
Face, unspecified	130	650	140	30	40	20	-	-	-	-	410
Forehead	131	380	220	30	-	-	-	-	-	-	130
Eye(s)	132	2,160	630	160	200	50	-	30	-	-	1,070
Nose, nasal cavity	133	840	320	20	70	-	-	-	-	-	440
Nose, except internal location of diseases or disorders	1330	830	310	20	70	-	-	-	-	-	440
Cheek(s)	134	80	-	-	-	-	-	-	-	-	40
Jaw, chin	135	260	110	-	-	-	-	-	-	-	160
Mouth	136	250	120	50	-	-	-	-	-	-	80
Mouth, unspecified	1360	20	-	-	-	-	-	-	-	-	-
Lip(s)	1361	80	60	-	-	-	-	-	-	-	20
Tooth (teeth)	1363	110	50	20	-	-	-	-	-	-	40
Multiple mouth locations	1368	50	-	-	-	-	-	-	-	-	-
Multiple face locations	138	510	80	-	20	-	-	-	-	-	400
Face, n.e.c.	139	100	20	-	-	-	-	-	-	-	20
Multiple head locations	18	440	90	-	20	-	-	-	-	-	320
Neck, including throat	2	3,460	1,470	190	150	30	-	-	-	-	1,620
Neck, except internal location of diseases or disorders ...	20	3,460	1,470	190	150	30	-	-	-	-	1,620
Trunk	3	40,720	17,810	2,000	2,610	140	30	110	-	20	18,000
Trunk, unspecified	30	90	50	-	-	-	-	-	-	-	40
Chest, including ribs, internal organs	31	3,040	1,350	130	90	20	-	-	-	-	1,440
Chest, except internal location of diseases or disorders	310	2,290	1,010	120	60	-	-	-	-	-	1,060
Internal chest location, unspecified	311	150	-	-	-	-	-	-	-	-	150
Heart	313	490	260	-	-	-	-	-	-	-	210
Lung(s), pleura	315	110	70	-	-	-	-	-	-	-	20
Back, including spine, spinal cord	32	31,570	13,870	1,520	2,300	100	20	90	-	20	13,660
Back, including spine, spinal cord, unspecified	320	12,270	5,520	640	670	40	-	30	-	-	5,370
Thoracic region	321	1,420	670	50	70	-	-	-	-	-	610
Lumbar region	322	16,820	7,180	710	1,540	50	20	40	-	-	7,280
Sacral region	323	90	30	-	-	-	-	-	-	-	50
Coccygeal region	324	230	170	-	-	-	-	-	-	-	50
Multiple back regions	328	730	280	120	30	-	-	-	-	-	300

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Abdomen	33	1,640	670	150	110	—	—	—	—	—	710
Abdomen, except internal location of diseases or disorders	330	1,560	620	140	110	—	—	—	—	—	690
Internal abdominal location, unspecified	331	50	30	—	—	—	—	—	—	—	20
Intestines, peritoneum	335	30	—	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	20	—	—	—	—	—	—	—	—	—
Pelvic region	34	3,090	1,500	150	60	20	—	—	—	—	1,360
Hip(s)	341	1,630	740	90	20	—	—	—	—	—	780
Pelvis	342	340	330	—	—	—	—	—	—	—	20
Buttock(s)	343	180	60	—	—	20	—	—	—	—	80
Groin	344	810	320	30	30	—	—	—	—	—	430
External reproductive tract structures	345	50	30	—	—	—	—	—	—	—	30
Scrotum	3451	20	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	20	—	—	—	—	—	—	—	—	20
Pelvic region, n.e.c.	349	30	20	—	—	—	—	—	—	—	—
Multiple trunk locations	38	1,280	380	60	50	—	—	—	—	—	780
Upper extremities	4	42,990	18,100	2,370	2,170	480	60	250	20	—	19,520
Upper extremities, unspecified	40	90	—	—	—	—	—	—	—	—	60
Shoulder(s), including clavicle(s), scapula(e)	41	13,380	5,700	580	640	70	30	90	—	—	6,260
Arm(s)	42	6,660	2,450	430	310	110	—	—	—	—	3,340
Arm(s), unspecified	420	1,790	710	140	90	70	—	—	—	—	770
Upper arm(s)	421	1,360	590	30	30	—	—	—	—	—	690
Elbow(s)	422	2,130	810	160	70	20	—	—	—	—	1,060
Forearm(s)	423	1,200	280	90	60	—	—	—	—	—	750
Multiple arm locations	428	110	50	—	20	—	—	—	—	—	50
Elbow(s) and arm(s)	4281	50	20	—	—	—	—	—	—	—	30
Multiple arm locations, n.e.c.	4289	60	30	—	—	—	—	—	—	—	20
Arm(s), n.e.c.	429	70	—	—	30	—	—	—	—	—	30
Wrist(s)	43	5,510	2,780	270	240	90	—	20	—	—	2,090
Hand(s)	44	13,110	5,740	690	770	160	—	120	—	—	5,600
Hand(s), unspecified	440	3,560	1,270	300	130	—	—	90	—	—	1,740
Hand(s), except finger(s)	441	850	210	90	—	—	—	20	—	—	520
Finger(s), fingernail(s)	442	8,200	4,040	280	580	150	—	20	—	—	3,120
Finger(s), fingernail(s), unspecified	4420	6,490	3,360	200	490	130	—	—	—	—	2,280
Fingernail(s), nailbed(s)	4421	130	70	—	—	—	—	—	—	—	50
Fingertip(s)	4422	460	190	40	—	—	—	—	—	—	210
Finger(s), fingernail(s), n.e.c.	4429	1,120	420	40	70	—	—	—	—	—	590
Hand(s) and finger(s)	448	390	170	20	40	—	—	—	—	—	170
Hand(s), n.e.c.	449	120	50	—	20	—	—	—	—	—	50
Multiple upper extremities locations	48	4,220	1,390	390	220	40	—	—	—	—	2,170
Multiple upper extremities locations, unspecified	480	40	—	—	—	—	—	—	—	—	30
Hand(s) and arms(s)	481	270	90	40	20	—	—	—	—	—	100
Hand(s) and arm(s), unspecified	4810	110	40	—	—	—	—	—	—	—	60
Hand(s) and elbow(s)	4811	60	20	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	100	30	30	—	—	—	—	—	—	20

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Race or ethnic origin ⁴									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Hand(s) and wrist(s)	482	880	280	150	20	—	—	—	—	—	—	420
Wrist(s) and arm(s)	483	530	220	50	30	—	—	—	—	—	—	220
Wrist(s) and arm(s), unspecified	4830	140	60	—	20	—	—	—	—	—	—	60
Wrist(s) and elbow(s)	4831	220	60	40	—	—	—	—	—	—	—	110
Wrist(s) and arm(s), n.e.c.	4839	170	110	—	—	—	—	—	—	—	—	60
Shoulder(s) and arm(s)	484	1,100	460	30	120	—	—	—	—	—	—	500
Multiple upper extremities locations, n.e.c.	489	1,400	330	110	30	—	—	—	—	—	—	900
Upper extremities, n.e.c.	49	20	—	—	—	—	—	—	—	—	—	—
Lower extremities	5	45,690	17,170	3,360	3,310	250	40	300	20	—	—	21,220
Lower extremities, unspecified	50	60	—	—	—	—	—	—	—	—	—	40
Leg(s)	51	25,350	9,740	1,740	1,650	150	40	240	20	—	—	11,770
Leg(s), unspecified	510	1,670	650	160	100	20	—	—	—	—	—	720
Thigh(s)	511	1,260	360	170	70	—	—	60	—	—	—	600
Knee(s)	512	19,570	7,870	990	1,180	110	30	160	—	—	—	9,210
Lower leg(s)	513	1,860	590	40	270	—	—	—	—	—	—	940
Multiple leg locations	518	960	260	370	20	—	—	—	—	—	—	300
Multiple leg locations, unspecified	5180	90	90	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	800	110	370	20	—	—	—	—	—	—	290
Multiple leg locations, n.e.c.	5189	70	60	—	—	—	—	—	—	—	—	—
Leg(s), n.e.c.	519	30	20	—	—	—	—	—	—	—	—	—
Ankle(s)	52	10,650	4,130	1,060	1,040	70	—	20	—	—	—	4,320
Foot (feet)	53	7,240	2,630	400	380	30	—	30	—	—	—	3,780
Foot (feet), unspecified	530	4,490	1,610	250	230	—	—	20	—	—	—	2,360
Sole(s)	531	460	210	70	—	—	—	—	—	—	—	140
Sole(s), unspecified	5310	100	20	—	—	—	—	—	—	—	—	70
Arch(es), instep(s)	5312	40	40	—	—	—	—	—	—	—	—	—
Heel(s)	5313	320	150	70	—	—	—	—	—	—	—	60
Toes(s), toenail(s)	532	1,810	630	60	90	—	—	—	—	—	—	1,020
Multiple foot (feet) locations	538	340	120	20	—	—	—	—	—	—	—	210
Foot (feet), n.e.c.	539	130	80	—	—	—	—	—	—	—	—	40
Multiple lower extremities locations	58	2,390	660	150	240	—	—	—	—	—	—	1,310
Multiple lower extremities locations, unspecified	580	100	—	—	—	—	—	—	—	—	—	90
Foot (feet) and leg(s)	581	290	80	—	—	—	—	—	—	—	—	160
Foot(feet) and leg(s), unspecified	5810	60	40	—	—	—	—	—	—	—	—	20
Foot(feet) and knee(s)	5811	130	30	—	—	—	—	—	—	—	—	70
Foot(feet) and leg(s), n.e.c.	5819	90	—	—	—	—	—	—	—	—	—	70
Foot (feet) and ankle(s)	582	600	200	80	100	—	—	—	—	—	—	220
Ankle(s) and leg(s)	583	850	220	30	120	—	—	—	—	—	—	460
Ankle(s) and leg(s), unspecified	5830	40	—	—	—	—	—	—	—	—	—	30
Ankle(s) and knee(s)	5831	720	180	30	120	—	—	—	—	—	—	390
Ankle(s) and leg(s), n.e.c.	5839	90	30	—	—	—	—	—	—	—	—	40
Multiple lower extremities locations, n.e.c.	589	560	150	—	—	—	—	—	—	—	—	380
Body systems	6	5,130	2,380	300	190	30	50	—	30	20	—	2,120

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Multiple body parts	8	27,370	10,530	1,790	1,810	170	60	220	—	20	12,770
Multiple body parts, unspecified	80	2,910	890	140	320	80	—	60	—	—	1,420
Head and neck	81	520	190	20	60	—	—	—	—	—	250
Head, neck, and trunk	82	500	50	—	20	—	—	—	—	—	430
Head and trunk	83	200	60	—	50	—	—	—	—	—	80
Neck and back	84	1,670	630	230	90	—	—	30	—	—	680
Shoulder(s) and back	85	710	280	90	70	—	20	—	—	—	240
Hip(s) and leg(s)	86	240	120	20	—	—	—	—	—	—	80
Upper and lower limb(s)	87	2,720	1,010	70	190	—	—	30	—	—	1,410
Other multiple body parts	89	17,900	7,310	1,210	1,000	70	30	90	—	20	8,170
Whole body	891	150	90	—	—	—	—	—	—	—	60
Multiple body parts, n.e.c.	899	17,750	7,220	1,200	1,000	70	30	90	—	20	8,110
Nonclassifiable	9999	2,220	450	50	50	—	—	30	—	—	1,630

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Race and ethnicity data do not add to total. Some cases may be counted as both Multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.