

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2013

Nature	Nature code ²	Local government ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Total		180,130	1,720	19,000	15,390	35,890	29,060	22,500	11,910	4,460	2,870	1,570	35,760
Traumatic injuries and disorders	1	172,610	1,510	18,480	15,060	34,670	28,650	22,010	11,480	4,360	2,780	1,520	32,090
Traumatic injuries and disorders, unspecified	10	520	–	30	–	–	–	30	20	–	–	–	420
Traumatic injuries to bones, nerves, spinal cord	11	12,760	210	1,480	1,090	2,560	2,220	1,230	1,510	420	140	40	1,850
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	1,860	20	150	180	600	220	80	40	250	–	–	300
Fractures	111	10,610	190	1,320	910	1,930	1,910	1,070	1,430	170	120	20	1,550
Traumatic injuries to nerves, except the spinal cord	113	90	–	–	–	30	–	–	30	–	–	–	–
Pinched nerve	1131	80	–	–	–	20	–	–	30	–	–	–	–
Multiple traumatic injuries to bones, nerves, spinal cord	118	80	–	–	–	–	–	–	–	–	–	–	–
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	119	110	–	–	–	–	80	–	–	–	–	–	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	78,250	430	7,960	7,110	16,390	12,530	9,810	4,920	2,290	1,370	750	14,680
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	360	–	60	20	50	50	40	–	20	–	–	110
Dislocations	121	2,140	–	300	90	340	710	210	160	100	30	–	180
Dislocations, unspecified	1210	140	–	–	–	40	30	30	–	–	–	–	–
Herniated discs	1211	970	–	20	30	80	550	70	60	60	–	–	90
Dislocation of joints	1212	970	–	270	60	200	130	110	80	–	20	–	60
Dislocations, n.e.c.	1219	70	–	–	–	20	–	–	–	–	–	–	20
Cartilage fractures and tears	122	710	–	30	100	170	150	60	80	30	40	–	50
Cartilage fractures and tears, unspecified	1220	50	–	–	–	–	–	–	–	–	–	–	–
Meniscus tears	1221	650	–	30	80	160	140	60	80	30	20	–	40
Sprains, strains, tears	123	73,930	410	7,500	6,780	15,570	11,420	9,260	4,600	2,130	1,290	730	14,230
Sprains, strains, tears, unspecified	1230	5,260	–	480	360	1,120	720	680	350	130	110	70	1,250
Major tears to muscles, tendons, ligaments	1231	4,390	–	490	280	1,130	340	580	920	80	30	–	520
Sprains	1232	20,440	230	1,960	1,830	4,080	3,840	2,500	910	930	510	80	3,570
Strains	1233	42,810	160	4,400	4,230	9,140	6,300	5,420	2,350	980	620	590	8,610
Multiple sprains, strains, tears	1238	1,020	–	170	80	100	220	80	60	–	20	–	280
Hernias due to traumatic incidents	124	780	–	50	60	160	180	140	70	–	–	–	100
Whiplash	125	150	–	20	50	–	–	50	–	–	–	–	–
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	140	–	–	20	80	–	–	–	–	–	–	–
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	50	–	–	–	–	–	30	–	–	–	–	–
Open wounds	13	8,510	20	740	1,010	2,190	1,140	1,420	440	80	80	90	1,310
Open wounds, unspecified	130	90	–	40	–	–	20	30	–	–	–	–	–
Amputations, avulsions, enucleations	131	360	–	70	20	50	40	110	–	–	–	–	70
Amputations	1311	280	–	60	–	30	20	110	–	–	–	–	40

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Avulsions, enucleations	1312	70	—	—	—	—	20	—	—	—	—	—	—
Cuts, lacerations	132	6,130	—	480	810	1,630	870	930	370	60	70	90	810
Puncture wounds, except gunshot wounds	133	1,750	—	120	160	500	200	330	60	—	—	—	370
Gunshot wounds	134	110	—	—	—	—	—	20	—	20	—	—	30
Multiple types of open wounds	138	60	—	—	—	—	—	—	—	—	—	—	—
Surface wounds and bruises	14	17,980	180	1,760	1,450	3,550	3,580	2,100	1,110	530	400	20	3,290
Surface wounds and bruises, unspecified	140	500	—	60	—	110	230	20	—	—	—	—	60
Abrasions, scratches	141	1,490	20	130	80	240	250	240	330	30	20	—	140
Bruises, contusions	143	15,640	160	1,550	1,280	3,100	3,070	1,760	770	500	350	—	3,070
Multiple surface wounds and bruises	148	290	—	—	60	90	30	60	—	—	—	—	20
Surface wounds and bruises, n.e.c. ...	149	50	—	—	20	—	—	—	—	—	—	—	—
Burns and corrosions	15	2,230	—	70	230	480	260	440	80	50	40	300	270
Burns and corrosions, unspecified	150	120	—	—	—	—	30	—	—	—	—	—	80
Chemical burns and corrosions	151	190	—	20	20	40	40	30	—	—	—	—	—
Chemical burns and corrosions, unspecified	1510	190	—	20	20	40	40	30	—	—	—	—	—
Heat (thermal) burns	152	1,770	—	50	190	400	170	400	50	—	40	280	170
Heat (thermal) burns, unspecified ..	1520	1,100	—	40	120	280	120	80	30	—	20	280	120
First degree heat (thermal) burns ..	1521	50	—	—	20	20	—	—	—	—	—	—	—
Second degree heat (thermal) burns	1522	300	—	—	50	90	40	—	20	—	—	—	50
Heat (thermal) burns, n.e.c.	1529	320	—	—	—	—	—	310	—	—	—	—	—
Electrical burns	153	50	—	—	—	—	20	—	—	—	—	—	—
Electrical burns, unspecified	1530	40	—	—	—	—	—	—	—	—	—	—	—
Other burns	159	100	—	—	—	—	—	—	—	—	—	—	—
Other burns, unspecified	1590	60	—	—	—	—	—	—	—	—	—	—	—
Intracranial injuries	16	2,280	80	220	170	310	210	540	100	340	60	—	250
Intracranial injuries, unspecified	160	230	—	—	20	20	—	120	—	—	—	—	—
Concussions	162	2,030	50	220	150	290	190	410	100	340	30	—	250
Effects of environmental conditions	17	470	—	—	50	80	70	30	80	—	40	20	70
Effects of heat and light	172	420	—	—	50	80	70	30	80	—	—	20	70
Effects of heat and light, unspecified	1720	20	—	—	—	—	—	—	—	—	—	—	—
Heat syncope	1722	30	—	—	20	—	—	—	—	—	—	—	—
Heat fatigue	1723	20	—	—	—	—	—	—	—	—	—	—	—
Heat exhaustion, prostration	1725	230	—	—	—	50	50	20	30	—	—	20	40
Effects of heat and light, n.e.c.	1729	100	—	—	—	—	—	—	—	—	—	—	20
Effects of air or water pressure	173	40	—	—	—	—	—	—	—	—	—	—	—
Effects of air or water pressure, n.e.c.	1739	40	—	—	—	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	6,220	50	770	420	1,580	1,370	870	440	100	70	30	530
Multiple traumatic injuries and disorders, unspecified	180	400	—	—	—	130	170	20	—	—	—	—	60
Cuts and abrasions or bruises	181	1,010	—	200	70	190	160	180	70	—	20	—	120
Sprains and other injuries	182	2,900	20	350	240	560	680	410	300	80	40	30	180

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Sprains and other injuries, unspecified	1820	230	—	—	—	40	140	40	—	—	—	—	—
Sprains and bruises	1821	2,330	20	290	210	450	490	280	290	80	40	30	160
Sprains and cuts	1822	90	—	20	—	30	—	—	—	—	—	—	—
Sprains and other injuries, n.e.c. ...	1829	250	—	30	30	40	50	80	—	—	—	—	—
Fractures and other injuries	183	900	—	160	20	140	280	140	30	—	—	—	100
Fractures and other injuries, unspecified	1830	210	—	140	—	—	—	—	—	—	—	—	70
Fractures and dislocations	1834	50	—	—	—	—	—	20	—	—	—	—	—
Fractures and other injuries, n.e.c. ...	1839	630	—	20	20	130	270	110	30	—	—	—	30
Multiple traumatic injuries and disorders, n.e.c.	189	1,000	20	60	80	550	70	120	30	—	—	—	70
Other traumatic injuries and disorders ...	19	43,380	550	5,440	3,500	7,520	7,260	5,540	2,780	540	570	260	9,420
Other traumatic injuries and disorders, unspecified	190	130	—	—	—	—	40	50	—	—	—	—	20
Asphyxiations, strangulations, suffocations	191	30	—	—	—	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	193	90	—	—	30	20	20	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute	195	940	—	—	40	60	200	90	200	—	—	—	330
Dermatitis and reactions affecting the skin—acute, unspecified	1950	460	—	—	20	20	150	—	190	—	—	—	70
Allergic dermatitis—acute	1951	410	—	—	20	30	40	60	—	—	—	—	240
Irritant dermatitis—acute	1952	20	—	—	—	—	—	—	—	—	—	—	—
Multiple types of dermatitis and skin reactions—acute	1958	30	—	—	—	—	—	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	20	—	—	—	—	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	2,380	—	170	150	380	680	230	420	40	20	—	280
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	1,090	—	90	60	230	90	140	380	—	—	—	80
Poisoning, including poisoning-related asphyxia	1961	100	—	20	—	—	30	20	—	—	—	—	—
Anaphylactic shock, anaphylaxis ...	1962	40	—	—	—	30	—	—	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	740	—	—	50	40	520	—	—	—	—	—	90
Coughing and throat irritation—toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	60	—	—	—	—	—	20	—	—	—	—	—
Other or unspecified allergic reactions	1966	220	—	30	—	60	20	—	—	—	—	—	70
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	50	—	—	—	—	—	20	—	—	—	—	—

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
Multiple poisoning, toxic, noxious, or allergenic effects	1968	40	—	—	—	—	—	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects, n.e.c.	1969	30	—	—	—	—	—	—	—	—	—	—	—	—
Nonspecified injuries and disorders ...	197	39,790	550	5,250	3,270	7,040	6,320	5,150	2,150	500	540	250	8,780	
Crushing injuries	1971	990	—	90	60	420	70	70	30	40	20	—	180	
Soreness, pain, hurt—nonspecified injury	1972	35,280	540	4,610	2,880	6,020	5,830	4,180	1,970	440	480	240	8,090	
Swelling, inflammation, irritation—nonspecified injury	1973	2,230	—	380	260	380	200	640	70	20	30	—	250	
Numbness—nonspecified injury	1974	160	—	20	—	—	—	20	—	—	—	—	90	
Multiple nonspecified injuries and disorders	1978	940	—	120	40	160	180	210	60	—	—	—	150	
Nonspecified injuries and disorders, n.e.c.	1979	180	—	20	30	40	20	—	20	—	—	—	20	
Diseases and disorders of body systems	2	3,230	90	210	150	260	190	100	210	30	—	—	1,990	
Nervous system and sense organs diseases	22	1,200	—	40	20	70	130	60	—	—	—	—	860	
Other disorders of the central nervous system	223	50	—	—	—	—	30	—	—	—	—	—	—	
Migraine	2232	40	—	—	—	—	—	—	—	—	—	—	—	
Disorders of the peripheral nervous system	224	890	—	30	—	20	30	20	—	—	—	—	760	
Disorders of the peripheral nervous system, unspecified	2240	30	—	—	—	—	—	—	—	—	—	—	30	
Carpal tunnel syndrome	2241	830	—	30	—	20	30	—	—	—	—	—	710	
Disorders of the peripheral nervous system, n.e.c.	2249	40	—	—	—	—	—	—	—	—	—	—	—	
Disorders of the eye, adnexa, vision ..	225	150	—	—	—	40	20	30	—	—	—	—	50	
Conjunctivitis—non-viral	2251	100	—	—	—	—	—	30	—	—	—	—	30	
Disorders of the eye, adnexa, vision, n.e.c.	2259	20	—	—	—	—	—	—	—	—	—	—	—	
Disorders of the ear, mastoid process, hearing	226	100	—	—	—	—	—	—	—	—	—	—	—	
Deafness, hearing loss and impairment	2261	80	—	—	—	—	—	—	—	—	—	—	—	
Disorders of the ear, mastoid process, and hearing, n.e.c.	2269	20	—	—	—	—	—	—	—	—	—	—	—	
Circulatory system diseases	23	590	—	20	30	40	—	—	170	—	—	—	320	
Hypertensive disease	232	50	—	—	—	—	—	—	—	—	—	—	20	
Ischemic heart disease, including heart attack	233	280	—	20	—	20	—	—	—	—	—	—	240	
Ischemic heart disease, unspecified	2330	180	—	—	—	—	—	—	—	—	—	—	180	
Myocardial infarction (heart attack)	2331	90	—	20	—	20	—	—	—	—	—	—	50	
Other forms of heart disease	235	140	—	—	—	—	—	—	—	—	—	—	60	

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Hours on the job before event occurred											
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported	
Other forms of heart disease, n.e.c.	2359	60	—	—	—	—	—	—	—	—	—	—	—	60
Cerebrovascular disease	236	40	—	—	—	—	—	—	—	20	—	—	—	—
Stroke	2361	30	—	—	—	—	—	—	—	—	—	—	—	—
Respiratory system diseases	24	240	—	—	40	—	—	—	—	—	—	—	—	170
Pneumonia, influenza	243	230	—	—	40	—	—	—	—	—	—	—	—	160
Pneumonia, influenza, unspecified	2430	130	—	—	—	—	—	—	—	—	—	—	—	90
Pneumonia	2431	100	—	—	—	—	—	—	—	—	—	—	—	80
Digestive system diseases and disorders	25	50	—	—	—	—	—	—	—	—	—	—	—	40
Hernia—nontraumatic	253	50	—	—	—	—	—	—	—	—	—	—	—	40
Musculoskeletal system and connective tissue diseases and disorders	27	820	90	30	60	140	50	30	20	—	—	—	—	390
Soft tissue disorders, except the back	273	790	90	30	60	140	50	20	20	—	—	—	—	380
Soft tissue disorder, except the back, unspecified	2730	140	—	—	—	—	—	—	—	—	—	—	—	120
Bursitis	2731	90	—	—	—	50	—	—	—	—	—	—	—	—
Stenosing tenosynovitis	2732	40	—	—	—	—	—	—	—	—	—	—	—	30
Other tenosynovitis, synovitis	2733	30	—	—	—	—	—	—	—	—	—	—	—	20
Epicondylitis	2734	110	—	—	40	—	—	—	—	—	—	—	—	30
Other or unspecified tendonitis (tendinitis)	2735	150	—	—	—	50	—	—	—	—	—	—	—	70
Ganglion or cystic tumor	2736	20	—	—	—	—	—	—	—	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	200	—	—	—	—	—	—	—	—	—	—	—	100
Disorders of the skin and subcutaneous tissue	28	340	—	110	—	—	—	—	—	—	—	—	—	210
Infections of the skin and subcutaneous tissue	281	320	—	110	—	—	—	—	—	—	—	—	—	190
Cellulitis and abscess	2811	90	—	40	—	—	—	—	—	—	—	—	—	40
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	210	—	70	—	—	—	—	—	—	—	—	—	140
Infectious and parasitic diseases	3	280	—	—	—	30	20	—	50	—	50	—	—	70
Bacterial diseases	31	20	—	—	—	—	—	—	—	—	—	—	—	—
Viral diseases	32	20	—	—	—	—	—	—	—	—	—	—	—	20
Infectious diseases peculiar to the intestines	36	50	—	—	—	30	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, n.e.c.	369	30	—	—	—	—	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	39	180	—	—	—	—	—	—	50	—	50	—	—	50
Scabies and other acariases	392	170	—	—	—	—	—	—	50	—	50	—	—	40
Neoplasms, tumors, and cancers	4	50	—	—	—	—	—	—	—	—	—	—	—	50
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	41	50	—	—	—	—	—	—	—	—	—	—	—	50
Symptoms, signs, and ill-defined conditions	5	1,420	—	190	120	460	80	130	90	50	20	40	—	250

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Symptoms	51	1,300	—	130	110	430	70	120	90	50	20	—	240
General symptoms	511	600	—	100	—	210	60	50	30	—	—	—	130
General symptoms, unspecified	5110	20	—	—	—	—	—	—	—	—	—	—	—
Loss of consciousness—not heat related	5111	130	—	20	—	20	—	—	—	—	—	—	60
Dizziness—general	5114	330	—	—	—	150	20	30	—	—	—	—	50
Inflammation, swelling—general	5115	40	—	—	—	—	—	—	—	—	—	—	—
Multiple general symptoms	5118	40	—	—	—	40	—	—	—	—	—	—	—
General symptoms, n.e.c.	5119	40	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving head and neck ..	514	100	—	—	—	—	—	30	40	—	—	—	—
Headache, except migraine	5141	90	—	—	—	—	—	20	40	—	—	—	—
Symptoms involving cardiovascular system	515	130	—	—	—	—	—	—	—	—	—	—	—
Unspecified tachycardia (rapid heartbeat)	5151	60	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	5159	70	—	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	310	—	20	—	150	—	—	—	—	—	—	90
Symptoms involving respiratory system and chest, unspecified	5160	90	—	—	—	—	—	—	—	—	—	—	60
Chest pain	5164	70	—	—	—	—	—	—	—	—	—	—	20
Symptoms involving respiratory system and chest, n.e.c.	5169	150	—	—	—	130	—	—	—	—	—	—	—
Multiple symptoms	518	50	—	—	—	40	—	—	—	—	—	—	—
Abnormal findings	52	40	—	—	—	20	—	—	—	—	—	—	—
Other abnormal findings	529	40	—	—	—	20	—	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	58	80	—	60	—	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	1,480	—	90	30	430	110	180	80	—	20	—	480
Mental disorders and syndromes	62	1,460	—	90	30	430	110	180	80	—	20	—	460
Mental disorders and syndromes, unspecified	620	20	—	—	—	—	—	—	—	—	—	—	—
Anxiety, stress	621	1,440	—	90	30	420	110	180	80	—	—	—	460
Anxiety, stress, unspecified	6210	720	—	70	30	20	50	110	30	—	—	—	350
Post-traumatic stress disorder	6211	490	—	—	—	330	—	60	30	—	—	—	40
Anxiety or panic disorder	6213	80	—	—	—	20	—	—	—	—	—	—	—
Anxiety, stress, n.e.c.	6219	130	—	—	—	30	—	—	20	—	—	—	50
Exposures to disease—no illness incurred	7	150	—	—	—	20	—	70	—	—	—	—	30
Multiple diseases, conditions, and disorders	8	40	—	—	—	—	—	—	—	—	—	—	40

See footnotes at end of table.

TABLE L78. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and hours on the job before event occurred, local government, 2013 — Continued

Nature	Nature code ²	Local government ³	Hours on the job before event occurred										Not reported	
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours		
Nonclassifiable	9999	870	70	—	—	20	—	—	—	—	—	—	—	760

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.