

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2013

Part of body	Part of body code ²	Local government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Total		180,130	1,720	19,000	15,390	35,890	29,060	22,500	11,910	4,460	2,870	1,570	35,760
Head	1	12,550	160	990	1,090	3,000	2,210	1,840	520	470	280	40	1,960
Head, unspecified	10	2,900	20	190	200	810	510	280	90	—	60	—	730
Cranial region, including skull	11	3,600	90	320	240	870	380	720	130	350	60	—	440
Cranial region, unspecified	110	620	—	—	20	420	70	20	—	—	—	—	70
Brain	111	2,380	80	230	150	350	220	540	110	340	60	—	300
Scalp	112	450	—	60	60	50	50	150	20	—	—	—	50
Skull	113	140	—	20	—	50	40	—	—	—	—	—	—
Ear(s)	12	360	—	40	—	60	40	110	—	—	—	—	60
Face	13	5,240	40	400	640	1,050	1,230	650	270	90	120	40	700
Face, unspecified	130	650	20	—	200	60	70	70	60	30	—	—	120
Forehead	131	380	—	20	40	120	70	80	—	—	—	—	50
Eye(s)	132	2,160	—	150	270	660	340	270	70	60	30	—	310
Nose, nasal cavity	133	840	—	50	70	50	490	50	—	—	—	—	120
Nose, except internal location of diseases or disorders	1330	830	—	50	60	50	490	50	—	—	—	—	120
Cheek(s)	134	80	—	—	—	—	—	40	—	—	—	—	20
Jaw, chin	135	260	—	—	—	80	—	20	—	—	—	—	—
Mouth	136	250	—	70	—	40	—	40	—	—	—	30	20
Mouth, unspecified	1360	20	—	—	—	—	—	—	—	—	—	—	—
Lip(s)	1361	80	—	30	—	—	—	—	—	—	—	—	—
Tooth (teeth)	1363	110	—	20	—	30	—	—	—	—	—	—	20
Multiple mouth locations	1368	50	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations	138	510	—	60	20	40	230	20	20	—	—	—	40
Face, n.e.c.	139	100	—	—	—	—	—	70	—	—	—	—	—
Multiple head locations	18	440	—	40	—	200	50	70	20	—	—	—	40
Neck, including throat	2	3,460	20	360	420	900	380	390	90	20	30	50	800
Neck, except internal location of diseases or disorders	20	3,460	20	360	420	900	380	390	90	20	30	50	800
Trunk	3	40,720	180	4,170	3,640	8,360	6,440	5,000	2,330	700	590	300	9,010
Trunk, unspecified	30	90	—	30	—	30	20	—	—	—	—	—	—
Chest, including ribs, internal organs	31	3,040	30	340	270	530	400	290	220	20	80	—	840
Chest, except internal location of diseases or disorders	310	2,290	30	310	240	340	390	290	150	20	80	—	430
Internal chest location, unspecified	311	150	—	—	—	130	—	—	—	—	—	—	—
Heart	313	490	—	30	—	50	—	—	70	—	—	—	320
Lung(s), pleura	315	110	—	—	—	—	—	—	—	—	—	—	100
Back, including spine, spinal cord	32	31,570	90	3,100	2,730	6,750	4,990	3,680	1,740	550	470	240	7,230
Back, including spine, spinal cord, unspecified	320	12,270	40	1,150	1,010	2,390	1,540	1,080	990	100	250	60	3,660
Thoracic region	321	1,420	—	70	270	300	340	150	110	—	—	—	160
Lumbar region	322	16,820	30	1,760	1,340	3,830	2,970	2,350	530	430	190	180	3,210
Sacral region	323	90	—	—	—	50	—	—	—	—	—	—	—
Coccygeal region	324	230	—	20	—	50	60	—	50	—	—	—	30
Multiple back regions	328	730	—	100	110	110	80	80	50	—	—	—	160

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Abdomen	33	1,640	—	200	150	370	310	210	130	—	20	30	200
Abdomen, except internal location of diseases or disorders	330	1,560	—	200	150	360	310	200	130	—	20	—	160
Internal abdominal location, unspecified	331	50	—	—	—	—	—	—	—	—	—	—	40
Intestines, peritoneum	335	30	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	20	—	—	—	—	—	—	—	—	—	—	—
Pelvic region	34	3,090	30	350	340	510	470	700	150	110	20	—	390
Hip(s)	341	1,630	30	180	130	330	290	290	70	100	—	—	220
Pelvis	342	340	—	—	—	—	—	300	—	—	—	—	—
Buttock(s)	343	180	—	60	—	30	20	30	—	—	—	—	20
Groin	344	810	—	80	180	110	140	80	70	—	—	—	140
External reproductive tract structures ..	345	50	—	—	—	30	—	—	—	—	—	—	—
Scrotum	3451	20	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	20	—	—	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	349	30	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	38	1,280	30	140	140	180	250	120	70	—	—	—	340
Upper extremities	4	42,990	190	3,920	3,770	8,690	6,940	5,170	3,160	1,110	530	730	8,780
Upper extremities, unspecified	40	90	—	—	—	30	—	—	—	—	—	—	20
Shoulder(s), including clavicle(s), scapula(e)	41	13,380	110	1,600	1,410	2,400	1,980	1,700	750	580	250	300	2,310
Arm(s)	42	6,660	30	340	520	1,940	750	700	490	80	100	300	1,410
Arm(s), unspecified	420	1,790	—	130	150	490	220	200	110	—	—	—	440
Upper arm(s)	421	1,360	—	50	70	660	120	100	150	20	—	—	180
Elbow(s)	422	2,130	—	120	190	540	260	200	90	30	90	40	550
Forearm(s)	423	1,200	—	30	100	210	120	170	140	20	—	—	180
Multiple arm locations	428	110	—	—	—	40	20	—	—	—	—	—	20
Elbow(s) and arm(s)	4281	50	—	—	—	—	—	—	—	—	—	—	20
Multiple arm locations, n.e.c.	4289	60	—	—	—	30	—	—	—	—	—	—	—
Arm(s), n.e.c.	429	70	—	—	—	—	—	20	—	—	—	—	30
Wrist(s)	43	5,510	40	450	400	840	810	700	350	60	50	—	1,790
Hand(s)	44	13,110	—	1,190	1,130	2,940	2,190	1,500	1,370	350	90	100	2,240
Hand(s), unspecified	440	3,560	—	330	280	700	560	280	300	230	—	—	860
Hand(s), except finger(s)	441	850	—	40	60	120	160	60	280	20	—	—	100
Finger(s), fingernail(s)	442	8,200	—	740	760	1,990	1,400	1,120	770	90	80	80	1,170
Finger(s), fingernail(s), unspecified ..	4420	6,490	—	410	570	1,490	1,150	870	720	70	80	80	1,050
Fingernail(s), nailbed(s)	4421	130	—	60	—	40	—	—	—	—	—	—	—
Fingertip(s)	4422	460	—	110	40	100	60	110	—	—	—	—	20
Finger(s), fingernail(s), n.e.c.	4429	1,120	—	160	140	360	180	140	50	—	—	—	80
Hand(s) and finger(s)	448	390	—	50	30	100	40	40	20	—	—	—	120
Hand(s), n.e.c.	449	120	—	20	—	30	30	—	—	—	—	—	—
Multiple upper extremities locations	48	4,220	—	330	300	540	1,210	550	200	30	40	—	1,000
Multiple upper extremities locations, unspecified	480	40	—	—	—	—	—	—	—	—	—	—	20
Hand(s) and arms(s)	481	270	—	20	30	80	30	70	—	—	—	—	40
Hand(s) and arm(s), unspecified	4810	110	—	—	—	50	—	30	—	—	—	—	—
Hand(s) and elbow(s)	4811	60	—	—	—	—	—	—	—	—	—	—	20

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Hand(s) and arm(s), n.e.c.	4819	100	—	—	20	—	—	30	—	—	—	—	—
Hand(s) and wrist(s)	482	880	—	110	110	130	200	40	20	—	—	—	260
Wrist(s) and arm(s)	483	530	—	80	30	50	140	70	—	—	—	—	120
Wrist(s) and arm(s), unspecified	4830	140	—	20	—	30	—	20	—	—	—	—	40
Wrist(s) and elbow(s)	4831	220	—	—	—	—	110	—	—	—	—	—	50
Wrist(s) and arm(s), n.e.c.	4839	170	—	50	20	20	—	40	—	—	—	—	30
Shoulder(s) and arm(s)	484	1,100	—	60	30	100	150	260	110	—	—	—	370
Multiple upper extremities locations, n.e.c.	489	1,400	—	60	100	190	680	100	60	—	20	—	190
Upper extremities, n.e.c.	49	20	—	—	—	—	—	—	—	—	—	—	—
Lower extremities	5	45,690	570	5,500	4,030	8,420	6,680	5,880	3,650	1,490	810	180	8,490
Lower extremities, unspecified	50	60	—	—	—	—	—	—	—	—	—	—	20
Leg(s)	51	25,350	350	2,600	2,300	4,630	3,880	3,440	2,300	750	370	100	4,630
Leg(s), unspecified	510	1,670	30	150	290	250	320	160	100	20	80	20	260
Thigh(s)	511	1,260	50	70	120	170	170	90	40	—	30	—	490
Knee(s)	512	19,570	240	1,800	1,740	3,760	3,060	2,660	1,890	680	230	80	3,430
Lower leg(s)	513	1,860	—	200	130	250	280	350	250	20	20	—	350
Multiple leg locations	518	960	—	370	20	200	50	170	20	30	—	—	90
Multiple leg locations, unspecified ...	5180	90	—	—	—	80	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	800	—	370	20	110	20	170	—	—	—	—	70
Multiple leg locations, n.e.c.	5189	70	—	—	—	—	20	—	—	—	—	—	20
Leg(s), n.e.c.	519	30	—	—	—	—	—	—	—	—	—	—	—
Ankle(s)	52	10,650	120	1,240	1,090	2,090	1,640	1,350	780	510	210	70	1,570
Foot (feet)	53	7,240	70	1,260	510	1,370	900	830	460	210	210	—	1,430
Foot (feet), unspecified	530	4,490	30	670	360	650	560	560	330	190	60	—	1,070
Sole(s)	531	460	—	90	60	100	100	—	—	—	40	—	60
Sole(s), unspecified	5310	100	—	—	—	20	50	—	—	—	—	—	—
Arch(es), instep(s)	5312	40	—	—	—	—	—	—	—	—	—	—	—
Heel(s)	5313	320	—	80	50	70	40	—	—	—	—	—	50
Toes(s), toenail(s)	532	1,810	40	490	70	470	190	80	90	—	120	—	260
Multiple foot (feet) locations	538	340	—	—	—	100	30	170	—	—	—	—	30
Foot (feet), n.e.c.	539	130	—	—	—	50	20	—	20	—	—	—	—
Multiple lower extremities locations	58	2,390	30	400	130	330	260	260	110	20	—	—	840
Multiple lower extremities locations, unspecified	580	100	—	—	—	—	—	—	—	—	—	—	80
Foot (feet) and leg(s)	581	290	—	50	40	60	60	50	20	—	—	—	20
Foot(feet) and leg(s), unspecified	5810	60	—	20	—	—	—	—	—	—	—	—	—
Foot(feet) and knee(s)	5811	130	—	20	—	40	—	20	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	90	—	—	—	20	50	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	600	—	70	40	160	60	70	30	—	—	—	140
Ankle(s) and leg(s)	583	850	20	220	40	40	120	60	50	—	—	—	290
Ankle(s) and leg(s), unspecified	5830	40	—	—	—	—	20	—	—	—	—	—	—
Ankle(s) and knee(s)	5831	720	—	200	20	30	80	40	40	—	—	—	280
Ankle(s) and leg(s), n.e.c.	5839	90	—	20	—	—	20	20	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	560	—	50	—	50	30	80	—	—	—	—	310

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Body systems	6	5,130	50	420	350	990	910	500	690	110	50	70	980
Multiple body parts	8	27,370	480	3,550	1,870	5,450	5,340	3,600	1,450	510	520	200	4,410
Multiple body parts, unspecified	80	2,910	—	570	180	450	560	260	160	—	—	—	730
Head and neck	81	520	—	50	50	130	80	30	20	—	—	30	80
Head, neck, and trunk	82	500	—	—	20	30	20	20	—	—	—	—	390
Head and trunk	83	200	—	60	—	50	60	—	—	—	—	—	—
Neck and back	84	1,670	—	190	210	310	240	220	80	90	—	—	320
Shoulder(s) and back	85	710	—	60	40	280	130	30	20	20	—	—	110
Hip(s) and leg(s)	86	240	—	30	—	80	40	—	20	—	—	—	40
Upper and lower limb(s)	87	2,720	60	270	130	440	850	450	120	40	170	—	200
Other multiple body parts	89	17,900	410	2,310	1,210	3,680	3,350	2,580	1,010	340	300	180	2,530
Whole body	891	150	—	—	—	30	—	—	50	—	—	—	30
Multiple body parts, n.e.c.	899	17,750	410	2,310	1,210	3,650	3,340	2,560	960	340	300	180	2,490

See footnotes at end of table.

TABLE L79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, local government, 2013 — Continued

Part of body	Part of body code ²	Local government ³	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Nonclassifiable	9999	2,220	70	100	220	80	170	130	40	40	60	–	1,330

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.