

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and time of day event occurred, local government, 2013

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total .....		180,130	6,800	19,780	53,510	42,380	17,550	8,890	31,220
<b>Head</b> .....	1	12,550	340	1,250	3,520	3,510	1,130	1,000	1,810
Head, unspecified .....	10	2,900	—	200	660	1,020	110	180	710
Cranial region, including skull .....	11	3,600	20	370	890	1,070	480	370	390
Cranial region, unspecified .....	110	620	—	—	160	80	20	—	70
Brain .....	111	2,380	—	310	520	840	380	60	260
Scalp .....	112	450	—	40	110	140	70	30	50
Skull .....	113	140	—	—	90	—	—	—	—
Ear(s) .....	12	360	—	30	70	150	—	50	50
Face .....	13	5,240	250	610	1,680	1,150	510	390	630
Face, unspecified .....	130	650	—	120	230	140	20	30	100
Forehead .....	131	380	—	—	170	90	—	50	50
Eye(s) .....	132	2,160	200	270	730	420	160	90	290
Nose, nasal cavity .....	133	840	—	60	210	150	280	—	120
Nose, except internal location of diseases or disorders .....	1330	830	—	60	210	150	280	—	120
Cheek(s) .....	134	80	—	—	—	40	—	—	20
Jaw, chin .....	135	260	—	—	90	160	—	—	—
Mouth .....	136	250	30	50	90	40	—	—	20
Mouth, unspecified .....	1360	20	—	—	—	—	—	—	—
Lip(s) .....	1361	80	—	30	20	—	—	—	—
Tooth (teeth) .....	1363	110	—	—	50	20	—	—	20
Multiple mouth locations .....	1368	50	—	—	—	—	—	—	—
Multiple face locations .....	138	510	—	90	120	50	—	210	30
Face, n.e.c. .....	139	100	—	—	30	60	—	—	—
Multiple head locations .....	18	440	50	40	210	110	20	—	—
<b>Neck, including throat</b> .....	2	3,460	70	490	1,030	680	340	170	680
Neck, except internal location of diseases or disorders .....	20	3,460	70	490	1,030	680	340	170	680
<b>Trunk</b> .....	3	40,720	1,260	4,210	13,120	8,540	3,610	1,740	8,240
Trunk, unspecified .....	30	90	—	30	30	20	—	—	—
Chest, including ribs, internal organs .....	31	3,040	100	350	890	530	320	80	780
Chest, except internal location of diseases or disorders .....	310	2,290	100	330	660	510	240	70	370
Internal chest location, unspecified .....	311	150	—	—	140	—	—	—	—
Heart .....	313	490	—	20	70	20	70	—	310
Lung(s), pleura .....	315	110	—	—	20	—	—	—	100
Back, including spine, spinal cord .....	32	31,570	990	3,000	10,440	6,300	2,810	1,380	6,640
Back, including spine, spinal cord, unspecified .....	320	12,270	200	1,110	3,670	2,510	680	640	3,480
Thoracic region .....	321	1,420	—	290	600	160	170	30	160
Lumbar region .....	322	16,820	740	1,450	5,860	3,390	1,870	670	2,840
Sacral region .....	323	90	—	—	20	20	—	—	—
Coccygeal region .....	324	230	—	40	60	80	—	—	20
Multiple back regions .....	328	730	20	120	240	140	40	30	130
Abdomen .....	33	1,640	20	150	720	400	90	60	190

See footnotes at end of table.

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and time of day event occurred, local government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Abdomen, except internal location of diseases or disorders .....	330	1,560	20	130	710	400	90	60	150
Internal abdominal location, unspecified .....	331	50	—	—	—	—	—	—	40
Intestines, peritoneum .....	335	30	—	20	—	—	—	—	—
Intestines, peritoneum, unspecified .....	3350	20	—	20	—	—	—	—	—
Pelvic region .....	34	3,090	100	510	740	940	300	210	290
Hip(s) .....	341	1,630	50	300	380	430	210	130	140
Pelvis .....	342	340	—	—	—	310	—	—	—
Buttock(s) .....	343	180	—	30	80	50	—	—	—
Groin .....	344	810	50	160	220	120	80	60	120
External reproductive tract structures ..	345	50	—	—	30	20	—	—	—
Scrotum .....	3451	20	—	—	—	—	—	—	—
Multiple pelvic region locations .....	348	20	—	—	—	20	—	—	—
Pelvic region, n.e.c. ....	349	30	—	—	30	—	—	—	—
Multiple trunk locations .....	38	1,280	40	160	300	340	90	20	340
<b>Upper extremities .....</b>	<b>4</b>	<b>42,990</b>	<b>1,470</b>	<b>4,980</b>	<b>12,200</b>	<b>10,040</b>	<b>4,720</b>	<b>2,110</b>	<b>7,470</b>
Upper extremities, unspecified .....	40	90	—	—	30	20	—	—	20
Shoulder(s), including clavicle(s), scapula(e) .....	41	13,380	210	1,670	3,920	3,280	1,650	740	1,920
Arm(s) .....	42	6,660	210	530	2,140	1,410	870	260	1,250
Arm(s), unspecified .....	420	1,790	—	140	550	450	230	30	380
Upper arm(s) .....	421	1,360	80	130	590	230	100	60	170
Elbow(s) .....	422	2,130	70	210	720	300	140	160	520
Forearm(s) .....	423	1,200	50	30	210	380	380	—	140
Multiple arm locations .....	428	110	—	—	50	20	—	—	20
Elbow(s) and arm(s) .....	4281	50	—	—	—	—	—	—	—
Multiple arm locations, n.e.c. ....	4289	60	—	—	40	20	—	—	—
Arm(s), n.e.c. ....	429	70	—	—	20	—	—	—	30
Wrist(s) .....	43	5,510	260	500	1,060	1,270	450	300	1,670
Hand(s) .....	44	13,110	280	1,980	4,190	2,970	1,250	630	1,810
Hand(s), unspecified .....	440	3,560	120	440	1,100	630	410	140	710
Hand(s), except finger(s) .....	441	850	—	310	250	130	20	40	80
Finger(s), fingernail(s) .....	442	8,200	140	1,190	2,630	2,100	780	430	930
Finger(s), fingernail(s), unspecified ..	4420	6,490	110	990	1,910	1,650	660	320	830
Fingernail(s), nailbed(s) .....	4421	130	—	30	40	20	—	40	—
Fingertip(s) .....	4422	460	—	40	180	200	20	—	20
Finger(s), fingernail(s), n.e.c. ....	4429	1,120	20	120	510	240	100	60	70
Hand(s) and finger(s) .....	448	390	—	20	150	90	20	30	80
Hand(s), n.e.c. ....	449	120	—	—	50	30	20	—	—
Multiple upper extremities locations .....	48	4,220	510	280	840	1,100	500	190	800
Multiple upper extremities locations, unspecified .....	480	40	—	—	—	—	—	—	20
Hand(s) and arms(s) .....	481	270	20	—	40	90	—	70	40
Hand(s) and arm(s), unspecified .....	4810	110	—	—	—	30	—	50	—
Hand(s) and elbow(s) .....	4811	60	—	—	—	—	—	—	20
Hand(s) and arm(s), n.e.c. ....	4819	100	—	—	20	50	—	—	—
Hand(s) and wrist(s) .....	482	880	40	80	280	160	70	50	190
Wrist(s) and arm(s) .....	483	530	40	70	60	240	30	20	80

See footnotes at end of table.

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and time of day event occurred, local government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Wrist(s) and arm(s), unspecified .....	4830	140	—	20	30	50	—	—	30
Wrist(s) and elbow(s) .....	4831	220	40	—	—	150	—	—	—
Wrist(s) and arm(s), n.e.c. ....	4839	170	—	40	30	50	—	—	30
Shoulder(s) and arm(s) .....	484	1,100	90	50	180	380	30	—	360
Multiple upper extremities locations, n.e.c. ....	489	1,400	320	70	280	220	360	40	110
Upper extremities, n.e.c. ....	49	20	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	<b>5</b>	<b>45,690</b>	<b>2,500</b>	<b>4,820</b>	<b>13,240</b>	<b>10,510</b>	<b>4,750</b>	<b>2,600</b>	<b>7,260</b>
Lower extremities, unspecified .....	50	60	—	—	30	—	—	—	—
Leg(s) .....	51	25,350	1,250	2,440	7,360	5,860	3,030	1,460	3,950
Leg(s), unspecified .....	510	1,670	—	320	390	360	280	70	250
Thigh(s) .....	511	1,260	40	190	320	200	110	30	370
Knee(s) .....	512	19,570	1,060	1,630	5,790	4,470	2,470	1,180	2,970
Lower leg(s) .....	513	1,860	60	280	340	620	140	130	280
Multiple leg locations .....	518	960	80	30	520	200	30	20	80
Multiple leg locations, unspecified ...	5180	90	—	—	—	—	—	—	—
Knee(s) and leg(s) .....	5181	800	—	20	500	190	—	20	60
Multiple leg locations, n.e.c. ....	5189	70	—	—	20	—	30	—	—
Leg(s), n.e.c. ....	519	30	—	—	—	—	—	20	—
Ankle(s) .....	52	10,650	890	1,430	2,940	2,300	1,020	760	1,320
Foot (feet) .....	53	7,240	330	530	2,520	1,830	520	340	1,170
Foot (feet), unspecified .....	530	4,490	120	300	1,340	1,430	290	110	900
Sole(s) .....	531	460	—	40	220	30	50	30	60
Sole(s), unspecified .....	5310	100	—	—	70	—	—	—	—
Arch(es), instep(s) .....	5312	40	—	—	—	—	—	—	—
Heel(s) .....	5313	320	—	30	150	20	40	30	50
Toes(s), toenail(s) .....	532	1,810	—	170	770	320	160	190	190
Multiple foot (feet) locations .....	538	340	—	—	140	30	—	—	—
Foot (feet), n.e.c. ....	539	130	—	20	50	20	—	—	—
Multiple lower extremities locations .....	58	2,390	20	420	390	520	190	40	810
Multiple lower extremities locations, unspecified .....	580	100	—	—	—	—	—	—	80
Foot (feet) and leg(s) .....	581	290	—	30	90	150	—	—	—
Foot(feet) and leg(s), unspecified ....	5810	60	—	—	20	30	—	—	—
Foot(feet) and knee(s) .....	5811	130	—	20	50	50	—	—	—
Foot(feet) and leg(s), n.e.c. ....	5819	90	—	—	20	60	—	—	—
Foot (feet) and ankle(s) .....	582	600	—	130	100	100	110	—	130
Ankle(s) and leg(s) .....	583	850	—	190	100	200	60	—	270
Ankle(s) and leg(s), unspecified .....	5830	40	—	—	—	20	—	—	—
Ankle(s) and knee(s) .....	5831	720	—	160	80	150	50	—	270
Ankle(s) and leg(s), n.e.c. ....	5839	90	—	20	20	30	—	—	—
Multiple lower extremities locations, n.e.c. ....	589	560	—	60	90	70	—	20	310
<b>Body systems</b> .....	<b>6</b>	<b>5,130</b>	<b>120</b>	<b>470</b>	<b>1,550</b>	<b>1,700</b>	<b>340</b>	<b>150</b>	<b>800</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>27,370</b>	<b>1,050</b>	<b>3,300</b>	<b>8,580</b>	<b>7,250</b>	<b>2,520</b>	<b>1,050</b>	<b>3,620</b>
Multiple body parts, unspecified .....	80	2,910	100	470	830	730	110	70	610
Head and neck .....	81	520	—	70	190	130	30	20	70

See footnotes at end of table.

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and time of day event occurred, local government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Head, neck, and trunk .....	82	500	—	—	70	30	—	—	390
Head and trunk .....	83	200	—	20	80	90	—	—	—
Neck and back .....	84	1,670	20	160	520	370	250	90	260
Shoulder(s) and back .....	85	710	50	60	200	160	70	60	100
Hip(s) and leg(s) .....	86	240	—	50	60	50	60	—	—
Upper and lower limb(s) .....	87	2,720	90	350	830	1,070	100	140	130
Other multiple body parts .....	89	17,900	760	2,120	5,800	4,630	1,880	660	2,050
Whole body .....	891	150	—	—	40	70	—	—	20
Multiple body parts, n.e.c. ....	899	17,750	760	2,120	5,760	4,550	1,880	650	2,030

See footnotes at end of table.

TABLE L93. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by injury or illness and time of day event occurred, local government, 2013 — Continued

Part of body	Part of body code <sup>2</sup>	Local government <sup>3</sup>	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
<b>Nonclassifiable</b> .....	9999	2,220	—	270	270	150	130	70	1,330

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.  
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.