

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2014

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total		173,570	65,610	11,870	7,550	5,610	1,940	17,060	1,010	200
Head	1	11,190	30	380	1,360	1,270	90	1,960	90	100
Head, unspecified	10	2,900	20	—	560	530	30	860	—	—
Cranial region, including skull	11	3,280	—	30	140	140	—	390	—	—
Cranial region, unspecified	110	30	—	—	—	—	—	—	—	—
Brain	111	2,670	—	—	—	—	—	—	—	—
Scalp	112	190	—	—	140	140	—	40	—	—
Skull	113	380	—	30	—	—	—	350	—	—
Ear(s)	12	230	—	—	20	20	—	—	20	—
Face	13	4,580	—	340	610	540	70	660	60	100
Face, unspecified	130	540	—	—	110	80	30	140	30	—
Forehead	131	310	—	—	210	200	—	80	—	—
Eye(s)	132	1,890	—	—	140	110	30	70	—	100
Nose, nasal cavity	133	390	—	100	20	20	—	50	—	—
Nose, except internal location of diseases or disorders	1330	380	—	100	20	20	—	50	—	—
Cheek(s)	134	60	—	—	—	—	—	—	—	—
Jaw, chin	135	120	—	—	—	—	—	50	—	—
Mouth	136	710	—	150	60	60	—	—	—	—
Mouth, unspecified	1360	170	—	—	—	—	—	—	—	—
Lip(s)	1361	160	—	—	40	40	—	—	—	—
Tooth (teeth)	1363	180	—	150	—	—	—	—	—	—
Multiple mouth locations	1368	200	—	—	—	—	—	—	—	—
Multiple face locations	138	520	—	50	30	30	—	250	—	—
Face, n.e.c.	139	40	—	—	30	30	—	—	—	—
Multiple head locations	18	160	—	—	20	20	—	30	—	—
Head, n.e.c.	19	40	—	—	20	20	—	—	—	—
Neck, including throat	2	2,260	1,650	50	50	50	—	20	—	—
Neck, except internal location of diseases or disorders ...	20	2,260	1,650	50	50	50	—	20	—	—
Trunk	3	38,050	21,370	1,040	80	70	20	2,050	—	—
Trunk, unspecified	30	150	110	—	—	—	—	—	—	—
Chest, including ribs, internal organs	31	2,770	320	420	—	—	—	710	—	—
Chest, except internal location of diseases or disorders	310	2,070	320	420	—	—	—	710	—	—
Internal chest location, unspecified	311	20	—	—	—	—	—	—	—	—
Heart	313	390	—	—	—	—	—	—	—	—
Bronchus	314	40	—	—	—	—	—	—	—	—
Lung(s), pleura	315	210	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	32	28,090	19,250	240	20	20	—	580	—	—
Back, including spine, spinal cord, unspecified	320	10,300	6,400	30	—	—	—	160	—	—
Thoracic region	321	1,080	710	20	—	—	—	—	—	—
Lumbar region	322	14,720	10,870	120	—	—	—	200	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Nature of injury or illness ⁴							Soreness, pain	All other natures ⁵
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders					
				Total	With fractures and other injuries	With sprains and other injuries			
Total	510	910	370	6,640	1,220	3,170	33,950	27,900	
Head	-	-	-	320	40	-	2,070	4,880	
Head, unspecified	-	-	-	20	-	-	1,260	170	
Cranial region, including skull	-	-	-	-	-	-	50	2,660	
Cranial region, unspecified	-	-	-	-	-	-	20	-	
Brain	-	-	-	-	-	-	-	2,650	
Scalp	-	-	-	-	-	-	-	-	
Skull	-	-	-	-	-	-	-	-	
Ear(s)	-	-	-	-	-	-	20	160	
Face	-	-	-	240	40	-	690	1,870	
Face, unspecified	-	-	-	30	-	-	80	140	
Forehead	-	-	-	-	-	-	-	-	
Eye(s)	-	-	-	-	-	-	210	1,360	
Nose, nasal cavity	-	-	-	60	-	-	60	80	
Nose, except internal location of diseases or disorders	-	-	-	60	-	-	60	70	
Cheek(s)	-	-	-	-	-	-	-	-	
Jaw, chin	-	-	-	-	-	-	40	-	
Mouth	-	-	-	100	-	-	220	180	
Mouth, unspecified	-	-	-	-	-	-	-	150	
Lip(s)	-	-	-	-	-	-	120	-	
Tooth (teeth)	-	-	-	-	-	-	-	30	
Multiple mouth locations	-	-	-	100	-	-	90	-	
Multiple face locations	-	-	-	50	-	-	40	90	
Face, n.e.c.	-	-	-	-	-	-	-	-	
Multiple head locations	-	-	-	40	-	-	40	20	
Head, n.e.c.	-	-	-	-	-	-	-	-	
Neck, including throat	-	-	-	-	-	-	300	170	
Neck, except internal location of diseases or disorders ...	-	-	-	-	-	-	300	170	
Trunk	-	-	-	450	-	350	8,130	4,900	
Trunk, unspecified	-	-	-	-	-	-	30	-	
Chest, including ribs, internal organs	-	-	-	40	-	-	380	900	
Chest, except internal location of diseases or disorders	-	-	-	40	-	-	380	190	
Internal chest location, unspecified	-	-	-	-	-	-	-	20	
Heart	-	-	-	-	-	-	-	390	
Bronchus	-	-	-	-	-	-	-	40	
Lung(s), pleura	-	-	-	-	-	-	-	210	
Back, including spine, spinal cord	-	-	-	300	-	230	6,330	1,360	
Back, including spine, spinal cord, unspecified	-	-	-	-	-	-	2,970	720	
Thoracic region	-	-	-	-	-	-	300	30	
Lumbar region	-	-	-	210	-	160	2,730	580	

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Sacral region	323	140	40	—	—	—	—	80	—	—
Coccygeal region	324	250	40	60	—	—	—	40	—	—
Multiple back regions	328	1,570	1,180	—	—	—	—	90	—	—
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—	—	—
Abdomen	33	3,100	420	—	—	—	—	60	—	—
Abdomen, except internal location of diseases or disorders	330	2,960	420	—	—	—	—	60	—	—
Internal abdominal location, unspecified	331	70	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	60	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	30	—	—	—	—	—	—	—	—
Intestines, peritoneum, n.e.c.	3359	30	—	—	—	—	—	—	—	—
Pelvic region	34	2,820	1,000	350	40	40	—	480	—	—
Pelvic region, unspecified	340	40	—	—	—	—	—	—	—	—
Hip(s)	341	1,340	510	260	—	—	—	220	—	—
Pelvis	342	90	—	80	—	—	—	—	—	—
Buttock(s)	343	380	30	—	—	—	—	250	—	—
Groin	344	920	440	—	40	30	—	—	—	—
External reproductive tract structures	345	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	20	—	—	—	—	—	—	—	—
Multiple trunk locations	38	1,040	270	—	—	—	—	210	—	—
Trunk, n.e.c.	39	80	—	—	—	—	—	—	—	—
Upper extremities	4	42,570	13,630	5,450	4,110	2,930	1,180	4,230	460	50
Upper extremities, unspecified	40	80	20	—	—	—	—	20	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	12,270	7,180	290	—	—	—	560	60	—
Arm(s)	42	6,560	2,240	850	430	210	220	940	100	—
Arm(s), unspecified	420	1,700	640	310	100	50	60	80	40	—
Upper arm(s)	421	760	500	70	50	—	40	50	—	—
Elbow(s)	422	2,620	740	380	60	50	—	580	—	—
Forearm(s)	423	740	160	80	180	80	100	90	30	—
Multiple arm locations	428	600	190	—	20	20	—	140	—	—
Multiple arm locations, unspecified	4280	110	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	260	140	—	20	20	—	—	—	—
Multiple arm locations, n.e.c.	4289	220	50	—	—	—	—	140	—	—
Arm(s), n.e.c.	429	140	—	—	—	—	—	—	—	—
Wrist(s)	43	5,850	1,440	2,080	100	70	30	410	40	—
Hand(s)	44	12,570	1,380	2,170	3,320	2,460	860	1,610	190	30
Hand(s), unspecified	440	4,050	480	830	840	360	480	840	70	—
Hand(s), except finger(s)	441	520	—	120	230	100	130	70	—	—
Finger(s), fingernail(s)	442	7,320	830	1,190	2,070	1,850	230	660	70	—
Finger(s), fingernail(s), unspecified	4420	5,240	550	830	1,730	1,560	170	300	70	—
Fingernail(s), nailbed(s)	4421	40	—	—	—	—	—	—	—	—
Fingertip(s)	4422	390	—	—	70	60	—	—	—	—
Finger(s), fingernail(s), n.e.c.	4429	1,640	140	360	260	220	50	350	—	—
Hand(s) and finger(s)	448	430	40	—	50	50	—	40	30	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Nature of injury or illness ⁴							All other natures ⁵
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	
				Total	With fractures and other injuries	With sprains and other injuries		
Sacral region	—	—	—	—	—	—	20	—
Coccygeal region	—	—	—	—	—	—	90	—
Multiple back regions	—	—	—	60	—	60	230	20
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—
Abdomen	—	—	—	—	—	—	310	2,270
Abdomen, except internal location of diseases or disorders	—	—	—	—	—	—	310	2,130
Internal abdominal location, unspecified	—	—	—	—	—	—	—	70
Intestines, peritoneum	—	—	—	—	—	—	—	60
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	30
Intestines, peritoneum, n.e.c.	—	—	—	—	—	—	—	30
Pelvic region	—	—	—	—	—	—	640	300
Pelvic region, unspecified	—	—	—	—	—	—	40	—
Hip(s)	—	—	—	—	—	—	300	40
Pelvis	—	—	—	—	—	—	—	—
Buttock(s)	—	—	—	—	—	—	70	20
Groin	—	—	—	—	—	—	200	230
External reproductive tract structures	—	—	—	—	—	—	—	—
Multiple pelvic region locations	—	—	—	—	—	—	—	—
Multiple trunk locations	—	—	—	110	—	100	370	70
Trunk, n.e.c.	—	—	—	—	—	—	80	—
Upper extremities	500	910	210	900	320	370	7,610	4,510
Upper extremities, unspecified	—	—	—	—	—	—	—	30
Shoulder(s), including clavicle(s), scapula(e)	—	—	30	60	—	50	3,260	830
Arm(s)	—	—	60	160	—	40	1,070	700
Arm(s), unspecified	—	—	20	—	—	—	300	190
Upper arm(s)	—	—	—	—	—	—	60	20
Elbow(s)	—	—	—	30	—	30	500	300
Forearm(s)	—	—	20	—	—	—	130	60
Multiple arm locations	—	—	—	110	—	—	80	30
Multiple arm locations, unspecified	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	—	—	—	—	—	—	50	30
Multiple arm locations, n.e.c.	—	—	—	—	—	—	20	—
Arm(s), n.e.c.	—	—	—	—	—	—	—	100
Wrist(s)	—	910	50	50	20	30	640	130
Hand(s)	500	—	50	370	220	80	1,190	1,760
Hand(s), unspecified	—	—	—	60	20	40	300	620
Hand(s), except finger(s)	—	—	—	—	—	—	60	20
Finger(s), fingernail(s)	500	—	40	280	190	30	690	950
Finger(s), fingernail(s), unspecified	420	—	40	240	160	20	440	590
Fingernail(s), nailbed(s)	—	—	—	—	—	—	—	30
Fingertip(s)	60	—	—	—	—	—	20	100
Finger(s), fingernail(s), n.e.c.	30	—	—	30	30	—	230	230
Hand(s) and finger(s)	—	—	—	30	—	—	90	140

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Hand(s), n.e.c.	449	260	20	30	120	110	—	—	—	—
Multiple upper extremities locations	48	5,190	1,380	60	250	180	70	690	70	—
Multiple upper extremities locations, unspecified	480	70	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	440	20	—	130	130	—	—	—	—
Hand(s) and arm(s), unspecified	4810	100	—	—	—	—	—	—	—	—
Hand(s) and elbow(s)	4811	120	—	—	70	70	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	220	—	—	60	—	—	—	—	—
Hand(s) and wrist(s)	482	930	210	—	20	—	—	220	30	—
Wrist(s) and arm(s)	483	450	80	40	20	—	—	60	—	—
Wrist(s) and arm(s), unspecified	4830	150	50	40	—	—	—	—	—	—
Wrist(s) and elbow(s)	4831	50	—	—	—	—	—	20	—	—
Wrist(s) and arm(s), n.e.c.	4839	260	20	—	—	—	—	30	—	—
Shoulder(s) and arm(s)	484	2,380	870	—	50	—	50	270	—	—
Multiple upper extremities locations, n.e.c.	489	920	180	—	30	30	—	130	—	—
Upper extremities, n.e.c.	49	50	—	—	—	—	—	—	—	—
Lower extremities	5	42,580	20,560	4,640	910	510	400	3,970	210	30
Lower extremities, unspecified	50	90	—	—	—	—	—	—	—	—
Leg(s)	51	24,860	11,680	1,580	620	390	220	2,160	120	—
Leg(s), unspecified	510	2,030	770	310	170	70	100	190	40	—
Thigh(s)	511	950	430	250	70	40	30	60	—	—
Knee(s)	512	18,060	9,030	280	180	150	30	1,510	40	—
Lower leg(s)	513	2,830	810	720	160	130	30	350	—	—
Multiple leg locations	518	820	610	—	—	—	—	40	—	—
Multiple leg locations, unspecified	5180	30	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	720	580	—	—	—	—	30	—	—
Multiple leg locations, n.e.c.	5189	70	20	—	—	—	—	—	—	—
Leg(s), n.e.c.	519	170	30	—	30	—	30	—	—	—
Ankle(s)	52	9,830	6,880	1,560	50	40	—	210	—	—
Foot (feet)	53	6,030	1,350	1,440	240	80	170	1,420	70	20
Foot (feet), unspecified	530	3,880	1,130	960	150	30	120	790	40	—
Sole(s)	531	400	70	70	60	20	40	90	—	—
Sole(s), unspecified	5310	70	—	—	40	—	40	—	—	—
Arch(es), instep(s)	5312	40	—	30	—	—	—	—	—	—
Heel(s)	5313	270	70	40	20	20	—	90	—	—
Toes(s), toenail(s)	532	1,290	60	340	30	20	—	480	—	—
Multiple foot (feet) locations	538	180	—	—	—	—	—	—	—	—
Foot (feet), n.e.c.	539	280	90	60	—	—	—	50	—	—
Multiple lower extremities locations	58	1,760	630	50	—	—	—	180	—	—
Foot (feet) and leg(s)	581	350	40	—	—	—	—	20	—	—
Foot(feet) and leg(s), unspecified	5810	30	—	—	—	—	—	—	—	—
Foot(feet) and knee(s)	5811	200	30	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	120	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	400	210	—	—	—	—	50	—	—
Ankle(s) and leg(s)	583	720	300	20	—	—	—	30	—	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Nature of injury or illness ⁴							Soreness, pain	All other natures ⁵
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders					
				Total	With fractures and other injuries	With sprains and other injuries			
Hand(s), n.e.c.	-	-	-	-	-	-	40	20	
Multiple upper extremities locations	-	-	20	250	70	160	1,420	1,060	
Multiple upper extremities locations, unspecified	-	-	-	-	-	-	-	60	
Hand(s) and arms(s)	-	-	-	20	-	20	130	120	
Hand(s) and arm(s), unspecified	-	-	-	-	-	-	60	-	
Hand(s) and elbow(s)	-	-	-	-	-	-	30	-	
Hand(s) and arm(s), n.e.c.	-	-	-	-	-	-	30	-	
Hand(s) and wrist(s)	-	-	-	20	-	-	360	50	
Wrist(s) and arm(s)	-	-	-	-	-	-	90	170	
Wrist(s) and arm(s), unspecified	-	-	-	-	-	-	40	-	
Wrist(s) and elbow(s)	-	-	-	-	-	-	20	-	
Wrist(s) and arm(s), n.e.c.	-	-	-	-	-	-	30	160	
Shoulder(s) and arm(s)	-	-	-	50	-	50	570	550	
Multiple upper extremities locations, n.e.c.	-	-	-	170	70	90	280	110	
Upper extremities, n.e.c.	-	-	-	-	-	-	20	-	
Lower extremities	-	-	160	890	200	380	6,650	4,560	
Lower extremities, unspecified	-	-	-	-	-	-	-	50	
Leg(s)	-	-	140	330	20	140	4,900	3,340	
Leg(s), unspecified	-	-	-	20	-	-	280	240	
Thigh(s)	-	-	-	-	-	-	40	60	
Knee(s)	-	-	140	270	-	100	4,220	2,410	
Lower leg(s)	-	-	-	-	-	-	200	570	
Multiple leg locations	-	-	-	20	-	-	80	50	
Multiple leg locations, unspecified	-	-	-	-	-	-	-	-	
Knee(s) and leg(s)	-	-	-	-	-	-	40	50	
Multiple leg locations, n.e.c.	-	-	-	-	-	-	30	-	
Leg(s), n.e.c.	-	-	-	-	-	-	80	-	
Ankle(s)	-	-	-	100	60	20	620	400	
Foot (feet)	-	-	-	140	110	20	700	630	
Foot (feet), unspecified	-	-	-	30	-	20	380	400	
Sole(s)	-	-	-	-	-	-	40	30	
Sole(s), unspecified	-	-	-	-	-	-	-	-	
Arch(es), instep(s)	-	-	-	-	-	-	-	-	
Heel(s)	-	-	-	-	-	-	30	-	
Toes(s), toenail(s)	-	-	-	-	-	-	200	180	
Multiple foot (feet) locations	-	-	-	110	-	-	20	-	
Foot (feet), n.e.c.	-	-	-	-	-	-	50	-	
Multiple lower extremities locations	-	-	-	320	-	200	430	140	
Foot (feet) and leg(s)	-	-	-	120	-	-	160	-	
Foot(feet) and leg(s), unspecified	-	-	-	-	-	-	-	-	
Foot(feet) and knee(s)	-	-	-	-	-	-	150	-	
Foot(feet) and leg(s), n.e.c.	-	-	-	-	-	-	-	-	
Foot (feet) and ankle(s)	-	-	-	20	-	-	80	30	
Ankle(s) and leg(s)	-	-	-	170	-	170	120	70	

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Ankle(s) and leg(s), unspecified	5830	60	20	—	—	—	—	20	—	—
Ankle(s) and knee(s)	5831	590	280	—	—	—	—	—	—	—
Ankle(s) and leg(s), n.e.c.	5839	70	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	290	80	20	—	—	—	80	—	—
Body systems	6	5,350	—	—	—	—	—	—	—	—
Multiple body parts	8	30,120	8,170	300	870	750	120	4,710	240	—
Multiple body parts, unspecified	80	2,570	720	20	—	—	—	590	—	—
Head and neck	81	710	90	—	—	—	—	90	—	—
Head, neck, and trunk	82	310	30	—	—	—	—	—	—	—
Head and trunk	83	690	—	—	—	—	—	30	—	—
Neck and back	84	2,020	1,310	—	—	—	—	—	—	—
Shoulder(s) and back	85	980	600	—	—	—	—	40	—	—
Hip(s) and leg(s)	86	560	210	—	—	—	—	40	—	—
Upper and lower limb(s)	87	3,200	490	70	350	310	40	700	—	—
Other multiple body parts	89	19,080	4,710	170	500	430	70	3,200	210	—
Whole body	891	100	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c.	899	18,990	4,700	170	500	430	70	3,190	200	—

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Nature of injury or illness ⁴							Sore-ness, pain	All other natures ⁵
	Amputa-tions	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders					
				Total	With fractures and other injuries	With sprains and other injuries			
Ankle(s) and leg(s), unspecified	-	-	-	-	-	-	-	-	
Ankle(s) and knee(s)	-	-	-	170	-	170	70	70	
Ankle(s) and leg(s), n.e.c.	-	-	-	-	-	-	40	-	
Multiple lower extremities locations, n.e.c.	-	-	-	-	-	-	70	30	
Body systems	-	-	-	-	-	-	-	5,340	
Multiple body parts	-	-	-	4,070	640	2,060	9,140	2,620	
Multiple body parts, unspecified	-	-	-	530	30	100	370	330	
Head and neck	-	-	-	250	-	230	190	80	
Head, neck, and trunk	-	-	-	40	-	40	230	-	
Head and trunk	-	-	-	70	40	20	350	230	
Neck and back	-	-	-	50	-	20	430	190	
Shoulder(s) and back	-	-	-	-	-	-	270	60	
Hip(s) and leg(s)	-	-	-	90	-	80	200	-	
Upper and lower limb(s)	-	-	-	440	180	180	920	210	
Other multiple body parts	-	-	-	2,600	350	1,380	6,190	1,500	
Whole body	-	-	-	-	-	-	20	40	
Multiple body parts, n.e.c.	-	-	-	2,590	350	1,380	6,160	1,460	

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Nature of injury or illness ⁴							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Nonclassifiable	9999	1,450	190	–	160	30	130	130	–	–

See footnotes at end of table.

TABLE L19. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Nature of injury or illness ⁴							
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	All other natures ⁵
				Total	With fractures and other injuries	With sprains and other injuries		
Nonclassifiable	—	—	—	—	—	—	50	910

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 123; Fractures = 111; Cuts, lacerations, punctures, Total = 132-133; Cuts, lacerations = 132; Punctures = 133; Bruises, contusions = 143; Heat burns = 152; Chemical burns = 151; Amputations = 1311; Carpal tunnel syndrome = 2241; Tendonitis (other or unspecified) = 2735; Multiple traumatic injuries and illnesses, Total = 18; With fractures and other injuries = 183; With sprains and other injuries = 182; Soreness, pain = 1972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.