

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2014

Part of body	Part of body code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		173,570	1,380	10,980	6,640	4,070	6,710
Head	1	11,190	280	280	570	250	460
Head, unspecified	10	2,900	—	100	100	90	150
Cranial region, including skull	11	3,280	—	80	430	40	80
Cranial region, unspecified	110	30	—	—	—	—	—
Brain	111	2,670	—	20	400	40	70
Scalp	112	190	—	50	20	—	—
Skull	113	380	—	—	—	—	—
Ear(s)	12	230	—	—	—	—	20
Face	13	4,580	270	80	30	110	190
Face, unspecified	130	540	—	—	—	40	—
Forehead	131	310	—	—	—	30	—
Eye(s)	132	1,890	250	60	—	—	70
Nose, nasal cavity	133	390	—	—	—	—	—
Nose, except internal location of diseases or disorders	1330	380	—	—	—	—	—
Cheek(s)	134	60	—	—	—	—	—
Jaw, chin	135	120	—	—	—	—	—
Mouth	136	710	—	—	—	30	70
Mouth, unspecified	1360	170	—	—	—	—	—
Lip(s)	1361	160	—	—	—	—	—
Tooth (teeth)	1363	180	—	—	—	—	70
Multiple mouth locations	1368	200	—	—	—	—	—
Multiple face locations	138	520	—	—	—	—	—
Face, n.e.c.	139	40	—	—	—	—	—
Multiple head locations	18	160	—	—	—	—	20
Head, n.e.c.	19	40	—	—	—	—	—
Neck, including throat	2	2,260	—	120	—	60	110
Neck, except internal location of diseases or disorders ...	20	2,260	—	120	—	60	110
Trunk	3	38,050	60	4,500	1,800	1,600	1,450
Trunk, unspecified	30	150	—	—	—	—	—
Chest, including ribs, internal organs	31	2,770	60	70	60	50	150
Chest, except internal location of diseases or disorders	310	2,070	—	70	60	50	110
Internal chest location, unspecified	311	20	—	—	—	—	—
Heart	313	390	—	—	—	—	—
Bronchus	314	40	—	—	—	—	—
Lung(s), pleura	315	210	40	—	—	—	—
Back, including spine, spinal cord	32	28,090	—	3,740	1,460	1,430	850
Back, including spine, spinal cord, unspecified	320	10,300	—	1,070	580	670	350
Thoracic region	321	1,080	—	70	30	30	—
Lumbar region	322	14,720	—	1,880	760	700	380
Sacral region	323	140	—	—	—	—	—
Coccygeal region	324	250	—	—	—	—	—

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2014 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Total	36,490	4,320	16,230	32,640	29,580	27,690	5,950	24,500
Head	2,190	410	1,010	200	130	2,170	440	3,320
Head, unspecified	530	250	330	160	110	450	200	730
Cranial region, including skull	1,190	50	420	—	—	510	30	450
Cranial region, unspecified	—	—	—	—	—	—	—	—
Brain	870	40	360	—	—	450	30	380
Scalp	—	—	30	—	—	—	—	60
Skull	300	—	—	—	—	50	—	—
Ear(s)	—	—	—	—	—	20	—	180
Face	440	110	250	30	20	1,100	200	1,960
Face, unspecified	50	—	60	—	—	140	40	220
Forehead	140	—	80	—	—	—	—	20
Eye(s)	30	70	20	20	—	180	50	1,180
Nose, nasal cavity	20	—	60	—	—	160	—	110
Nose, except internal location of diseases or disorders	20	—	60	—	—	160	—	110
Cheek(s)	—	—	—	—	—	20	—	30
Jaw, chin	30	—	—	—	—	70	—	—
Mouth	80	—	20	—	—	290	60	200
Mouth, unspecified	—	—	—	—	—	20	—	140
Lip(s)	—	—	—	—	—	140	—	—
Tooth (teeth)	20	—	20	—	—	30	—	50
Multiple mouth locations	50	—	—	—	—	110	—	—
Multiple face locations	90	—	—	—	—	220	20	180
Face, n.e.c.	—	—	—	—	—	—	—	—
Multiple head locations	20	—	—	—	—	70	—	—
Head, n.e.c.	20	—	—	—	—	—	—	—
Neck, including throat	130	30	760	260	260	540	140	230
Neck, except internal location of diseases or disorders ...	130	30	760	260	260	540	140	230
Trunk	4,510	830	2,750	9,350	8,820	5,830	2,540	5,190
Trunk, unspecified	20	—	—	20	20	70	60	—
Chest, including ribs, internal organs	660	40	100	770	360	360	70	390
Chest, except internal location of diseases or disorders	660	40	100	360	280	320	60	230
Internal chest location, unspecified	—	—	—	—	—	—	—	—
Heart	—	—	—	390	80	—	—	—
Bronchus	—	—	—	—	—	—	—	40
Lung(s), pleura	—	—	—	—	—	40	—	120
Back, including spine, spinal cord	2,520	650	2,280	6,940	6,920	4,660	2,090	3,460
Back, including spine, spinal cord, unspecified	910	280	780	3,050	3,040	1,340	630	1,250
Thoracic region	240	20	120	140	140	220	100	220
Lumbar region	1,010	340	1,240	3,630	3,630	2,950	1,320	1,760
Sacral region	70	—	—	20	20	—	—	—
Coccygeal region	200	—	20	—	—	—	—	—

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Multiple back regions	328	1,570	—	710	90	—	90
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—
Abdomen	33	3,100	—	430	80	90	360
Abdomen, except internal location of diseases or disorders	330	2,960	—	400	70	90	360
Internal abdominal location, unspecified	331	70	—	30	—	—	—
Intestines, peritoneum	335	60	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	30	—	—	—	—	—
Intestines, peritoneum, n.e.c.	3359	30	—	—	—	—	—
Pelvic region	34	2,820	—	200	160	20	80
Pelvic region, unspecified	340	40	—	—	—	—	—
Hip(s)	341	1,340	—	50	120	—	—
Pelvis	342	90	—	—	—	—	—
Buttock(s)	343	380	—	—	—	—	—
Groin	344	920	—	150	40	—	40
External reproductive tract structures	345	20	—	—	—	—	—
Multiple pelvic region locations	348	20	—	—	—	—	—
Multiple trunk locations	38	1,040	—	50	30	20	—
Trunk, n.e.c.	39	80	—	—	—	—	—
Upper extremities	4	42,570	120	3,350	1,950	1,330	2,550
Upper extremities, unspecified	40	80	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	12,270	—	1,640	280	240	770
Arm(s)	42	6,560	50	430	270	340	250
Arm(s), unspecified	420	1,700	40	120	80	40	60
Upper arm(s)	421	760	—	110	50	—	50
Elbow(s)	422	2,620	—	120	60	260	120
Forearm(s)	423	740	—	40	30	20	20
Multiple arm locations	428	600	—	30	50	—	—
Multiple arm locations, unspecified	4280	110	—	—	—	—	—
Elbow(s) and arm(s)	4281	260	—	20	20	—	—
Multiple arm locations, n.e.c.	4289	220	—	—	—	—	—
Arm(s), n.e.c.	429	140	—	—	—	—	—
Wrist(s)	43	5,850	—	310	500	110	320
Hand(s)	44	12,570	40	560	850	600	1,100
Hand(s), unspecified	440	4,050	—	230	190	200	280
Hand(s), except finger(s)	441	520	—	—	—	—	30
Finger(s), fingernail(s)	442	7,320	30	230	620	380	770
Finger(s), fingernail(s), unspecified	4420	5,240	30	160	290	240	630
Fingernail(s), nailbed(s)	4421	40	—	—	—	—	—
Fingertip(s)	4422	390	—	30	—	30	—
Finger(s), fingernail(s), n.e.c.	4429	1,640	—	40	330	100	120
Hand(s) and finger(s)	448	430	—	80	—	—	—
Hand(s), n.e.c.	449	260	—	20	30	—	—
Multiple upper extremities locations	48	5,190	20	380	50	40	110
Multiple upper extremities locations, unspecified	480	70	—	—	—	—	—
Hand(s) and arms(s)	481	440	—	—	—	—	—

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2014 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Multiple back regions	90	—	120	100	100	120	40	230
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—
Abdomen	110	70	70	750	730	300	150	840
Abdomen, except internal location of diseases or disorders	100	70	70	700	680	290	150	810
Internal abdominal location, unspecified	—	—	—	30	30	—	—	—
Intestines, peritoneum	—	—	—	—	—	—	—	30
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	—
Intestines, peritoneum, n.e.c.	—	—	—	—	—	—	—	30
Pelvic region	900	40	130	690	670	250	70	330
Pelvic region, unspecified	—	—	—	—	—	—	—	40
Hip(s)	550	—	20	340	340	80	20	150
Pelvis	30	—	—	—	—	20	—	20
Buttock(s)	300	—	—	—	—	—	—	—
Groin	—	40	80	330	310	110	30	100
External reproductive tract structures	—	—	—	—	—	—	—	—
Multiple pelvic region locations	—	—	—	—	—	—	—	—
Multiple trunk locations	310	—	160	100	100	190	100	150
Trunk, n.e.c.	—	—	—	70	—	—	—	—
Upper extremities	7,500	2,290	3,170	4,070	3,870	9,240	1,580	6,410
Upper extremities, unspecified	—	—	20	20	20	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	2,440	400	930	1,310	1,230	2,880	850	1,280
Arm(s)	1,550	310	380	660	580	1,020	260	1,230
Arm(s), unspecified	490	20	70	160	160	330	110	280
Upper arm(s)	140	50	40	90	90	130	—	100
Elbow(s)	760	80	220	350	280	210	60	410
Forearm(s)	110	60	50	20	20	150	40	210
Multiple arm locations	40	110	—	30	30	200	—	100
Multiple arm locations, unspecified	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	30	—	—	20	20	60	—	90
Multiple arm locations, n.e.c.	—	—	—	—	—	140	—	—
Arm(s), n.e.c.	—	—	—	—	—	—	—	130
Wrist(s)	1,760	80	260	1,190	1,190	650	140	500
Hand(s)	990	1,440	1,100	400	360	2,940	140	2,510
Hand(s), unspecified	210	160	340	110	80	1,670	70	660
Hand(s), except finger(s)	220	30	30	—	—	140	—	40
Finger(s), fingernail(s)	550	1,160	690	220	220	1,020	70	1,620
Finger(s), fingernail(s), unspecified	340	1,050	450	210	210	640	60	1,180
Fingernail(s), nailbed(s)	—	—	—	—	—	—	—	20
Fingertip(s)	—	30	100	—	—	140	—	50
Finger(s), fingernail(s), n.e.c.	200	80	140	—	—	240	—	370
Hand(s) and finger(s)	—	30	—	50	50	90	—	140
Hand(s), n.e.c.	—	60	30	20	20	20	—	50
Multiple upper extremities locations	750	60	460	490	490	1,720	190	870
Multiple upper extremities locations, unspecified	—	—	60	—	—	—	—	—
Hand(s) and arms(s)	60	—	20	20	20	280	100	30

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Hand(s) and arm(s), unspecified	4810	100	—	—	—	—	—
Hand(s) and elbow(s)	4811	120	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	220	—	—	—	—	—
Hand(s) and wrist(s)	482	930	—	50	—	—	20
Wrist(s) and arm(s)	483	450	—	—	—	—	40
Wrist(s) and arm(s), unspecified	4830	150	—	—	—	—	—
Wrist(s) and elbow(s)	4831	50	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	260	—	—	—	—	30
Shoulder(s) and arm(s)	484	2,380	—	240	40	—	20
Multiple upper extremities locations, n.e.c.	489	920	—	80	—	20	30
Upper extremities, n.e.c.	49	50	—	20	—	—	—
Lower extremities	5	42,580	90	1,240	1,340	470	1,350
Lower extremities, unspecified	50	90	—	—	—	—	—
Leg(s)	51	24,860	60	380	540	270	690
Leg(s), unspecified	510	2,030	—	30	70	20	40
Thigh(s)	511	950	—	—	—	—	30
Knee(s)	512	18,060	40	300	400	180	200
Lower leg(s)	513	2,830	—	30	50	40	370
Multiple leg locations	518	820	—	—	—	—	40
Multiple leg locations, unspecified	5180	30	—	—	—	—	—
Knee(s) and leg(s)	5181	720	—	—	—	—	20
Multiple leg locations, n.e.c.	5189	70	—	—	—	—	—
Leg(s), n.e.c.	519	170	—	—	—	—	—
Ankle(s)	52	9,830	—	200	110	50	130
Foot (feet)	53	6,030	30	570	640	140	520
Foot (feet), unspecified	530	3,880	—	180	230	80	400
Sole(s)	531	400	—	—	20	—	50
Sole(s), unspecified	5310	70	—	—	—	—	40
Arch(es), instep(s)	5312	40	—	—	—	—	—
Heel(s)	5313	270	—	—	—	—	—
Toes(s), toenail(s)	532	1,290	—	360	240	60	60
Multiple foot (feet) locations	538	180	—	20	110	—	—
Foot (feet), n.e.c.	539	280	—	—	40	—	—
Multiple lower extremities locations	58	1,760	—	80	50	—	—
Foot (feet) and leg(s)	581	350	—	—	—	—	—
Foot(feet) and leg(s), unspecified	5810	30	—	—	—	—	—
Foot(feet) and knee(s)	5811	200	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	120	—	—	—	—	—
Foot (feet) and ankle(s)	582	400	—	30	—	—	—
Ankle(s) and leg(s)	583	720	—	50	40	—	—
Ankle(s) and leg(s), unspecified	5830	60	—	—	—	—	—
Ankle(s) and knee(s)	5831	590	—	—	40	—	—
Ankle(s) and leg(s), n.e.c.	5839	70	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	290	—	—	—	—	—
Body systems	6	5,350	730	—	—	30	90

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2014 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Hand(s) and arm(s), unspecified	30	—	—	—	—	20	—	—
Hand(s) and elbow(s)	20	—	—	—	—	90	—	—
Hand(s) and arm(s), n.e.c.	—	—	—	—	—	160	100	20
Hand(s) and wrist(s)	40	20	80	110	110	240	20	350
Wrist(s) and arm(s)	80	20	40	30	30	30	—	200
Wrist(s) and arm(s), unspecified	40	—	—	30	30	—	—	30
Wrist(s) and elbow(s)	—	—	20	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	30	—	—	—	—	—	—	170
Shoulder(s) and arm(s)	330	—	90	220	220	970	60	250
Multiple upper extremities locations, n.e.c.	220	20	180	100	100	210	—	40
Upper extremities, n.e.c.	—	—	—	—	—	—	—	—
Lower extremities	11,950	420	2,520	14,700	14,500	3,790	330	4,110
Lower extremities, unspecified	30	—	—	—	—	—	—	—
Leg(s)	6,740	310	1,550	9,310	9,140	2,640	260	2,050
Leg(s), unspecified	420	—	350	470	450	80	20	490
Thigh(s)	330	40	30	370	320	40	—	100
Knee(s)	5,330	110	930	7,160	7,060	2,000	150	1,180
Lower leg(s)	440	160	220	1,140	1,130	160	20	190
Multiple leg locations	210	—	20	90	90	370	70	60
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	160	—	20	80	80	360	60	50
Multiple leg locations, n.e.c.	40	—	—	—	—	—	—	—
Leg(s), n.e.c.	20	—	—	90	90	—	—	30
Ankle(s)	3,390	—	460	4,140	4,120	430	20	800
Foot (feet)	1,120	100	340	960	960	410	—	1,050
Foot (feet), unspecified	840	70	190	720	720	260	—	770
Sole(s)	50	—	90	100	100	—	—	60
Sole(s), unspecified	—	—	—	—	—	—	—	30
Arch(es), instep(s)	30	—	—	—	—	—	—	—
Heel(s)	—	—	90	100	100	—	—	30
Toes(s), toenail(s)	190	20	40	70	70	80	—	170
Multiple foot (feet) locations	—	—	—	—	—	20	—	—
Foot (feet), n.e.c.	20	—	—	60	60	40	—	30
Multiple lower extremities locations	670	—	120	280	280	300	—	210
Foot (feet) and leg(s)	60	—	—	—	—	220	—	50
Foot(feet) and leg(s), unspecified	—	—	—	—	—	—	—	—
Foot(feet) and knee(s)	50	—	—	—	—	110	—	—
Foot(feet) and leg(s), n.e.c.	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	120	—	30	110	110	—	—	70
Ankle(s) and leg(s)	380	—	40	140	130	20	—	40
Ankle(s) and leg(s), unspecified	20	—	—	—	—	—	—	—
Ankle(s) and knee(s)	350	—	30	130	130	—	—	—
Ankle(s) and leg(s), n.e.c.	20	—	—	—	—	—	—	40
Multiple lower extremities locations, n.e.c.	110	—	40	30	30	50	—	50
Body systems	50	—	20	2,160	120	730	20	1,520

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Source of injury or illness ⁴				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Multiple body parts	8	30,120	100	1,480	960	330	690
Multiple body parts, unspecified	80	2,570	40	90	50	50	20
Head and neck	81	710	—	30	60	—	—
Head, neck, and trunk	82	310	—	—	—	—	—
Head and trunk	83	690	—	—	—	—	—
Neck and back	84	2,020	—	20	280	40	20
Shoulder(s) and back	85	980	—	60	—	—	—
Hip(s) and leg(s)	86	560	—	40	—	—	—
Upper and lower limb(s)	87	3,200	—	—	30	—	—
Other multiple body parts	89	19,080	60	1,220	520	220	460
Whole body	891	100	—	—	—	—	—
Multiple body parts, n.e.c.	899	18,990	40	1,210	520	220	460
Nonclassifiable	9999	1,450	—	—	—	—	—

See footnotes at end of table.

TABLE L20. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected sources of injury or illness, local government, 2014 — Continued

Part of body	Source of injury or illness ⁴							All other sources ⁵
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Multiple body parts	10,050	330	5,880	1,740	1,710	5,300	880	2,770
Multiple body parts, unspecified	660	—	570	220	220	420	30	450
Head and neck	190	—	50	—	—	310	40	60
Head, neck, and trunk	170	—	90	—	—	50	—	—
Head and trunk	330	—	60	—	—	60	40	60
Neck and back	120	—	1,030	50	50	400	60	60
Shoulder(s) and back	130	130	220	70	70	260	70	80
Hip(s) and leg(s)	380	—	—	50	50	30	—	—
Upper and lower limb(s)	1,950	—	120	40	40	620	30	400
Other multiple body parts	6,140	200	3,740	1,300	1,270	3,140	630	1,640
Whole body	—	—	—	—	—	—	—	30
Multiple body parts, n.e.c.	6,120	200	3,740	1,290	1,260	3,130	630	1,610
Nonclassifiable	110	—	110	160	160	90	20	960

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.