

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2014

Part of body	Part of body code ²	Local government ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Total		173,570	23,900	11,990	7,720	2,250	52,880	7,060	36,610	8,300
Head	1	11,190	4,390	2,430	1,270	–	2,830	330	2,400	100
Head, unspecified	10	2,900	1,350	890	460	–	840	130	610	100
Cranial region, including skull	11	3,280	1,030	470	550	–	1,410	140	1,270	–
Cranial region, unspecified	110	30	–	–	–	–	–	–	–	–
Brain	111	2,670	840	380	460	–	1,060	110	940	–
Scalp	112	190	170	80	80	–	20	–	–	–
Skull	113	380	–	–	–	–	330	20	300	–
Ear(s)	12	230	30	–	–	–	–	–	–	–
Face	13	4,580	1,930	1,020	250	–	530	50	480	–
Face, unspecified	130	540	140	110	20	–	70	20	60	–
Forehead	131	310	130	50	50	–	140	–	140	–
Eye(s)	132	1,890	1,160	510	–	–	30	–	30	–
Nose, nasal cavity	133	390	120	40	90	–	20	–	20	–
Nose, except internal location of diseases or disorders	1330	380	120	40	90	–	20	–	20	–
Cheek(s)	134	60	20	20	–	–	–	–	–	–
Jaw, chin	135	120	–	–	–	–	30	20	–	–
Mouth	136	710	170	130	50	–	100	–	100	–
Mouth, unspecified	1360	170	–	–	–	–	–	–	–	–
Lip(s)	1361	160	20	20	–	–	–	–	–	–
Tooth (teeth)	1363	180	110	100	20	–	30	–	30	–
Multiple mouth locations	1368	200	–	–	–	–	50	–	50	–
Multiple face locations	138	520	160	150	–	–	130	–	120	–
Face, n.e.c.	139	40	30	–	20	–	–	–	–	–
Multiple head locations	18	160	40	30	–	–	20	–	20	–
Head, n.e.c.	19	40	–	–	–	–	20	–	20	–
Neck, including throat	2	2,260	290	140	130	–	290	20	160	120
Neck, except internal location of diseases or disorders ...	20	2,260	290	140	130	–	290	20	160	120
Trunk	3	38,050	1,420	660	490	40	7,170	970	4,710	1,460
Trunk, unspecified	30	150	–	–	–	–	30	–	20	–
Chest, including ribs, internal organs	31	2,770	190	120	50	–	890	100	790	–
Chest, except internal location of diseases or disorders	310	2,070	190	120	50	–	890	100	790	–
Internal chest location, unspecified	311	20	–	–	–	–	–	–	–	–
Heart	313	390	–	–	–	–	–	–	–	–
Bronchus	314	40	–	–	–	–	–	–	–	–
Lung(s), pleura	315	210	–	–	–	–	–	–	–	–
Back, including spine, spinal cord	32	28,090	990	380	360	20	4,480	520	2,650	1,280
Back, including spine, spinal cord, unspecified	320	10,300	490	250	160	–	1,900	250	900	720
Thoracic region	321	1,080	30	–	–	–	250	–	240	–

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2014 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Total	54,090	15,330	3,020	6,530	10,470	8,340	580	22,940	9,130	10,970	2,740	2,170
Head	90	—	—	790	570	480	70	2,390	1,640	450	300	60
Head, unspecified	60	—	—	—	160	140	—	470	370	70	—	—
Cranial region, including skull	—	—	—	30	290	260	—	510	370	140	—	—
Cranial region, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Brain	—	—	—	—	290	260	—	450	310	140	—	—
Scalp	—	—	—	—	—	—	—	—	—	—	—	—
Skull	—	—	—	—	—	—	—	50	50	—	—	—
Ear(s)	—	—	—	150	—	—	30	20	20	—	—	—
Face	20	—	—	590	120	70	30	1,310	840	200	280	40
Face, unspecified	—	—	—	40	40	40	—	190	90	40	50	—
Forehead	—	—	—	—	30	—	—	—	—	—	—	—
Eye(s)	—	—	—	410	20	—	20	230	110	30	80	—
Nose, nasal cavity	—	—	—	70	—	—	—	160	110	50	—	—
Nose, except internal location of diseases or disorders	—	—	—	70	—	—	—	160	110	50	—	—
Cheek(s)	—	—	—	—	—	—	—	20	—	—	—	—
Jaw, chin	—	—	—	—	—	—	—	80	50	20	—	—
Mouth	—	—	—	—	20	—	—	420	290	—	130	—
Mouth, unspecified	—	—	—	—	—	—	—	150	—	—	130	—
Lip(s)	—	—	—	—	—	—	—	140	140	—	—	—
Tooth (teeth)	—	—	—	—	—	—	—	30	20	—	—	—
Multiple mouth locations	—	—	—	—	—	—	—	110	110	—	—	—
Multiple face locations	—	—	—	40	—	—	—	190	160	30	—	—
Face, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Multiple head locations	—	—	—	—	—	—	—	70	30	40	—	—
Head, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Neck, including throat	510	110	20	40	690	640	—	440	330	90	—	—
Neck, except internal location of diseases or disorders ...	510	110	20	40	690	640	—	440	330	90	—	—
Trunk	24,110	9,030	590	400	1,990	1,720	60	2,420	720	1,640	50	480
Trunk, unspecified	50	20	—	—	—	—	—	70	60	—	—	—
Chest, including ribs, internal organs	980	160	30	320	70	40	—	280	90	180	—	30
Chest, except internal location of diseases or disorders	590	160	—	20	70	40	—	280	90	180	—	20
Internal chest location, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Heart	380	—	—	—	—	—	—	—	—	—	—	—
Bronchus	—	—	—	40	—	—	—	—	—	—	—	—
Lung(s), pleura	—	—	—	210	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	18,720	7,500	540	—	1,790	1,600	—	1,720	400	1,290	40	360
Back, including spine, spinal cord, unspecified	6,470	2,330	150	—	740	630	—	520	170	340	—	180
Thoracic region	630	240	20	—	80	70	—	100	20	80	—	—

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Lumbar region	322	14,720	450	110	180	—	1,730	140	1,060	530
Sacral region	323	140	—	—	—	—	80	—	70	—
Coccygeal region	324	250	—	—	—	—	220	—	210	—
Multiple back regions	328	1,570	20	—	—	—	290	100	160	20
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—	—	—
Abdomen	33	3,100	120	50	70	—	80	—	50	30
Abdomen, except internal location of diseases or disorders	330	2,960	120	50	70	—	80	—	50	30
Internal abdominal location, unspecified	331	70	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	60	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	30	—	—	—	—	—	—	—	—
Intestines, peritoneum, n.e.c.	3359	30	—	—	—	—	—	—	—	—
Pelvic region	34	2,820	130	110	20	—	1,160	110	960	90
Pelvic region, unspecified	340	40	—	—	—	—	—	—	—	—
Hip(s)	341	1,340	80	60	—	—	760	100	590	70
Pelvis	342	90	—	—	—	—	40	—	30	—
Buttock(s)	343	380	—	—	—	—	310	—	310	—
Groin	344	920	—	—	—	—	40	—	30	—
External reproductive tract structures	345	20	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	20	—	—	—	—	—	—	—	—
Multiple trunk locations	38	1,040	—	—	—	—	520	230	240	50
Trunk, n.e.c.	39	80	—	—	—	—	—	—	—	—
Upper extremities	4	42,570	9,170	4,660	2,410	1,830	9,510	1,720	7,200	430
Upper extremities, unspecified	40	80	—	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	12,270	290	170	60	30	3,100	790	2,070	220
Arm(s)	42	6,560	970	500	410	20	1,870	200	1,510	30
Arm(s), unspecified	420	1,700	110	70	40	—	570	70	480	—
Upper arm(s)	421	760	30	—	—	—	140	—	140	—
Elbow(s)	422	2,620	550	230	300	—	930	70	740	—
Forearm(s)	423	740	120	90	—	—	160	40	110	—
Multiple arm locations	428	600	160	100	50	—	60	20	40	—
Multiple arm locations, unspecified	4280	110	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	260	20	—	—	—	40	—	30	—
Multiple arm locations, n.e.c.	4289	220	40	—	40	—	20	—	—	—
Arm(s), n.e.c.	429	140	—	—	—	—	—	—	—	—
Wrist(s)	43	5,850	800	560	180	50	2,360	380	1,920	50
Hand(s)	44	12,570	6,720	3,300	1,570	1,660	1,090	120	950	—
Hand(s), unspecified	440	4,050	1,290	580	420	250	230	40	180	—
Hand(s), except finger(s)	441	520	140	40	50	30	220	—	220	—
Finger(s), fingernail(s)	442	7,320	5,000	2,560	1,010	1,290	620	70	540	—
Finger(s), fingernail(s), unspecified	4420	5,240	3,710	1,940	730	950	390	50	340	—
Fingernail(s), nailbed(s)	4421	40	40	30	—	—	—	—	—	—
Fingertip(s)	4422	390	240	180	20	20	—	—	—	—

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2014 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Lumbar region	10,450	4,000	360	—	860	790	—	1,020	180	800	30	180
Sacral region	40	—	—	—	—	—	—	—	—	—	—	—
Coccygeal region	—	—	—	—	20	20	—	—	—	—	—	—
Multiple back regions	1,120	920	—	—	80	80	—	70	20	50	—	—
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Abdomen	2,700	800	20	40	40	—	—	110	50	60	—	—
Abdomen, except internal location of diseases or disorders	2,600	750	—	—	40	—	—	110	50	60	—	—
Internal abdominal location, unspecified	70	30	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	20	—	—	30	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	20	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum, n.e.c.	—	—	—	30	—	—	—	—	—	—	—	—
Pelvic region	1,230	340	—	—	50	50	—	160	80	70	—	70
Pelvic region, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Hip(s)	430	60	—	—	—	—	—	40	—	30	—	—
Pelvis	—	—	—	—	—	—	—	20	—	—	—	—
Buttock(s)	40	—	—	—	—	—	—	—	—	—	—	—
Groin	740	250	—	—	30	—	—	60	30	20	—	40
External reproductive tract structures	—	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	20	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	340	210	—	—	30	20	—	80	40	40	—	—
Trunk, n.e.c.	80	—	—	—	—	—	—	—	—	—	—	—
Upper extremities	12,720	3,990	2,060	790	1,110	870	180	8,830	2,920	4,670	1,200	260
Upper extremities, unspecified	20	—	20	—	20	—	—	20	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	6,370	2,480	270	—	440	290	90	1,880	480	1,330	50	100
Arm(s)	2,250	760	160	170	90	80	—	1,160	380	460	310	50
Arm(s), unspecified	530	220	30	110	30	30	—	320	180	80	60	—
Upper arm(s)	430	190	—	—	20	20	—	130	70	60	—	—
Elbow(s)	930	210	80	—	20	—	—	170	50	100	20	—
Forearm(s)	170	70	20	40	20	20	—	230	70	60	110	—
Multiple arm locations	170	60	20	—	—	—	—	190	20	170	—	—
Multiple arm locations, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	130	60	—	—	—	—	—	60	20	40	—	—
Multiple arm locations, n.e.c.	30	—	—	—	—	—	—	140	—	140	—	—
Arm(s), n.e.c.	20	—	—	—	—	—	—	110	—	—	110	—
Wrist(s)	1,920	210	1,100	40	110	100	—	550	120	400	20	40
Hand(s)	890	150	260	490	100	100	—	3,220	1,000	1,880	320	60
Hand(s), unspecified	280	80	50	310	50	50	—	1,880	640	1,020	220	—
Hand(s), except finger(s)	20	—	—	—	—	—	—	140	50	90	—	—
Finger(s), fingernail(s)	450	40	150	120	50	50	—	1,060	280	690	70	20
Finger(s), fingernail(s), unspecified	350	40	150	110	20	20	—	650	210	380	50	—
Fingernail(s), nailbed(s)	—	—	—	—	—	—	—	—	—	—	—	—
Fingertip(s)	—	—	—	—	—	—	—	150	—	—	—	—

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Finger(s), fingernail(s), n.e.c.	4429	1,640	1,010	420	250	320	220	20	200	—
Hand(s) and finger(s)	448	430	160	60	20	90	—	—	—	—
Hand(s), n.e.c.	449	260	130	60	70	—	20	—	—	—
Multiple upper extremities locations	48	5,190	360	110	180	70	1,070	220	730	120
Multiple upper extremities locations, unspecified	480	70	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	440	30	—	—	20	60	20	40	—
Hand(s) and arm(s), unspecified	4810	100	—	—	—	—	30	20	—	—
Hand(s) and elbow(s)	4811	120	—	—	—	—	20	—	20	—
Hand(s) and arm(s), n.e.c.	4819	220	—	—	—	—	—	—	—	—
Hand(s) and wrist(s)	482	930	70	60	—	—	50	—	50	—
Wrist(s) and arm(s)	483	450	50	—	20	—	90	20	70	—
Wrist(s) and arm(s), unspecified	4830	150	20	—	—	—	50	20	30	—
Wrist(s) and elbow(s)	4831	50	30	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	260	—	—	—	—	30	—	30	—
Shoulder(s) and arm(s)	484	2,380	160	—	140	—	610	150	340	120
Multiple upper extremities locations, n.e.c.	489	920	60	20	20	20	250	20	220	—
Upper extremities, n.e.c.	49	50	20	20	—	—	—	—	—	—
Lower extremities	5	42,580	6,160	2,900	2,470	290	19,990	2,330	11,380	5,610
Lower extremities, unspecified	50	90	—	—	—	—	30	—	30	—
Leg(s)	51	24,860	2,250	790	850	170	10,900	1,250	6,530	2,770
Leg(s), unspecified	510	2,030	190	80	80	—	820	340	430	40
Thigh(s)	511	950	90	60	20	—	380	20	320	50
Knee(s)	512	18,060	1,110	300	600	130	8,340	730	5,240	2,100
Lower leg(s)	513	2,830	800	320	140	—	1,090	110	380	570
Multiple leg locations	518	820	60	30	—	—	240	40	140	—
Multiple leg locations, unspecified	5180	30	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	720	30	20	—	—	190	30	90	—
Multiple leg locations, n.e.c.	5189	70	20	—	—	—	40	—	40	—
Leg(s), n.e.c.	519	170	—	—	—	—	30	—	20	—
Ankle(s)	52	9,830	770	270	450	40	6,430	720	3,280	2,240
Foot (feet)	53	6,030	2,900	1,650	1,150	80	1,620	240	850	400
Foot (feet), unspecified	530	3,880	1,630	1,020	530	60	1,210	80	730	360
Sole(s)	531	400	130	20	100	—	90	—	—	—
Sole(s), unspecified	5310	70	40	—	40	—	—	—	—	—
Arch(es), instep(s)	5312	40	30	—	30	—	—	—	—	—
Heel(s)	5313	270	60	20	30	—	80	—	—	—
Toes(s), toenail(s)	532	1,290	1,020	490	510	—	120	—	90	20
Multiple foot (feet) locations	538	180	30	30	—	—	120	110	—	—
Foot (feet), n.e.c.	539	280	80	80	—	—	80	40	20	20
Multiple lower extremities locations	58	1,760	230	180	20	—	1,020	130	690	190
Foot (feet) and leg(s)	581	350	60	50	—	—	60	—	50	—
Foot(feet) and leg(s), unspecified	5810	30	20	—	—	—	—	—	—	—
Foot(feet) and knee(s)	5811	200	30	—	—	—	60	—	50	—

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2014 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Finger(s), fingernail(s), n.e.c.	100	-	-	-	30	30	-	260	70	180	20	-
Hand(s) and finger(s)	80	-	50	40	-	-	-	100	20	70	-	-
Hand(s), n.e.c.	60	-	-	-	-	-	-	30	-	-	20	-
Multiple upper extremities locations	1,270	400	260	90	340	300	-	2,010	920	580	500	-
Multiple upper extremities locations, unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Hand(s) and arms(s)	150	-	20	20	-	-	-	180	-	110	-	-
Hand(s) and arm(s), unspecified	20	-	-	-	-	-	-	20	-	-	-	-
Hand(s) and elbow(s)	-	-	-	-	-	-	-	90	-	90	-	-
Hand(s) and arm(s), n.e.c.	120	-	-	-	-	-	-	70	-	-	-	-
Hand(s) and wrist(s)	240	60	70	30	40	20	-	500	40	190	260	-
Wrist(s) and arm(s)	110	30	20	-	-	-	-	190	-	-	160	-
Wrist(s) and arm(s), unspecified	70	20	20	-	-	-	-	-	-	-	-	-
Wrist(s) and elbow(s)	-	-	-	-	-	-	-	-	-	-	-	-
Wrist(s) and arm(s), n.e.c.	40	-	-	-	-	-	-	180	-	-	160	-
Shoulder(s) and arm(s)	550	230	60	-	50	50	-	940	790	100	60	-
Multiple upper extremities locations, n.e.c.	220	70	90	20	180	180	-	200	30	170	-	-
Upper extremities, n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Lower extremities	10,760	440	90	420	990	430	50	3,850	1,470	1,940	430	360
Lower extremities, unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Leg(s)	7,890	420	50	150	640	250	40	2,740	990	1,390	350	250
Leg(s), unspecified	530	40	-	50	130	60	-	200	50	30	120	70
Thigh(s)	340	20	-	-	-	-	-	110	-	70	30	-
Knee(s)	6,070	290	50	40	430	160	-	1,890	610	1,150	120	180
Lower leg(s)	670	-	-	20	50	20	-	200	30	130	40	-
Multiple leg locations	180	70	-	30	-	-	-	300	290	-	-	-
Multiple leg locations, unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Knee(s) and leg(s)	170	60	-	-	-	-	-	300	290	-	-	-
Multiple leg locations, n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Leg(s), n.e.c.	90	-	-	-	-	-	-	30	-	-	30	-
Ankle(s)	1,980	-	-	-	170	120	-	420	180	230	-	50
Foot (feet)	730	-	20	240	90	50	-	390	120	200	60	60
Foot (feet), unspecified	480	-	-	180	80	50	-	260	60	150	50	50
Sole(s)	130	-	-	-	-	-	-	20	-	-	-	-
Sole(s), unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Arch(es), instep(s)	-	-	-	-	-	-	-	-	-	-	-	-
Heel(s)	120	-	-	-	-	-	-	-	-	-	-	-
Toes(s), toenail(s)	50	-	-	-	-	-	-	80	50	20	-	-
Multiple foot (feet) locations	-	-	-	-	-	-	-	20	-	20	-	-
Foot (feet), n.e.c.	70	-	-	30	-	-	-	-	-	-	-	-
Multiple lower extremities locations	160	20	-	20	40	-	-	310	180	120	-	-
Foot (feet) and leg(s)	-	-	-	-	-	-	-	220	110	-	-	-
Foot(feet) and leg(s), unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Foot(feet) and knee(s)	-	-	-	-	-	-	-	110	-	-	-	-

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Event or exposure leading to injury or illness ⁴							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Foot(feet) and leg(s), n.e.c.	5819	120	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	400	120	110	—	—	210	40	90	80
Ankle(s) and leg(s)	583	720	20	20	—	—	620	60	450	110
Ankle(s) and leg(s), unspecified	5830	60	20	20	—	—	20	—	20	—
Ankle(s) and knee(s)	5831	590	—	—	—	—	550	60	380	100
Ankle(s) and leg(s), n.e.c.	5839	70	—	—	—	—	50	—	50	—
Multiple lower extremities locations, n.e.c.	589	290	40	—	—	—	120	20	90	—
Body systems	6	5,350	90	90	—	—	50	—	50	—
Multiple body parts	8	30,120	2,370	1,110	940	70	12,890	1,660	10,620	570
Multiple body parts, unspecified	80	2,570	280	230	40	—	1,030	110	810	110
Head and neck	81	710	130	70	60	—	350	—	340	—
Head, neck, and trunk	82	310	—	—	—	—	180	—	170	—
Head and trunk	83	690	240	—	60	—	340	—	330	—
Neck and back	84	2,020	360	270	70	—	190	50	120	—
Shoulder(s) and back	85	980	90	40	—	—	180	50	120	—
Hip(s) and leg(s)	86	560	—	—	—	—	430	—	390	30
Upper and lower limb(s)	87	3,200	330	20	—	—	2,050	130	1,910	—
Other multiple body parts	89	19,080	930	450	360	60	8,140	1,280	6,420	410
Whole body	891	100	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c.	899	18,990	930	450	360	60	8,120	1,280	6,410	410

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2014 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁵
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Foot(feet) and leg(s), n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Foot (feet) and ankle(s)	30	-	-	-	20	-	-	-	-	-	-	-
Ankle(s) and leg(s)	30	-	-	-	-	-	-	20	-	-	-	-
Ankle(s) and leg(s), unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Ankle(s) and knee(s)	20	-	-	-	-	-	-	-	-	-	-	-
Ankle(s) and leg(s), n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Multiple lower extremities locations, n.e.c.	80	-	-	-	-	-	-	50	50	-	-	-
Body systems	1,240	-	-	3,580	20	20	90	250	90	40	110	30
Multiple body parts	4,480	1,740	210	490	5,010	4,090	130	4,460	1,910	2,120	380	300
Multiple body parts, unspecified	260	90	20	180	330	220	-	340	100	160	40	150
Head and neck	-	-	-	-	40	40	-	170	140	30	-	-
Head, neck, and trunk	-	-	-	-	80	80	-	50	30	-	-	-
Head and trunk	-	-	-	-	30	30	-	70	60	-	-	-
Neck and back	210	60	20	-	900	790	-	340	110	230	-	-
Shoulder(s) and back	300	50	-	-	170	170	-	200	40	150	-	-
Hip(s) and leg(s)	70	-	-	-	-	-	-	30	-	20	-	-
Upper and lower limb(s)	110	-	-	-	90	40	-	600	340	250	-	-
Other multiple body parts	3,520	1,520	170	280	3,340	2,700	120	2,660	1,070	1,260	320	100
Whole body	20	-	-	40	-	-	-	20	-	-	-	-
Multiple body parts, n.e.c.	3,500	1,510	170	240	3,330	2,700	120	2,650	1,070	1,260	310	100

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Event or exposure leading to injury or illness ⁴								
			Contact with objects				Falls, slips, trips				
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall	
Nonclassifiable	9999	1,450	—	—	—	—	—	140	20	100	20

See footnotes at end of table.

TABLE L21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, local government, 2014 — Continued

Part of body	Event or exposure leading to injury or illness ⁴											All other events ⁵
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Nonclassifiable	180	–	40	20	100	100	–	300	40	–	250	680

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 6; Struck by object = 62; Struck against object = 63; Caught in or compressed or crushed = 64; Falls, slips, trips, Total = 4; Fall to lower level = 43; Fall on same level = 42; Slips or trips without fall = 41; Overexertion and bodily reaction, Total = 7; In lifting = 711; Repetitive motion = 72; Exposure to harmful substance or environment = 5; Transportation accidents, Total = 2; Roadway accident = 26; Fires and explosions = 3; Violence and other injuries by persons or animals, Total = 1; Intentional injury by other person = 111; Injury by person-unintentional or intent unknown = 12; Animal and other insect related = 13; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁵ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.