

TABLE L22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, local government, 2014

Part of body	Part of body code ³	Local government ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Total [173,570 cases]		166.4	62.9	11.4	7.2	5.4	1.9	16.4	1.0	0.2
Head	1	10.7	(⁷)	.4	1.3	1.2	.1	1.9	.1	.1
Head, unspecified	10	2.8	(⁷)	—	.5	.5	(⁷)	.8	—	—
Cranial region, including skull	11	3.1	—	(⁷)	.1	.1	—	.4	—	—
Cranial region, unspecified	110	(⁷)	—	—	—	—	—	—	—	—
Brain	111	2.6	—	—	—	—	—	—	—	—
Scalp	112	.2	—	—	.1	.1	—	(⁷)	—	—
Skull	113	.4	—	(⁷)	—	—	—	.3	—	—
Ear(s)	12	.2	—	—	(⁷)	(⁷)	—	—	(⁷)	—
Face	13	4.4	—	.3	.6	.5	.1	.6	.1	.1
Face, unspecified	130	.5	—	—	.1	.1	(⁷)	.1	(⁷)	—
Forehead	131	.3	—	—	.2	.2	—	.1	—	—
Eye(s)	132	1.8	—	—	.1	.1	(⁷)	.1	—	.1
Nose, nasal cavity	133	.4	—	.1	(⁷)	(⁷)	—	(⁷)	—	—
Nose, except internal location of diseases or disorders	1330	.4	—	.1	(⁷)	(⁷)	—	(⁷)	—	—
Cheek(s)	134	.1	—	—	—	—	—	—	—	—
Jaw, chin	135	.1	—	—	—	—	—	.1	—	—
Mouth	136	.7	—	.1	.1	.1	—	—	—	—
Mouth, unspecified	1360	.2	—	—	—	—	—	—	—	—
Lip(s)	1361	.2	—	—	(⁷)	(⁷)	—	—	—	—
Tooth (teeth)	1363	.2	—	.1	—	—	—	—	—	—
Multiple mouth locations	1368	.2	—	—	—	—	—	—	—	—
Multiple face locations	138	.5	—	.1	(⁷)	(⁷)	—	.2	—	—
Face, n.e.c.	139	(⁷)	—	—	(⁷)	(⁷)	—	—	—	—
Multiple head locations	18	.2	—	—	(⁷)	(⁷)	—	(⁷)	—	—
Head, n.e.c.	19	(⁷)	—	—	(⁷)	(⁷)	—	—	—	—
Neck, including throat	2	2.2	1.6	(⁷)	(⁷)	(⁷)	—	(⁷)	—	—
Neck, except internal location of diseases or disorders ...	20	2.2	1.6	(⁷)	(⁷)	(⁷)	—	(⁷)	—	—
Trunk	3	36.5	20.5	1.0	.1	.1	(⁷)	2.0	—	—
Trunk, unspecified	30	.1	.1	—	—	—	—	—	—	—
Chest, including ribs, internal organs	31	2.7	.3	.4	—	—	—	.7	—	—
Chest, except internal location of diseases or disorders	310	2.0	.3	.4	—	—	—	.7	—	—
Internal chest location, unspecified	311	(⁷)	—	—	—	—	—	—	—	—
Heart	313	.4	—	—	—	—	—	—	—	—
Bronchus	314	(⁷)	—	—	—	—	—	—	—	—
Lung(s), pleura	315	.2	—	—	—	—	—	—	—	—
Back, including spine, spinal cord	32	26.9	18.4	.2	(⁷)	(⁷)	—	.6	—	—
Back, including spine, spinal cord, unspecified	320	9.9	6.1	(⁷)	—	—	—	.2	—	—
Thoracic region	321	1.0	.7	(⁷)	—	—	—	—	—	—
Lumbar region	322	14.1	10.4	.1	—	—	—	.2	—	—

See footnotes at end of table.

TABLE L22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Nature of injury or illness ⁵							All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	
				Total	With fractures and other injuries	With sprains and other injuries		
Total [173,570 cases]	0.5	0.9	0.4	6.4	1.2	3.0	32.5	26.7
Head	—	—	—	.3	(⁷)	—	2.0	4.7
Head, unspecified	—	—	—	(⁷)	—	—	1.2	.2
Cranial region, including skull	—	—	—	—	—	—	(⁷)	2.6
Cranial region, unspecified	—	—	—	—	—	—	(⁷)	—
Brain	—	—	—	—	—	—	—	2.5
Scalp	—	—	—	—	—	—	—	—
Skull	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	—	—	—	(⁷)	.2
Face	—	—	—	.2	(⁷)	—	.7	1.8
Face, unspecified	—	—	—	(⁷)	—	—	.1	.1
Forehead	—	—	—	—	—	—	—	—
Eye(s)	—	—	—	—	—	—	.2	1.3
Nose, nasal cavity	—	—	—	.1	—	—	.1	.1
Nose, except internal location of diseases or disorders	—	—	—	.1	—	—	.1	.1
Cheek(s)	—	—	—	—	—	—	—	—
Jaw, chin	—	—	—	—	—	—	(⁷)	—
Mouth	—	—	—	.1	—	—	.2	.2
Mouth, unspecified	—	—	—	—	—	—	—	.1
Lip(s)	—	—	—	—	—	—	.1	—
Tooth (teeth)	—	—	—	—	—	—	—	(⁷)
Multiple mouth locations	—	—	—	.1	—	—	.1	—
Multiple face locations	—	—	—	(⁷)	—	—	(⁷)	.1
Face, n.e.c.	—	—	—	—	—	—	—	—
Multiple head locations	—	—	—	(⁷)	—	—	(⁷)	(⁷)
Head, n.e.c.	—	—	—	—	—	—	—	—
Neck, including throat	—	—	—	—	—	—	.3	.2
Neck, except internal location of diseases or disorders	—	—	—	—	—	—	.3	.2
Trunk	—	—	—	.4	—	.3	7.8	4.7
Trunk, unspecified	—	—	—	—	—	—	(⁷)	—
Chest, including ribs, internal organs	—	—	—	(⁷)	—	—	.4	.9
Chest, except internal location of diseases or disorders	—	—	—	(⁷)	—	—	.4	.2
Internal chest location, unspecified	—	—	—	—	—	—	—	(⁷)
Heart	—	—	—	—	—	—	—	.4
Bronchus	—	—	—	—	—	—	—	(⁷)
Lung(s), pleura	—	—	—	—	—	—	—	.2
Back, including spine, spinal cord	—	—	—	.3	—	.2	6.1	1.3
Back, including spine, spinal cord, unspecified	—	—	—	—	—	—	2.8	.7
Thoracic region	—	—	—	—	—	—	.3	(⁷)
Lumbar region	—	—	—	.2	—	.2	2.6	.6

See footnotes at end of table.

TABLE L22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Part of body code ³	Local government ⁴	Nature of injury or illness ⁵								
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns	
					Total	Cuts, lacerations	Punctures				
Sacral region	323	0.1	(7)	—	—	—	—	—	0.1	—	—
Coccygeal region	324	.2	(7)	0.1	—	—	—	—	(7)	—	—
Multiple back regions	328	1.5	1.1	—	—	—	—	—	.1	—	—
Back, including spine, spinal cord, n.e.c.	329	(7)	—	—	—	—	—	—	—	—	—
Abdomen	33	3.0	.4	—	—	—	—	—	.1	—	—
Abdomen, except internal location of diseases or disorders	330	2.8	.4	—	—	—	—	—	.1	—	—
Internal abdominal location, unspecified	331	.1	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	335	.1	—	—	—	—	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	(7)	—	—	—	—	—	—	—	—	—
Intestines, peritoneum, n.e.c.	3359	(7)	—	—	—	—	—	—	—	—	—
Pelvic region	34	2.7	1.0	.3	(7)	(7)	—	—	.5	—	—
Pelvic region, unspecified	340	(7)	—	—	—	—	—	—	—	—	—
Hip(s)	341	1.3	.5	.2	—	—	—	—	.2	—	—
Pelvis	342	.1	—	.1	—	—	—	—	—	—	—
Buttock(s)	343	.4	(7)	—	—	—	—	—	.2	—	—
Groin	344	.9	.4	—	(7)	(7)	—	—	—	—	—
External reproductive tract structures	345	(7)	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	(7)	—	—	—	—	—	—	—	—	—
Multiple trunk locations	38	1.0	.3	—	—	—	—	—	.2	—	—
Trunk, n.e.c.	39	.1	—	—	—	—	—	—	—	—	—
Upper extremities	4	40.8	13.1	5.2	3.9	2.8	1.1	4.1	0.4	(7)	(7)
Upper extremities, unspecified	40	.1	(7)	—	—	—	—	(7)	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	11.8	6.9	.3	—	—	—	.5	.1	—	—
Arm(s)	42	6.3	2.1	.8	.4	.2	.2	.9	.1	—	—
Arm(s), unspecified	420	1.6	.6	.3	.1	(7)	.1	.1	(7)	—	—
Upper arm(s)	421	.7	.5	.1	.1	—	(7)	(7)	—	—	—
Elbow(s)	422	2.5	.7	.4	.1	(7)	—	.6	—	—	—
Forearm(s)	423	.7	.2	.1	.2	.1	.1	.1	(7)	—	—
Multiple arm locations	428	.6	.2	—	(7)	(7)	—	.1	—	—	—
Multiple arm locations, unspecified	4280	.1	—	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	.2	.1	—	(7)	(7)	—	—	—	—	—
Multiple arm locations, n.e.c.	4289	.2	.1	—	—	—	—	.1	—	—	—
Arm(s), n.e.c.	429	.1	—	—	—	—	—	—	—	—	—
Wrist(s)	43	5.6	1.4	2.0	.1	.1	(7)	.4	(7)	—	—
Hand(s)	44	12.1	1.3	2.1	3.2	2.4	.8	1.5	.2	(7)	(7)
Hand(s), unspecified	440	3.9	.5	.8	.8	.3	.5	.8	.1	—	—
Hand(s), except finger(s)	441	.5	—	.1	.2	.1	.1	.1	—	—	—
Finger(s), fingernail(s)	442	7.0	.8	1.1	2.0	1.8	.2	.6	.1	—	—
Finger(s), fingernail(s), unspecified	4420	5.0	.5	.8	1.7	1.5	.2	.3	.1	—	—
Fingernail(s), nailbed(s)	4421	(7)	—	—	—	—	—	—	—	—	—
Fingertip(s)	4422	.4	—	—	.1	.1	—	—	—	—	—
Finger(s), fingernail(s), n.e.c.	4429	1.6	.1	.3	.3	.2	(7)	.3	—	—	—
Hand(s) and finger(s)	448	.4	(7)	—	(7)	(7)	—	(7)	(7)	—	—

See footnotes at end of table.

TABLE L22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Nature of injury or illness ⁵							All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	
				Total	With fractures and other injuries	With sprains and other injuries		
Sacral region	—	—	—	—	—	—	(⁷)	—
Coccygeal region	—	—	—	—	—	—	.1	—
Multiple back regions	—	—	—	0.1	—	0.1	.2	(⁷)
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—
Abdomen	—	—	—	—	—	—	.3	2.2
Abdomen, except internal location of diseases or disorders	—	—	—	—	—	—	.3	2.0
Internal abdominal location, unspecified	—	—	—	—	—	—	—	.1
Intestines, peritoneum	—	—	—	—	—	—	—	.1
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	(⁷)
Intestines, peritoneum, n.e.c.	—	—	—	—	—	—	—	(⁷)
Pelvic region	—	—	—	—	—	—	.6	.3
Pelvic region, unspecified	—	—	—	—	—	—	(⁷)	—
Hip(s)	—	—	—	—	—	—	.3	(⁷)
Pelvis	—	—	—	—	—	—	—	—
Buttock(s)	—	—	—	—	—	—	.1	(⁷)
Groin	—	—	—	—	—	—	.2	.2
External reproductive tract structures	—	—	—	—	—	—	—	—
Multiple pelvic region locations	—	—	—	—	—	—	—	—
Multiple trunk locations	—	—	—	.1	—	.1	.4	.1
Trunk, n.e.c.	—	—	—	—	—	—	.1	—
Upper extremities	0.5	0.9	0.2	.9	0.3	.4	7.3	4.3
Upper extremities, unspecified	—	—	—	—	—	—	—	(⁷)
Shoulder(s), including clavicle(s), scapula(e)	—	—	(⁷)	.1	—	(⁷)	3.1	.8
Arm(s)	—	—	.1	.2	—	(⁷)	1.0	.7
Arm(s), unspecified	—	—	(⁷)	—	—	—	.3	.2
Upper arm(s)	—	—	—	—	—	—	.1	(⁷)
Elbow(s)	—	—	—	(⁷)	—	(⁷)	.5	.3
Forearm(s)	—	—	(⁷)	—	—	—	.1	.1
Multiple arm locations	—	—	—	.1	—	—	.1	(⁷)
Multiple arm locations, unspecified	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	—	—	—	—	—	—	(⁷)	(⁷)
Multiple arm locations, n.e.c.	—	—	—	—	—	—	(⁷)	—
Arm(s), n.e.c.	—	—	—	—	—	—	—	.1
Wrist(s)	—	.9	(⁷)	(⁷)	(⁷)	(⁷)	.6	.1
Hand(s)5	—	(⁷)	.4	.2	.1	1.1	1.7
Hand(s), unspecified	—	—	—	.1	(⁷)	(⁷)	.3	.6
Hand(s), except finger(s)	—	—	—	—	—	—	.1	(⁷)
Finger(s), fingernail(s)5	—	(⁷)	.3	.2	(⁷)	.7	.9
Finger(s), fingernail(s), unspecified4	—	(⁷)	.2	.2	(⁷)	.4	.6
Fingernail(s), nailbed(s)	—	—	—	—	—	—	—	(⁷)
Fingertip(s)1	—	—	—	—	—	(⁷)	.1
Finger(s), fingernail(s), n.e.c.	(⁷)	—	—	(⁷)	(⁷)	—	.2	.2
Hand(s) and finger(s)	—	—	—	(⁷)	—	—	.1	.1

See footnotes at end of table.

TABLE L22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Part of body code ³	Local government ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Hand(s), n.e.c.	449	0.2	(7)	(7)	0.1	0.1	—	—	—	—
Multiple upper extremities locations	48	5.0	1.3	.1	.2	.2	0.1	0.7	0.1	—
Multiple upper extremities locations, unspecified	480	.1	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	.4	(7)	—	.1	.1	—	—	—	—
Hand(s) and arm(s), unspecified	4810	.1	—	—	—	—	—	—	—	—
Hand(s) and elbow(s)	4811	.1	—	—	.1	.1	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	.2	—	—	.1	—	—	—	—	—
Hand(s) and wrist(s)	482	.9	.2	—	(7)	—	—	.2	(7)	—
Wrist(s) and arm(s)	483	.4	.1	(7)	(7)	—	—	.1	—	—
Wrist(s) and arm(s), unspecified	4830	.1	.1	(7)	—	—	—	—	—	—
Wrist(s) and elbow(s)	4831	(7)	—	—	—	—	—	(7)	—	—
Wrist(s) and arm(s), n.e.c.	4839	.2	(7)	—	—	—	—	(7)	—	—
Shoulder(s) and arm(s)	484	2.3	.8	—	.1	—	(7)	.3	—	—
Multiple upper extremities locations, n.e.c.	489	.9	.2	—	(7)	(7)	—	.1	—	—
Upper extremities, n.e.c.	49	(7)	—	—	—	—	—	—	—	—
Lower extremities	5	40.8	19.7	4.5	.9	.5	.4	3.8	.2	(7)
Lower extremities, unspecified	50	.1	—	—	—	—	—	—	—	—
Leg(s)	51	23.8	11.2	1.5	.6	.4	.2	2.1	.1	—
Leg(s), unspecified	510	1.9	.7	.3	.2	.1	.1	.2	(7)	—
Thigh(s)	511	.9	.4	.2	.1	(7)	(7)	.1	—	—
Knee(s)	512	17.3	8.7	.3	.2	.1	(7)	1.4	(7)	—
Lower leg(s)	513	2.7	.8	.7	.1	.1	(7)	.3	—	—
Multiple leg locations	518	.8	.6	—	—	—	—	(7)	—	—
Multiple leg locations, unspecified	5180	(7)	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	.7	.6	—	—	—	—	(7)	—	—
Multiple leg locations, n.e.c.	5189	.1	(7)	—	—	—	—	—	—	—
Leg(s), n.e.c.	519	.2	(7)	—	(7)	—	(7)	—	—	—
Ankle(s)	52	9.4	6.6	1.5	(7)	(7)	—	.2	—	—
Foot (feet)	53	5.8	1.3	1.4	.2	.1	.2	1.4	.1	(7)
Foot (feet), unspecified	530	3.7	1.1	.9	.1	(7)	.1	.8	(7)	—
Sole(s)	531	.4	.1	.1	.1	(7)	(7)	.1	—	—
Sole(s), unspecified	5310	.1	—	—	(7)	—	(7)	—	—	—
Arch(es), instep(s)	5312	(7)	—	(7)	—	—	—	—	—	—
Heel(s)	5313	.3	.1	(7)	(7)	(7)	—	.1	—	—
Toes(s), toenail(s)	532	1.2	.1	.3	(7)	(7)	—	.5	—	—
Multiple foot (feet) locations	538	.2	—	—	—	—	—	—	—	—
Foot (feet), n.e.c.	539	.3	.1	.1	—	—	—	(7)	—	—
Multiple lower extremities locations	58	1.7	.6	(7)	—	—	—	.2	—	—
Foot (feet) and leg(s)	581	.3	(7)	—	—	—	—	(7)	—	—
Foot(feet) and leg(s), unspecified	5810	(7)	—	—	—	—	—	—	—	—
Foot(feet) and knee(s)	5811	.2	(7)	—	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	.1	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	.4	.2	—	—	—	—	(7)	—	—
Ankle(s) and leg(s)	583	.7	.3	(7)	—	—	—	(7)	—	—

See footnotes at end of table.

TABLE L22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Nature of injury or illness ⁵							All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders			Soreness, pain	
				Total	With fractures and other injuries	With sprains and other injuries		
Hand(s), n.e.c.	-	-	-	-	-	-	(7)	(7)
Multiple upper extremities locations	-	-	(7)	0.2	0.1	0.2	1.4	1.0
Multiple upper extremities locations, unspecified	-	-	-	-	-	-	-	.1
Hand(s) and arms(s)	-	-	-	(7)	-	(7)	.1	.1
Hand(s) and arm(s), unspecified	-	-	-	-	-	-	.1	-
Hand(s) and elbow(s)	-	-	-	-	-	-	(7)	-
Hand(s) and arm(s), n.e.c.	-	-	-	-	-	-	(7)	-
Hand(s) and wrist(s)	-	-	-	(7)	-	-	.3	.1
Wrist(s) and arm(s)	-	-	-	-	-	-	.1	.2
Wrist(s) and arm(s), unspecified	-	-	-	-	-	-	(7)	-
Wrist(s) and elbow(s)	-	-	-	-	-	-	(7)	-
Wrist(s) and arm(s), n.e.c.	-	-	-	-	-	-	(7)	.2
Shoulder(s) and arm(s)	-	-	-	(7)	-	(7)	.5	.5
Multiple upper extremities locations, n.e.c.	-	-	-	.2	.1	.1	.3	.1
Upper extremities, n.e.c.	-	-	-	-	-	-	(7)	-
Lower extremities	-	-	.1	.9	.2	.4	6.4	4.4
Lower extremities, unspecified	-	-	-	-	-	-	-	(7)
Leg(s)	-	-	.1	.3	(7)	.1	4.7	3.2
Leg(s), unspecified	-	-	-	(7)	-	-	.3	.2
Thigh(s)	-	-	-	-	-	-	(7)	.1
Knee(s)	-	-	.1	.3	-	.1	4.0	2.3
Lower leg(s)	-	-	-	-	-	-	.2	.6
Multiple leg locations	-	-	-	(7)	-	-	.1	(7)
Multiple leg locations, unspecified	-	-	-	-	-	-	-	-
Knee(s) and leg(s)	-	-	-	-	-	-	(7)	(7)
Multiple leg locations, n.e.c.	-	-	-	-	-	-	(7)	-
Leg(s), n.e.c.	-	-	-	-	-	-	.1	-
Ankle(s)	-	-	-	.1	.1	(7)	.6	.4
Foot (feet)	-	-	-	.1	.1	(7)	.7	.6
Foot (feet), unspecified	-	-	-	(7)	-	(7)	.4	.4
Sole(s)	-	-	-	-	-	-	(7)	(7)
Sole(s), unspecified	-	-	-	-	-	-	-	-
Arch(es), instep(s)	-	-	-	-	-	-	-	-
Heel(s)	-	-	-	-	-	-	(7)	-
Toes(s), toenail(s)	-	-	-	-	-	-	.2	.2
Multiple foot (feet) locations	-	-	-	.1	-	-	(7)	-
Foot (feet), n.e.c.	-	-	-	-	-	-	(7)	-
Multiple lower extremities locations	-	-	-	.3	-	.2	.4	.1
Foot (feet) and leg(s)	-	-	-	.1	-	-	.2	-
Foot(feet) and leg(s), unspecified	-	-	-	-	-	-	-	-
Foot(feet) and knee(s)	-	-	-	-	-	-	.1	-
Foot(feet) and leg(s), n.e.c.	-	-	-	-	-	-	-	-
Foot (feet) and ankle(s)	-	-	-	(7)	-	-	.1	(7)
Ankle(s) and leg(s)	-	-	-	.2	-	.2	.1	.1

See footnotes at end of table.

TABLE L22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Part of body code ³	Local government ⁴	Nature of injury or illness ⁵								
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns	
					Total	Cuts, lacerations	Punctures				
Ankle(s) and leg(s), unspecified	5830	0.1	(⁷)	—	—	—	—	—	(⁷)	—	—
Ankle(s) and knee(s)	5831	.6	.3	—	—	—	—	—	—	—	—
Ankle(s) and leg(s), n.e.c.	5839	.1	—	—	—	—	—	—	—	—	—
Multiple lower extremities locations, n.e.c.	589	.3	.1	(⁷)	—	—	—	—	.1	—	—
Body systems	6	5.1	—	—	—	—	—	—	—	—	—
Multiple body parts	8	28.9	7.8	.3	0.8	0.7	0.1	4.5	0.2	—	—
Multiple body parts, unspecified	80	2.5	.7	(⁷)	—	—	—	.6	—	—	—
Head and neck	81	.7	.1	—	—	—	—	.1	—	—	—
Head, neck, and trunk	82	.3	(⁷)	—	—	—	—	—	—	—	—
Head and trunk	83	.7	—	—	—	—	—	(⁷)	—	—	—
Neck and back	84	1.9	1.3	—	—	—	—	—	—	—	—
Shoulder(s) and back	85	.9	.6	—	—	—	—	(⁷)	—	—	—
Hip(s) and leg(s)	86	.5	.2	—	—	—	—	(⁷)	—	—	—
Upper and lower limb(s)	87	3.1	.5	.1	.3	.3	(⁷)	.7	—	—	—
Other multiple body parts	89	18.3	4.5	.2	.5	.4	.1	3.1	.2	—	—
Whole body	891	.1	—	—	—	—	—	—	—	—	—
Multiple body parts, n.e.c.	899	18.2	4.5	.2	.5	.4	.1	3.1	.2	—	—

See footnotes at end of table.

TABLE L22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Nature of injury or illness ⁵							Soreness, pain	All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders					
				Total	With fractures and other injuries	With sprains and other injuries			
Ankle(s) and leg(s), unspecified	—	—	—	—	—	—	—	—	
Ankle(s) and knee(s)	—	—	—	0.2	—	0.2	0.1	0.1	
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	—	(⁷)	—	
Multiple lower extremities locations, n.e.c.	—	—	—	—	—	—	.1	(⁷)	
Body systems	—	—	—	—	—	—	—	5.1	
Multiple body parts	—	—	—	3.9	0.6	2.0	8.8	2.5	
Multiple body parts, unspecified	—	—	—	.5	(⁷)	.1	.4	.3	
Head and neck	—	—	—	.2	—	.2	.2	.1	
Head, neck, and trunk	—	—	—	(⁷)	—	(⁷)	.2	—	
Head and trunk	—	—	—	.1	(⁷)	(⁷)	.3	.2	
Neck and back	—	—	—	(⁷)	—	(⁷)	.4	.2	
Shoulder(s) and back	—	—	—	—	—	—	.3	.1	
Hip(s) and leg(s)	—	—	—	.1	—	.1	.2	—	
Upper and lower limb(s)	—	—	—	.4	.2	.2	.9	.2	
Other multiple body parts	—	—	—	2.5	.3	1.3	5.9	1.4	
Whole body	—	—	—	—	—	—	(⁷)	(⁷)	
Multiple body parts, n.e.c.	—	—	—	2.5	.3	1.3	5.9	1.4	

See footnotes at end of table.

TABLE L22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Part of body code ³	Local government ⁴	Nature of injury or illness ⁵							
			Sprains, strains, tears	Fractures	Cuts, lacerations, punctures			Bruises, contusions	Heat burns	Chemical burns
					Total	Cuts, lacerations	Punctures			
Nonclassifiable	9999	1.4	0.2	–	0.2	(⁷)	0.1	0.1	–	–

See footnotes at end of table.

TABLE L22. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected natures of injury or illness, local government, 2014 — Continued

Part of body	Nature of injury or illness ⁵							Soreness, pain	All other natures ⁶
	Amputations	Carpal tunnel syndrome	Tendonitis	Multiple traumatic injuries and disorders					
				Total	With fractures and other injuries	With sprains and other injuries			
Nonclassifiable	—	—	—	—	—	—	(⁷)	0.9	

¹ The incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as (N/EH) x 20,000,000, where
N = number of injuries and illnesses
EH = total hours worked by all employees during the calendar year
20,000,000 = base for 10,000 equivalent full-time workers
(working 40 hours per week, 50 weeks per year).

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Nature codes: Sprains, strains, tears = 123; Fractures = 111; Cuts, lacerations, punctures, Total = 132-133; Cuts, lacerations = 132; Punctures = 133; Bruises, contusions = 143; Heat burns = 152; Chemical burns = 151; Amputations = 1311; Carpal tunnel syndrome = 2241; Tendonitis (other or unspecified) = 2735; Multiple traumatic injuries and illnesses, Total = 18; With fractures and other injuries = 183; With sprains and other injuries = 182; Soreness, pain = 1972; All other natures = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

⁷ Data too small to be displayed.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.