

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2014

Part of body	Part of body code ²	Local government ³	Race or ethnic origin ⁴								Not reported
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	
Total		173,570	68,110	9,740	11,340	1,490	280	960	100	90	81,480
Head	1	11,190	4,150	490	410	230	-	70	-	20	5,800
Head, unspecified	10	2,900	1,070	160	100	110	-	50	-	-	1,410
Cranial region, including skull	11	3,280	1,420	90	130	120	-	-	-	-	1,490
Cranial region, unspecified	110	30	20	-	-	-	-	-	-	-	-
Brain	111	2,670	1,320	80	110	120	-	-	-	-	1,010
Scalp	112	190	50	-	20	-	-	-	-	-	110
Skull	113	380	30	-	-	-	-	-	-	-	350
Ear(s)	12	230	80	-	-	-	-	-	-	-	140
Face	13	4,580	1,500	210	130	-	-	-	-	20	2,710
Face, unspecified	130	540	170	40	30	-	-	-	-	-	300
Forehead	131	310	120	-	-	-	-	-	-	-	170
Eye(s)	132	1,890	810	80	70	-	-	-	-	-	910
Nose, nasal cavity	133	390	100	-	-	-	-	-	-	-	280
Nose, except internal location of diseases or disorders	1330	380	90	-	-	-	-	-	-	-	280
Cheek(s)	134	60	20	-	-	-	-	-	-	-	-
Jaw, chin	135	120	30	-	-	-	-	-	-	-	80
Mouth	136	710	120	-	-	-	-	-	-	-	580
Mouth, unspecified	1360	170	-	-	-	-	-	-	-	-	170
Lip(s)	1361	160	-	-	-	-	-	-	-	-	140
Tooth (teeth)	1363	180	90	-	-	-	-	-	-	-	80
Multiple mouth locations	1368	200	-	-	-	-	-	-	-	-	190
Multiple face locations	138	520	100	60	-	-	-	-	-	-	350
Face, n.e.c.	139	40	20	-	-	-	-	-	-	-	20
Multiple head locations	18	160	70	20	30	-	-	-	-	-	40
Head, n.e.c.	19	40	-	-	-	-	-	-	-	-	-
Neck, including throat	2	2,260	750	130	150	-	-	-	-	-	1,180
Neck, except internal location of diseases or disorders ...	20	2,260	750	130	150	-	-	-	-	-	1,180
Trunk	3	38,050	15,400	1,930	2,410	590	50	240	50	-	17,370
Trunk, unspecified	30	150	70	20	-	-	-	-	-	-	60
Chest, including ribs, internal organs	31	2,770	1,020	90	110	40	-	-	-	-	1,500
Chest, except internal location of diseases or disorders	310	2,070	740	60	40	-	-	-	-	-	1,200
Internal chest location, unspecified	311	20	-	-	-	-	-	-	-	-	-
Heart	313	390	200	-	70	-	-	-	-	-	120
Bronchus	314	40	-	-	-	-	-	-	-	-	-
Lung(s), pleura	315	210	70	20	-	-	-	-	-	-	80
Back, including spine, spinal cord	32	28,090	11,100	1,620	1,780	540	50	210	50	-	12,730
Back, including spine, spinal cord, unspecified	320	10,300	4,310	660	580	60	-	60	-	-	4,620
Thoracic region	321	1,080	380	50	130	-	-	-	-	-	510
Lumbar region	322	14,720	5,400	770	1,000	410	40	150	50	-	6,900
Sacral region	323	140	20	-	-	-	-	-	-	-	40

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Coccygeal region	324	250	150	—	40	—	—	—	—	—	40
Multiple back regions	328	1,570	820	130	20	—	—	—	—	—	610
Back, including spine, spinal cord, n.e.c.	329	20	20	—	—	—	—	—	—	—	—
Abdomen	33	3,100	1,870	40	110	—	—	—	—	—	1,060
Abdomen, except internal location of diseases or disorders	330	2,960	1,830	40	110	—	—	—	—	—	970
Internal abdominal location, unspecified	331	70	—	—	—	—	—	—	—	—	70
Intestines, peritoneum	335	60	30	—	—	—	—	—	—	—	20
Intestines, peritoneum, unspecified	3350	30	20	—	—	—	—	—	—	—	—
Intestines, peritoneum, n.e.c.	3359	30	—	—	—	—	—	—	—	—	—
Pelvic region	34	2,820	930	120	300	—	—	—	—	—	1,450
Pelvic region, unspecified	340	40	—	—	—	—	—	—	—	—	40
Hip(s)	341	1,340	450	70	200	—	—	—	—	—	610
Pelvis	342	90	30	—	—	—	—	—	—	—	60
Buttock(s)	343	380	230	—	40	—	—	—	—	—	100
Groin	344	920	200	40	60	—	—	—	—	—	620
External reproductive tract structures	345	20	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	348	20	20	—	—	—	—	—	—	—	—
Multiple trunk locations	38	1,040	400	40	80	—	—	—	—	—	510
Trunk, n.e.c.	39	80	—	—	—	—	—	—	—	—	70
Upper extremities	4	42,570	17,830	2,360	3,050	230	60	220	—	—	18,810
Upper extremities, unspecified	40	80	40	—	—	—	—	—	—	—	40
Shoulder(s), including clavicle(s), scapula(e)	41	12,270	5,350	740	820	70	30	40	—	—	5,220
Arm(s)	42	6,560	2,760	370	460	20	—	—	—	—	2,940
Arm(s), unspecified	420	1,700	810	100	70	—	—	—	—	—	700
Upper arm(s)	421	760	220	80	20	—	—	—	—	—	430
Elbow(s)	422	2,620	1,010	150	200	—	—	—	—	—	1,260
Forearm(s)	423	740	420	20	50	—	—	—	—	—	240
Multiple arm locations	428	600	270	20	—	—	—	—	—	—	300
Multiple arm locations, unspecified	4280	110	110	—	—	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	260	140	—	—	—	—	—	—	—	110
Multiple arm locations, n.e.c.	4289	220	20	—	—	—	—	—	—	—	190
Arm(s), n.e.c.	429	140	20	—	100	—	—	—	—	—	—
Wrist(s)	43	5,850	2,550	210	390	20	—	—	—	—	2,660
Hand(s)	44	12,570	5,080	630	990	100	—	160	—	—	5,590
Hand(s), unspecified	440	4,050	1,440	190	170	30	—	30	—	—	2,200
Hand(s), except finger(s)	441	520	170	20	—	—	—	—	—	—	310
Finger(s), fingernail(s)	442	7,320	3,110	340	780	70	—	130	—	—	2,860
Finger(s), fingernail(s), unspecified	4420	5,240	2,430	290	520	50	—	130	—	—	1,800
Fingernail(s), nailbed(s)	4421	40	20	—	—	—	—	—	—	—	—
Fingertip(s)	4422	390	160	—	40	—	—	—	—	—	180
Finger(s), fingernail(s), n.e.c.	4429	1,640	500	50	220	—	—	—	—	—	860
Hand(s) and finger(s)	448	430	200	50	30	—	—	—	—	—	140
Hand(s), n.e.c.	449	260	150	30	—	—	—	—	—	—	70
Multiple upper extremities locations	48	5,190	2,030	400	390	20	—	—	—	—	2,360

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Race or ethnic origin ⁴								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported
Multiple upper extremities locations, unspecified	480	70	—	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	440	280	20	50	—	—	—	—	—	90
Hand(s) and arm(s), unspecified	4810	100	60	—	—	—	—	—	—	—	30
Hand(s) and elbow(s)	4811	120	90	—	—	—	—	—	—	—	20
Hand(s) and arm(s), n.e.c.	4819	220	130	—	50	—	—	—	—	—	40
Hand(s) and wrist(s)	482	930	160	90	50	—	—	—	—	—	630
Wrist(s) and arm(s)	483	450	110	—	—	—	—	—	—	—	330
Wrist(s) and arm(s), unspecified	4830	150	60	—	—	—	—	—	—	—	80
Wrist(s) and elbow(s)	4831	50	20	—	—	—	—	—	—	—	30
Wrist(s) and arm(s), n.e.c.	4839	260	40	—	—	—	—	—	—	—	210
Shoulder(s) and arm(s)	484	2,380	1,120	140	250	—	—	—	—	—	850
Multiple upper extremities locations, n.e.c.	489	920	350	90	30	—	—	—	—	—	450
Upper extremities, n.e.c.	49	50	30	—	—	—	—	—	—	—	—
Lower extremities	5	42,580	17,860	2,630	2,700	180	100	180	20	—	18,900
Lower extremities, unspecified	50	90	—	—	—	—	—	—	—	—	70
Leg(s)	51	24,860	10,810	1,300	1,980	70	70	120	—	—	10,490
Leg(s), unspecified	510	2,030	790	120	100	—	—	—	—	—	1,010
Thigh(s)	511	950	460	50	100	—	—	—	—	—	340
Knee(s)	512	18,060	7,650	1,000	1,140	60	70	120	—	—	8,010
Lower leg(s)	513	2,830	1,340	110	560	—	—	—	—	—	810
Multiple leg locations	518	820	470	—	40	—	—	—	—	—	300
Multiple leg locations, unspecified	5180	30	—	—	—	—	—	—	—	—	—
Knee(s) and leg(s)	5181	720	430	—	20	—	—	—	—	—	260
Multiple leg locations, n.e.c.	5189	70	30	—	—	—	—	—	—	—	30
Leg(s), n.e.c.	519	170	110	—	30	—	—	—	—	—	30
Ankle(s)	52	9,830	3,870	850	280	90	20	30	—	—	4,680
Foot (feet)	53	6,030	2,490	240	290	—	—	20	—	—	2,980
Foot (feet), unspecified	530	3,880	1,520	150	190	—	—	20	—	—	1,990
Sole(s)	531	400	180	—	50	—	—	—	—	—	170
Sole(s), unspecified	5310	70	50	—	—	—	—	—	—	—	—
Arch(es), instep(s)	5312	40	—	—	—	—	—	—	—	—	30
Heel(s)	5313	270	120	—	40	—	—	—	—	—	100
Toes(s), toenail(s)	532	1,290	540	60	—	—	—	—	—	—	670
Multiple foot (feet) locations	538	180	140	—	—	—	—	—	—	—	30
Foot (feet), n.e.c.	539	280	110	—	40	—	—	—	—	—	120
Multiple lower extremities locations	58	1,760	680	240	150	—	—	—	—	—	680
Foot (feet) and leg(s)	581	350	140	140	—	—	—	—	—	—	30
Foot(feet) and leg(s), unspecified	5810	30	20	—	—	—	—	—	—	—	—
Foot(feet) and knee(s)	5811	200	20	140	—	—	—	—	—	—	20
Foot(feet) and leg(s), n.e.c.	5819	120	—	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	400	150	30	40	—	—	—	—	—	180
Ankle(s) and leg(s)	583	720	300	60	70	—	—	—	—	—	280
Ankle(s) and leg(s), unspecified	5830	60	30	—	—	—	—	—	—	—	20
Ankle(s) and knee(s)	5831	590	250	50	70	—	—	—	—	—	220
Ankle(s) and leg(s), n.e.c.	5839	70	20	—	—	—	—	—	—	—	40

See footnotes at end of table.

TABLE L51. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and race or ethnic origin of worker, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Race or ethnic origin ⁴									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multi-race	Not reported	
Multiple lower extremities locations, n.e.c.	589	290	90	—	—	—	—	—	—	—	—	190
Body systems	6	5,350	1,980	220	270	—	—	20	—	—	—	2,840
Multiple body parts	8	30,120	9,870	1,940	2,000	230	40	190	20	40	40	15,790
Multiple body parts, unspecified	80	2,570	610	150	160	—	—	—	—	—	—	1,640
Head and neck	81	710	330	—	20	—	—	—	—	—	—	340
Head, neck, and trunk	82	310	30	—	—	—	—	—	—	—	—	260
Head and trunk	83	690	50	40	—	—	—	—	—	—	—	600
Neck and back	84	2,020	540	80	180	—	—	—	—	—	—	1,230
Shoulder(s) and back	85	980	230	80	30	—	—	—	—	—	—	620
Hip(s) and leg(s)	86	560	270	—	20	—	—	—	—	—	—	240
Upper and lower limb(s)	87	3,200	1,030	150	200	—	—	—	—	—	—	1,780
Other multiple body parts	89	19,080	6,770	1,420	1,380	210	40	140	—	20	—	9,090
Whole body	891	100	40	—	—	—	—	—	—	—	—	40
Multiple body parts, n.e.c.	899	18,990	6,730	1,420	1,380	210	40	140	—	20	—	9,050
Nonclassifiable	9999	1,450	270	40	350	—	—	—	—	—	—	780

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

⁴ Race and ethnicity data do not add to total. Some cases may be counted as both multi-race and Hispanic and other race.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.