

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2014

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		173,570	20,160	11.6	18,110	10.4	28,100	16.2
Head	1	11,190	2,430	21.7	1,800	16.1	2,190	19.6
Head, unspecified	10	2,900	890	30.7	650	22.4	500	17.2
Cranial region, including skull	11	3,280	350	10.7	290	8.8	640	19.5
Cranial region, unspecified	110	30	—	—	—	—	—	—
Brain	111	2,670	280	10.5	240	9.0	580	21.7
Scalp	112	190	40	21.1	50	26.3	60	31.6
Skull	113	380	—	—	—	—	—	—
Ear(s)	12	230	20	8.7	—	—	30	13.0
Face	13	4,580	1,130	24.7	830	18.1	940	20.5
Face, unspecified	130	540	190	35.2	80	14.8	160	29.6
Forehead	131	310	140	45.2	20	6.5	50	16.1
Eye(s)	132	1,890	510	27.0	380	20.1	450	23.8
Nose, nasal cavity	133	390	40	10.3	20	5.1	50	12.8
Nose, except internal location of diseases or disorders	1330	380	40	10.5	20	5.3	50	13.2
Cheek(s)	134	60	20	33.3	—	—	20	33.3
Jaw, chin	135	120	20	16.7	30	25.0	40	33.3
Mouth	136	710	70	9.9	250	35.2	110	15.5
Mouth, unspecified	1360	170	20	11.8	130	76.5	—	—
Lip(s)	1361	160	—	—	—	—	30	18.8
Tooth (teeth)	1363	180	30	16.7	70	38.9	30	16.7
Multiple mouth locations	1368	200	—	—	—	—	50	25.0
Multiple face locations	138	520	150	28.8	20	3.8	50	9.6
Face, n.e.c.	139	40	—	—	20	50.0	—	—
Multiple head locations	18	160	30	18.8	—	—	60	37.5
Head, n.e.c.	19	40	—	—	20	50.0	—	—
Neck, including throat	2	2,260	340	15.0	310	13.7	460	20.4
Neck, except internal location of diseases or disorders	20	2,260	340	15.0	310	13.7	460	20.4
Trunk	3	38,050	3,470	9.1	4,180	11.0	6,140	16.1
Trunk, unspecified	30	150	40	26.7	—	—	20	13.3
Chest, including ribs, internal organs	31	2,770	220	7.9	270	9.7	580	20.9
Chest, except internal location of diseases or disorders	310	2,070	180	8.7	240	11.6	430	20.8
Internal chest location, unspecified	311	20	—	—	—	—	—	—
Heart	313	390	20	5.1	—	—	50	12.8
Bronchus	314	40	—	—	—	—	—	—
Lung(s), pleura	315	210	—	—	—	—	100	47.6
Back, including spine, spinal cord	32	28,090	2,880	10.3	3,460	12.3	4,440	15.8
Back, including spine, spinal cord, unspecified	320	10,300	920	8.9	1,570	15.2	1,600	15.5
Thoracic region	321	1,080	80	7.4	190	17.6	350	32.4
Lumbar region	322	14,720	1,250	8.5	1,550	10.5	2,250	15.3
Sacral region	323	140	—	—	—	—	—	—
Coccygeal region	324	250	20	8.0	30	12.0	70	28.0
Multiple back regions	328	1,570	600	38.2	110	7.0	150	9.6
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2014 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	24,200	13.9	21,710	12.5	13,310	7.7	47,980	27.6	10
Head	1,950	17.4	990	8.8	300	2.7	1,530	13.7	4
Head, unspecified	490	16.9	130	4.5	40	1.4	200	6.9	2
Cranial region, including skull	540	16.5	400	12.2	170	5.2	890	27.1	8
Cranial region, unspecified	—	—	—	—	—	—	—	—	10
Brain	470	17.6	340	12.7	160	6.0	590	22.1	7
Scalp	—	—	30	15.8	—	—	—	—	3
Skull	50	13.2	20	5.3	—	—	300	78.9	180
Ear(s)	30	13.0	20	8.7	—	—	110	47.8	23
Face	860	18.8	430	9.4	80	1.7	300	6.6	3
Face, unspecified	50	9.3	—	—	—	—	30	5.6	2
Forehead	60	19.4	—	—	30	9.7	—	—	2
Eye(s)	380	20.1	100	5.3	—	—	50	2.6	3
Nose, nasal cavity	140	35.9	60	15.4	20	5.1	60	15.4	9
Nose, except internal location of diseases or disorders	140	36.8	60	15.8	—	—	60	15.8	9
Cheek(s)	—	—	—	—	—	—	—	—	3
Jaw, chin	—	—	—	—	—	—	—	—	3
Mouth	40	5.6	150	21.1	—	—	90	12.7	3
Mouth, unspecified	—	—	—	—	—	—	—	—	2
Lip(s)	—	—	—	—	—	—	—	—	13
Tooth (teeth)	—	—	30	16.7	—	—	—	—	2
Multiple mouth locations	—	—	—	—	—	—	60	30.0	3
Multiple face locations	150	28.8	80	15.4	—	—	70	13.5	6
Face, n.e.c.	—	—	—	—	—	—	—	—	4
Multiple head locations	30	18.8	—	—	—	—	20	12.5	5
Head, n.e.c.	—	—	—	—	—	—	—	—	2
Neck, including throat	320	14.2	220	9.7	120	5.3	490	21.7	6
Neck, except internal location of diseases or disorders ...	320	14.2	220	9.7	120	5.3	490	21.7	6
Trunk	5,290	13.9	5,240	13.8	3,090	8.1	10,640	28.0	10
Trunk, unspecified	50	33.3	20	13.3	—	—	—	—	6
Chest, including ribs, internal organs	590	21.3	450	16.2	260	9.4	410	14.8	9
Chest, except internal location of diseases or disorders	520	25.1	320	15.5	170	8.2	210	10.1	8
Internal chest location, unspecified	—	—	—	—	—	—	—	—	3
Heart	—	—	50	12.8	90	23.1	170	43.6	23
Bronchus	—	—	—	—	—	—	—	—	14
Lung(s), pleura	60	28.6	—	—	—	—	30	14.3	5
Back, including spine, spinal cord	4,000	14.2	3,940	14.0	2,230	7.9	7,140	25.4	10
Back, including spine, spinal cord, unspecified	1,480	14.4	1,730	16.8	620	6.0	2,390	23.2	10
Thoracic region	110	10.2	150	13.9	50	4.6	150	13.9	4
Lumbar region	2,220	15.1	1,920	13.0	1,370	9.3	4,160	28.3	11
Sacral region	70	50.0	—	—	—	—	20	14.3	6
Coccygeal region	—	—	—	—	—	—	100	40.0	7
Multiple back regions	90	5.7	130	8.3	170	10.8	320	20.4	4
Back, including spine, spinal cord, n.e.c.	—	—	—	—	—	—	—	—	7

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Abdomen	33	3,100	110	3.5	90	2.9	180	5.8
Abdomen, except internal location of diseases or disorders	330	2,960	110	3.7	80	2.7	170	5.7
Internal abdominal location, unspecified	331	70	—	—	—	—	—	—
Intestines, peritoneum	335	60	—	—	—	—	—	—
Intestines, peritoneum, unspecified	3350	30	—	—	—	—	—	—
Intestines, peritoneum, n.e.c.	3359	30	—	—	—	—	—	—
Pelvic region	34	2,820	150	5.3	230	8.2	680	24.1
Pelvic region, unspecified	340	40	—	—	—	—	—	—
Hip(s)	341	1,340	50	3.7	180	13.4	130	9.7
Pelvis	342	90	—	—	—	—	—	—
Buttock(s)	343	380	20	5.3	—	—	190	50.0
Groin	344	920	70	7.6	30	3.3	340	37.0
External reproductive tract structures	345	20	—	—	—	—	—	—
Multiple pelvic region locations	348	20	—	—	—	—	—	—
Multiple trunk locations	38	1,040	70	6.7	110	10.6	180	17.3
Trunk, n.e.c.	39	80	—	—	—	—	70	87.5
Upper extremities	4	42,570	4,780	11.2	3,690	8.7	6,590	15.5
Upper extremities, unspecified	40	80	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	12,270	850	6.9	680	5.5	1,530	12.5
Arm(s)	42	6,560	980	14.9	360	5.5	1,230	18.8
Arm(s), unspecified	420	1,700	390	22.9	130	7.6	310	18.2
Upper arm(s)	421	760	60	7.9	—	—	190	25.0
Elbow(s)	422	2,620	330	12.6	130	5.0	580	22.1
Forearm(s)	423	740	150	20.3	50	6.8	140	18.9
Multiple arm locations	428	600	40	6.7	40	6.7	20	3.3
Multiple arm locations, unspecified	4280	110	—	—	—	—	—	—
Elbow(s) and arm(s)	4281	260	—	—	30	11.5	20	7.7
Multiple arm locations, n.e.c.	4289	220	40	18.2	—	—	—	—
Arm(s), n.e.c.	429	140	—	—	—	—	—	—
Wrist(s)	43	5,850	340	5.8	490	8.4	750	12.8
Hand(s)	44	12,570	2,190	17.4	1,340	10.7	2,240	17.8
Hand(s), unspecified	440	4,050	700	17.3	340	8.4	980	24.2
Hand(s), except finger(s)	441	520	140	26.9	30	5.8	20	3.8
Finger(s), fingernail(s)	442	7,320	1,160	15.8	920	12.6	1,120	15.3
Finger(s), fingernail(s), unspecified	4420	5,240	880	16.8	530	10.1	950	18.1
Fingernail(s), nailbed(s)	4421	40	20	50.0	—	—	—	—
Fingertip(s)	4422	390	—	—	100	25.6	20	5.1
Finger(s), fingernail(s), n.e.c.	4429	1,640	240	14.6	290	17.7	160	9.8
Hand(s) and finger(s)	448	430	80	18.6	50	11.6	80	18.6
Hand(s), n.e.c.	449	260	110	42.3	—	—	30	11.5
Multiple upper extremities locations	48	5,190	420	8.1	810	15.6	820	15.8
Multiple upper extremities locations, unspecified	480	70	—	—	—	—	—	—
Hand(s) and arms(s)	481	440	110	25.0	—	—	80	18.2
Hand(s) and arm(s), unspecified	4810	100	40	40.0	—	—	—	—
Hand(s) and elbow(s)	4811	120	70	58.3	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	220	—	—	—	—	70	31.8
Hand(s) and wrist(s)	482	930	20	2.2	110	11.8	130	14.0

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2014 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Abdomen	170	5.5	330	10.6	300	9.7	1,910	61.6	34
Abdomen, except internal location of diseases or disorders	170	5.7	300	10.1	280	9.5	1,850	62.5	34
Internal abdominal location, unspecified	—	—	30	42.9	—	—	40	57.1	32
Intestines, peritoneum	—	—	—	—	—	—	30	50.0	27
Intestines, peritoneum, unspecified	—	—	—	—	—	—	—	—	27
Intestines, peritoneum, n.e.c.	—	—	—	—	—	—	—	—	32
Pelvic region	270	9.6	330	11.7	230	8.2	930	33.0	13
Pelvic region, unspecified	40	100.0	—	—	—	—	—	—	8
Hip(s)	130	9.7	200	14.9	130	9.7	520	38.8	17
Pelvis	—	—	—	—	—	—	70	77.8	42
Buttock(s)	—	—	—	—	40	10.5	100	26.3	4
Groin	90	9.8	100	10.9	70	7.6	210	22.8	6
External reproductive tract structures	—	—	—	—	—	—	—	—	3
Multiple pelvic region locations	—	—	—	—	—	—	—	—	10
Multiple trunk locations	200	19.2	170	16.3	60	5.8	230	22.1	7
Trunk, n.e.c.	—	—	—	—	—	—	—	—	4
Upper extremities	5,610	13.2	6,060	14.2	3,120	7.3	12,730	29.9	11
Upper extremities, unspecified	—	—	20	25.0	—	—	40	50.0	11
Shoulder(s), including clavicle(s), scapula(e)	1,150	9.4	1,610	13.1	1,020	8.3	5,450	44.4	24
Arm(s)	860	13.1	1,010	15.4	520	7.9	1,600	24.4	9
Arm(s), unspecified	70	4.1	320	18.8	100	5.9	380	22.4	8
Upper arm(s)	100	13.2	100	13.2	40	5.3	260	34.2	14
Elbow(s)	360	13.7	430	16.4	140	5.3	660	25.2	8
Forearm(s)	130	17.6	90	12.2	80	10.8	90	12.2	6
Multiple arm locations	90	15.0	50	8.3	150	25.0	200	33.3	24
Multiple arm locations, unspecified	—	—	—	—	—	—	—	—	24
Elbow(s) and arm(s)	20	7.7	50	19.2	40	15.4	100	38.5	24
Multiple arm locations, n.e.c.	70	31.8	—	—	—	—	100	45.5	10
Arm(s), n.e.c.	100	71.4	—	—	—	—	—	—	6
Wrist(s)	710	12.1	800	13.7	560	9.6	2,210	37.8	18
Hand(s)	1,960	15.6	2,060	16.4	730	5.8	2,050	16.3	7
Hand(s), unspecified	540	13.3	740	18.3	150	3.7	610	15.1	6
Hand(s), except finger(s)	270	51.9	—	—	—	—	40	7.7	8
Finger(s), fingernail(s)	1,070	14.6	1,230	16.8	540	7.4	1,280	17.5	7
Finger(s), fingernail(s), unspecified	610	11.6	1,020	19.5	320	6.1	930	17.7	7
Fingernail(s), nailbed(s)	—	—	—	—	—	—	—	—	1
Fingertip(s)	30	7.7	20	5.1	—	—	200	51.3	31
Finger(s), fingernail(s), n.e.c.	420	25.6	170	10.4	210	12.8	150	9.1	6
Hand(s) and finger(s)	70	16.3	60	14.0	—	—	90	20.9	7
Hand(s), n.e.c.	20	7.7	20	7.7	30	11.5	30	11.5	4
Multiple upper extremities locations	920	17.7	560	10.8	290	5.6	1,380	26.6	6
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	—	—	6
Hand(s) and arms(s)	60	13.6	30	6.8	—	—	140	31.8	7
Hand(s) and arm(s), unspecified	20	20.0	—	—	—	—	20	20.0	10
Hand(s) and elbow(s)	30	25.0	—	—	—	—	—	—	1
Hand(s) and arm(s), n.e.c.	—	—	—	—	—	—	120	54.5	53
Hand(s) and wrist(s)	90	9.7	310	33.3	40	4.3	220	23.7	11

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Wrist(s) and arm(s)	483	450	20	4.4	40	8.9	190	42.2
Wrist(s) and arm(s), unspecified	4830	150	20	13.3	—	—	—	—
Wrist(s) and elbow(s)	4831	50	—	—	—	—	30	60.0
Wrist(s) and arm(s), n.e.c.	4839	260	—	—	40	15.4	160	61.5
Shoulder(s) and arm(s)	484	2,380	190	8.0	550	23.1	320	13.4
Multiple upper extremities locations, n.e.c.	489	920	80	8.7	90	9.8	100	10.9
Upper extremities, n.e.c.	49	50	—	—	20	40.0	—	—
Lower extremities	5	42,580	4,220	9.9	4,200	9.9	6,500	15.3
Lower extremities, unspecified	50	90	—	—	—	—	—	—
Leg(s)	51	24,860	2,220	8.9	2,100	8.4	3,780	15.2
Leg(s), unspecified	510	2,030	350	17.2	110	5.4	330	16.3
Thigh(s)	511	950	70	7.4	60	6.3	130	13.7
Knee(s)	512	18,060	1,570	8.7	1,300	7.2	2,420	13.4
Lower leg(s)	513	2,830	130	4.6	310	11.0	780	27.6
Multiple leg locations	518	820	100	12.2	310	37.8	90	11.0
Multiple leg locations, unspecified	5180	30	—	—	—	—	—	—
Knee(s) and leg(s)	5181	720	70	9.7	300	41.7	70	9.7
Multiple leg locations, n.e.c.	5189	70	20	28.6	—	—	—	—
Leg(s), n.e.c.	519	170	—	—	—	—	40	23.5
Ankle(s)	52	9,830	900	9.2	840	8.5	1,610	16.4
Foot (feet)	53	6,030	820	13.6	1,070	17.7	800	13.3
Foot (feet), unspecified	530	3,880	560	14.4	470	12.1	500	12.9
Sole(s)	531	400	30	7.5	60	15.0	70	17.5
Sole(s), unspecified	5310	70	—	—	20	28.6	—	—
Arch(es), instep(s)	5312	40	—	—	—	—	—	—
Heel(s)	5313	270	—	—	40	14.8	60	22.2
Toes(s), toenail(s)	532	1,290	170	13.2	500	38.8	160	12.4
Multiple foot (feet) locations	538	180	—	—	20	11.1	20	11.1
Foot (feet), n.e.c.	539	280	60	21.4	20	7.1	50	17.9
Multiple lower extremities locations	58	1,760	270	15.3	190	10.8	310	17.6
Foot (feet) and leg(s)	581	350	20	5.7	110	31.4	50	14.3
Foot(feet) and leg(s), unspecified	5810	30	—	—	—	—	—	—
Foot(feet) and knee(s)	5811	200	—	—	—	—	40	20.0
Foot(feet) and leg(s), n.e.c.	5819	120	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	400	70	17.5	20	5.0	50	12.5
Ankle(s) and leg(s)	583	720	150	20.8	30	4.2	120	16.7
Ankle(s) and leg(s), unspecified	5830	60	20	33.3	—	—	—	—
Ankle(s) and knee(s)	5831	590	130	22.0	20	3.4	80	13.6
Ankle(s) and leg(s), n.e.c.	5839	70	—	—	—	—	30	42.9
Multiple lower extremities locations, n.e.c.	589	290	30	10.3	20	6.9	90	31.0
Body systems	6	5,350	670	12.5	900	16.8	560	10.5
Multiple body parts	8	30,120	3,790	12.6	2,890	9.6	5,490	18.2
Multiple body parts, unspecified	80	2,570	300	11.7	220	8.6	330	12.8
Head and neck	81	710	120	16.9	130	18.3	140	19.7
Head, neck, and trunk	82	310	70	22.6	—	—	20	6.5
Head and trunk	83	690	50	7.2	40	5.8	280	40.6

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2014 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Wrist(s) and arm(s)	70	15.6	—	—	30	6.7	80	17.8	4
Wrist(s) and arm(s), unspecified	40	26.7	—	—	20	13.3	40	26.7	18
Wrist(s) and elbow(s)	—	—	—	—	—	—	20	40.0	4
Wrist(s) and arm(s), n.e.c.	30	11.5	—	—	—	—	20	7.7	4
Shoulder(s) and arm(s)	540	22.7	100	4.2	160	6.7	530	22.3	6
Multiple upper extremities locations, n.e.c.	100	10.9	100	10.9	60	6.5	400	43.5	20
Upper extremities, n.e.c.	—	—	—	—	—	—	20	40.0	6
Lower extremities	5,450	12.8	5,010	11.8	4,980	11.7	12,210	28.7	12
Lower extremities, unspecified	—	—	—	—	—	—	60	66.7	125
Leg(s)	3,250	13.1	2,600	10.5	3,280	13.2	7,630	30.7	14
Leg(s), unspecified	400	19.7	160	7.9	190	9.4	490	24.1	7
Thigh(s)	130	13.7	70	7.4	50	5.3	450	47.4	22
Knee(s)	2,240	12.4	2,120	11.7	2,790	15.4	5,630	31.2	17
Lower leg(s)	380	13.4	150	5.3	210	7.4	880	31.1	7
Multiple leg locations	40	4.9	70	8.5	30	3.7	190	23.2	3
Multiple leg locations, unspecified	—	—	—	—	—	—	—	—	7
Knee(s) and leg(s)	20	2.8	60	8.3	30	4.2	160	22.2	2
Multiple leg locations, n.e.c.	—	—	—	—	—	—	30	42.9	3
Leg(s), n.e.c.	70	41.2	30	17.6	—	—	—	—	7
Ankle(s)	1,240	12.6	1,440	14.6	990	10.1	2,800	28.5	11
Foot (feet)	750	12.4	750	12.4	630	10.4	1,220	20.2	7
Foot (feet), unspecified	480	12.4	500	12.9	450	11.6	910	23.5	10
Sole(s)	60	15.0	40	10.0	20	5.0	130	32.5	6
Sole(s), unspecified	20	28.6	—	—	—	—	—	—	4
Arch(es), instep(s)	—	—	—	—	—	—	30	75.0	92
Heel(s)	40	14.8	20	7.4	—	—	100	37.0	7
Toes(s), toenail(s)	180	14.0	140	10.9	20	1.6	130	10.1	2
Multiple foot (feet) locations	—	—	—	—	110	61.1	—	—	27
Foot (feet), n.e.c.	20	7.1	60	21.4	30	10.7	40	14.3	9
Multiple lower extremities locations	220	12.5	210	11.9	70	4.0	510	29.0	7
Foot (feet) and leg(s)	20	5.7	—	—	—	—	140	40.0	4
Foot(feet) and leg(s), unspecified	—	—	—	—	—	—	—	—	6
Foot(feet) and knee(s)	—	—	—	—	—	—	130	65.0	62
Foot(feet) and leg(s), n.e.c.	—	—	—	—	—	—	—	—	2
Foot (feet) and ankle(s)	20	5.0	50	12.5	—	—	170	42.5	18
Ankle(s) and leg(s)	120	16.7	90	12.5	40	5.6	160	22.2	6
Ankle(s) and leg(s), unspecified	—	—	—	—	—	—	—	—	2
Ankle(s) and knee(s)	110	18.6	80	13.6	40	6.8	130	22.0	8
Ankle(s) and leg(s), n.e.c.	—	—	—	—	—	—	—	—	4
Multiple lower extremities locations, n.e.c.	60	20.7	50	17.2	—	—	40	13.8	7
Body systems	770	14.4	650	12.1	240	4.5	1,560	29.2	8
Multiple body parts	4,730	15.7	3,470	11.5	1,400	4.6	8,350	27.7	7
Multiple body parts, unspecified	480	18.7	220	8.6	180	7.0	850	33.1	9
Head and neck	200	28.2	40	5.6	—	—	80	11.3	4
Head, neck, and trunk	130	41.9	20	6.5	—	—	50	16.1	6
Head and trunk	200	29.0	50	7.2	—	—	60	8.7	4

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2014 — Continued

Part of body	Part of body code ²	Local government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Neck and back	84	2,020	310	15.3	140	6.9	210	10.4
Shoulder(s) and back	85	980	50	5.1	120	12.2	70	7.1
Hip(s) and leg(s)	86	560	—	—	200	35.7	50	8.9
Upper and lower limb(s)	87	3,200	690	21.6	260	8.1	850	26.6
Other multiple body parts	89	19,080	2,190	11.5	1,770	9.3	3,530	18.5
Whole body	891	100	20	20.0	—	—	—	—
Multiple body parts, n.e.c.	899	18,990	2,170	11.4	1,760	9.3	3,520	18.5
Nonclassifiable	9999	1,450	460	31.7	140	9.7	170	11.7

See footnotes at end of table.

TABLE L68. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and number of days away from work, and median number of days away from work, local government, 2014 — Continued

Part of body	Days-away-from-work cases involving:								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Neck and back	280	13.9	250	12.4	40	2.0	800	39.6	11
Shoulder(s) and back	180	18.4	40	4.1	90	9.2	430	43.9	27
Hip(s) and leg(s)	40	7.1	50	8.9	50	8.9	150	26.8	7
Upper and lower limb(s)	390	12.2	390	12.2	40	1.2	570	17.8	4
Other multiple body parts	2,830	14.8	2,420	12.7	970	5.1	5,370	28.1	8
Whole body	30	30.0	—	—	—	—	20	20.0	7
Multiple body parts, n.e.c.	2,800	14.7	2,410	12.7	960	5.1	5,350	28.2	8
Nonclassifiable	90	6.2	80	5.5	60	4.1	450	31.0	5

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.