

TABLE L86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, local government, 2014

| Part of body | Part of body code ² | Local government ³ | Day of week | | | | | | |
|--|--------------------------------|-------------------------------|-------------|--------|---------|-----------|----------|--------|----------|
| | | | Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
| Total | | 173,570 | 11,880 | 31,210 | 30,480 | 32,570 | 29,810 | 27,760 | 9,860 |
| Head | 1 | 11,190 | 550 | 1,960 | 2,010 | 2,500 | 2,260 | 1,580 | 330 |
| Head, unspecified | 10 | 2,900 | 130 | 530 | 430 | 600 | 520 | 590 | 90 |
| Cranial region, including skull | 11 | 3,280 | 160 | 450 | 750 | 760 | 570 | 500 | 100 |
| Cranial region, unspecified | 110 | 30 | - | - | - | - | - | 20 | - |
| Brain | 111 | 2,670 | 150 | 410 | 410 | 630 | 540 | 450 | 70 |
| Scalp | 112 | 190 | - | 20 | 40 | 80 | 20 | - | 30 |
| Skull | 113 | 380 | - | - | 300 | 50 | - | 30 | - |
| Ear(s) | 12 | 230 | - | 160 | - | 20 | 20 | - | - |
| Face | 13 | 4,580 | 240 | 810 | 720 | 1,090 | 1,140 | 450 | 140 |
| Face, unspecified | 130 | 540 | - | 90 | 150 | 130 | 110 | 50 | - |
| Forehead | 131 | 310 | 20 | - | 50 | 120 | 70 | 20 | - |
| Eye(s) | 132 | 1,890 | 190 | 330 | 240 | 280 | 540 | 230 | 80 |
| Nose, nasal cavity | 133 | 390 | - | 100 | 80 | 100 | 60 | 40 | - |
| Nose, except internal location of diseases or disorders | 1330 | 380 | - | 100 | 70 | 100 | 60 | 40 | - |
| Cheek(s) | 134 | 60 | - | 20 | - | 20 | - | - | - |
| Jaw, chin | 135 | 120 | - | 20 | - | 40 | 20 | - | 20 |
| Mouth | 136 | 710 | - | 60 | 150 | 320 | 130 | 40 | - |
| Mouth, unspecified | 1360 | 170 | - | - | - | 150 | - | - | - |
| Lip(s) | 1361 | 160 | - | - | 120 | 20 | - | - | - |
| Tooth (teeth) | 1363 | 180 | - | 20 | 20 | 100 | - | 30 | - |
| Multiple mouth locations | 1368 | 200 | - | 30 | - | 50 | 110 | - | - |
| Multiple face locations | 138 | 520 | - | 160 | 40 | 60 | 200 | 50 | - |
| Face, n.e.c. | 139 | 40 | - | - | - | - | - | - | - |
| Multiple head locations | 18 | 160 | - | - | 80 | 20 | - | 20 | - |
| Head, n.e.c. | 19 | 40 | - | - | - | - | - | - | - |
| Neck, including throat | 2 | 2,260 | 160 | 350 | 570 | 440 | 340 | 280 | 130 |
| Neck, except internal location of diseases or disorders | 20 | 2,260 | 160 | 350 | 570 | 440 | 340 | 280 | 130 |
| Trunk | 3 | 38,050 | 2,470 | 6,810 | 6,340 | 6,730 | 6,990 | 6,220 | 2,490 |
| Trunk, unspecified | 30 | 150 | 40 | - | 20 | - | 30 | 30 | - |
| Chest, including ribs, internal organs | 31 | 2,770 | 120 | 450 | 390 | 490 | 460 | 640 | 220 |
| Chest, except internal location of diseases or disorders | 310 | 2,070 | 80 | 280 | 320 | 300 | 350 | 550 | 190 |
| Internal chest location, unspecified | 311 | 20 | - | - | - | - | - | - | - |
| Heart | 313 | 390 | 50 | 80 | 50 | 60 | 100 | 50 | - |
| Bronchus | 314 | 40 | - | - | - | - | - | - | - |
| Lung(s), pleura | 315 | 210 | - | 60 | - | 70 | - | 40 | 30 |
| Back, including spine, spinal cord | 32 | 28,090 | 2,030 | 5,130 | 4,880 | 5,030 | 4,930 | 4,780 | 1,310 |
| Back, including spine, spinal cord, unspecified | 320 | 10,300 | 780 | 1,750 | 2,030 | 1,990 | 1,710 | 1,530 | 500 |
| Thoracic region | 321 | 1,080 | 20 | 100 | 190 | 250 | 220 | 240 | 60 |
| Lumbar region | 322 | 14,720 | 1,090 | 3,040 | 2,470 | 2,520 | 2,120 | 2,800 | 690 |
| Sacral region | 323 | 140 | - | 80 | - | 20 | - | - | - |
| Coccygeal region | 324 | 250 | - | 30 | 110 | 40 | 60 | - | - |
| Multiple back regions | 328 | 1,570 | 130 | 130 | 50 | 210 | 810 | 190 | 50 |

See footnotes at end of table.

TABLE L86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, local government, 2014 — Continued

| Part of body | Part of body code ² | Local government ³ | Day of week | | | | | | | |
|--|--------------------------------|-------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---|
| | | | Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday | |
| Back, including spine, spinal cord, n.e.c. | 329 | 20 | - | - | - | - | - | - | - | - |
| Abdomen | 33 | 3,100 | 150 | 260 | 240 | 520 | 930 | 280 | 720 | |
| Abdomen, except internal location of diseases or disorders | 330 | 2,960 | 140 | 250 | 220 | 460 | 930 | 240 | 720 | |
| Internal abdominal location, unspecified | 331 | 70 | - | - | - | 50 | - | - | - | |
| Intestines, peritoneum | 335 | 60 | - | - | - | - | - | 30 | - | |
| Intestines, peritoneum, unspecified | 3350 | 30 | - | - | - | - | - | - | - | |
| Intestines, peritoneum, n.e.c. | 3359 | 30 | - | - | - | - | - | 30 | - | |
| Pelvic region | 34 | 2,820 | 90 | 700 | 510 | 500 | 460 | 390 | 170 | |
| Pelvic region, unspecified | 340 | 40 | - | - | - | - | 40 | - | - | |
| Hip(s) | 341 | 1,340 | 70 | 230 | 220 | 280 | 260 | 200 | 80 | |
| Pelvis | 342 | 90 | - | - | 40 | - | - | - | - | |
| Buttock(s) | 343 | 380 | - | 30 | 60 | 150 | 20 | 120 | - | |
| Groin | 344 | 920 | 20 | 410 | 180 | 60 | 140 | 50 | 60 | |
| External reproductive tract structures .. | 345 | 20 | - | - | - | - | - | - | - | |
| Multiple pelvic region locations | 348 | 20 | - | - | - | - | - | - | - | |
| Multiple trunk locations | 38 | 1,040 | 30 | 190 | 290 | 180 | 180 | 100 | 70 | |
| Trunk, n.e.c. | 39 | 80 | - | 70 | - | - | - | - | - | |
| Upper extremities | 4 | 42,570 | 3,730 | 7,440 | 6,920 | 7,980 | 7,110 | 6,650 | 2,750 | |
| Upper extremities, unspecified | 40 | 80 | - | 30 | - | - | 20 | 20 | - | |
| Shoulder(s), including clavicle(s), scapula(e) | 41 | 12,270 | 1,080 | 2,730 | 2,160 | 2,310 | 1,460 | 1,840 | 700 | |
| Arm(s) | 42 | 6,560 | 320 | 1,060 | 1,480 | 1,440 | 1,090 | 980 | 190 | |
| Arm(s), unspecified | 420 | 1,700 | 150 | 230 | 310 | 290 | 430 | 240 | 50 | |
| Upper arm(s) | 421 | 760 | - | 160 | 150 | 210 | 100 | 70 | 60 | |
| Elbow(s) | 422 | 2,620 | 90 | 480 | 580 | 530 | 380 | 500 | 50 | |
| Forearm(s) | 423 | 740 | 50 | 100 | 250 | 120 | 120 | 90 | - | |
| Multiple arm locations | 428 | 600 | - | 90 | 190 | 180 | 50 | 70 | - | |
| Multiple arm locations, unspecified .. | 4280 | 110 | - | - | - | - | - | - | - | |
| Elbow(s) and arm(s) | 4281 | 260 | - | 30 | 100 | 40 | 30 | 50 | - | |
| Multiple arm locations, n.e.c. | 4289 | 220 | - | 60 | 80 | 40 | 20 | - | - | |
| Arm(s), n.e.c. | 429 | 140 | - | - | - | 100 | 20 | - | - | |
| Wrist(s) | 43 | 5,850 | 600 | 1,070 | 1,030 | 1,090 | 770 | 1,000 | 280 | |
| Hand(s) | 44 | 12,570 | 1,230 | 1,670 | 1,780 | 2,140 | 2,520 | 1,930 | 1,300 | |
| Hand(s), unspecified | 440 | 4,050 | 840 | 420 | 420 | 560 | 550 | 620 | 640 | |
| Hand(s), except finger(s) | 441 | 520 | - | 140 | 80 | 160 | 20 | 60 | 50 | |
| Finger(s), fingernail(s) | 442 | 7,320 | 320 | 1,020 | 1,150 | 1,310 | 1,840 | 1,100 | 580 | |
| Finger(s), fingernail(s), unspecified .. | 4420 | 5,240 | 170 | 800 | 640 | 980 | 1,470 | 650 | 520 | |
| Fingernail(s), nailbed(s) | 4421 | 40 | - | - | - | - | 20 | - | - | |
| Fingertip(s) | 4422 | 390 | - | 20 | 20 | 110 | 70 | 160 | - | |
| Finger(s), fingernail(s), n.e.c. | 4429 | 1,640 | 150 | 190 | 480 | 220 | 280 | 290 | 40 | |
| Hand(s) and finger(s) | 448 | 430 | 20 | 60 | 90 | 40 | 80 | 100 | 20 | |
| Hand(s), n.e.c. | 449 | 260 | 30 | 30 | 40 | 70 | 30 | 50 | - | |
| Multiple upper extremities locations | 48 | 5,190 | 510 | 860 | 460 | 970 | 1,240 | 880 | 280 | |
| Multiple upper extremities locations, unspecified | 480 | 70 | 60 | - | - | - | - | - | - | |
| Hand(s) and arms(s) | 481 | 440 | - | 20 | 70 | 40 | 120 | 100 | 70 | |
| Hand(s) and arm(s), unspecified | 4810 | 100 | - | - | 20 | 20 | - | 20 | 20 | |

See footnotes at end of table.

TABLE L86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, local government, 2014 — Continued

| Part of body | Part of body code ² | Local government ³ | Day of week | | | | | | |
|---|--------------------------------|-------------------------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| | | | Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
| Hand(s) and elbow(s) | 4811 | 120 | — | — | 30 | — | — | 80 | — |
| Hand(s) and arm(s), n.e.c. | 4819 | 220 | — | — | 20 | 20 | 110 | — | 50 |
| Hand(s) and wrist(s) | 482 | 930 | 200 | 120 | 60 | 360 | 80 | 70 | 40 |
| Wrist(s) and arm(s) | 483 | 450 | 20 | 60 | 70 | 50 | 40 | 190 | 20 |
| Wrist(s) and arm(s), unspecified | 4830 | 150 | — | 30 | 50 | 40 | — | — | — |
| Wrist(s) and elbow(s) | 4831 | 50 | — | 20 | — | — | — | — | — |
| Wrist(s) and arm(s), n.e.c. | 4839 | 260 | 20 | — | — | — | 30 | 180 | — |
| Shoulder(s) and arm(s) | 484 | 2,380 | 160 | 400 | 170 | 210 | 920 | 450 | 50 |
| Multiple upper extremities locations, n.e.c. | 489 | 920 | 60 | 250 | 70 | 320 | 70 | 50 | 90 |
| Upper extremities, n.e.c. | 49 | 50 | — | — | — | 20 | — | — | — |
| Lower extremities | 5 | 42,580 | 2,700 | 7,890 | 7,940 | 8,030 | 7,290 | 6,640 | 2,090 |
| Lower extremities, unspecified | 50 | 90 | 60 | — | 20 | — | — | — | — |
| Leg(s) | 51 | 24,860 | 1,400 | 4,470 | 5,100 | 5,010 | 3,930 | 3,810 | 1,140 |
| Leg(s), unspecified | 510 | 2,030 | 170 | 250 | 280 | 430 | 340 | 340 | 210 |
| Thigh(s) | 511 | 950 | 110 | 140 | 160 | 240 | 150 | 140 | 30 |
| Knee(s) | 512 | 18,060 | 1,050 | 3,140 | 4,190 | 3,510 | 3,050 | 2,330 | 800 |
| Lower leg(s) | 513 | 2,830 | — | 810 | 290 | 440 | 320 | 890 | 70 |
| Multiple leg locations | 518 | 820 | 50 | 120 | 130 | 380 | 70 | 50 | 20 |
| Multiple leg locations, unspecified ... | 5180 | 30 | — | — | — | — | — | 20 | — |
| Knee(s) and leg(s) | 5181 | 720 | 50 | 110 | 110 | 360 | 40 | 30 | 20 |
| Multiple leg locations, n.e.c. | 5189 | 70 | — | — | — | 20 | 30 | — | — |
| Leg(s), n.e.c. | 519 | 170 | — | 20 | 50 | 20 | — | 70 | — |
| Ankle(s) | 52 | 9,830 | 570 | 1,850 | 1,760 | 1,620 | 1,530 | 2,060 | 450 |
| Foot (feet) | 53 | 6,030 | 630 | 1,150 | 940 | 1,070 | 1,300 | 540 | 410 |
| Foot (feet), unspecified | 530 | 3,880 | 260 | 790 | 670 | 800 | 770 | 360 | 220 |
| Sole(s) | 531 | 400 | 40 | 120 | 50 | 30 | 100 | 60 | — |
| Sole(s), unspecified | 5310 | 70 | — | — | — | — | 40 | — | — |
| Arch(es), instep(s) | 5312 | 40 | — | — | — | — | 30 | — | — |
| Heel(s) | 5313 | 270 | 20 | 100 | 40 | 20 | 20 | 60 | — |
| Toes(s), toenail(s) | 532 | 1,290 | 320 | 170 | 170 | 170 | 340 | 70 | 60 |
| Multiple foot (feet) locations | 538 | 180 | — | 20 | — | 20 | — | — | 110 |
| Foot (feet), n.e.c. | 539 | 280 | — | 40 | 40 | 50 | 100 | 30 | — |
| Multiple lower extremities locations | 58 | 1,760 | 40 | 410 | 130 | 330 | 530 | 220 | 100 |
| Foot (feet) and leg(s) | 581 | 350 | — | 160 | — | 40 | 120 | — | — |
| Foot(feet) and leg(s), unspecified | 5810 | 30 | — | — | — | — | — | — | — |
| Foot(feet) and knee(s) | 5811 | 200 | — | 50 | — | 30 | 110 | — | — |
| Foot(feet) and leg(s), n.e.c. | 5819 | 120 | — | 110 | — | — | — | — | — |
| Foot (feet) and ankle(s) | 582 | 400 | — | 80 | 30 | 70 | 100 | 110 | — |
| Ankle(s) and leg(s) | 583 | 720 | 20 | 100 | 80 | 150 | 240 | 50 | 70 |
| Ankle(s) and leg(s), unspecified | 5830 | 60 | — | — | — | — | 30 | — | — |
| Ankle(s) and knee(s) | 5831 | 590 | — | 90 | 70 | 110 | 210 | 40 | 70 |
| Ankle(s) and leg(s), n.e.c. | 5839 | 70 | — | — | — | 40 | — | — | — |
| Multiple lower extremities locations, n.e.c. | 589 | 290 | — | 70 | — | 70 | 70 | 50 | 20 |
| Body systems | 6 | 5,350 | 570 | 820 | 710 | 900 | 510 | 1,400 | 450 |
| Multiple body parts | 8 | 30,120 | 1,680 | 5,730 | 5,780 | 5,650 | 4,950 | 4,770 | 1,560 |
| Multiple body parts, unspecified | 80 | 2,570 | 70 | 300 | 660 | 830 | 260 | 380 | 80 |

See footnotes at end of table.

TABLE L86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, local government, 2014 — Continued

| Part of body | Part of body code ² | Local government ³ | Day of week | | | | | | |
|----------------------------------|--------------------------------|-------------------------------|-------------|--------|---------|-----------|----------|--------|----------|
| | | | Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
| Head and neck | 81 | 710 | 20 | 100 | 70 | 180 | 90 | 230 | 20 |
| Head, neck, and trunk | 82 | 310 | — | 140 | 50 | — | 60 | 30 | — |
| Head and trunk | 83 | 690 | 20 | 300 | 250 | 50 | 30 | 30 | — |
| Neck and back | 84 | 2,020 | 70 | 230 | 300 | 560 | 490 | 260 | 120 |
| Shoulder(s) and back | 85 | 980 | 50 | 470 | 120 | 70 | 200 | 40 | 30 |
| Hip(s) and leg(s) | 86 | 560 | 20 | 70 | 50 | 150 | 150 | 80 | 40 |
| Upper and lower limb(s) | 87 | 3,200 | 130 | 720 | 530 | 350 | 610 | 730 | 120 |
| Other multiple body parts | 89 | 19,080 | 1,300 | 3,390 | 3,750 | 3,460 | 3,050 | 2,990 | 1,140 |
| Whole body | 891 | 100 | — | — | — | 30 | — | 40 | — |
| Multiple body parts, n.e.c. | 899 | 18,990 | 1,300 | 3,390 | 3,740 | 3,420 | 3,040 | 2,960 | 1,140 |

See footnotes at end of table.

TABLE L86. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and day of the week event occurred, local government, 2014 — Continued

| Part of body | Part of body code ² | Local government ³ | Day of week | | | | | | |
|------------------------------|--------------------------------|-------------------------------|-------------|--------|---------|-----------|----------|--------|----------|
| | | | Sunday | Monday | Tuesday | Wednesday | Thursday | Friday | Saturday |
| Nonclassifiable | 9999 | 1,450 | – | 220 | 210 | 350 | 350 | 240 | 60 |

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.