

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, state government, 2011²

Part of body	Part of body code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		73,790	-	-	190	4,040	12,330	19,180	23,340	11,840	1,380	1,480
Head	1	4,980	-	-	-	800	1,010	960	1,290	760	70	80
Head, unspecified	10	1,220	-	-	-	50	290	240	370	210	-	-
Cranial region, including skull	11	640	-	-	-	20	80	140	180	190	30	-
Cranial region, unspecified	110	40	-	-	-	-	-	-	-	-	-	-
Brain	111	460	-	-	-	20	50	100	110	140	30	-
Scalp	112	120	-	-	-	-	-	30	30	50	-	-
Skull	113	30	-	-	-	-	-	-	20	-	-	-
Ear(s)	12	70	-	-	-	-	-	20	20	-	-	-
Face	13	2,900	-	-	-	720	550	530	700	340	30	30
Face, unspecified	130	480	-	-	-	50	130	90	130	80	-	-
Forehead	131	680	-	-	-	-	20	20	-	-	-	-
Eye(s)	132	1,030	-	-	-	20	200	270	370	140	-	-
Nose, nasal cavity	133	130	-	-	-	-	50	-	50	20	-	-
Nose, except internal location of diseases or disorders	1330	130	-	-	-	-	50	-	50	20	-	-
Cheek(s)	134	60	-	-	-	-	-	-	30	-	-	-
Jaw, chin	135	40	-	-	-	-	-	-	-	-	-	-
Mouth	136	130	-	-	-	-	20	30	70	20	-	-
Lip(s)	1361	70	-	-	-	-	-	-	-	-	-	-
Tooth (teeth)	1363	30	-	-	-	-	-	-	-	20	-	-
Multiple mouth locations	1368	30	-	-	-	-	-	-	20	-	-	-
Multiple face locations	138	280	-	-	-	20	110	70	30	40	-	-
Face, n.e.c.	139	70	-	-	-	-	-	30	-	-	-	-
Multiple head locations	18	130	-	-	-	-	80	20	20	-	-	-
Head, n.e.c.	19	30	-	-	-	-	-	-	-	-	-	-
Neck, including throat	2	1,940	-	-	-	20	210	1,110	380	200	-	-
Neck, except internal location of diseases or disorders ...	20	1,940	-	-	-	20	210	1,110	380	200	-	-
Trunk	3	14,960	-	-	40	770	2,420	3,990	4,510	2,590	250	390
Trunk, unspecified	30	60	-	-	-	-	20	-	40	-	-	-
Chest, including ribs, internal organs	31	1,350	-	-	-	120	340	160	360	330	20	20
Chest, except internal location of diseases or disorders	310	1,250	-	-	-	110	330	150	310	320	-	20
Internal chest location, unspecified	311	20	-	-	-	-	-	-	-	-	-	-
Heart	313	30	-	-	-	-	-	-	20	-	-	-
Lung(s), pleura	315	40	-	-	-	-	-	-	20	-	-	-
Back, including spine, spinal cord	32	11,860	-	-	40	600	1,800	3,520	3,490	1,860	200	350
Back, including spine, spinal cord, unspecified	320	5,020	-	-	30	230	790	1,130	1,520	990	70	270
Thoracic region	321	280	-	-	-	20	60	80	60	40	-	20
Lumbar region	322	6,200	-	-	-	330	880	2,200	1,770	810	130	70
Sacral region	323	50	-	-	-	-	30	20	-	-	-	-
Coccygeal region	324	70	-	-	-	-	20	-	40	-	-	-
Multiple back regions	328	220	-	-	-	-	30	70	90	-	-	-
Back, including spine, spinal cord, n.e.c.	329	20	-	-	-	-	-	-	-	-	-	-
Abdomen	33	500	-	-	-	30	90	80	220	70	-	-
Abdomen, except internal location of diseases or disorders	330	460	-	-	-	20	80	70	210	70	-	-

See footnotes at end of table.

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Age										Not reported
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over		
Pelvic region	34	720	—	—	—	—	80	90	260	260	—	—	
Pelvic region, unspecified	340	20	—	—	—	—	—	—	—	—	—	—	
Hip(s)	341	280	—	—	—	—	20	30	150	50	—	—	
Buttock(s)	343	210	—	—	—	—	—	—	—	170	—	—	
Groin	344	200	—	—	—	—	40	30	90	30	—	—	
Multiple trunk locations	38	460	—	—	—	20	90	140	140	60	—	—	
Upper extremities	4	19,170	—	—	50	700	3,500	4,550	6,800	2,810	350	410	
Upper extremities, unspecified	40	100	—	—	—	—	—	30	40	—	—	20	
Shoulder(s), including clavicle(s), scapula(e)	41	4,860	—	—	—	160	550	1,030	1,930	930	120	120	
Arm(s)	42	3,530	—	—	—	180	1,060	690	970	440	70	130	
Arm(s), unspecified	420	920	—	—	—	80	160	200	230	160	20	70	
Upper arm(s)	421	310	—	—	—	—	30	80	140	50	—	—	
Elbow(s)	422	1,560	—	—	—	30	720	260	390	150	—	—	
Forearm(s)	423	480	—	—	—	70	110	120	130	40	—	—	
Multiple arm locations	428	200	—	—	—	—	20	20	40	30	—	—	
Multiple arm locations, unspecified	4280	60	—	—	—	—	—	—	—	—	—	—	
Elbow(s) and arm(s)	4281	40	—	—	—	—	—	—	20	—	—	—	
Multiple arm locations, n.e.c.	4289	100	—	—	—	—	20	—	—	30	—	—	
Arm(s), n.e.c.	429	60	—	—	—	—	—	—	40	—	—	—	
Wrist(s)	43	2,150	—	—	—	80	490	400	640	460	20	50	
Hand(s)	44	5,440	—	—	30	210	1,040	1,250	2,000	710	130	80	
Hand(s), unspecified	440	1,760	—	—	—	90	380	410	580	250	20	40	
Hand(s), except finger(s)	441	340	—	—	—	—	70	130	90	40	—	—	
Finger(s), fingernail(s)	442	3,000	—	—	—	120	490	610	1,220	400	100	40	
Finger(s), fingernail(s), unspecified	4420	2,240	—	—	—	70	280	460	1,000	290	90	40	
Fingernail(s), nailbed(s)	4421	60	—	—	—	—	—	20	30	—	—	—	
Fingertip(s)	4422	60	—	—	—	—	20	20	—	30	—	—	
Finger(s), fingernail(s), n.e.c.	4429	630	—	—	—	40	190	110	190	80	—	—	
Hand(s) and finger(s)	448	270	—	—	—	—	90	70	80	20	—	—	
Hand(s), n.e.c.	449	70	—	—	—	—	—	30	30	—	—	—	
Multiple upper extremities locations	48	3,070	—	—	—	70	350	1,160	1,210	260	20	—	
Multiple upper extremities locations, unspecified	480	20	—	—	—	—	—	—	—	—	—	—	
Hand(s) and arms(s)	481	230	—	—	—	—	120	40	30	40	—	—	
Hand(s) and arm(s), unspecified	4810	50	—	—	—	—	—	—	20	—	—	—	
Hand(s) and arm(s), n.e.c.	4819	180	—	—	—	—	110	30	—	30	—	—	
Hand(s) and wrist(s)	482	360	—	—	—	—	70	120	90	60	—	—	
Wrist(s) and arm(s)	483	750	—	—	—	—	—	660	60	20	—	—	
Wrist(s) and arm(s), unspecified	4830	50	—	—	—	—	—	—	30	—	—	—	
Wrist(s) and elbow(s)	4831	650	—	—	—	—	—	630	20	—	—	—	
Wrist(s) and arm(s), n.e.c.	4839	50	—	—	—	—	—	30	—	—	—	—	
Shoulder(s) and arm(s)	484	650	—	—	—	—	80	250	230	70	—	—	
Multiple upper extremities locations, n.e.c.	489	1,040	—	—	—	50	70	80	800	50	—	—	
Lower extremities	5	15,920	—	—	60	660	3,030	4,490	4,360	2,690	310	320	
Lower extremities, unspecified	50	50	—	—	—	—	—	20	20	—	—	—	
Leg(s)	51	9,960	—	—	20	400	1,830	2,740	2,860	1,670	250	190	
Leg(s), unspecified	510	750	—	—	—	—	170	80	250	190	40	—	
Thigh(s)	511	260	—	—	—	—	20	50	90	60	20	—	
Knee(s)	512	8,060	—	—	20	330	1,560	2,320	2,260	1,240	170	170	

See footnotes at end of table.

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Lower leg(s)	513	650	—	—	—	50	30	200	200	140	—	—
Multiple leg locations	518	230	—	—	—	—	50	90	50	30	—	—
Multiple leg locations, unspecified	5180	40	—	—	—	—	—	—	20	—	—	—
Knee(s) and leg(s)	5181	150	—	—	—	—	40	80	—	—	—	—
Multiple leg locations, n.e.c.	5189	30	—	—	—	—	—	—	20	—	—	—
Leg(s), n.e.c.	519	20	—	—	—	—	—	—	—	—	—	—
Ankle(s)	52	3,080	—	—	—	190	690	900	760	440	20	80
Foot (feet)	53	2,120	—	—	40	50	390	600	510	450	30	30
Foot (feet), unspecified	530	1,480	—	—	—	30	310	370	360	320	20	30
Sole(s)	531	90	—	—	—	—	—	—	40	20	—	—
Arch(es), instep(s)	5312	20	—	—	—	—	—	—	—	—	—	—
Heel(s)	5313	60	—	—	—	—	—	—	30	20	—	—
Toes(s), toenail(s)	532	430	—	—	—	—	60	190	90	80	—	—
Multiple foot (feet) locations	538	20	—	—	—	—	—	—	—	—	—	—
Foot (feet), n.e.c.	539	90	—	—	—	—	—	20	30	30	—	—
Multiple lower extremities locations	58	700	—	—	—	20	110	230	200	130	—	—
Foot (feet) and leg(s)	581	100	—	—	—	—	30	20	30	—	—	—
Foot(feet) and knee(s)	5811	30	—	—	—	—	—	20	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	60	—	—	—	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	170	—	—	—	20	20	30	50	50	—	—
Ankle(s) and leg(s)	583	300	—	—	—	—	30	100	100	70	—	—
Ankle(s) and knee(s)	5831	230	—	—	—	—	—	100	80	30	—	—
Ankle(s) and leg(s), n.e.c.	5839	70	—	—	—	—	—	—	—	30	—	—
Multiple lower extremities locations, n.e.c.	589	130	—	—	—	—	20	70	20	—	—	—
Body systems	6	2,950	—	—	—	20	290	1,320	740	460	80	30
Multiple body parts	8	13,200	—	—	—	990	1,810	2,610	5,100	2,240	310	130
Multiple body parts, unspecified	80	590	—	—	—	40	90	130	200	80	20	20
Head and neck	81	340	—	—	—	50	70	70	130	20	—	—
Head, neck, and trunk	82	190	—	—	—	—	20	70	70	20	—	—
Head and trunk	83	80	—	—	—	—	—	—	40	30	—	—
Neck and back	84	700	—	—	—	—	70	260	240	110	—	—
Shoulder(s) and back	85	390	—	—	—	—	40	120	180	40	—	—
Hip(s) and leg(s)	86	150	—	—	—	—	30	30	70	30	—	—
Upper and lower limb(s)	87	1,510	—	—	—	50	150	190	940	120	50	—
Other multiple body parts	89	9,250	—	—	—	840	1,340	1,720	3,240	1,780	230	90
Whole body	891	60	—	—	—	—	20	—	—	—	—	—
Multiple body parts, n.e.c.	899	9,190	—	—	—	840	1,320	1,710	3,230	1,760	230	90

See footnotes at end of table.

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, state government, 2011² — Continued

Part of body	Part of body code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Nonclassifiable	9999	670	-	-	-	70	70	150	160	100	-	110

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2011. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.