

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2012²

Nature	Nature code ³	State government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Total		66,930	530	3,410	2,520	1,470	2,450
Traumatic injuries and disorders	1	62,570	470	3,370	2,500	1,470	2,440
Traumatic injuries and disorders, unspecified	10	1,150	—	—	50	—	40
Traumatic injuries to bones, nerves, spinal cord	11	3,260	—	30	140	80	110
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	70	—	—	—	—	—
Fractures	111	3,090	—	20	140	80	110
Traumatic injuries to nerves, except the spinal cord ..	113	80	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	30	—	—	—	—	—
Pinched nerve	1131	30	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	20	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	27,880	—	2,190	1,080	620	1,060
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	110	—	—	—	—	—
Dislocations	121	410	—	—	—	—	30
Dislocations, unspecified	1210	70	—	—	—	—	—
Herniated discs	1211	120	—	—	—	—	—
Dislocation of joints	1212	190	—	—	—	—	—
Dislocations, n.e.c.	1219	40	—	—	—	—	—
Cartilage fractures and tears	122	140	—	—	—	—	—
Meniscus tears	1221	110	—	—	—	—	—
Cartilage fractures and tears, n.e.c.	1229	30	—	—	—	—	—
Sprains, strains, tears	123	26,770	—	2,120	1,040	600	1,030
Sprains, strains, tears, unspecified	1230	3,370	—	130	160	70	40
Major tears to muscles, tendons, ligaments	1231	790	—	130	30	30	—
Sprains	1232	7,760	—	400	220	90	100
Strains	1233	14,300	—	1,410	620	410	880
Multiple sprains, strains, tears	1238	550	—	30	20	—	—
Hernias due to traumatic incidents	124	250	—	50	20	20	—
Whiplash	125	100	—	—	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	100	—	—	—	—	—
Open wounds	13	2,910	—	70	110	260	300
Open wounds, unspecified	130	20	—	—	—	—	—
Amputations, avulsions, enucleations	131	90	—	—	—	—	—
Amputations	1311	30	—	—	—	—	—
Avulsions, enucleations	1312	50	—	—	—	—	—
Cuts, lacerations	132	2,110	—	70	110	260	250
Puncture wounds, except gunshot wounds	133	680	—	—	—	—	40
Surface wounds and bruises	14	7,870	—	330	480	210	290
Surface wounds and bruises, unspecified	140	210	—	—	—	—	—
Abrasions, scratches	141	460	—	—	—	—	—
Bruises, contusions	143	6,910	—	310	450	210	280

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2012² — Continued

Nature	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Total	11,430	1,340	5,260	11,400	10,510	16,920	9,150	9,960
Traumatic injuries and disorders	11,330	1,330	5,250	9,880	9,820	16,220	9,010	8,080
Traumatic injuries and disorders, unspecified	180	—	90	140	140	470	330	150
Traumatic injuries to bones, nerves, spinal cord	1,230	50	280	330	330	460	170	530
Traumatic injuries to bones, nerves, spinal cord, unspecified	—	—	60	—	—	—	—	—
Fractures	1,220	50	210	320	320	410	130	520
Traumatic injuries to nerves, except the spinal cord ..	—	—	—	—	—	50	40	—
Traumatic injuries to nerves, except the spinal cord, unspecified	—	—	—	—	—	—	—	—
Pinched nerve	—	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord, n.e.c.	—	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	3,300	500	2,470	7,220	7,210	6,580	4,090	2,780
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	30	—	—	20	20	—	—	—
Dislocations	120	—	—	70	70	80	40	80
Dislocations, unspecified	70	—	—	—	—	—	—	—
Herniated discs	—	—	—	40	40	30	30	30
Dislocation of joints	50	—	—	20	20	50	—	30
Dislocations, n.e.c.	—	—	—	—	—	—	—	30
Cartilage fractures and tears	40	—	—	80	80	—	—	—
Meniscus tears	30	—	—	60	60	—	—	—
Cartilage fractures and tears, n.e.c.	—	—	—	—	—	—	—	—
Sprains, strains, tears	3,100	460	2,320	7,010	7,000	6,350	4,000	2,660
Sprains, strains, tears, unspecified	300	40	170	850	850	1,140	640	460
Major tears to muscles, tendons, ligaments	170	20	30	150	140	120	70	80
Sprains	1,180	50	900	2,260	2,260	1,790	990	750
Strains	1,390	340	1,200	3,530	3,530	3,160	2,200	1,320
Multiple sprains, strains, tears	50	—	30	210	210	140	100	50
Hernias due to traumatic incidents	—	—	40	20	20	50	50	40
Whiplash	—	—	100	—	—	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	—	—	—	—	—	80	—	—
Open wounds	220	440	120	—	—	540	220	840
Open wounds, unspecified	—	—	—	—	—	—	—	—
Amputations, avulsions, enucleations	20	—	20	—	—	20	20	—
Amputations	—	—	20	—	—	—	—	—
Avulsions, enucleations	20	—	—	—	—	20	20	—
Cuts, lacerations	190	430	100	—	—	290	90	410
Puncture wounds, except gunshot wounds	—	—	—	—	—	220	120	410
Surface wounds and bruises	2,130	80	670	—	—	2,560	1,580	1,040
Surface wounds and bruises, unspecified	90	—	—	—	—	100	50	—
Abrasions, scratches	100	—	—	—	—	150	60	170
Bruises, contusions	1,900	80	630	—	—	2,160	1,360	830

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Multiple surface wounds and bruises	148	260	—	—	—	—	—
Surface wounds and bruises, n.e.c.	149	30	—	—	—	—	—
Burns and corrosions	15	370	70	—	—	20	60
Chemical burns and corrosions	151	70	70	—	—	—	—
Chemical burns and corrosions, unspecified	1510	70	60	—	—	—	—
Heat (thermal) burns	152	280	—	—	—	20	50
Heat (thermal) burns, unspecified	1520	260	—	—	—	20	50
Second degree heat (thermal) burns	1522	20	—	—	—	—	—
Intracranial injuries	16	540	—	—	40	—	—
Intracranial injuries, unspecified	160	60	—	—	—	—	—
Concussions	162	470	—	—	40	—	—
Effects of environmental conditions	17	130	—	—	—	—	—
Effects of heat and light	172	130	—	—	—	—	—
Heat exhaustion, prostration	1725	90	—	—	—	—	—
Multiple traumatic injuries and disorders	18	3,250	—	30	70	50	100
Multiple traumatic injuries and disorders, unspecified	180	120	—	—	—	—	—
Cuts and abrasions or bruises	181	460	—	—	20	—	70
Sprains and other injuries	182	1,610	—	30	50	—	20
Sprains and other injuries, unspecified	1820	40	—	—	—	—	—
Sprains and bruises	1821	1,350	—	30	50	—	20
Sprains and cuts	1822	80	—	—	—	—	—
Sprains and other injuries, n.e.c.	1829	150	—	—	—	—	—
Fractures and other injuries	183	380	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	360	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	690	—	—	—	20	—
Other traumatic injuries and disorders	19	15,210	390	700	530	210	470
Other traumatic injuries and disorders, unspecified ...	190	40	—	—	—	—	—
Asphyxiations, strangulations, suffocations	191	40	30	—	—	—	—
Electrocutions, electric shocks	193	60	—	—	—	—	30
Dermatitis and reactions affecting the skin—acute	195	220	40	—	—	—	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	50	—	—	—	—	—
Allergic dermatitis—acute	1951	40	—	—	—	—	—
Irritant dermatitis—acute	1952	60	20	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	60	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	730	220	—	—	—	40
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	320	30	—	—	—	—
Poisoning, including poisoning-related asphyxia ...	1961	40	—	—	—	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	170	60	—	—	—	40
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	20	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	20	20	—	—	—	—
Other or unspecified allergic reactions	1966	80	20	—	—	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2012² — Continued

Nature	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Multiple surface wounds and bruises	40	—	—	—	—	170	110	20
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—	—	—
Burns and corrosions	—	20	40	—	—	—	—	140
Chemical burns and corrosions	—	—	—	—	—	—	—	—
Chemical burns and corrosions, unspecified	—	—	—	—	—	—	—	—
Heat (thermal) burns	—	20	—	—	—	—	—	130
Heat (thermal) burns, unspecified	—	20	—	—	—	—	—	120
Second degree heat (thermal) burns	—	—	—	—	—	—	—	—
Intracranial injuries	140	—	90	—	—	170	90	80
Intracranial injuries, unspecified	30	—	—	—	—	30	—	—
Concussions	110	—	90	—	—	140	80	80
Effects of environmental conditions	—	—	—	—	—	—	—	130
Effects of heat and light	—	—	—	—	—	—	—	130
Heat exhaustion, prostration	—	—	—	—	—	—	—	90
Multiple traumatic injuries and disorders	1,160	20	450	—	—	1,220	480	150
Multiple traumatic injuries and disorders, unspecified	30	—	30	—	—	30	—	—
Cuts and abrasions or bruises	80	—	80	—	—	180	100	30
Sprains and other injuries	570	—	140	—	—	700	250	90
Sprains and other injuries, unspecified	30	—	—	—	—	—	—	—
Sprains and bruises	450	—	140	—	—	600	220	60
Sprains and cuts	30	—	—	—	—	30	—	—
Sprains and other injuries, n.e.c.	60	—	—	—	—	70	20	20
Fractures and other injuries	250	—	70	—	—	30	—	20
Fractures and other injuries, n.e.c.	240	—	70	—	—	30	—	—
Multiple traumatic injuries and disorders, n.e.c.	240	—	130	—	—	270	110	—
Other traumatic injuries and disorders	2,960	220	1,030	2,170	2,130	4,220	2,040	2,240
Other traumatic injuries and disorders, unspecified ...	—	—	—	—	—	—	—	—
Asphyxiations, strangulations, suffocations	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	—	—	—	—	—	—	—	20
Dermatitis and reactions affecting the skin—acute	—	—	—	—	—	—	—	170
Dermatitis and reactions affecting the skin—acute, unspecified	—	—	—	—	—	—	—	40
Allergic dermatitis—acute	—	—	—	—	—	—	—	30
Irritant dermatitis—acute	—	—	—	—	—	—	—	40
Dermatitis and reactions affecting the skin—acute, n.e.c.	—	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	—	—	—	—	—	50	—	410
Poisoning, toxic, noxious, or allergenic effect, unspecified	—	—	—	—	—	50	—	250
Poisoning, including poisoning-related asphyxia ...	—	—	—	—	—	—	—	30
Other respiratory system symptoms—toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	60
Coughing and throat irritation— toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—
Other or unspecified allergic reactions	—	—	—	—	—	—	—	60

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	60	50	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	20	—	—	—	—	—
Nonspecified injuries and disorders	197	14,100	100	690	520	200	400
Crushing injuries	1971	370	—	—	40	—	70
Soreness, pain, hurt—nonspecified injury	1972	11,920	—	650	430	180	290
Swelling, inflammation, irritation—nonspecified injury	1973	1,030	90	30	20	—	40
Numbness—nonspecified injury	1974	60	—	—	—	—	—
Multiple nonspecified injuries and disorders	1978	290	—	—	—	—	—
Nonspecified injuries and disorders, n.e.c.	1979	430	—	—	30	—	—
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	20	—	—	—	—	—
Diseases and disorders of body systems	2	1,220	20	50	—	—	—
Nervous system and sense organs diseases	22	470	—	—	—	—	—
Disorders of the peripheral nervous system	224	410	—	—	—	—	—
Carpal tunnel syndrome	2241	340	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	50	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	20	—	—	—	—	—
Conjunctivitis—non-viral	2251	20	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	20	—	—	—	—	—
Circulatory system diseases	23	120	—	—	—	—	—
Hypertensive disease	232	30	—	—	—	—	—
Ischemic heart disease, including heart attack	233	70	—	—	—	—	—
Myocardial infarction (heart attack)	2331	70	—	—	—	—	—
Respiratory system diseases	24	100	—	—	—	—	—
Pneumonia, influenza	243	30	—	—	—	—	—
Pneumonia, influenza, unspecified	2430	20	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	20	—	—	—	—	—
Digestive system diseases and disorders	25	100	—	—	—	—	—
Hernia—nontraumatic	253	60	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	360	—	30	—	—	—
Soft tissue disorders, except the back	273	330	—	30	—	—	—
Soft tissue disorder, except the back, unspecified	2730	20	—	—	—	—	—
Bursitis	2731	30	—	—	—	—	—
Epicondylitis	2734	120	—	—	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	90	—	—	—	—	—
Soft tissue disorder, except the back, n.e.c.	2739	50	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	60	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	30	—	—	—	—	—
Cellulitis and abscess	2811	20	—	—	—	—	—
Infectious and parasitic diseases	3	280	—	—	—	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2012² — Continued

Nature	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Nausea, vomiting— toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	—	—	—	—	—	—	—	—
Nonspecified injuries and disorders	2,950	220	1,020	2,170	2,130	4,140	2,020	1,620
Crushing injuries	—	—	40	—	—	20	—	160
Soreness, pain, hurt—nonspecified injury	2,620	190	880	1,900	1,860	3,590	1,670	1,130
Swelling, inflammation, irritation—nonspecified injury	170	—	40	120	120	260	160	250
Numbness—nonspecified injury	—	—	—	30	30	—	—	—
Multiple nonspecified injuries and disorders	80	—	30	50	50	90	70	20
Nonspecified injuries and disorders, n.e.c.	70	—	30	70	70	180	120	40
Other traumatic injuries and disorders, n.e.c.	—	—	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	—	—	—	—	—	—	—	—
Diseases and disorders of body systems	40	—	—	770	650	70	30	260
Nervous system and sense organs diseases	—	—	—	420	410	—	—	40
Disorders of the peripheral nervous system	—	—	—	400	400	—	—	—
Carpal tunnel syndrome	—	—	—	340	340	—	—	—
Disorders of the peripheral nervous system, n.e.c.	—	—	—	50	50	—	—	—
Disorders of the eye, adnexa, vision	—	—	—	—	—	—	—	—
Conjunctivitis—non-viral	—	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	—	—	—	—	—	—	—	20
Circulatory system diseases	—	—	—	120	20	—	—	—
Hypertensive disease	—	—	—	30	—	—	—	—
Ischemic heart disease, including heart attack	—	—	—	70	—	—	—	—
Myocardial infarction (heart attack)	—	—	—	70	—	—	—	—
Respiratory system diseases	—	—	—	—	—	—	—	90
Pneumonia, influenza	—	—	—	—	—	—	—	30
Pneumonia, influenza, unspecified	—	—	—	—	—	—	—	20
Chronic obstructive pulmonary disease and allied conditions	—	—	—	—	—	—	—	20
Digestive system diseases and disorders	—	—	—	—	—	30	—	50
Hernia—nontraumatic	—	—	—	—	—	—	—	30
Musculoskeletal system and connective tissue diseases and disorders	30	—	—	220	220	20	—	40
Soft tissue disorders, except the back	30	—	—	210	210	20	—	20
Soft tissue disorder, except the back, unspecified	—	—	—	—	—	—	—	—
Bursitis	—	—	—	—	—	—	—	—
Epicondylitis	—	—	—	90	90	—	—	—
Other or unspecified tendonitis (tendinitis)	20	—	—	30	30	—	—	—
Soft tissue disorder, except the back, n.e.c.	—	—	—	50	50	—	—	—
Disorders of the skin and subcutaneous tissue	—	—	—	—	—	—	—	40
Infections of the skin and subcutaneous tissue	—	—	—	—	—	—	—	20
Cellulitis and abscess	—	—	—	—	—	—	—	—
Infectious and parasitic diseases	—	—	—	—	—	—	—	280

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Bacterial diseases	31	30	—	—	—	—	—
Other bacterial diseases	319	30	—	—	—	—	—
Diphtheria, whooping cough	3192	30	—	—	—	—	—
Mycoses (fungal infections)	34	50	—	—	—	—	—
Coccidioidomycosis	342	50	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	60	—	—	—	—	—
Other salmonella infections	363	40	—	—	—	—	—
Other infectious and parasitic diseases	39	140	—	—	—	—	—
Scabies and other acariases	392	120	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	540	40	—	—	—	—
Symptoms	51	500	40	—	—	—	—
General symptoms	511	240	—	—	—	—	—
Loss of consciousness—not heat related	5111	100	—	—	—	—	—
Dizziness—general	5114	70	—	—	—	—	—
Inflammation, swelling—general	5115	20	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	30	—	—	—	—	—
Symptoms involving skin and other integumentary tissue, unspecified	5130	30	—	—	—	—	—
Symptoms involving head and neck	514	20	—	—	—	—	—
Symptoms involving cardiovascular system	515	20	—	—	—	—	—
Symptoms involving respiratory system and chest	516	180	20	—	—	—	—
Symptoms involving respiratory system and chest, unspecified	5160	40	20	—	—	—	—
Chest pain	5164	50	—	—	—	—	—
Multiple symptoms involving respiratory system and chest	5168	40	—	—	—	—	—
Abnormal findings	52	20	—	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—
Other diseases, conditions, and disorders	6	860	—	—	—	—	—
Mental disorders and syndromes	62	850	—	—	—	—	—
Mental disorders and syndromes, unspecified	620	30	—	—	—	—	—
Anxiety, stress	621	820	—	—	—	—	—
Anxiety, stress, unspecified	6210	350	—	—	—	—	—
Post-traumatic stress disorder	6211	140	—	—	—	—	—
Anxiety or panic disorder	6213	70	—	—	—	—	—
Anxiety, stress, n.e.c.	6219	260	—	—	—	—	—
Exposures to disease—no illness incurred	7	220	—	—	—	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2012² — Continued

Nature	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Bacterial diseases	—	—	—	—	—	—	—	30
Other bacterial diseases	—	—	—	—	—	—	—	30
Diphtheria, whooping cough	—	—	—	—	—	—	—	30
Mycoses (fungal infections)	—	—	—	—	—	—	—	50
Coccidioidomycosis	—	—	—	—	—	—	—	50
Infectious diseases peculiar to the intestines	—	—	—	—	—	—	—	60
Other salmonella infections	—	—	—	—	—	—	—	40
Other infectious and parasitic diseases	—	—	—	—	—	—	—	140
Scabies and other acariases	—	—	—	—	—	—	—	120
Symptoms, signs, and ill-defined conditions	60	—	—	240	20	80	—	110
Symptoms	60	—	—	240	20	60	—	110
General symptoms	20	—	—	110	20	—	—	80
Loss of consciousness—not heat related	20	—	—	60	—	—	—	20
Dizziness—general	—	—	—	20	—	—	—	50
Inflammation, swelling—general	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	—	—	—	—	—	30	—	—
Symptoms involving skin and other integumentary tissue, unspecified	—	—	—	—	—	30	—	—
Symptoms involving head and neck	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	—	—	—	100	—	—	—	—
Symptoms involving respiratory system and chest, unspecified	—	—	—	—	—	—	—	—
Chest pain	—	—	—	40	—	—	—	—
Multiple symptoms involving respiratory system and chest	—	—	—	—	—	—	—	—
Abnormal findings	—	—	—	—	—	20	—	—
Other abnormal findings	—	—	—	—	—	20	—	—
Other diseases, conditions, and disorders	—	—	—	500	—	350	60	—
Mental disorders and syndromes	—	—	—	500	—	340	60	—
Mental disorders and syndromes, unspecified	—	—	—	—	—	—	—	—
Anxiety, stress	—	—	—	480	—	330	50	—
Anxiety, stress, unspecified	—	—	—	170	—	180	—	—
Post-traumatic stress disorder	—	—	—	20	—	120	40	—
Anxiety or panic disorder	—	—	—	50	—	20	—	—
Anxiety, stress, n.e.c.	—	—	—	240	—	20	—	—
Exposures to disease—no illness incurred	—	—	—	—	—	210	30	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Source of injury or illness ⁵				
			Chemicals and chemical products	Containers	Furniture and fixtures	Machinery	Parts and materials
Nonclassifiable	9999	1,230	—	—	—	—	—

See footnotes at end of table.

TABLE S14. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected sources of injury or illness, state government, 2012² — Continued

Nature	Source of injury or illness ⁵							All other sources ⁶
	Floors, walkways, or ground surfaces	Handtools	Vehicles	Person--injured or ill worker		Person--other than injured or ill worker		
				Total	Worker motion or position	Total	Patient	
Nonclassifiable	—	—	—	20	20	—	—	1,190

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 1; Containers = 21; Furniture and fixtures = 22; Machinery = 3; Parts and materials = 4; Floors, walkways, or ground surfaces = 66; Handtools = 71-73; Vehicles = 8; Person--injured or ill worker = 56; Worker motion or position = 562; Person--other than injured or ill worker = 57; Health care patient = 574; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.