

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, state government, 2012²

Nature	Nature code ³	State government ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Total		66,930	8,290	4,570	2,400	800	16,220	2,410	9,990	3,540
Traumatic injuries and disorders	1	62,570	8,240	4,530	2,390	800	16,080	2,390	9,900	3,520
Traumatic injuries and disorders, unspecified	10	1,150	100	70	20	—	320	80	200	40
Traumatic injuries to bones, nerves, spinal cord	11	3,260	710	420	180	90	1,590	320	1,030	120
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	70	—	—	—	—	—	—	—	—
Fractures	111	3,090	700	420	180	90	1,580	320	1,030	120
Traumatic injuries to nerves, except the spinal cord ..	113	80	—	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	30	—	—	—	—	—	—	—	—
Pinched nerve	1131	30	—	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	20	—	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	27,880	1,010	400	420	140	6,230	870	2,590	2,690
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	110	—	—	—	—	30	—	30	—
Dislocations	121	410	30	—	20	—	190	30	140	20
Dislocations, unspecified	1210	70	—	—	—	—	70	—	70	—
Herniated discs	1211	120	—	—	—	—	50	—	30	20
Dislocation of joints	1212	190	30	—	20	—	70	30	40	—
Dislocations, n.e.c.	1219	40	—	—	—	—	—	—	—	—
Cartilage fractures and tears	122	140	—	—	—	—	50	—	40	20
Meniscus tears	1221	110	—	—	—	—	50	—	30	20
Cartilage fractures and tears, n.e.c.	1229	30	—	—	—	—	—	—	—	—
Sprains, strains, tears	123	26,770	960	390	400	140	5,940	840	2,380	2,640
Sprains, strains, tears, unspecified	1230	3,370	110	60	20	20	650	150	190	290
Major tears to muscles, tendons, ligaments	1231	790	40	20	20	—	210	40	120	40
Sprains	1232	7,760	380	150	170	50	2,460	350	860	1,200
Strains	1233	14,300	390	140	180	60	2,510	280	1,170	1,050
Multiple sprains, strains, tears	1238	550	40	20	—	—	110	20	30	60
Hernias due to traumatic incidents	124	250	—	—	—	—	—	—	—	—
Whiplash	125	100	—	—	—	—	—	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	100	—	—	—	—	—	—	—	—
Open wounds	13	2,910	2,000	1,260	470	150	280	80	200	—
Open wounds, unspecified	130	20	—	—	—	—	—	—	—	—
Amputations, avulsions, enucleations	131	90	60	—	—	20	—	—	—	—
Amputations	1311	30	30	—	—	20	—	—	—	—
Avulsions, enucleations	1312	50	30	—	—	—	—	—	—	—
Cuts, lacerations	132	2,110	1,580	1,000	420	130	260	80	180	—
Puncture wounds, except gunshot wounds	133	680	350	240	40	—	—	—	—	—
Surface wounds and bruises	14	7,870	2,580	1,420	850	160	2,370	350	2,000	—

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, state government, 2012² — Continued

Nature	Event or exposure leading to injury or illness ⁵											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁶
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Total	19,700	4,890	1,690	2,390	3,660	3,110	70	14,280	7,340	6,070	810	2,320
Traumatic injuries and disorders	18,410	4,830	1,120	1,160	3,650	3,100	70	13,870	7,100	6,050	660	1,090
Traumatic injuries and disorders, unspecified	150	—	—	—	100	90	—	470	350	110	—	—
Traumatic injuries to bones, nerves, spinal cord	270	20	—	—	200	140	—	460	210	240	—	20
Traumatic injuries to bones, nerves, spinal cord, unspecified	—	—	—	—	60	50	—	—	—	—	—	—
Fractures	250	—	—	—	140	80	—	410	160	240	—	20
Traumatic injuries to nerves, except the spinal cord ..	30	—	—	—	—	—	—	40	40	—	—	—
Traumatic injuries to nerves, except the spinal cord, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Pinched nerve	20	—	—	—	—	—	—	—	—	—	—	—
Traumatic injuries to nerves, except the spinal cord, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	14,470	4,120	490	—	1,820	1,650	—	4,020	1,500	2,480	20	340
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	60	—	—	—	—	—	—	—	—	—	—	—
Dislocations	110	20	—	—	—	—	—	80	20	50	—	—
Dislocations, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Herniated discs	40	20	—	—	—	—	—	20	—	20	—	—
Dislocation of joints	40	—	—	—	—	—	—	50	20	30	—	—
Dislocations, n.e.c.	30	—	—	—	—	—	—	—	—	—	—	—
Cartilage fractures and tears	70	—	—	—	—	—	—	—	—	—	—	—
Meniscus tears	50	—	—	—	—	—	—	—	—	—	—	—
Cartilage fractures and tears, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Sprains, strains, tears	14,020	4,020	480	—	1,720	1,560	—	3,810	1,470	2,310	20	310
Sprains, strains, tears, unspecified	1,360	350	30	—	130	130	—	910	380	530	—	200
Major tears to muscles, tendons, ligaments	420	160	—	—	—	—	—	110	40	70	—	—
Sprains	2,840	550	100	—	740	710	—	1,330	540	800	—	20
Strains	9,150	2,900	340	—	810	680	—	1,370	510	840	20	60
Multiple sprains, strains, tears	250	60	—	—	30	30	—	80	—	70	—	30
Hernias due to traumatic incidents	190	80	—	—	—	—	—	30	—	30	—	—
Whiplash	—	—	—	—	100	90	—	—	—	—	—	—
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	—	—	—	—	—	—	—	80	—	—	—	—
Open wounds	—	—	—	—	—	—	—	580	380	90	100	40
Open wounds, unspecified	—	—	—	—	—	—	—	—	—	—	—	—
Amputations, avulsions, enucleations	—	—	—	—	—	—	—	20	20	—	—	—
Amputations	—	—	—	—	—	—	—	—	—	—	—	—
Avulsions, enucleations	—	—	—	—	—	—	—	20	20	—	—	—
Cuts, lacerations	—	—	—	—	—	—	—	230	140	70	—	40
Puncture wounds, except gunshot wounds	—	—	—	—	—	—	—	320	210	—	100	—
Surface wounds and bruises	—	—	—	—	250	160	—	2,590	1,780	770	40	80

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Surface wounds and bruises, unspecified	140	210	30	20	—	—	90	—	80	—
Abrasions, scratches	141	460	200	70	40	—	110	50	60	—
Bruises, contusions	143	6,910	2,310	1,320	780	160	2,120	280	1,820	—
Multiple surface wounds and bruises	148	260	30	20	20	—	40	—	30	—
Surface wounds and bruises, n.e.c.	149	30	—	—	—	—	—	—	—	—
Burns and corrosions	15	370	—	—	—	—	—	—	—	—
Chemical burns and corrosions	151	70	—	—	—	—	—	—	—	—
Chemical burns and corrosions, unspecified	1510	70	—	—	—	—	—	—	—	—
Heat (thermal) burns	152	280	—	—	—	—	—	—	—	—
Heat (thermal) burns, unspecified	1520	260	—	—	—	—	—	—	—	—
Second degree heat (thermal) burns	1522	20	—	—	—	—	—	—	—	—
Intracranial injuries	16	540	110	60	50	—	160	—	150	—
Intracranial injuries, unspecified	160	60	—	—	—	—	30	—	30	—
Concussions	162	470	110	60	50	—	130	—	120	—
Effects of environmental conditions	17	130	—	—	—	—	—	—	—	—
Effects of heat and light	172	130	—	—	—	—	—	—	—	—
Heat exhaustion, prostration	1725	90	—	—	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	3,250	340	190	80	40	1,270	180	1,010	40
Multiple traumatic injuries and disorders, unspecified	180	120	—	—	—	—	50	20	30	—
Cuts and abrasions or bruises	181	460	100	90	—	—	90	—	80	—
Sprains and other injuries	182	1,610	180	70	50	30	600	80	500	—
Sprains and other injuries, unspecified	1820	40	—	—	—	—	30	—	20	—
Sprains and bruises	1821	1,350	160	70	50	30	450	50	400	—
Sprains and cuts	1822	80	20	—	—	—	30	—	30	—
Sprains and other injuries, n.e.c.	1829	150	—	—	—	—	80	20	40	—
Fractures and other injuries	183	380	20	—	—	—	270	40	190	—
Fractures and other injuries, n.e.c.	1839	360	20	—	—	—	260	40	180	—
Multiple traumatic injuries and disorders, n.e.c.	189	690	30	20	—	—	260	40	210	—
Other traumatic injuries and disorders	19	15,210	1,390	690	330	220	3,860	490	2,700	630
Other traumatic injuries and disorders, unspecified ...	190	40	—	—	—	—	—	—	—	—
Asphyxiations, strangulations, suffocations	191	40	—	—	—	—	—	—	—	—
Electrocutions, electric shocks	193	60	—	—	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute ...	195	220	—	—	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	50	—	—	—	—	—	—	—	—
Allergic dermatitis—acute	1951	40	—	—	—	—	—	—	—	—
Irritant dermatitis—acute	1952	60	—	—	—	—	—	—	—	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	60	—	—	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	730	—	—	—	—	—	—	—	—
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	320	—	—	—	—	—	—	—	—
Poisoning, including poisoning-related asphyxia ...	1961	40	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, state government, 2012² — Continued

Nature	Event or exposure leading to injury or illness ⁵											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁶
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Surface wounds and bruises, unspecified	-	-	-	-	-	-	-	100	80	-	-	-
Abrasions, scratches	-	-	-	-	-	-	-	150	110	30	-	-
Bruises, contusions	-	-	-	-	230	140	-	2,170	1,430	710	20	80
Multiple surface wounds and bruises	-	-	-	-	-	-	-	170	150	20	-	-
Surface wounds and bruises, n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Burns and corrosions	-	-	-	310	40	40	-	-	-	-	-	-
Chemical burns and corrosions	-	-	-	70	-	-	-	-	-	-	-	-
Chemical burns and corrosions, unspecified	-	-	-	60	-	-	-	-	-	-	-	-
Heat (thermal) burns	-	-	-	220	-	-	-	-	-	-	-	-
Heat (thermal) burns, unspecified	-	-	-	200	-	-	-	-	-	-	-	-
Second degree heat (thermal) burns	-	-	-	20	-	-	-	-	-	-	-	-
Intracranial injuries	-	-	-	-	90	80	-	170	160	-	-	-
Intracranial injuries, unspecified	-	-	-	-	-	-	-	30	30	-	-	-
Concussions	-	-	-	-	90	80	-	140	130	-	-	-
Effects of environmental conditions	-	-	-	130	-	-	-	-	-	-	-	-
Effects of heat and light	-	-	-	130	-	-	-	-	-	-	-	-
Heat exhaustion, prostration	-	-	-	90	-	-	-	-	-	-	-	-
Multiple traumatic injuries and disorders	-	-	-	-	410	350	-	1,220	880	320	-	-
Multiple traumatic injuries and disorders, unspecified	-	-	-	-	30	30	-	30	20	-	-	-
Cuts and abrasions or bruises	-	-	-	-	60	60	-	180	170	-	-	-
Sprains and other injuries	-	-	-	-	140	110	-	700	520	180	-	-
Sprains and other injuries, unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Sprains and bruises	-	-	-	-	140	110	-	600	460	140	-	-
Sprains and cuts	-	-	-	-	-	-	-	30	30	-	-	-
Sprains and other injuries, n.e.c.	-	-	-	-	-	-	-	70	30	40	-	-
Fractures and other injuries	-	-	-	-	60	40	-	30	30	-	-	-
Fractures and other injuries, n.e.c.	-	-	-	-	50	40	-	30	30	-	-	-
Multiple traumatic injuries and disorders, n.e.c.	-	-	-	-	120	120	-	270	140	110	-	-
Other traumatic injuries and disorders	3,510	690	620	710	730	580	40	4,360	1,840	2,020	490	600
Other traumatic injuries and disorders, unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Asphyxiations, strangulations, suffocations	-	-	-	40	-	-	-	-	-	-	-	-
Electrocutions, electric shocks	-	-	-	60	-	-	-	-	-	-	-	-
Dermatitis and reactions affecting the skin—acute	-	-	-	100	-	-	-	120	-	-	120	-
Dermatitis and reactions affecting the skin—acute, unspecified	-	-	-	30	-	-	-	20	-	-	20	-
Allergic dermatitis—acute	-	-	-	30	-	-	-	-	-	-	-	-
Irritant dermatitis—acute	-	-	-	30	-	-	-	-	-	-	-	-
Dermatitis and reactions affecting the skin—acute, n.e.c.	-	-	-	-	-	-	-	-	-	-	-	-
Other poisoning, toxic, noxious, or allergenic effects	-	-	-	370	-	-	40	330	50	-	280	-
Poisoning, toxic, noxious, or allergenic effect, unspecified	-	-	-	40	-	-	20	260	50	-	210	-
Poisoning, including poisoning-related asphyxia	-	-	-	30	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	170	—	—	—	—	—	—	—	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	20	—	—	—	—	—	—	—	—
Other or unspecified allergic reactions	1966	80	—	—	—	—	—	—	—	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	60	—	—	—	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	20	—	—	—	—	—	—	—	—
Nonspecified injuries and disorders	197	14,100	1,380	680	330	220	3,850	490	2,690	630
Crushing injuries	1971	370	310	160	—	120	—	—	—	—
Soreness, pain, hurt—nonspecified injury	1972	11,920	800	390	270	80	3,480	430	2,420	600
Swelling, inflammation, irritation—nonspecified injury	1973	1,030	200	100	20	—	190	20	160	—
Numbness—nonspecified injury	1974	60	—	—	—	—	—	—	—	—
Multiple nonspecified injuries and disorders	1978	290	—	—	—	—	90	30	60	—
Nonspecified injuries and disorders, n.e.c.	1979	430	40	—	40	—	80	—	60	—
Other traumatic injuries and disorders, n.e.c.	199	20	—	—	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	1999	20	—	—	—	—	—	—	—	—
Diseases and disorders of body systems	2	1,220	20	—	—	—	60	—	40	20
Nervous system and sense organs diseases	22	470	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	224	410	—	—	—	—	—	—	—	—
Carpal tunnel syndrome	2241	340	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	2249	50	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	20	—	—	—	—	—	—	—	—
Conjunctivitis—non-viral	2251	20	—	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	20	—	—	—	—	—	—	—	—
Circulatory system diseases	23	120	—	—	—	—	—	—	—	—
Hypertensive disease	232	30	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	70	—	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	70	—	—	—	—	—	—	—	—
Respiratory system diseases	24	100	—	—	—	—	—	—	—	—
Pneumonia, influenza	243	30	—	—	—	—	—	—	—	—
Pneumonia, influenza, unspecified	2430	20	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	20	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	25	100	—	—	—	—	—	—	—	—
Hernia—nontraumatic	253	60	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	360	—	—	—	—	60	—	30	20
Soft tissue disorders, except the back	273	330	—	—	—	—	50	—	30	20

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, state government, 2012² — Continued

Nature	Event or exposure leading to injury or illness ⁵											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁶
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Other respiratory system symptoms—toxic, noxious, or allergenic effect	—	—	—	160	—	—	—	—	—	—	—	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	—	—	—	20	—	—	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	—	—	—	20	—	—	—	—	—	—	—	—
Other or unspecified allergic reactions	—	—	—	30	—	—	—	50	—	—	50	—
Nausea, vomiting— toxic, noxious, or allergenic effect	—	—	—	50	—	—	—	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	—	—	—	—	—	—	—	—	—	—	—	—
Nonspecified injuries and disorders	3,510	690	620	150	720	580	—	3,890	1,770	2,010	100	600
Crushing injuries	—	—	—	—	—	—	—	—	—	—	—	—
Soreness, pain, hurt—nonspecified injury	3,100	630	530	—	660	510	—	3,340	1,490	1,850	—	540
Swelling, inflammation, irritation—nonspecified injury	150	20	20	120	20	20	—	350	160	90	90	—
Numbness—nonspecified injury	40	—	30	—	—	—	—	—	—	—	—	—
Multiple nonspecified injuries and disorders	60	—	40	—	30	30	—	80	60	20	—	—
Nonspecified injuries and disorders, n.e.c.	150	30	—	20	—	—	—	110	50	50	—	—
Other traumatic injuries and disorders, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Traumatic injuries and disorders, n.e.c.	—	—	—	—	—	—	—	—	—	—	—	—
Diseases and disorders of body systems	860	60	570	220	—	—	—	40	20	—	—	—
Nervous system and sense organs diseases	410	—	410	50	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system	400	—	400	—	—	—	—	—	—	—	—	—
Carpal tunnel syndrome	340	—	340	—	—	—	—	—	—	—	—	—
Disorders of the peripheral nervous system, n.e.c.	50	—	50	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	—	—	—	20	—	—	—	—	—	—	—	—
Conjunctivitis—non-viral	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	—	—	—	20	—	—	—	—	—	—	—	—
Circulatory system diseases	120	—	—	—	—	—	—	—	—	—	—	—
Hypertensive disease	30	—	—	—	—	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	70	—	—	—	—	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	70	—	—	—	—	—	—	—	—	—	—	—
Respiratory system diseases	—	—	—	100	—	—	—	—	—	—	—	—
Pneumonia, influenza	—	—	—	20	—	—	—	—	—	—	—	—
Pneumonia, influenza, unspecified	—	—	—	20	—	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	—	—	—	20	—	—	—	—	—	—	—	—
Digestive system diseases and disorders	60	20	—	40	—	—	—	—	—	—	—	—
Hernia—nontraumatic	60	20	—	—	—	—	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	260	40	150	—	—	—	—	20	20	—	—	—
Soft tissue disorders, except the back	250	40	150	—	—	—	—	20	20	—	—	—

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Soft tissue disorder, except the back, unspecified	2730	20	—	—	—	—	—	—	—	—
Bursitis	2731	30	—	—	—	—	—	—	—	—
Epicondylitis	2734	120	—	—	—	—	—	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	90	—	—	—	—	20	—	20	—
Soft tissue disorder, except the back, n.e.c.	2739	50	—	—	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	60	—	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	30	—	—	—	—	—	—	—	—
Cellulitis and abscess	2811	20	—	—	—	—	—	—	—	—
Infectious and parasitic diseases	3	280	—	—	—	—	—	—	—	—
Bacterial diseases	31	30	—	—	—	—	—	—	—	—
Other bacterial diseases	319	30	—	—	—	—	—	—	—	—
Diphtheria, whooping cough	3192	30	—	—	—	—	—	—	—	—
Mycoses (fungal infections)	34	50	—	—	—	—	—	—	—	—
Coccidioidomycosis	342	50	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	36	60	—	—	—	—	—	—	—	—
Other salmonella infections	363	40	—	—	—	—	—	—	—	—
Other infectious and parasitic diseases	39	140	—	—	—	—	—	—	—	—
Scabies and other acariases	392	120	—	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	540	20	20	—	—	60	—	50	—
Symptoms	51	500	20	20	—	—	60	—	50	—
General symptoms	511	240	—	—	—	—	20	—	—	—
Loss of consciousness—not heat related	5111	100	—	—	—	—	20	—	—	—
Dizziness—general	5114	70	—	—	—	—	—	—	—	—
Inflammation, swelling—general	5115	20	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	513	30	—	—	—	—	—	—	—	—
Symptoms involving skin and other integumentary tissue, unspecified	5130	30	—	—	—	—	—	—	—	—
Symptoms involving head and neck	514	20	—	—	—	—	—	—	—	—
Symptoms involving cardiovascular system	515	20	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	180	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, unspecified	5160	40	—	—	—	—	—	—	—	—
Chest pain	5164	50	—	—	—	—	—	—	—	—
Multiple symptoms involving respiratory system and chest	5168	40	—	—	—	—	—	—	—	—
Abnormal findings	52	20	—	—	—	—	—	—	—	—
Other abnormal findings	529	20	—	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	860	—	—	—	—	—	—	—	—
Mental disorders and syndromes	62	850	—	—	—	—	—	—	—	—
Mental disorders and syndromes, unspecified	620	30	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, state government, 2012² — Continued

Nature	Event or exposure leading to injury or illness ⁵											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁶
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Soft tissue disorder, except the back, unspecified	-	-	-	-	-	-	-	-	-	-	-	-
Bursitis	-	-	-	-	-	-	-	-	-	-	-	-
Epicondylitis	110	-	90	-	-	-	-	-	-	-	-	-
Other or unspecified tendonitis (tendinitis)	50	-	20	-	-	-	-	-	-	-	-	-
Soft tissue disorder, except the back, n.e.c.	40	-	-	-	-	-	-	-	-	-	-	-
Disorders of the skin and subcutaneous tissue	-	-	-	30	-	-	-	-	-	-	-	-
Infections of the skin and subcutaneous tissue	-	-	-	-	-	-	-	-	-	-	-	-
Cellulitis and abscess	-	-	-	-	-	-	-	-	-	-	-	-
Infectious and parasitic diseases	-	-	-	150	-	-	-	140	-	-	140	-
Bacterial diseases	-	-	-	30	-	-	-	-	-	-	-	-
Other bacterial diseases	-	-	-	30	-	-	-	-	-	-	-	-
Diphtheria, whooping cough	-	-	-	30	-	-	-	-	-	-	-	-
Mycoses (fungal infections)	-	-	-	50	-	-	-	-	-	-	-	-
Coccidioidomycosis	-	-	-	50	-	-	-	-	-	-	-	-
Infectious diseases peculiar to the intestines	-	-	-	60	-	-	-	-	-	-	-	-
Other salmonella infections	-	-	-	40	-	-	-	-	-	-	-	-
Other infectious and parasitic diseases	-	-	-	-	-	-	-	130	-	-	130	-
Scabies and other acariases	-	-	-	-	-	-	-	120	-	-	120	-
Symptoms, signs, and ill-defined conditions	200	-	-	200	-	-	-	40	30	-	-	-
Symptoms	190	-	-	190	-	-	-	30	30	-	-	-
General symptoms	100	-	-	70	-	-	-	20	-	-	-	-
Loss of consciousness—not heat related	60	-	-	-	-	-	-	-	-	-	-	-
Dizziness—general	20	-	-	60	-	-	-	-	-	-	-	-
Inflammation, swelling—general	-	-	-	-	-	-	-	20	-	-	-	-
Symptoms involving skin and other integumentary tissue	-	-	-	30	-	-	-	-	-	-	-	-
Symptoms involving skin and other integumentary tissue, unspecified	-	-	-	30	-	-	-	-	-	-	-	-
Symptoms involving head and neck	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms involving cardiovascular system	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms involving respiratory system and chest	70	-	-	70	-	-	-	-	-	-	-	-
Symptoms involving respiratory system and chest, unspecified	-	-	-	30	-	-	-	-	-	-	-	-
Chest pain	50	-	-	-	-	-	-	-	-	-	-	-
Multiple symptoms involving respiratory system and chest	-	-	-	-	-	-	-	-	-	-	-	-
Abnormal findings	-	-	-	-	-	-	-	-	-	-	-	-
Other abnormal findings	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases, conditions, and disorders	210	-	-	480	-	-	-	150	140	-	-	-
Mental disorders and syndromes	210	-	-	470	-	-	-	150	140	-	-	-
Mental disorders and syndromes, unspecified	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Event or exposure leading to injury or illness ⁵							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Anxiety, stress	621	820	—	—	—	—	—	—	—	—
Anxiety, stress, unspecified	6210	350	—	—	—	—	—	—	—	—
Post-traumatic stress disorder	6211	140	—	—	—	—	—	—	—	—
Anxiety or panic disorder	6213	70	—	—	—	—	—	—	—	—
Anxiety, stress, n.e.c.	6219	260	—	—	—	—	—	—	—	—
Exposures to disease—no illness incurred	7	220	—	—	—	—	—	—	—	—
Nonclassifiable	9999	1,230	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S15. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and selected events or exposures leading to injury or illness, state government, 2012² — Continued

Nature	Event or exposure leading to injury or illness ⁵											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events ⁶
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Anxiety, stress	200	—	—	470	—	—	—	140	140	—	—	—
Anxiety, stress, unspecified	70	—	—	240	—	—	—	30	30	—	—	—
Post-traumatic stress disorder	—	—	—	60	—	—	—	80	80	—	—	—
Anxiety or panic disorder	—	—	—	30	—	—	—	20	20	—	—	—
Anxiety, stress, n.e.c.	120	—	—	130	—	—	—	—	—	—	—	—
Exposures to disease—no illness incurred	—	—	—	170	—	—	—	50	50	—	—	—
Nonclassifiable	20	—	—	—	—	—	—	—	—	—	—	1,190

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 6; Struck by object = 62; Struck against object = 63; Caught in or compressed or crushed = 64; Falls, slips, trips, Total = 4; Fall to lower level = 43; Fall on same level = 42; Slips or trips without fall = 41; Overexertion and bodily reaction, Total = 7; In lifting = 711; Repetitive motion = 72; Exposure to harmful substance or environment = 5; Transportation accidents, Total = 2; Roadway accident = 26; Fires and explosions = 3; Violence and other injuries by persons or animals, Total = 1; Intentional injury by other person = 111; Injury by person-unintentional or intent unknown = 12; Animal and other insect related = 13; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.