

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2012<sup>2</sup>

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
<b>Total</b> .....		66,930	8,290	4,570	2,400	800	16,220	2,410	9,990	3,540
<b>Head</b> .....	1	4,270	1,150	620	330	—	580	80	500	—
Head, unspecified .....	10	760	240	110	130	—	180	40	140	—
Cranial region, including skull .....	11	790	250	150	100	—	220	20	200	—
Cranial region, unspecified .....	110	70	—	—	—	—	30	—	30	—
Brain .....	111	560	110	60	50	—	170	20	150	—
Scalp .....	112	120	100	60	40	—	—	—	—	—
Skull .....	113	20	—	—	—	—	—	—	—	—
Cranial region, n.e.c. ....	119	20	20	20	—	—	—	—	—	—
Ear(s) .....	12	50	20	20	—	—	—	—	—	—
Face .....	13	2,400	600	310	100	—	170	20	160	—
Face, unspecified .....	130	440	50	40	—	—	—	—	—	—
Forehead .....	131	200	80	70	—	—	40	—	40	—
Eye(s) .....	132	880	320	120	—	—	20	—	20	—
Nose, nasal cavity .....	133	280	70	60	—	—	50	—	50	—
Nose, except internal location of diseases or disorders .....	1330	280	70	60	—	—	50	—	50	—
Cheek(s) .....	134	20	—	—	—	—	—	—	—	—
Jaw, chin .....	135	50	—	—	—	—	—	—	—	—
Mouth .....	136	270	80	20	60	—	20	—	—	—
Mouth, unspecified .....	1360	80	—	—	—	—	—	—	—	—
Lip(s) .....	1361	30	—	—	—	—	—	—	—	—
Tooth (teeth) .....	1363	130	60	—	60	—	—	—	—	—
Mouth, n.e.c. ....	1369	20	—	—	—	—	—	—	—	—
Multiple face locations .....	138	260	—	—	—	—	30	—	30	—
Face, n.e.c. ....	139	20	—	—	—	—	—	—	—	—
Multiple head locations .....	18	240	40	20	—	—	—	—	—	—
Head, n.e.c. ....	19	30	—	—	—	—	—	—	—	—
<b>Neck, including throat</b> .....	2	1,260	60	40	—	—	80	30	50	—
Neck, except internal location of diseases or disorders ...	20	1,260	60	40	—	—	80	30	50	—
<b>Trunk</b> .....	3	13,510	340	160	130	—	2,260	260	1,410	590
Trunk, unspecified .....	30	80	—	—	—	—	—	—	—	—
Chest, including ribs, internal organs .....	31	1,160	140	50	80	—	110	20	90	—
Chest, except internal location of diseases or disorders .....	310	840	140	50	80	—	110	20	90	—
Internal chest location, unspecified .....	311	140	—	—	—	—	—	—	—	—
Heart .....	313	110	—	—	—	—	—	—	—	—
Lung(s), pleura .....	315	60	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	32	10,180	110	50	20	—	1,560	180	900	480
Back, including spine, spinal cord, unspecified .....	320	3,710	70	40	20	—	650	60	420	170
Thoracic region .....	321	500	—	—	—	—	30	—	20	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											All other events <sup>6</sup>
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
<b>Total</b> .....	19,700	4,890	1,690	2,390	3,660	3,110	70	14,280	7,340	6,070	810	2,320
<b>Head</b> .....	—	—	—	270	180	140	—	2,020	1,700	310	—	60
Head, unspecified .....	—	—	—	—	80	60	—	230	210	—	—	30
Cranial region, including skull .....	—	—	—	—	90	90	—	210	190	20	—	—
Cranial region, unspecified .....	—	—	—	—	—	—	—	20	—	—	—	—
Brain .....	—	—	—	—	90	90	—	170	160	—	—	—
Scalp .....	—	—	—	—	—	—	—	—	—	—	—	—
Skull .....	—	—	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Ear(s) .....	—	—	—	30	—	—	—	—	—	—	—	—
Face .....	—	—	—	230	—	—	—	1,360	1,090	260	—	30
Face, unspecified .....	—	—	—	20	—	—	—	360	310	50	—	—
Forehead .....	—	—	—	—	—	—	—	70	50	30	—	—
Eye(s) .....	—	—	—	170	—	—	—	340	320	20	—	30
Nose, nasal cavity .....	—	—	—	—	—	—	—	150	50	100	—	—
Nose, except internal location of diseases or disorders .....	—	—	—	—	—	—	—	150	50	100	—	—
Cheek(s) .....	—	—	—	—	—	—	—	20	—	—	—	—
Jaw, chin .....	—	—	—	—	—	—	—	50	50	—	—	—
Mouth .....	—	—	—	—	—	—	—	140	80	60	—	—
Mouth, unspecified .....	—	—	—	—	—	—	—	50	—	40	—	—
Lip(s) .....	—	—	—	—	—	—	—	20	20	—	—	—
Tooth (teeth) .....	—	—	—	—	—	—	—	60	40	—	—	—
Mouth, n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations .....	—	—	—	—	—	—	—	220	210	—	—	—
Face, n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Multiple head locations .....	—	—	—	—	—	—	—	200	190	—	—	—
Head, n.e.c. ....	—	—	—	—	—	—	—	30	30	—	—	—
<b>Neck, including throat</b> .....	400	70	20	—	320	310	—	330	220	100	—	60
Neck, except internal location of diseases or disorders ...	400	70	20	—	320	310	—	330	220	100	—	60
<b>Trunk</b> .....	8,120	2,730	300	220	650	560	—	1,590	650	900	40	320
Trunk, unspecified .....	30	—	—	—	20	20	—	—	—	—	—	—
Chest, including ribs, internal organs .....	420	20	—	170	40	20	—	230	150	80	—	—
Chest, except internal location of diseases or disorders .....	270	20	—	—	40	20	—	220	140	80	—	—
Internal chest location, unspecified .....	50	—	—	80	—	—	—	—	—	—	—	—
Heart .....	100	—	—	—	—	—	—	—	—	—	—	—
Lung(s), pleura .....	—	—	—	60	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	6,730	2,350	220	—	530	480	—	1,030	330	680	20	220
Back, including spine, spinal cord, unspecified .....	2,400	870	130	—	150	130	—	360	110	230	20	90
Thoracic region .....	300	100	20	—	—	—	—	170	70	100	—	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Lumbar region .....	322	5,540	20	-	-	-	760	70	400	280
Coccygeal region .....	324	110	-	-	-	-	80	50	30	-
Multiple back regions .....	328	290	20	-	-	-	40	-	20	20
Back, including spine, spinal cord, n.e.c. ....	329	20	-	-	-	-	-	-	-	-
Abdomen .....	33	690	20	-	-	-	-	-	-	-
Abdomen, except internal location of diseases or disorders .....	330	580	20	-	-	-	-	-	-	-
Internal abdominal location, unspecified .....	331	80	-	-	-	-	-	-	-	-
Pelvic region .....	34	1,060	70	40	30	-	380	40	290	50
Hip(s) .....	341	510	20	-	20	-	240	30	190	20
Pelvis .....	342	20	-	-	-	-	-	-	-	-
Buttock(s) .....	343	120	-	-	-	-	60	-	50	-
Groin .....	344	350	-	-	-	-	50	-	20	30
Multiple pelvic region locations .....	348	20	-	-	-	-	-	-	-	-
Pelvic region, n.e.c. ....	349	20	-	-	-	-	-	-	-	-
Multiple trunk locations .....	38	340	-	-	-	-	190	20	120	50
<b>Upper extremities</b> .....	<b>4</b>	<b>16,640</b>	<b>4,260</b>	<b>2,490</b>	<b>880</b>	<b>690</b>	<b>2,300</b>	<b>560</b>	<b>1,550</b>	<b>170</b>
Upper extremities, unspecified .....	40	100	-	-	-	-	30	-	30	-
Shoulder(s), including clavicle(s), scapula(e) .....	41	4,530	260	130	70	30	820	270	450	90
Arm(s) .....	42	2,930	660	330	260	50	620	120	480	-
Arm(s), unspecified .....	420	780	250	180	20	40	100	20	80	-
Upper arm(s) .....	421	230	-	-	-	-	50	-	50	-
Elbow(s) .....	422	1,210	190	70	90	-	390	90	290	-
Forearm(s) .....	423	460	210	60	140	-	40	-	30	-
Multiple arm locations .....	428	210	-	-	-	-	30	-	30	-
Elbow(s) and arm(s) .....	4281	130	-	-	-	-	-	-	-	-
Multiple arm locations, n.e.c. ....	4289	70	-	-	-	-	20	-	20	-
Arm(s), n.e.c. ....	429	50	-	-	-	-	-	-	-	-
Wrist(s) .....	43	2,010	280	190	60	30	340	60	240	50
Hand(s) .....	44	5,480	2,910	1,740	470	550	300	90	200	-
Hand(s), unspecified .....	440	1,530	580	330	150	80	90	-	80	-
Hand(s), except finger(s) .....	441	310	120	90	-	-	70	50	-	-
Finger(s), fingernail(s) .....	442	3,310	2,030	1,200	290	450	110	20	80	-
Finger(s), fingernail(s), unspecified .....	4420	2,340	1,430	840	230	310	100	20	70	-
Fingernail(s), nailbed(s) .....	4421	20	-	-	-	-	-	-	-	-
Fingertip(s) .....	4422	300	170	110	-	60	-	-	-	-
Finger(s), fingernail(s), n.e.c. ....	4429	650	410	250	60	60	-	-	-	-
Hand(s) and finger(s) .....	448	180	110	70	-	-	-	-	-	-
Hand(s), n.e.c. ....	449	150	70	50	20	-	20	-	20	-
Multiple upper extremities locations .....	48	1,590	150	100	20	30	200	20	160	20
Multiple upper extremities locations, unspecified .....	480	30	-	-	-	-	-	-	-	-
Hand(s) and arms(s) .....	481	120	20	-	-	-	-	-	-	-
Hand(s) and arm(s), unspecified .....	4810	40	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Lumbar region .....	3,930	1,320	70	—	330	310	—	420	110	300	—	80
Coccygeal region .....	—	—	—	—	—	—	—	30	30	—	—	—
Multiple back regions .....	100	40	—	—	30	30	—	60	20	30	—	50
Back, including spine, spinal cord, n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Abdomen .....	470	250	—	40	—	—	—	110	60	50	—	20
Abdomen, except internal location of diseases or disorders .....	410	230	—	—	—	—	—	110	60	50	—	—
Internal abdominal location, unspecified .....	60	—	—	—	—	—	—	—	—	—	—	—
Pelvic region .....	410	60	—	—	30	20	—	170	100	60	—	—
Hip(s) .....	160	—	—	—	20	—	—	70	30	40	—	—
Pelvis .....	—	—	—	—	—	—	—	—	—	—	—	—
Buttock(s) .....	20	—	—	—	—	—	—	20	20	—	—	—
Groin .....	210	50	—	—	—	—	—	70	50	20	—	—
Multiple pelvic region locations .....	—	—	—	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c. ....	—	—	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	70	40	—	—	20	—	—	40	—	20	—	30
<b>Upper extremities</b> .....	<b>5,420</b>	<b>1,280</b>	<b>1,200</b>	<b>310</b>	<b>280</b>	<b>230</b>	<b>—</b>	<b>3,740</b>	<b>1,720</b>	<b>1,740</b>	<b>250</b>	<b>340</b>
Upper extremities, unspecified .....	60	—	20	—	—	—	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e) .....	2,530	740	100	—	110	110	—	720	290	430	—	80
Arm(s) .....	750	260	150	90	40	30	—	750	270	370	100	20
Arm(s), unspecified .....	200	40	40	40	—	—	—	170	80	70	20	20
Upper arm(s) .....	110	70	—	—	—	—	—	60	—	20	30	—
Elbow(s) .....	300	80	90	—	20	—	—	290	60	210	20	—
Forearm(s) .....	50	20	—	30	—	—	—	120	40	60	30	—
Multiple arm locations .....	80	50	20	—	—	—	—	100	90	—	—	—
Elbow(s) and arm(s) .....	60	50	—	—	—	—	—	60	50	—	—	—
Multiple arm locations, n.e.c. ....	20	—	—	—	—	—	—	40	40	—	—	—
Arm(s), n.e.c. ....	—	—	—	20	—	—	—	—	—	—	—	—
Wrist(s) .....	850	80	470	—	—	—	—	490	240	240	—	50
Hand(s) .....	630	90	250	180	70	50	—	1,200	590	480	120	180
Hand(s), unspecified .....	300	50	180	140	60	40	—	280	110	150	—	80
Hand(s), except finger(s) .....	20	—	—	20	—	—	—	70	40	30	—	—
Finger(s), fingernail(s) .....	250	20	40	—	—	—	—	800	430	270	100	100
Finger(s), fingernail(s), unspecified .....	160	—	20	—	—	—	—	590	330	180	80	40
Fingernail(s), nailbed(s) .....	—	—	—	—	—	—	—	—	—	—	—	—
Fingertip(s) .....	50	—	—	—	—	—	—	40	—	—	20	—
Finger(s), fingernail(s), n.e.c. ....	30	—	20	—	—	—	—	160	70	80	—	30
Hand(s) and finger(s) .....	20	—	—	—	—	—	—	40	—	20	—	—
Hand(s), n.e.c. ....	40	—	20	—	—	—	—	—	—	—	—	—
Multiple upper extremities locations .....	600	100	200	30	30	30	—	580	340	230	—	—
Multiple upper extremities locations, unspecified .....	—	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and arms(s) .....	30	—	20	20	—	—	—	30	—	20	—	—
Hand(s) and arm(s), unspecified .....	20	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Hand(s) and elbow(s) .....	4811	30	-	-	-	-	-	-	-	-
Hand(s) and arm(s), n.e.c. ....	4819	50	20	-	-	-	-	-	-	-
Hand(s) and wrist(s) .....	482	280	40	30	-	-	40	-	40	-
Wrist(s) and arm(s) .....	483	150	-	-	-	-	40	-	30	-
Wrist(s) and arm(s), unspecified .....	4830	50	-	-	-	-	20	-	-	-
Wrist(s) and elbow(s) .....	4831	40	-	-	-	-	20	-	20	-
Wrist(s) and arm(s), n.e.c. ....	4839	60	-	-	-	-	-	-	-	-
Shoulder(s) and arm(s) .....	484	420	-	-	-	-	40	-	20	-
Multiple upper extremities locations, n.e.c. ....	489	600	50	30	-	20	60	-	50	-
<b>Lower extremities</b> .....	<b>5</b>	<b>15,600</b>	<b>2,170</b>	<b>1,040</b>	<b>990</b>	<b>90</b>	<b>6,780</b>	<b>670</b>	<b>3,550</b>	<b>2,360</b>
Leg(s) .....	51	9,990	930	390	490	40	4,140	290	2,530	1,250
Leg(s), unspecified .....	510	700	90	50	40	-	250	30	170	60
Thigh(s) .....	511	290	20	-	-	-	90	-	40	40
Knee(s) .....	512	8,140	740	290	400	40	3,420	210	2,160	990
Lower leg(s) .....	513	530	70	30	40	-	140	40	90	20
Multiple leg locations .....	518	280	-	-	-	-	230	-	80	150
Knee(s) and leg(s) .....	5181	120	-	-	-	-	80	-	70	-
Multiple leg locations, n.e.c. ....	5189	160	-	-	-	-	140	-	-	-
Leg(s), n.e.c. ....	519	40	-	-	-	-	-	-	-	-
Ankle(s) .....	52	2,950	310	90	210	-	1,690	260	560	770
Foot (feet) .....	53	1,860	840	490	280	30	510	60	230	190
Foot (feet), unspecified .....	530	1,270	550	300	200	20	400	40	210	120
Sole(s) .....	531	120	20	-	-	-	40	-	-	20
Arch(es), instep(s) .....	5312	20	-	-	-	-	-	-	-	-
Heel(s) .....	5313	90	20	-	-	-	40	-	-	20
Toes(s), toenail(s) .....	532	290	200	150	40	-	20	-	-	-
Multiple foot (feet) locations .....	538	30	-	-	-	-	30	-	-	20
Foot (feet), n.e.c. ....	539	150	60	30	20	-	30	-	-	-
Multiple lower extremities locations .....	58	800	100	70	-	20	440	60	230	150
Multiple lower extremities locations, unspecified .....	580	30	-	-	-	-	-	-	-	-
Foot (feet) and leg(s) .....	581	90	20	20	-	-	50	20	-	20
Foot(feet) and knee(s) .....	5811	60	-	-	-	-	40	20	-	20
Foot(feet) and leg(s), n.e.c. ....	5819	30	-	-	-	-	-	-	-	-
Foot (feet) and ankle(s) .....	582	220	20	-	-	-	140	-	20	110
Ankle(s) and leg(s) .....	583	220	30	20	-	-	130	20	100	-
Ankle(s) and leg(s), unspecified .....	5830	20	20	-	-	-	-	-	-	-
Ankle(s) and knee(s) .....	5831	140	-	-	-	-	110	-	90	-
Ankle(s) and leg(s), n.e.c. ....	5839	60	-	-	-	-	-	-	-	-
Multiple lower extremities locations, n.e.c. ....	589	240	30	20	-	-	120	-	100	20
<b>Body systems</b> .....	<b>6</b>	<b>2,080</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>40</b>	<b>-</b>	<b>40</b>	<b>-</b>
<b>Multiple body parts</b> .....	<b>8</b>	<b>11,790</b>	<b>270</b>	<b>190</b>	<b>50</b>	<b>-</b>	<b>3,950</b>	<b>790</b>	<b>2,710</b>	<b>400</b>

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Hand(s) and elbow(s) .....	-	-	-	-	-	-	-	-	-	-	-	-
Hand(s) and arm(s), n.e.c. ....	-	-	-	-	-	-	-	-	-	-	-	-
Hand(s) and wrist(s) .....	90	-	50	-	-	-	-	90	40	60	-	-
Wrist(s) and arm(s) .....	40	-	30	-	-	-	-	60	-	40	-	-
Wrist(s) and arm(s), unspecified .....	-	-	-	-	-	-	-	-	-	-	-	-
Wrist(s) and elbow(s) .....	-	-	-	-	-	-	-	-	-	-	-	-
Wrist(s) and arm(s), n.e.c. ....	20	-	-	-	-	-	-	30	-	30	-	-
Shoulder(s) and arm(s) .....	210	60	-	-	-	-	-	150	90	60	-	-
Multiple upper extremities locations, n.e.c. ....	220	20	90	-	-	-	-	250	190	50	-	-
<b>Lower extremities</b> .....	<b>3,720</b>	<b>160</b>	<b>30</b>	<b>50</b>	<b>220</b>	<b>70</b>	<b>-</b>	<b>2,500</b>	<b>590</b>	<b>1,740</b>	<b>150</b>	<b>150</b>
Leg(s) .....	2,590	150	20	-	160	40	-	2,060	530	1,370	140	100
Leg(s), unspecified .....	110	-	-	-	30	-	-	210	50	60	110	-
Thigh(s) .....	90	-	-	-	-	-	-	70	30	20	-	-
Knee(s) .....	2,210	130	20	-	90	20	-	1,590	370	1,200	-	80
Lower leg(s) .....	160	-	-	-	20	-	-	140	60	80	-	-
Multiple leg locations .....	-	-	-	-	-	-	-	30	-	20	-	-
Knee(s) and leg(s) .....	-	-	-	-	-	-	-	30	-	20	-	-
Multiple leg locations, n.e.c. ....	-	-	-	-	-	-	-	-	-	-	-	-
Leg(s), n.e.c. ....	-	-	-	-	20	-	-	-	-	-	-	-
Ankle(s) .....	740	-	-	-	40	20	-	170	20	150	-	-
Foot (feet) .....	280	-	-	40	20	-	-	120	-	100	-	50
Foot (feet), unspecified .....	190	-	-	20	-	-	-	50	-	40	-	50
Sole(s) .....	50	-	-	-	-	-	-	-	-	-	-	-
Arch(es), instep(s) .....	20	-	-	-	-	-	-	-	-	-	-	-
Heel(s) .....	30	-	-	-	-	-	-	-	-	-	-	-
Toes(s), toenail(s) .....	-	-	-	-	-	-	-	60	-	60	-	-
Multiple foot (feet) locations .....	-	-	-	-	-	-	-	-	-	-	-	-
Foot (feet), n.e.c. ....	30	-	-	20	-	-	-	-	-	-	-	-
Multiple lower extremities locations .....	110	-	-	-	-	-	-	140	20	120	-	-
Multiple lower extremities locations, unspecified .....	-	-	-	-	-	-	-	20	20	-	-	-
Foot (feet) and leg(s) .....	20	-	-	-	-	-	-	-	-	-	-	-
Foot(feet) and knee(s) .....	-	-	-	-	-	-	-	-	-	-	-	-
Foot(feet) and leg(s), n.e.c. ....	-	-	-	-	-	-	-	-	-	-	-	-
Foot (feet) and ankle(s) .....	40	-	-	-	-	-	-	-	-	-	-	-
Ankle(s) and leg(s) .....	20	-	-	-	-	-	-	40	-	40	-	-
Ankle(s) and leg(s), unspecified .....	-	-	-	-	-	-	-	-	-	-	-	-
Ankle(s) and knee(s) .....	-	-	-	-	-	-	-	20	-	20	-	-
Ankle(s) and leg(s), n.e.c. ....	20	-	-	-	-	-	-	20	-	20	-	-
Multiple lower extremities locations, n.e.c. ....	20	-	-	-	-	-	-	70	-	70	-	-
<b>Body systems</b> .....	<b>340</b>	<b>-</b>	<b>-</b>	<b>1,380</b>	<b>-</b>	<b>-</b>	<b>40</b>	<b>240</b>	<b>150</b>	<b>20</b>	<b>70</b>	<b>30</b>
<b>Multiple body parts</b> .....	<b>1,620</b>	<b>650</b>	<b>120</b>	<b>110</b>	<b>1,960</b>	<b>1,750</b>	<b>-</b>	<b>3,720</b>	<b>2,240</b>	<b>1,230</b>	<b>230</b>	<b>150</b>

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
Multiple body parts, unspecified .....	80	740	-	-	-	-	270	-	180	80
Head and neck .....	81	310	30	20	-	-	-	-	-	-
Head, neck, and trunk .....	82	150	-	-	-	-	-	-	-	-
Head and trunk .....	83	230	-	-	-	-	130	-	120	-
Neck and back .....	84	1,070	-	-	-	-	220	-	180	40
Shoulder(s) and back .....	85	590	-	-	-	-	140	70	40	30
Hip(s) and leg(s) .....	86	110	-	-	-	-	50	-	50	-
Upper and lower limb(s) .....	87	970	20	-	-	-	660	140	510	-
Other multiple body parts .....	89	7,610	170	120	30	-	2,460	550	1,630	240
Whole body .....	891	80	-	-	-	-	-	-	-	-
Multiple body parts, n.e.c. ....	899	7,530	170	110	30	-	2,450	550	1,620	240

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				All other events <sup>6</sup>
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
Multiple body parts, unspecified .....	120	70	—	—	80	70	—	130	60	60	—	120
Head and neck .....	—	—	—	—	60	60	—	210	200	—	—	—
Head, neck, and trunk .....	—	—	—	—	—	—	—	140	140	—	—	—
Head and trunk .....	—	—	—	—	—	—	—	80	80	—	—	—
Neck and back .....	160	20	—	—	500	420	—	170	40	130	—	—
Shoulder(s) and back .....	160	60	—	—	70	50	—	210	60	150	—	—
Hip(s) and leg(s) .....	30	—	—	—	—	—	—	20	—	—	—	—
Upper and lower limb(s) .....	—	—	—	—	30	30	—	230	50	100	80	—
Other multiple body parts .....	1,130	480	70	90	1,200	1,110	—	2,530	1,610	770	140	30
Whole body .....	—	—	—	—	30	30	—	40	—	—	30	—
Multiple body parts, n.e.c. ....	1,130	480	70	90	1,170	1,080	—	2,500	1,600	770	110	30

See footnotes at end of table.



TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Part of body code <sup>3</sup>	State government <sup>4</sup>	Event or exposure leading to injury or illness <sup>5</sup>							
			Contact with objects				Falls, slips, trips			
			Total	Struck by object	Struck against object	Caught in or compressed or crushed	Total	Fall to lower level	Fall on same level	Slips or trips without fall
<b>Nonclassifiable</b> .....	9999	1,790	50	30	—	—	220	—	170	20

See footnotes at end of table.

TABLE S21. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body and selected events or exposures leading to injury or illness, state government, 2012<sup>2</sup> — Continued

Part of body	Event or exposure leading to injury or illness <sup>5</sup>											All other events <sup>6</sup>
	Overexertion and bodily reaction			Exposure to harmful substance or environment	Transportation incidents		Fires and explosions	Violence and other injuries by persons or animals				
	Total	In lifting	Repetitive motion		Total	Roadway incidents		Total	Intentional injury by other person	Injury by person--unintentional or intent unknown	Animal and insect related	
<b>Nonclassifiable .....</b>	70	–	–	50	50	50	–	130	50	–	60	1,210

<sup>1</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

<sup>2</sup> Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: [https://www.bls.gov/bls/errata/iif\\_errata\\_1014.htm](https://www.bls.gov/bls/errata/iif_errata_1014.htm).

<sup>3</sup> Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>4</sup> Excludes farms with fewer than 11 employees.

<sup>5</sup> Data shown in columns correspond to the following Event codes: Contact with objects, Total = 6; Struck by object = 62; Struck against object = 63; Caught in or compressed or crushed = 64; Falls, slips, trips, Total = 4; Fall to lower level = 43; Fall on same level = 42; Slips or trips without fall = 41; Overexertion and bodily reaction, Total = 7; In lifting = 711; Repetitive motion = 72; Exposure to harmful substance or environment = 5; Transportation accidents, Total = 2; Roadway accident = 26; Fires and explosions = 3; Violence and other injuries by persons or animals, Total = 1; Intentional injury by other person = 111; Injury by person-unintentional or intent unknown = 12; Animal and other insect related = 13; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

<sup>6</sup> Includes nonclassifiable responses.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.