

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, state government, 2012²

Nature	Nature code ³	State government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Total		66,930	36,120	29,510	1,310	1,570	4,200	16,070	41,890	3,200
Traumatic injuries and disorders	1	62,570	34,390	28,020	160	1,510	3,980	15,250	39,910	1,920
Traumatic injuries and disorders, unspecified	10	1,150	610	530	-	20	130	240	660	100
Traumatic injuries to bones, nerves, spinal cord	11	3,260	1,890	1,370	-	170	280	600	2,120	80
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	70	40	20	-	-	-	20	50	-
Fractures	111	3,090	1,810	1,280	-	170	260	580	2,010	80
Traumatic injuries to nerves, except the spinal cord ..	113	80	20	60	-	-	-	-	50	-
Traumatic injuries to nerves, except the spinal cord, unspecified	1130	30	-	-	-	-	-	-	-	-
Pinched nerve	1131	30	-	20	-	-	-	-	30	-
Traumatic injuries to nerves, except the spinal cord, n.e.c.	1139	20	-	-	-	-	-	-	20	-
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	27,880	15,620	12,200	70	670	1,600	6,620	18,290	700
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	110	70	40	-	-	20	-	90	-
Dislocations	121	410	280	130	-	-	30	130	250	-
Dislocations, unspecified	1210	70	50	20	-	-	-	-	70	-
Herniated discs	1211	120	70	40	-	-	-	30	80	-
Dislocation of joints	1212	190	120	60	-	-	30	70	90	-
Dislocations, n.e.c.	1219	40	40	-	-	-	-	30	-	-
Cartilage fractures and tears	122	140	70	70	-	-	20	30	80	-
Meniscus tears	1221	110	50	60	-	-	-	30	70	-
Cartilage fractures and tears, n.e.c.	1229	30	20	-	-	-	-	-	-	-
Sprains, strains, tears	123	26,770	14,870	11,840	60	650	1,520	6,340	17,600	670
Sprains, strains, tears, unspecified	1230	3,370	1,750	1,570	50	20	180	640	2,200	330
Major tears to muscles, tendons, ligaments	1231	790	550	240	-	30	20	160	570	-
Sprains	1232	7,760	4,000	3,750	-	180	530	2,140	4,840	70
Strains	1233	14,300	8,280	6,020	-	390	740	3,230	9,720	220
Multiple sprains, strains, tears	1238	550	290	260	-	20	40	180	270	30
Hernias due to traumatic incidents	124	250	210	40	-	20	-	70	130	30
Whiplash	125	100	30	70	-	-	-	40	40	-
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	100	80	-	-	-	-	-	100	-
Open wounds	13	2,910	2,160	750	-	90	130	790	1,830	80
Open wounds, unspecified	130	20	-	-	-	-	-	-	-	-
Amputations, avulsions, enucleations	131	90	70	20	-	-	-	-	70	-
Amputations	1311	30	30	-	-	-	-	-	20	-
Avulsions, enucleations	1312	50	40	20	-	-	-	-	50	-
Cuts, lacerations	132	2,110	1,540	570	-	70	90	550	1,330	60
Puncture wounds, except gunshot wounds	133	680	540	140	-	20	30	220	400	20
Surface wounds and bruises	14	7,870	3,490	4,340	40	210	550	2,300	4,590	230
Surface wounds and bruises, unspecified	140	210	40	170	-	-	-	60	150	-
Abrasions, scratches	141	460	300	160	-	40	30	90	290	-
Bruises, contusions	143	6,910	3,010	3,860	40	160	510	2,030	3,990	220
Multiple surface wounds and bruises	148	260	120	140	-	-	-	110	150	-
Surface wounds and bruises, n.e.c.	149	30	20	-	-	-	-	-	20	-

See footnotes at end of table.

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Burns and corrosions	15	370	210	150	—	—	40	80	220	—
Chemical burns and corrosions	151	70	50	—	—	—	—	20	30	—
Chemical burns and corrosions, unspecified	1510	70	50	—	—	—	—	20	30	—
Heat (thermal) burns	152	280	140	130	—	—	30	60	170	—
Heat (thermal) burns, unspecified	1520	260	130	130	—	—	30	50	160	—
Second degree heat (thermal) burns	1522	20	—	—	—	—	—	—	—	—
Intracranial injuries	16	540	300	240	—	30	20	200	270	20
Intracranial injuries, unspecified	160	60	30	30	—	—	—	30	—	—
Concussions	162	470	270	200	—	20	—	170	250	20
Effects of environmental conditions	17	130	110	30	—	—	40	20	70	—
Effects of heat and light	172	130	110	30	—	—	30	20	70	—
Heat exhaustion, prostration	1725	90	70	20	—	—	30	—	40	—
Multiple traumatic injuries and disorders	18	3,250	1,730	1,520	—	60	280	800	2,080	30
Multiple traumatic injuries and disorders, unspecified	180	120	60	50	—	—	—	40	80	—
Cuts and abrasions or bruises	181	460	340	120	—	—	50	100	300	—
Sprains and other injuries	182	1,610	850	760	—	—	200	340	1,050	—
Sprains and other injuries, unspecified	1820	40	—	30	—	—	—	—	20	—
Sprains and bruises	1821	1,350	710	640	—	—	170	290	880	—
Sprains and cuts	1822	80	40	40	—	—	20	20	40	—
Sprains and other injuries, n.e.c.	1829	150	100	50	—	—	—	20	110	—
Fractures and other injuries	183	380	180	210	—	30	20	110	220	—
Fractures and other injuries, n.e.c.	1839	360	170	190	—	30	20	110	200	—
Multiple traumatic injuries and disorders, n.e.c.	189	690	300	390	—	20	—	210	440	—
Other traumatic injuries and disorders	19	15,210	8,270	6,900	40	250	900	3,600	9,790	670
Other traumatic injuries and disorders, unspecified ...	190	40	30	—	—	—	—	—	30	—
Asphyxiations, strangulations, suffocations	191	40	30	—	—	—	—	—	—	—
Electrocutions, electric shocks	193	60	40	20	—	—	—	30	40	—
Dermatitis and reactions affecting the skin—acute	195	220	70	150	—	—	—	60	120	—
Dermatitis and reactions affecting the skin—acute, unspecified	1950	50	30	20	—	—	—	40	20	—
Allergic dermatitis—acute	1951	40	30	—	—	—	—	—	20	—
Irritant dermatitis—acute	1952	60	—	60	—	—	—	—	20	—
Dermatitis and reactions affecting the skin—acute, n.e.c.	1959	60	—	60	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	730	330	390	—	20	130	230	340	—
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	320	130	190	—	—	80	110	130	—
Poisoning, including poisoning-related asphyxia ...	1961	40	—	20	—	—	—	30	—	—
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	170	60	110	—	—	—	80	80	—
Coughing and throat irritation— toxic, noxious, or allergenic effect	1964	20	—	20	—	—	—	—	20	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	20	—	20	—	—	—	—	20	—
Other or unspecified allergic reactions	1966	80	60	20	—	—	—	—	70	—
Nausea, vomiting— toxic, noxious, or allergenic effect	1967	60	50	—	—	—	—	—	—	—
Multiple poisoning, toxic, noxious, or allergenic effects	1968	20	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Nonspecified injuries and disorders	197	14,100	7,770	6,300	40	190	750	3,280	9,240	650
Crushing injuries	1971	370	250	120	-	-	-	110	220	-
Soreness, pain, hurt—nonspecified injury	1972	11,920	6,600	5,290	30	150	720	2,770	7,810	480
Swelling, inflammation, irritation—nonspecified injury	1973	1,030	550	490	-	-	20	300	680	20
Numbness—nonspecified injury	1974	60	50	-	-	-	-	-	50	-
Multiple nonspecified injuries and disorders	1978	290	80	210	-	20	-	30	120	110
Nonspecified injuries and disorders, n.e.c.	1979	430	240	190	-	-	-	60	360	-
Other traumatic injuries and disorders, n.e.c.	199	20	-	-	-	-	-	-	-	-
Traumatic injuries and disorders, n.e.c.	1999	20	-	-	-	-	-	-	-	-
Diseases and disorders of body systems	2	1,220	590	620	-	30	70	130	940	40
Nervous system and sense organs diseases	22	470	200	260	-	-	-	30	390	30
Disorders of the peripheral nervous system	224	410	160	240	-	-	-	30	350	20
Carpal tunnel syndrome	2241	340	140	190	-	-	-	30	290	20
Disorders of the peripheral nervous system, n.e.c.	2249	50	-	40	-	-	-	-	50	-
Disorders of the eye, adnexa, vision	225	20	-	-	-	-	-	-	-	-
Conjunctivitis—non-viral	2251	20	-	-	-	-	-	-	-	-
Disorders of the ear, mastoid process, hearing	226	20	20	-	-	-	-	-	20	-
Circulatory system diseases	23	120	90	30	-	-	-	-	110	-
Hypertensive disease	232	30	20	20	-	-	-	-	30	-
Ischemic heart disease, including heart attack	233	70	70	-	-	-	-	-	70	-
Myocardial infarction (heart attack)	2331	70	70	-	-	-	-	-	70	-
Respiratory system diseases	24	100	60	40	-	-	20	20	60	-
Pneumonia, influenza	243	30	30	-	-	-	-	20	-	-
Pneumonia, influenza, unspecified	2430	20	20	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease and allied conditions	244	20	-	-	-	-	-	-	-	-
Digestive system diseases and disorders	25	100	70	30	-	-	-	-	60	-
Hernia—nontraumatic	253	60	50	-	-	-	-	-	40	-
Musculoskeletal system and connective tissue diseases and disorders	27	360	120	240	-	-	-	50	300	-
Soft tissue disorders, except the back	273	330	110	210	-	-	-	50	270	-
Soft tissue disorder, except the back, unspecified	2730	20	-	-	-	-	-	-	20	-
Bursitis	2731	30	-	-	-	-	-	-	-	-
Epicondylitis	2734	120	40	80	-	-	-	-	110	-
Other or unspecified tendonitis (tendinitis)	2735	90	30	60	-	-	-	30	60	-
Soft tissue disorder, except the back, n.e.c.	2739	50	30	30	-	-	-	-	50	-
Disorders of the skin and subcutaneous tissue	28	60	50	-	-	-	20	-	20	-
Infections of the skin and subcutaneous tissue	281	30	30	-	-	-	-	-	20	-
Cellulitis and abscess	2811	20	20	-	-	-	-	-	-	-
Infectious and parasitic diseases	3	280	170	120	-	-	80	80	110	-
Bacterial diseases	31	30	20	-	-	-	-	-	20	-
Other bacterial diseases	319	30	20	-	-	-	-	-	-	-
Diphtheria, whooping cough	3192	30	20	-	-	-	-	-	-	-
Mycoses (fungal infections)	34	50	50	-	-	-	-	-	30	-
Coccidioidomycosis	342	50	50	-	-	-	-	-	30	-
Infectious diseases peculiar to the intestines	36	60	30	30	-	-	20	20	-	-

See footnotes at end of table.

TABLE S47. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness, gender, and length of service with employer, state government, 2012² — Continued

Nature	Nature code ³	State government ⁴	Gender			Length of service with employer				
			Male	Female	Not reported	Less than 3 months	3 - 11 months	1 - 5 years	More than 5 years	Not reported
Other salmonella infections	363	40	20	30	—	—	20	20	—	—
Other infectious and parasitic diseases	39	140	60	70	—	—	50	40	40	—
Scabies and other acariases	392	120	50	70	—	—	50	40	30	—
Symptoms, signs, and ill-defined conditions	5	540	350	190	—	—	50	120	340	—
Symptoms	51	500	330	170	—	—	50	120	320	—
General symptoms	511	240	180	60	—	—	20	30	190	—
Loss of consciousness—not heat related	5111	100	70	30	—	—	20	20	70	—
Dizziness—general	5114	70	60	—	—	—	—	—	70	—
Inflammation, swelling—general	5115	20	20	—	—	—	—	—	20	—
Symptoms involving skin and other integumentary tissue	513	30	30	—	—	—	30	—	—	—
Symptoms involving skin and other integumentary tissue, unspecified	5130	30	30	—	—	—	30	—	—	—
Symptoms involving head and neck	514	20	—	—	—	—	—	—	20	—
Symptoms involving cardiovascular system	515	20	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	180	80	100	—	—	—	80	90	—
Symptoms involving respiratory system and chest, unspecified	5160	40	—	40	—	—	—	30	—	—
Chest pain	5164	50	40	—	—	—	—	—	30	—
Multiple symptoms involving respiratory system and chest	5168	40	40	—	—	—	—	—	—	—
Abnormal findings	52	20	—	—	—	—	—	—	20	—
Other abnormal findings	529	20	—	—	—	—	—	—	20	—
Other diseases, conditions, and disorders	6	860	430	420	—	—	—	340	400	90
Mental disorders and syndromes	62	850	430	420	—	—	—	340	400	90
Mental disorders and syndromes, unspecified	620	30	—	20	—	—	—	—	—	—
Anxiety, stress	621	820	420	410	—	—	—	330	390	80
Anxiety, stress, unspecified	6210	350	180	180	—	—	—	100	160	80
Post-traumatic stress disorder	6211	140	50	90	—	—	—	60	80	—
Anxiety or panic disorder	6213	70	—	60	—	—	—	—	60	—
Anxiety, stress, n.e.c.	6219	260	190	70	—	—	—	160	90	—
Exposures to disease—no illness incurred	7	220	170	50	—	—	—	110	110	—
Nonclassifiable	9999	1,230	—	80	1,140	—	—	30	60	1,140

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.