

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, state government, 2012²

Part of body	Part of body code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Total		66,930	-	-	250	2,140	12,140	15,660	20,850	11,450	1,600	2,840
Head	1	4,270	-	-	40	220	1,010	850	1,260	590	190	110
Head, unspecified	10	760	-	-	20	40	70	170	200	160	50	50
Cranial region, including skull	11	790	-	-	-	20	180	170	280	100	30	20
Cranial region, unspecified	110	70	-	-	-	-	-	-	50	-	-	-
Brain	111	560	-	-	-	-	130	160	140	70	30	20
Scalp	112	120	-	-	-	-	30	-	70	20	-	-
Skull	113	20	-	-	-	-	-	-	-	-	-	-
Cranial region, n.e.c.	119	20	-	-	-	-	-	-	-	-	-	-
Ear(s)	12	50	-	-	-	-	30	-	-	-	-	-
Face	13	2,400	-	-	-	160	680	460	640	290	110	50
Face, unspecified	130	440	-	-	-	20	80	110	180	20	20	-
Forehead	131	200	-	-	-	-	30	20	50	70	-	-
Eye(s)	132	880	-	-	-	30	310	160	230	110	-	30
Nose, nasal cavity	133	280	-	-	-	70	-	70	40	40	60	-
Nose, except internal location of diseases or disorders	1330	280	-	-	-	70	-	70	40	40	60	-
Cheek(s)	134	20	-	-	-	-	-	-	-	-	-	-
Jaw, chin	135	50	-	-	-	-	-	-	20	-	-	-
Mouth	136	270	-	-	-	20	130	40	60	-	-	-
Mouth, unspecified	1360	80	-	-	-	-	60	-	-	-	-	-
Lip(s)	1361	30	-	-	-	-	-	-	-	-	-	-
Tooth (teeth)	1363	130	-	-	-	-	60	-	30	-	-	-
Mouth, n.e.c.	1369	20	-	-	-	-	-	-	-	-	-	-
Multiple face locations	138	260	-	-	-	20	110	40	40	40	-	-
Face, n.e.c.	139	20	-	-	-	-	-	-	-	-	-	-
Multiple head locations	18	240	-	-	-	-	50	50	110	30	-	-
Head, n.e.c.	19	30	-	-	-	-	-	-	-	-	-	-
Neck, including throat	2	1,260	-	-	-	-	320	310	360	190	30	40
Neck, except internal location of diseases or disorders ...	20	1,260	-	-	-	-	320	310	360	190	30	40
Trunk	3	13,510	-	-	50	510	2,610	3,060	4,440	2,190	270	380
Trunk, unspecified	30	80	-	-	-	-	-	-	50	-	-	-
Chest, including ribs, internal organs	31	1,160	-	-	-	50	130	210	430	250	80	-
Chest, except internal location of diseases or disorders	310	840	-	-	-	30	100	160	310	200	30	-
Internal chest location, unspecified	311	140	-	-	-	-	20	30	60	30	-	-
Heart	313	110	-	-	-	-	-	20	-	20	50	-
Lung(s), pleura	315	60	-	-	-	-	-	-	50	-	-	-
Back, including spine, spinal cord	32	10,180	-	-	-	380	2,120	2,420	3,240	1,570	160	280
Back, including spine, spinal cord, unspecified	320	3,710	-	-	-	140	840	830	1,210	480	90	120
Thoracic region	321	500	-	-	-	50	90	270	50	30	-	-
Lumbar region	322	5,540	-	-	-	190	1,110	1,220	1,850	1,010	70	80
Coccygeal region	324	110	-	-	-	-	40	20	20	30	-	-
Multiple back regions	328	290	-	-	-	-	50	80	80	-	-	70
Back, including spine, spinal cord, n.e.c.	329	20	-	-	-	-	-	-	-	-	-	-
Abdomen	33	690	-	-	20	40	140	100	230	110	-	40

See footnotes at end of table.

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Abdomen, except internal location of diseases or disorders	330	580	—	—	—	40	140	80	180	100	—	40
Internal abdominal location, unspecified	331	80	—	—	—	—	—	—	—	20	—	—
Pelvic region	34	1,060	—	—	—	20	160	260	350	210	20	—
Hip(s)	341	510	—	—	—	—	100	90	200	110	20	—
Pelvis	342	20	—	—	—	—	—	—	—	—	—	—
Buttock(s)	343	120	—	—	—	—	—	—	30	30	—	—
Groin	344	350	—	—	—	20	20	140	90	60	—	—
Multiple pelvic region locations	348	20	—	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	349	20	—	—	—	—	—	—	—	—	—	—
Multiple trunk locations	38	340	—	—	—	—	50	60	140	40	—	30
Upper extremities	4	16,640	—	—	90	510	2,890	4,150	5,180	2,920	390	500
Upper extremities, unspecified	40	100	—	—	—	—	50	20	—	20	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	4,530	—	—	—	140	530	1,130	1,360	1,010	220	140
Arm(s)	42	2,930	—	—	—	70	390	790	1,150	440	30	60
Arm(s), unspecified	420	780	—	—	—	—	160	120	370	90	—	20
Upper arm(s)	421	230	—	—	—	—	—	40	140	40	—	—
Elbow(s)	422	1,210	—	—	—	50	150	360	470	140	—	30
Forearm(s)	423	460	—	—	—	—	40	170	90	130	—	20
Multiple arm locations	428	210	—	—	—	—	—	90	80	30	—	—
Elbow(s) and arm(s)	4281	130	—	—	—	—	—	60	60	—	—	—
Multiple arm locations, n.e.c.	4289	70	—	—	—	—	—	—	20	20	—	—
Arm(s), n.e.c.	429	50	—	—	—	—	40	—	—	—	—	—
Wrist(s)	43	2,010	—	—	20	50	470	310	620	410	70	70
Hand(s)	44	5,480	—	—	60	210	1,120	1,530	1,530	790	60	180
Hand(s), unspecified	440	1,530	—	—	—	80	330	400	380	250	20	70
Hand(s), except finger(s)	441	310	—	—	—	—	40	130	120	20	—	—
Finger(s), fingernail(s)	442	3,310	—	—	60	120	680	920	910	480	30	110
Finger(s), fingernail(s), unspecified	4420	2,340	—	—	50	110	480	730	570	310	30	70
Fingernail(s), nailbed(s)	4421	20	—	—	—	—	—	—	—	—	—	—
Fingertip(s)	4422	300	—	—	—	—	90	20	100	80	—	—
Finger(s), fingernail(s), n.e.c.	4429	650	—	—	—	—	100	160	240	90	—	40
Hand(s) and finger(s)	448	180	—	—	—	—	30	70	60	20	—	—
Hand(s), n.e.c.	449	150	—	—	—	—	50	20	60	20	—	—
Multiple upper extremities locations	48	1,590	—	—	—	50	340	370	500	260	—	60
Multiple upper extremities locations, unspecified	480	30	—	—	—	—	—	20	—	—	—	—
Hand(s) and arms(s)	481	120	—	—	—	—	20	30	40	20	—	—
Hand(s) and arm(s), unspecified	4810	40	—	—	—	—	—	—	20	—	—	—
Hand(s) and elbow(s)	4811	30	—	—	—	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	50	—	—	—	—	—	—	20	—	—	—
Hand(s) and wrist(s)	482	280	—	—	—	20	50	90	80	40	—	—
Wrist(s) and arm(s)	483	150	—	—	—	—	30	20	40	30	—	30
Wrist(s) and arm(s), unspecified	4830	50	—	—	—	—	20	—	—	—	—	—
Wrist(s) and elbow(s)	4831	40	—	—	—	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	60	—	—	—	—	—	—	30	—	—	—
Shoulder(s) and arm(s)	484	420	—	—	—	—	50	150	120	70	—	—
Multiple upper extremities locations, n.e.c.	489	600	—	—	—	20	180	70	220	100	—	20
Lower extremities	5	15,600	—	—	60	520	2,890	3,650	5,240	2,710	240	290

See footnotes at end of table.

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Leg(s)	51	9,990	—	—	30	280	1,990	2,120	3,440	1,820	120	190
Leg(s), unspecified	510	700	—	—	—	20	140	210	160	140	—	—
Thigh(s)	511	290	—	—	—	—	40	40	110	80	—	—
Knee(s)	512	8,140	—	—	30	240	1,630	1,750	2,840	1,430	90	140
Lower leg(s)	513	530	—	—	—	—	100	80	170	130	20	20
Multiple leg locations	518	280	—	—	—	—	60	30	150	20	—	—
Knee(s) and leg(s)	5181	120	—	—	—	—	60	20	20	—	—	—
Multiple leg locations, n.e.c.	5189	160	—	—	—	—	—	—	140	—	—	—
Leg(s), n.e.c.	519	40	—	—	—	—	—	—	—	20	—	—
Ankle(s)	52	2,950	—	—	—	60	530	920	900	420	70	30
Foot (feet)	53	1,860	—	—	20	170	220	460	500	370	30	80
Foot (feet), unspecified	530	1,270	—	—	—	120	180	350	260	270	20	70
Sole(s)	531	120	—	—	—	—	—	—	60	40	—	—
Arch(es), instep(s)	5312	20	—	—	—	—	—	—	20	—	—	—
Heel(s)	5313	90	—	—	—	—	—	—	30	40	—	—
Toes(s), toenail(s)	532	290	—	—	20	30	—	60	130	30	—	—
Multiple foot (feet) locations	538	30	—	—	—	—	—	20	—	—	—	—
Foot (feet), n.e.c.	539	150	—	—	—	—	—	40	50	20	—	—
Multiple lower extremities locations	58	800	—	—	—	—	140	140	380	110	20	—
Multiple lower extremities locations, unspecified	580	30	—	—	—	—	—	—	—	—	—	—
Foot (feet) and leg(s)	581	90	—	—	—	—	30	50	—	—	—	—
Foot(feet) and knee(s)	5811	60	—	—	—	—	20	30	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	30	—	—	—	—	—	20	—	—	—	—
Foot (feet) and ankle(s)	582	220	—	—	—	—	50	30	90	40	—	—
Ankle(s) and leg(s)	583	220	—	—	—	—	50	40	90	40	—	—
Ankle(s) and leg(s), unspecified	5830	20	—	—	—	—	—	—	—	—	—	—
Ankle(s) and knee(s)	5831	140	—	—	—	—	40	20	50	20	—	—
Ankle(s) and leg(s), n.e.c.	5839	60	—	—	—	—	—	20	40	—	—	—
Multiple lower extremities locations, n.e.c.	589	240	—	—	—	—	20	—	180	20	—	—
Body systems	6	2,080	—	—	—	50	420	550	490	440	90	20
Multiple body parts	8	11,790	—	—	—	290	1,860	2,980	3,740	2,230	360	310
Multiple body parts, unspecified	80	740	—	—	—	—	240	130	130	60	40	140
Head and neck	81	310	—	—	—	—	90	40	80	60	—	30
Head, neck, and trunk	82	150	—	—	—	—	—	130	—	—	—	—
Head and trunk	83	230	—	—	—	—	140	20	50	20	—	—
Neck and back	84	1,070	—	—	—	—	120	380	310	210	40	—
Shoulder(s) and back	85	590	—	—	—	20	160	150	90	170	—	—
Hip(s) and leg(s)	86	110	—	—	—	—	20	—	60	—	—	—
Upper and lower limb(s)	87	970	—	—	—	30	80	230	270	270	70	—
Other multiple body parts	89	7,610	—	—	—	210	1,010	1,890	2,740	1,420	210	130
Whole body	891	80	—	—	—	—	—	40	—	—	—	—
Multiple body parts, n.e.c.	899	7,530	—	—	—	210	1,000	1,840	2,730	1,410	210	130

See footnotes at end of table.

TABLE S50. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and age of worker, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Age									
			Under 14	14 - 15	16 - 19	20 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 and over	Not reported
Nonclassifiable	9999	1,790	—	—	—	—	140	110	130	180	30	1,180

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.