

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, state government, 2012²

Part of body	Part of body code ³	State government ⁴	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Total		66,930	880	7,050	6,500	14,490	12,280	10,510	4,120	1,220	550	90	9,230
Head	1	4,270	20	360	410	1,040	770	740	310	80	30	—	510
Head, unspecified	10	760	—	80	80	160	90	180	40	—	—	—	100
Cranial region, including skull	11	790	—	50	70	190	120	170	80	—	—	—	90
Cranial region, unspecified	110	70	—	—	—	—	—	—	—	—	—	—	—
Brain	111	560	—	30	60	110	90	120	70	—	—	—	80
Scalp	112	120	—	20	—	50	20	20	—	—	—	—	—
Skull	113	20	—	—	—	—	—	—	—	—	—	—	—
Cranial region, n.e.c.	119	20	—	—	—	20	—	—	—	—	—	—	—
Ear(s)	12	50	—	—	20	20	—	—	—	—	—	—	—
Face	13	2,400	—	210	190	610	530	330	150	50	—	—	320
Face, unspecified	130	440	—	50	—	90	90	120	30	20	—	—	30
Forehead	131	200	—	—	30	60	40	20	—	—	—	—	20
Eye(s)	132	880	—	110	80	250	110	80	70	20	—	—	150
Nose, nasal cavity	133	280	—	—	20	90	80	30	20	—	—	—	20
Nose, except internal location of diseases or disorders	1330	280	—	—	20	90	80	30	20	—	—	—	20
Cheek(s)	134	20	—	—	—	—	—	—	—	—	—	—	—
Jaw, chin	135	50	—	—	—	—	—	—	—	—	—	—	—
Mouth	136	270	—	30	—	70	60	20	—	—	—	—	70
Mouth, unspecified	1360	80	—	20	—	—	—	—	—	—	—	—	—
Lip(s)	1361	30	—	—	—	20	—	—	—	—	—	—	—
Tooth (teeth)	1363	130	—	—	—	40	20	—	—	—	—	—	60
Mouth, n.e.c.	1369	20	—	—	—	—	—	—	—	—	—	—	—
Multiple face locations	138	260	—	—	40	30	110	50	—	—	—	—	30
Face, n.e.c.	139	20	—	—	—	—	—	—	—	—	—	—	—
Multiple head locations	18	240	—	20	50	40	30	40	30	20	—	—	—
Head, n.e.c.	19	30	—	—	—	—	—	—	—	—	—	—	—
Neck, including throat	2	1,260	—	150	130	190	300	190	90	40	—	—	150
Neck, except internal location of diseases or disorders	20	1,260	—	150	130	190	300	190	90	40	—	—	150
Trunk	3	13,510	140	1,280	1,540	3,140	2,390	2,340	660	250	130	—	1,640
Trunk, unspecified	30	80	—	—	—	—	20	20	—	—	—	—	30
Chest, including ribs, internal organs	31	1,160	—	140	80	260	180	280	20	—	—	—	190
Chest, except internal location of diseases or disorders	310	840	—	110	60	180	150	240	20	—	—	—	70
Internal chest location, unspecified	311	140	—	30	—	40	—	—	—	—	—	—	40
Heart	313	110	—	—	—	20	30	20	—	—	—	—	—
Lung(s), pleura	315	60	—	—	—	—	—	—	—	—	—	—	50
Back, including spine, spinal cord	32	10,180	50	980	1,220	2,450	1,700	1,790	430	200	110	—	1,240
Back, including spine, spinal cord, unspecified	320	3,710	40	420	430	770	580	620	160	80	40	—	560
Thoracic region	321	500	—	30	30	120	100	150	30	—	—	—	30
Lumbar region	322	5,540	—	520	690	1,480	970	970	210	100	30	—	560
Coccygeal region	324	110	—	—	30	40	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Multiple back regions	328	290	—	—	30	40	40	40	20	—	30	—	70
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—	—	—	—	—	—
Abdomen	33	690	—	50	140	170	140	70	20	—	—	—	80
Abdomen, except internal location of diseases or disorders	330	580	—	30	110	170	100	60	20	—	—	—	60
Internal abdominal location, unspecified	331	80	—	—	20	—	—	—	—	—	—	—	20
Pelvic region	34	1,060	80	90	90	230	190	140	140	40	—	—	50
Hip(s)	341	510	80	40	40	140	110	20	60	—	—	—	20
Pelvis	342	20	—	—	—	20	—	—	—	—	—	—	—
Buttock(s)	343	120	—	—	—	—	—	20	60	—	—	—	—
Groin	344	350	—	40	40	40	60	50	70	—	—	—	—
Multiple pelvic region locations	348	20	—	—	—	—	—	—	—	—	—	—	—
Pelvic region, n.e.c.	349	20	—	—	—	20	—	—	—	—	—	—	—
Multiple trunk locations	38	340	—	20	20	30	140	30	40	—	—	—	40
Upper extremities	4	16,640	160	1,760	1,670	3,630	3,280	2,600	1,040	220	80	—	2,190
Upper extremities, unspecified	40	100	—	—	—	—	60	—	—	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	4,530	80	320	560	1,030	930	690	290	50	40	—	530
Arm(s)	42	2,930	—	470	270	750	370	400	290	80	—	—	300
Arm(s), unspecified	420	780	—	120	40	120	100	50	180	20	—	—	130
Upper arm(s)	421	230	—	60	—	50	30	20	—	30	—	—	20
Elbow(s)	422	1,210	—	190	140	270	180	200	90	20	—	—	110
Forearm(s)	423	460	—	20	30	270	30	70	—	—	—	—	30
Multiple arm locations	428	210	—	80	50	30	—	40	—	—	—	—	—
Elbow(s) and arm(s)	4281	130	—	50	50	—	—	—	—	—	—	—	—
Multiple arm locations, n.e.c.	4289	70	—	20	—	—	—	40	—	—	—	—	—
Arm(s), n.e.c.	429	50	—	—	—	—	—	20	—	—	—	—	—
Wrist(s)	43	2,010	30	330	140	310	430	270	90	20	—	—	390
Hand(s)	44	5,480	20	490	570	1,190	1,130	970	300	30	30	—	750
Hand(s), unspecified	440	1,530	—	170	150	300	230	320	70	—	—	—	280
Hand(s), except finger(s)	441	310	—	40	50	70	60	30	30	—	—	—	—
Finger(s), fingernail(s)	442	3,310	—	250	340	690	820	520	200	20	20	—	430
Finger(s), fingernail(s), unspecified ..	4420	2,340	—	180	290	450	600	350	150	20	—	—	280
Fingernail(s), nailbed(s)	4421	20	—	—	—	—	—	—	—	—	—	—	—
Fingertip(s)	4422	300	—	20	—	110	90	40	—	—	—	—	30
Finger(s), fingernail(s), n.e.c.	4429	650	—	40	40	130	130	130	40	—	—	—	110
Hand(s) and finger(s)	448	180	—	—	—	80	20	50	—	—	—	—	—
Hand(s), n.e.c.	449	150	—	30	—	40	—	50	—	—	—	—	—
Multiple upper extremities locations	48	1,590	—	150	130	330	360	270	80	40	—	—	210
Multiple upper extremities locations, unspecified	480	30	—	—	—	—	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	120	—	—	—	20	30	—	20	—	—	—	30
Hand(s) and arm(s), unspecified	4810	40	—	—	—	—	—	—	—	—	—	—	20
Hand(s) and elbow(s)	4811	30	—	—	—	—	20	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	50	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Hand(s) and wrist(s)	482	280	—	50	—	80	50	50	20	—	—	—	20
Wrist(s) and arm(s)	483	150	—	—	—	30	—	60	—	20	—	—	20
Wrist(s) and arm(s), unspecified	4830	50	—	—	—	—	—	20	—	—	—	—	—
Wrist(s) and elbow(s)	4831	40	—	—	—	20	—	—	—	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	60	—	—	—	—	—	40	—	—	—	—	—
Shoulder(s) and arm(s)	484	420	—	50	60	70	120	60	—	—	—	—	40
Multiple upper extremities locations, n.e.c.	489	600	—	40	40	140	140	80	30	—	—	—	110
Lower extremities	5	15,600	410	2,030	1,300	3,290	2,760	2,590	1,160	260	180	60	1,570
Leg(s)	51	9,990	180	1,230	900	2,210	1,730	1,770	780	170	110	—	900
Leg(s), unspecified	510	700	—	50	140	90	180	110	30	30	—	—	70
Thigh(s)	511	290	—	—	50	20	40	80	—	—	—	—	60
Knee(s)	512	8,140	160	1,090	660	1,910	1,230	1,490	700	140	100	—	640
Lower leg(s)	513	530	—	20	60	150	110	60	20	—	—	—	100
Multiple leg locations	518	280	—	50	—	30	160	20	—	—	—	—	20
Knee(s) and leg(s)	5181	120	—	40	—	20	20	20	—	—	—	—	20
Multiple leg locations, n.e.c.	5189	160	—	—	—	—	—	—	—	—	—	—	—
Leg(s), n.e.c.	519	40	—	—	—	—	20	—	—	—	—	—	—
Ankle(s)	52	2,950	120	520	200	500	520	480	220	50	40	30	260
Foot (feet)	53	1,860	40	180	170	420	330	240	110	30	—	20	300
Foot (feet), unspecified	530	1,270	30	140	120	290	200	150	90	30	—	20	210
Sole(s)	531	120	—	—	—	30	20	20	—	—	—	—	—
Arch(es), instep(s)	5312	20	—	—	—	—	—	—	—	—	—	—	—
Heel(s)	5313	90	—	—	—	30	20	—	—	—	—	—	—
Toes(s), toenail(s)	532	290	—	20	20	70	40	50	20	—	—	—	70
Multiple foot (feet) locations	538	30	—	—	—	—	20	—	—	—	—	—	—
Foot (feet), n.e.c.	539	150	—	—	20	20	60	20	—	—	—	—	—
Multiple lower extremities locations	58	800	80	90	20	150	180	100	50	—	—	—	110
Multiple lower extremities locations, unspecified	580	30	—	—	—	—	—	—	—	—	—	—	20
Foot (feet) and leg(s)	581	90	—	—	—	—	40	20	—	—	—	—	—
Foot(feet) and knee(s)	5811	60	—	—	—	—	30	—	—	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	30	—	—	—	—	—	20	—	—	—	—	—
Foot (feet) and ankle(s)	582	220	—	40	—	90	40	30	—	—	—	—	—
Ankle(s) and leg(s)	583	220	—	40	20	30	20	40	30	—	—	—	40
Ankle(s) and leg(s), unspecified	5830	20	—	—	—	—	—	—	—	—	—	—	—
Ankle(s) and knee(s)	5831	140	—	20	—	20	—	20	30	—	—	—	30
Ankle(s) and leg(s), n.e.c.	5839	60	—	—	—	—	—	—	—	—	—	—	20
Multiple lower extremities locations, n.e.c.	589	240	—	—	—	20	80	20	—	—	—	—	30
Body systems	6	2,080	—	230	310	350	370	260	160	—	20	—	350
Multiple body parts	8	11,790	150	1,170	1,130	2,670	2,330	1,700	660	370	60	20	1,540
Multiple body parts, unspecified	80	740	—	—	40	130	90	80	30	—	—	—	340
Head and neck	81	310	—	40	30	110	30	40	40	—	—	—	—
Head, neck, and trunk	82	150	—	—	—	120	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Hours on the job before event occurred										
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	Not reported
Head and trunk	83	230	—	—	20	60	80	40	—	—	—	—	—
Neck and back	84	1,070	—	50	60	390	230	220	50	—	—	—	60
Shoulder(s) and back	85	590	—	120	30	60	20	250	40	40	—	—	30
Hip(s) and leg(s)	86	110	—	—	—	40	—	—	30	—	—	—	—
Upper and lower limb(s)	87	970	—	80	40	220	270	110	100	20	—	—	120
Other multiple body parts	89	7,610	110	850	900	1,550	1,570	960	370	260	30	20	980
Whole body	891	80	—	20	—	20	30	—	—	—	—	—	20
Multiple body parts, n.e.c.	899	7,530	110	830	900	1,530	1,540	960	370	260	30	20	960

See footnotes at end of table.

TABLE S79. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and hours on the job before event occurred, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Hours on the job before event occurred										Not reported
			Before shift began	Less than 1 hour	1 hour to less than 2 hours	2 hours to less than 4 hours	4 hours to less than 6 hours	6 hours to less than 8 hours	8 hours to less than 10 hours	10 hours to less than 12 hours	12 hours to less than 16 hours	More than 16 hours	
Nonclassifiable	9999	1,790	–	70	–	180	80	80	40	–	50	–	1,270

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/iif_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.