

TABLE S93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, state government, 2012²

Part of body	Part of body code ³	State government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Total		66,930	1,910	7,900	19,690	15,920	9,430	4,640	7,460
Head	1	4,270	140	410	1,040	920	930	480	350
Head, unspecified	10	760	—	110	200	170	90	90	90
Cranial region, including skull	11	790	20	60	260	140	130	100	80
Cranial region, unspecified	110	70	—	—	—	—	—	—	—
Brain	111	560	—	30	160	80	100	90	70
Scalp	112	120	—	20	70	20	—	—	—
Skull	113	20	—	—	—	—	—	—	—
Cranial region, n.e.c.	119	20	—	—	20	—	—	—	—
Ear(s)	12	50	—	—	—	20	—	—	—
Face	13	2,400	80	230	540	520	660	220	160
Face, unspecified	130	440	40	50	110	120	30	70	30
Forehead	131	200	—	—	50	60	60	—	—
Eye(s)	132	880	20	90	250	140	270	30	70
Nose, nasal cavity	133	280	—	—	30	50	170	—	20
Nose, except internal location of diseases or disorders	1330	280	—	—	30	50	170	—	20
Cheek(s)	134	20	—	—	—	—	—	—	—
Jaw, chin	135	50	—	—	—	—	20	20	—
Mouth	136	270	—	—	40	110	90	20	—
Mouth, unspecified	1360	80	—	—	—	20	40	—	—
Lip(s)	1361	30	—	—	20	—	—	—	—
Tooth (teeth)	1363	130	—	—	—	70	40	—	—
Mouth, n.e.c.	1369	20	—	—	—	—	—	—	—
Multiple face locations	138	260	—	60	40	30	30	70	30
Face, n.e.c.	139	20	—	—	—	—	—	—	—
Multiple head locations	18	240	—	20	30	80	50	40	—
Head, n.e.c.	19	30	—	—	—	—	—	20	—
Neck, including throat	2	1,260	60	200	300	410	110	30	150
Neck, except internal location of diseases or disorders	20	1,260	60	200	300	410	110	30	150
Trunk	3	13,510	390	1,660	4,320	3,100	1,700	870	1,470
Trunk, unspecified	30	80	—	—	—	40	—	—	30
Chest, including ribs, internal organs	31	1,160	40	130	370	360	70	40	150
Chest, except internal location of diseases or disorders	310	840	40	70	290	290	50	40	60
Internal chest location, unspecified	311	140	—	20	20	40	—	—	40
Heart	313	110	—	40	30	30	—	—	—
Lung(s), pleura	315	60	—	—	—	—	—	—	50
Back, including spine, spinal cord	32	10,180	280	1,330	3,360	2,030	1,340	680	1,150
Back, including spine, spinal cord, unspecified	320	3,710	140	480	1,120	800	410	240	530
Thoracic region	321	500	20	80	140	110	80	60	20
Lumbar region	322	5,540	100	730	2,010	1,040	820	310	520
Coccygeal region	324	110	—	30	—	30	—	—	—
Multiple back regions	328	290	20	—	80	50	30	40	70

See footnotes at end of table.

TABLE S93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Back, including spine, spinal cord, n.e.c.	329	20	—	—	—	—	—	—	—
Abdomen	33	690	50	70	190	150	100	50	70
Abdomen, except internal location of diseases or disorders	330	580	30	30	160	150	100	50	50
Internal abdominal location, unspecified	331	80	—	40	30	—	—	—	20
Pelvic region	34	1,060	20	90	300	380	160	80	30
Hip(s)	341	510	—	30	170	230	60	—	—
Pelvis	342	20	—	—	—	—	—	—	—
Buttock(s)	343	120	—	—	—	20	20	60	—
Groin	344	350	—	60	90	120	60	20	—
Multiple pelvic region locations	348	20	—	—	—	—	—	—	—
Pelvic region, n.e.c.	349	20	—	—	—	—	—	—	—
Multiple trunk locations	38	340	—	20	90	140	20	20	40
Upper extremities	4	16,640	440	1,980	5,210	4,050	1,800	1,340	1,820
Upper extremities, unspecified	40	100	—	—	70	—	—	—	—
Shoulder(s), including clavicle(s), scapula(e)	41	4,530	180	420	1,510	970	620	430	410
Arm(s)	42	2,930	90	420	960	860	240	100	280
Arm(s), unspecified	420	780	50	110	130	260	70	40	130
Upper arm(s)	421	230	—	60	50	30	60	—	20
Elbow(s)	422	1,210	20	140	530	310	70	30	100
Forearm(s)	423	460	—	—	190	190	30	20	20
Multiple arm locations	428	210	—	90	40	50	—	—	—
Elbow(s) and arm(s)	4281	130	—	90	20	—	—	—	—
Multiple arm locations, n.e.c.	4289	70	—	—	20	40	—	—	—
Arm(s), n.e.c.	429	50	—	—	20	20	—	—	—
Wrist(s)	43	2,010	60	330	520	390	210	140	350
Hand(s)	44	5,480	50	680	1,730	1,440	530	450	600
Hand(s), unspecified	440	1,530	—	190	310	460	140	150	250
Hand(s), except finger(s)	441	310	—	30	140	90	40	—	—
Finger(s), fingernail(s)	442	3,310	30	400	1,150	810	330	280	310
Finger(s), fingernail(s), unspecified ..	4420	2,340	20	260	820	600	270	220	160
Fingernail(s), nailbed(s)	4421	20	—	—	—	—	—	—	—
Fingertip(s)	4422	300	—	70	130	60	—	—	30
Finger(s), fingernail(s), n.e.c.	4429	650	20	80	190	150	60	50	110
Hand(s) and finger(s)	448	180	—	—	90	40	20	—	—
Hand(s), n.e.c.	449	150	—	40	40	40	—	—	—
Multiple upper extremities locations	48	1,590	70	140	420	380	200	220	170
Multiple upper extremities locations, unspecified	480	30	—	—	—	—	—	—	—
Hand(s) and arms(s)	481	120	—	20	20	30	20	—	30
Hand(s) and arm(s), unspecified	4810	40	—	—	—	—	—	—	20
Hand(s) and elbow(s)	4811	30	—	—	—	—	—	—	—
Hand(s) and arm(s), n.e.c.	4819	50	—	—	—	—	—	—	—
Hand(s) and wrist(s)	482	280	20	—	60	70	50	50	20
Wrist(s) and arm(s)	483	150	—	—	70	20	—	40	—
Wrist(s) and arm(s), unspecified	4830	50	—	—	30	—	—	—	—

See footnotes at end of table.

TABLE S93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Wrist(s) and elbow(s)	4831	40	—	—	20	—	—	—	—
Wrist(s) and arm(s), n.e.c.	4839	60	—	—	20	—	—	30	—
Shoulder(s) and arm(s)	484	420	20	20	150	130	30	50	—
Multiple upper extremities locations, n.e.c.	489	600	20	80	130	120	70	80	100
Lower extremities	5	15,600	450	1,890	4,690	3,870	2,390	1,170	1,140
Leg(s)	51	9,990	290	1,060	3,110	2,450	1,680	740	650
Leg(s), unspecified	510	700	—	30	260	180	120	30	70
Thigh(s)	511	290	—	—	70	80	30	40	50
Knee(s)	512	8,140	250	990	2,350	2,060	1,400	630	460
Lower leg(s)	513	530	20	30	190	120	100	40	50
Multiple leg locations	518	280	—	—	210	20	20	—	20
Knee(s) and leg(s)	5181	120	—	—	60	—	20	—	20
Multiple leg locations, n.e.c.	5189	160	—	—	150	—	—	—	—
Leg(s), n.e.c.	519	40	—	—	30	—	—	—	—
Ankle(s)	52	2,950	80	450	900	750	370	180	210
Foot (feet)	53	1,860	70	170	470	570	200	190	190
Foot (feet), unspecified	530	1,270	60	110	280	420	130	170	110
Sole(s)	531	120	—	30	30	20	20	—	—
Arch(es), instep(s)	5312	20	—	20	—	—	—	—	—
Heel(s)	5313	90	—	—	30	—	20	—	—
Toes(s), toenail(s)	532	290	—	—	90	90	40	—	70
Multiple foot (feet) locations	538	30	—	—	—	20	—	—	—
Foot (feet), n.e.c.	539	150	—	20	60	30	—	—	—
Multiple lower extremities locations	58	800	—	210	210	100	140	50	90
Multiple lower extremities locations, unspecified	580	30	—	—	—	—	—	—	—
Foot (feet) and leg(s)	581	90	—	20	30	—	20	—	—
Foot(feet) and knee(s)	5811	60	—	—	30	—	—	—	—
Foot(feet) and leg(s), n.e.c.	5819	30	—	—	—	—	—	—	—
Foot (feet) and ankle(s)	582	220	—	40	110	40	30	—	—
Ankle(s) and leg(s)	583	220	—	70	40	30	—	40	30
Ankle(s) and leg(s), unspecified	5830	20	—	—	—	—	—	—	—
Ankle(s) and knee(s)	5831	140	—	50	30	—	—	30	—
Ankle(s) and leg(s), n.e.c.	5839	60	—	—	—	—	—	—	20
Multiple lower extremities locations, n.e.c.	589	240	—	—	40	—	80	—	30
Body systems	6	2,080	60	280	530	560	290	100	260
Multiple body parts	8	11,790	360	1,390	3,420	2,840	2,140	630	1,000
Multiple body parts, unspecified	80	740	—	80	220	120	90	—	220
Head and neck	81	310	—	30	70	70	120	—	—
Head, neck, and trunk	82	150	—	—	—	—	—	—	—
Head and trunk	83	230	—	20	70	20	110	—	—
Neck and back	84	1,070	40	50	500	240	140	50	60
Shoulder(s) and back	85	590	—	30	140	250	110	30	20
Hip(s) and leg(s)	86	110	—	30	40	—	—	—	—
Upper and lower limb(s)	87	970	30	110	250	280	130	50	110

See footnotes at end of table.

TABLE S93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Other multiple body parts	89	7,610	250	920	2,100	1,830	1,430	480	580
Whole body	891	80	—	—	40	20	—	—	—
Multiple body parts, n.e.c.	899	7,530	250	910	2,070	1,810	1,430	480	570

See footnotes at end of table.

TABLE S93. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by injury or illness and time of day event occurred, state government, 2012² — Continued

Part of body	Part of body code ³	State government ⁴	Time of event						Not reported
			12:01 A.M. to 4:00 A.M.	4:01 A.M. to 8:00 A.M.	8:01 A.M. to 12:00 noon	12:01 P.M. to 4:00 P.M.	4:01 P.M. to 8:00 P.M.	8:01 P.M. to 12:00 midnight	
Nonclassifiable	9999	1,790	–	90	170	180	70	20	1,270

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Incorrect national-level estimates of nonfatal occupational injuries and illnesses were published for the Survey of Occupational Injuries and Illnesses (SOII) for reference year 2012. This table includes corrected estimates. For additional information see: https://www.bls.gov/bls/errata/if_errata_1014.htm.

³ Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.